



HAND TOOL CATALOGUE

CONTENTS

❖ TOOLBOXES	Page 2 - 5
❖ SOCKETRY	page 6 - 20
❖ IMPACT SOCKETRY	Page 21 - 29
❖ WRENCHES	Page 30 - 33
❖ SCREWDRIVERS	Page 34 - 40
❖ PLIERS	Page 41 - 45
❖ HEX KEYS	Page 46 - 48
❖ INDEX	Page 49 - 52



Every effort has been made to ensure that the data given is correct and accurate and is provided in good faith. E&OE.
AST has a policy of continuous development and reserve the right to change product specification or appearance without prior notice.

❖ TOOLBOXES -



❖ SOCKETRY -

RATCHETS
EXTENSION BARS
STANDARD
DEEP
TX SOCKETS
HEX SOCKETS
POWER BAR
RATCHET SETS



❖ IMPACT SOCKETRY -

STANDARD
DEEP
EXTENSIONS
ADAPTORS / UNIVERSAL JOINT
IMPACT SETS



❖ WRENCHES -

STANDARD COMBINATION
RATCHETING COMBINATION




❖ SCREWDRIVERS -

FLARED TIP
PARALLEL TIP
PZ
PH



❖ PLIERS -

COMBINATION
LONG NOSE
SIDE CUTTER
DIAGONAL CUTTERS
PLIER SETS



❖ HEX KEYS -

LONG HEX KEYS
LONG BALL END
LONG TX





❖ Ball Bearing Sliders

- ❖ Heavy Duty Drawer Slides team up with double-wall steel construction and three point slide mounting to ensure smooth, easy operation of fully loaded drawers.



❖ Non Slip Liner

- ❖ EVA Liner, 2.5mm thick, protects the drawer surface and makes tools non slippery.



❖ Top Mat

- ❖ Top Mat Surface, 10mm thick, protects the work surface and preserves its elegant appearance.



❖ Heavy Duty 5"x 2" Caster

- ❖ Large diameter, heavy duty roller bearing casters easily overcome obstacles such as grates, cords, and hoses.
- ❖ Caster brakes provide secure placement & prevent movement.
- ❖ Caster material resists Gas, Oil and Solvents.



❖ Gas Lift

- ❖ Reinforced lids retain their shape.
- ❖ Full width piano hinges allow the lid to move freely and easily.
- ❖ Gas assisted springs ensure smooth and effortless opening and closing.



❖ Double Wall Construction

- ❖ Double Wall Construction features two full size layers of heavy duty steel to provide ultimate strength and durability.



- ❖ Fully Lockable - completely enclosed for better security.
- ❖ Ball bearing slides
- ❖ Powder coated to resist scratch and solvent markings.
- ❖ Supplied with Tote tray.

DRAWER SIZE	H	D	L
3 DRAWERS	50	270	194
2 DRAWERS	50	270	591
1 DRAWER	75	270	591



❖ AST-TC6

PART No:	DESCRIPTION	H	D	L	WEIGHT (KG)
AST-TC6	6 DRAWER TOP CHEST - R/B	379	307	660	22.8

- ❖ Double wall construction.
- ❖ Ball bearing slides
- ❖ Powder coated to resist scratch and solvent markings.
- ❖ Heavy duty Top Mat

DRAWER SIZE	H	D	L
5 DRAWERS	75	397	569
2 DRAWERS	154	397	569



❖ AST-RC7

- ❖ AST-TC6 & AST-RC7 Shown Together.



PART No:	DESCRIPTION	H	D	L	WEIGHT (KG)
AST-RC7	7 DRAWER ROLL CABINET - R/B	1000	459	681	62.5

- ❖ ABS front for more protection
- ❖ Internal locking mechanism
- ❖ Ball bearing slides
- ❖ Double wall construction
- ❖ Powder coated

DRAWER SIZE	H	D	L
5 DRAWERS	75	397	591



❖ AST-TC5ABS/R

PART No:	DESCRIPTION	H	D	L	WEIGHT (KG)
AST-TC5ABS/R	5 DRAWER TOP CHEST - RED	566	460	681	40

- ❖ ABS front for more protection
- ❖ Internal locking mechanism
- ❖ Ball bearing slides
- ❖ Heavy duty casters
- ❖ Double wall construction
- ❖ Powder coated

DRAWER SIZE	H	D	L
5 DRAWERS	74	397	569
2 DRAWERS	153	397	569



❖ AST-RC7ABS/R

❖ AST-TC5ABS/R & AST-RC7ABS/R Shown Together.



PART No:	DESCRIPTION	H	D	L	WEIGHT (KG)
AST-RC7ABS/R	7 DRAWER ROLL CABINET - RED	1000	460	681	70



❖ Socketry

- ❖ AST Sockets and Accessories are manufactured to the latest DIN / ANSI standards and are manufactured from the highest quality steel to meet the demands of all professionals.
- ❖ AST Socket range is designed with “Anti - Slip” enabling a better grip on the fastener whilst reducing the stress on the Socket.



❖ Ratchets

- ❖ Two different AST Ratchet designs are available, this provides a choice between Rubber handles or Steel handles.
- ❖ AST Ratchet are manufactured to the latest DIN / ANSI standards with a 72 teeth quick release reversible action.
- ❖ AST 72 Teeth Ratchets provide 5 degrees of operation for working in tight areas, the 72 teeth ratchets offer extremely good load, 17 teeth are engaged whilst applying load, giving 45% more strength than a standard ratchet.



❖ Quick Release

- ❖ The Quick Release Mechanism allows the Socket to lock in place, Preventing accidental loss of the Socket.



❖ Rubber Handle

- ❖ The Rubber Handle is hard wearing and comfortable whilst in use.



❖ Steel Handle

- ❖ The Steel Handle is designed to be comfortable whilst in use and easy to clean.



❖ Ratchet Head - Standard

- ❖ The Standard Ratchet head design.




❖ Ratchet Head - Tear Drop

- ❖ The Slim “Tear Drop” design enables access to confined spaces.



- ❖ 1/4" Drive Ratchets
- ❖ Conforms to DIN / ANSI Standards
- ❖ 72 Teeth mechanism
- ❖ Quick release
- ❖ Steel / Rubber handles



PART No:	DESCRIPTION	H	D	L	WEIGHT (KG)
AST-R1S	1/4" RATCHET - STEEL HANDLE	16.1	19.5	130	0.14
AST-R1RH	1/4" RATCHET - RUBBER HANDLE	16.1	25.0	130	0.14
AST6002	1/4" RATCHET - TWISTER	24.0	26.0	130	0.12



- ❖ AST6002 a brilliant concept ... the 'TWISTER' design overcomes the 'age old' problem of having limited space available for screwing the bolt or nut up and down the thread once it has been released.
- ❖ The 'TWISTER' is a conventional quality Ratchet, PLUS . . . twisting the shaft rotates the square drive turning the bolt/nut within the limited space available.

- ❖ 3/8" Drive Ratchets
- ❖ Conforms to DIN / ANSI Standards
- ❖ 72 Teeth mechanism
- ❖ Quick release
- ❖ Steel / Rubber handles



PART No:	DESCRIPTION	H	D	L	WEIGHT (KG)
AST-R3S	3/8" RATCHET - STEEL HANDLE	27.0	26.0	195	0.34
AST-R3RH	3/8" RATCHET - RUBBER HANDLE	27.0	32.0	195	0.34
AST-R3L	3/8" RATCHET - LONG STEEL HANDLE	33.0	28.0	274	0.44
AST6001	3/8" RATCHET - TWISTER	35.0	37.0	195	0.40



❖ AST6001 a brilliant concept ... the 'TWISTER' design overcomes the 'age old' problem of having limited space available for screwing the bolt or nut up and down the thread once it has been released.

❖ The 'TWISTER' is a conventional quality Ratchet, PLUS . . . twisting the shaft rotates the square drive turning the bolt/nut within the limited space available.

- ❖ 3/8" Drive Extension Bars
- ❖ Conforms to DIN / ANSI Standards

3/8" DR



❖ AST-EXT3125

❖ AST-EXT3250

❖ AST-EXT3375


❖ AST-EXT3600

❖ Extensions shown
Not to Scale.



PART No:	DESCRIPTION	L INCH-mm	S Max	S Min	L2	L3	WEIGHT (KG)
AST-EXT3125	3/8" - 5" EXTENSION BAR	5"/125	9.8	9.58	11.5	5.5	15.5
AST-EXT3250	3/8" - 10" EXTENSION BAR	10"/250	9.8	9.58	11.5	5.5	24.4
AST-EXT3375	3/8" - 15" EXTENSION BAR	15"/380	9.8	9.58	11.5	5.5	34.5
AST-EXT3600	3/8" - 24" EXTENSION BAR	24"/610	9.8	9.58	11.5	5.5	54.0

- ❖ 3/8" Drive standard 6 point sockets
- ❖ Manufactured to DIN / ANSI standards
- ❖ CR-V Chrome Plated
- ❖ All Sockets are "Anti-Slip"





PART No:	DESCRIPTION	D1	D2	L	T	WEIGHT (KG)
AST-SSHM308	3/8" - 8 MM STANDARD SOCKET	16.8	12	28	6	0.24
AST-SSHM309	3/8" - 9 MM STANDARD SOCKET	16.8	13.1	28	8	0.24
AST-SSHM310	3/8" - 10 MM STANDARD SOCKET	16.8	14.7	28	8	0.25
AST-SSHM311	3/8" - 11 MM STANDARD SOCKET	16.8	15.7	28	8	0.25
AST-SSHM312	3/8" - 12 MM STANDARD SOCKET	15.7	16.8	28	8	0.25
AST-SSHM313	3/8" - 13 MM STANDARD SOCKET	16.5	18.8	28	8	0.27
AST-SSHM314	3/8" - 14 MM STANDARD SOCKET	17.5	19.8	28	11	0.34
AST-SSHM315	3/8" - 15 MM STANDARD SOCKET	19	21.8	28	11	0.42
AST-SSHM316	3/8" - 16 MM STANDARD SOCKET	19.5	21.8	28	12	0.43
AST-SSHM317	3/8" - 17 MM STANDARD SOCKET	21.5	23.8	30	12	0.55
AST-SSHM318	3/8" - 18 MM STANDARD SOCKET	23	25.8	30	12	0.62
AST-SSHM319	3/8" - 19 MM STANDARD SOCKET	23.5	25.8	30	14	0.68
AST-SSHM321	3/8" - 21 MM STANDARD SOCKET	26.5	27.8	30	14	0.82
AST-SSHM322	3/8" - 22 MM STANDARD SOCKET	28.5	29.8	30	14	0.83



- ❖ AST-SSHM312SET
- ❖ 12 piece 3/8" Drive standard 6 point socket set contains 8,9,10,11,12,13,14,15,16,17,18,19mm.



- ❖ 3/8" Drive Deep 6 point sockets
- ❖ Manufactured to DIN / ANSI Standards
- ❖ CR-V Chrome Plated
- ❖ All Sockets are "Anti-Slip"



3/8" DR

PART No:	DESCRIPTION	D1	D2	L	T	WEIGHT (KG)
AST-SDHM308	3/8" - 8 MM DEEP LENGTH SOCKET	16.8	12	63	15	0.50
AST-SDHM309	3/8" - 9 MM DEEP LENGTH SOCKET	16.8	13.1	63	15	0.53
AST-SDHM310	3/8" - 10 MM DEEP LENGTH SOCKET	16.8	14.7	63	19	0.56
AST-SDHM311	3/8" - 11 MM DEEP LENGTH SOCKET	16.8	15.7	63	23	0.63
AST-SDHM312	3/8" - 12 MM DEEP LENGTH SOCKET	15.7	16.8	63	23	0.70
AST-SDHM313	3/8" - 13 MM DEEP LENGTH SOCKET	16.5	18.8	63	23	0.77
AST-SDHM314	3/8" - 14 MM DEEP LENGTH SOCKET	17.5	19.8	63	23	0.85
AST-SDHM315	3/8" - 15 MM DEEP LENGTH SOCKET	19	21.8	63	23	110
AST-SDHM316	3/8" - 16 MM DEEP LENGTH SOCKET	19.5	21.8	63	23	110
AST-SDHM317	3/8" - 17 MM DEEP LENGTH SOCKET	21.5	23.8	63	23	120
AST-SDHM318	3/8" - 18 MM DEEP LENGTH SOCKET	23	25.8	63	23	148
AST-SDHM319	3/8" - 19 MM DEEP LENGTH SOCKET	23.5	25.8	63	23	153
AST-SDHM321	3/8" - 21 MM DEEP LENGTH SOCKET	25.5	27.8	63	23	162
AST-SDHM322	3/8" - 22 MM DEEP LENGTH SOCKET	26.5	29.8	63	23	195
AST-SDHM323	3/8" - 23 MM DEEP LENGTH SOCKET	28.5	31.8	63	23	210




- ❖ AST-SDHM312SET
- ❖ 12 piece 3/8" Drive deep 6 point socket set contains 8,9,10,11,12,13,14,15,16,17,18,19mm.

- ❖ The AST Range of 3/8" Drive TX sockets are manufactured from High Quality Silicon Alloy (S2) Steel.
- ❖ TX10 - TX50 sizes
- ❖ Manufactured to DIN / ANSI Standards
- ❖ CR-V Chrome Plated



PART No:	DESCRIPTION	L	D	WEIGHT (KG)
AST-STX310	3/8" - TX10 TX SOCKET	48	17.9	0.34
AST-STX315	3/8" - TX15 TX SOCKET	48	17.9	0.34
AST-STX320	3/8" - TX20 TX SOCKET	48	17.9	0.34
AST-STX325	3/8" - TX25 TX SOCKET	48	17.9	0.34
AST-STX327	3/8" - TX27 TX SOCKET	48	17.9	0.34
AST-STX330	3/8" - TX30 TX SOCKET	48	17.9	0.35
AST-STX340	3/8" - TX40 TX SOCKET	48	17.9	0.35
AST-STX345	3/8" - TX45 TX SOCKET	48	17.9	0.37
AST-STX350	3/8" - TX50 TX SOCKET	48	17.9	0.38






- ❖ AST-STX39SET
- ❖ 9 piece 3/8" Drive TX socket set contains TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50.



- ❖ The AST Range of 3/8" Drive Hex sockets are manufactured from High Quality Silicon Alloy (S2) Steel.
- ❖ 4mm - 10mm sizes
- ❖ Manufactured to DIN / ANSI Standards
- ❖ CR-V Chrome Plated

PART No:	DESCRIPTION	L	D	WEIGHT (KG)
AST-SHKM34	3/8" - 4 MM HEX KEY	48	17.9	0.34
AST-SHKM35	3/8" - 5 MM HEX KEY	48	17.9	0.35
AST-SHKM36	3/8" - 6 MM HEX KEY	48	17.9	0.36
AST-SHKM37	3/8" - 7 MM HEX KEY	48	17.9	0.38
AST-SHKM38	3/8" - 8 MM HEX KEY	48	17.9	0.40
AST-SHKM310	3/8" - 10 MM HEX KEY	48	17.9	0.48



- ❖ AST-SHKM36SET
- ❖ 6 piece 3/8" Drive metric Hex socket set contains 4,5,6,7,8,10mm.


- ❖ 1/2" Drive Ratchets
- ❖ Conforms to DIN / ANSI Standards
- ❖ 72 Teeth mechanism
- ❖ Quick release
- ❖ Steel / Rubber handles



❖ AST-R5S



❖ AST-R5RH



PART No:	DESCRIPTION	H	D	L	WEIGHT (KG)
AST-R5S	1/2" RATCHET - STEEL HANDLE	34.0	32.0	250	0.67
AST-R5RH	1/2" RATCHET - RUBBER HANDLE	34.0	39.0	250	0.67

- ❖ 1/2" Drive Extension Bars
- ❖ Conforms to DIN / ANSI Standards



PART No:	DESCRIPTION	L INCH - mm	S Max	S Min	WEIGHT (KG)
AST-EXT5125	1/2" - EXTENSION BAR	5"/125	13.02	12.75	24.7
AST-EXT5250	1/2" - EXTENSION BAR	10"/250	13.02	12.75	45.0
AST-EXT5375	1/2" - EXTENSION BAR	15"/375	13.02	12.75	61.0
AST-EXT5600	1/2" - EXTENSION BAR	24"/600	13.02	12.75	96.0



PART No:	DESCRIPTION	L	WEIGHT (KG)
AST-PB5600	1/2" - 24" POWER BAR	600	1.16

❖ AST-PB5600

- ❖ 1/2" Drive standard 6 point sockets
- ❖ Manufactured to DIN / ANSI Standards
- ❖ CR-V Chrome Plated
- ❖ All Sockets are "Anti-Slip"



PART No:	DESCRIPTION	D1	D2	L	T	WEIGHT (KG)
AST-SSHM510	1/2" - 10 MM STANDARD SOCKET	21.8	15	38	10	0.50
AST-SSHM511	1/2" - 11 MM STANDARD SOCKET	21.8	16.3	38	10	0.50
AST-SSHM512	1/2" - 12 MM STANDARD SOCKET	21.8	17.6	38	10	0.50
AST-SSHM513	1/2" - 13 MM STANDARD SOCKET	21.8	18.8	38	10	0.51
AST-SSHM514	1/2" - 14 MM STANDARD SOCKET	21.8	20.4	38	10	0.52
AST-SSHM515	1/2" - 15 MM STANDARD SOCKET	21.8	21	38	14	0.53
AST-SSHM516	1/2" - 16 MM STANDARD SOCKET	23.3	22	38	14	0.65
AST-SSHM517	1/2" - 17 MM STANDARD SOCKET	22	23.8	38	14	0.68
AST-SSHM518	1/2" - 18 MM STANDARD SOCKET	23	25.8	38	14	0.85
AST-SSHM519	1/2" - 19 MM STANDARD SOCKET	23.5	25.8	38	18	0.85
AST-SSHM520	1/2" - 20 MM STANDARD SOCKET	24	27.8	38	18	0.85
AST-SSHM521	1/2" - 21 MM STANDARD SOCKET	25	27.8	38	18	0.85
AST-SSHM522	1/2" - 22 MM STANDARD SOCKET	26	29.8	38	18	105
AST-SSHM524	1/2" - 24 MM STANDARD SOCKET	28	31.8	40	18	125
AST-SSHM527	1/2" - 27 MM STANDARD SOCKET	30	35.8	40	20	170
AST-SSHM530	1/2" - 30 MM STANDARD SOCKET	34	39.8	44	22	250
AST-SSHM532	1/2" - 32 MM STANDARD SOCKET	36	41.8	44	22	250



- ❖ 1/2" Drive Hex sockets
- ❖ The AST Range of Hex Bits are manufactured from High Quality Silicon Alloy (S2) Steel.
- ❖ Manufactured to DIN / ANSI Standards
- ❖ CR-V Chrome Plated

PART No:	DESCRIPTION	L	D	WEIGHT (KG)
AST-SHKM56	1/2" - 6 MM HEX KEY SOCKET	55	21.9	0.89
AST-SHKM57	1/2" - 7 MM HEX KEY SOCKET	55	21.9	0.90
AST-SHKM58	1/2" - 8 MM HEX KEY SOCKET	55	21.9	0.91
AST-SHKM510	1/2" - 10 MM HEX KEY SOCKET	55	21.9	0.95
AST-SHKM512	1/2" - 12 MM HEX KEY SOCKET	55	21.9	107
AST-SHKM514	1/2" - 14 MM HEX KEY SOCKET	55	21.9	121
AST-SHKM517	1/2" - 17 MM HEX KEY SOCKET	55	21.9	162
AST-SHKM519	1/2" - 19 MM HEX KEY SOCKET	55	21.9	170



- ❖ AST-SHKM59SET
- ❖ 1/2" Drive Hex socket set contains 4,5,6,7,8,10,12,14,17mm.

RATCHET SETS

- ❖ 3 Piece 1/4" Drive, 3/8" Drive & 1/2" Drive
- ❖ Manufactured to DIN / ANSI Standards
- ❖ CR-V Chrome Plated
- ❖ Steel Handles



❖ AST-RS3KIT

PART No:	DESCRIPTION
AST-RS3KIT	3 PIECE RATCHET SET - STEEL HANDLES
AST-RR3KIT	3 PIECE RATCHET SET - RUBBER HANDLES

- ❖ 3 Piece 1/4" Drive, 3/8" Drive & 1/2" Drive
- ❖ Rubber Handles



❖ AST-RR3KIT

PART No:	DESCRIPTION
AST-SRC312	3/8" - 12 PIECE SOCKET RAIL AND CLIPS
AST-SRC59	1/2" - 9 PIECE SOCKET RAIL AND CLIPS
AST-SRC39	3/8" - 9 PIECE SOCKET RAIL AND CLIPS
AST-SRC36	3/8" - 6 PIECE SOCKET RAIL AND CLIPS





❖ Impact Socketry

- ❖ AST Impact Sockets are manufactured to the highest DIN / ANSI Quality standards using Chrome Molybdenum Steel.
- ❖ All AST Impact Sockets are finished in a heavy duty Black Phosphate finish and are suitable to be used with all types of electric and pneumatic air and power tools.



❖ Production




- ❖ AST tools are manufactured to the highest quality DIN / ANSI standards



❖ Impact Extensions




- ❖ 3/8" Drive Standard Impact sockets
- ❖ Manufactured to DIN / ANSI Standards.
- ❖ Chrome Molybdenum
- ❖ All Sockets are "Anti-Slip"



PART No:	DESCRIPTION	D1	D2	L	T	WEIGHT (KG)
AST-PSSH310	3/8" - 10 MM STD IMPACT SOCKET	15.8	19	28	5	0.33
AST-PSSH311	3/8" - 11 MM STD IMPACT SOCKET	17	19	30	6	0.35
AST-PSSH312	3/8" - 12 MM STD IMPACT SOCKET	18.2	19	30	6	0.35
AST-PSSH313	3/8" - 13 MM STD IMPACT SOCKET	19.5	22	30	6	0.46
AST-PSSH314	3/8" - 14 MM STD IMPACT SOCKET	20.8	22	30	8	0.46
AST-PSSH315	3/8" - 15 MM STD IMPACT SOCKET	22	22	30	8	0.50
AST-PSSH316	3/8" - 16 MM STD IMPACT SOCKET	23.8	22	30	8	0.54
AST-PSSH317	3/8" - 17 MM STD IMPACT SOCKET	23.8	22	32	8	0.54
AST-PSSH318	3/8" - 18 MM STD IMPACT SOCKET	25.8	22	32	9	0.62
AST-PSSH319	3/8" - 19 MM STD IMPACT SOCKET	27.8	22	32	9	0.70

- ❖ 3/8" Drive Deep Impact Sockets
- ❖ Manufactured to DIN / ANSI Standards
- ❖ Chrome Molybdenum
- ❖ All Sockets are "Anti-Slip"



PART No:	DESCRIPTION	D1	D2	L	T	WEIGHT (KG)
AST-PSDHM310	3/8" - 10 MM DEEP IMPACT SOCKET	15.8	19	63	5	0.75
AST-PSDHM311	3/8" - 11 MM DEEP IMPACT SOCKET	17	19	63	6	0.75
AST-PSDHM312	3/8" - 12 MM DEEP IMPACT SOCKET	18.2	19	63	6	0.80
AST-PSDHM313	3/8" - 13 MM DEEP IMPACT SOCKET	19.5	22	63	6	105
AST-PSDHM314	3/8" - 14 MM DEEP IMPACT SOCKET	20.8	22	63	8	105
AST-PSDHM315	3/8" - 15 MM DEEP IMPACT SOCKET	22	22	63	8	110
AST-PSDHM316	3/8" - 16 MM DEEP IMPACT SOCKET	23.8	22	63	8	125
AST-PSDHM317	3/8" - 17 MM DEEP IMPACT SOCKET	23.8	22	63	8	125
AST-PSDHM318	3/8" - 18 MM DEEP IMPACT SOCKET	25.8	22	63	9	135
AST-PSDHM319	3/8" - 19 MM DEEP IMPACT SOCKET	27.8	22	63	9	165


- ❖ 3/8 Drive Impact Extensions and Accessories
- ❖ Manufactured to DIN / ANSI Standards
- ❖ Chrome Molybdenum




❖ AST-PEXT3250

❖ AST-PEXT3150

❖ AST-PEXT375




PART No:	DESCRIPTION	L INCH - mm	S Max	S Min	WEIGHT (KG)
AST-PEXT375	3/8" - IMPACT EXTENSION BAR	3"/75	9.8	9.58	0.85
AST-PEXT3150	3/8" - IMPACT EXTENSION BAR	6"/125	9.8	9.58	150
AST-PEXT3250	3/8" - IMPACT EXTENSION BAR	10"/250	9.8	9.58	250



PART No:	DESCRIPTION	L	D1	WEIGHT (KG)
AST-PA3F1M	3/8F - 1/4M IMPACT ADAPTOR	32	22	0.20
AST-PA3F5M	3/8F - 1/2M IMPACT ADAPTOR	36	22	0.62
AST-PUJ3	3/8" DRIVE IMPACT UNIVERSAL JOINT	51	24	105

- ❖ 1/2" Drive Standard Impact socket
- ❖ Manufactured to DIN / ANSI Standards
- ❖ Chrome Molybdenum
- ❖ All Sockets are "Anti-Slip"




PART No:	DESCRIPTION	D1	D2	L	T	WEIGHT (KG)
AST-PSSH510	1/2" - 10 MM STD IMPACT SOCKET	17	25	38	6	0.70
AST-PSSH511	1/2" - 11 MM STD IMPACT SOCKET	18	25	38	8	0.70
AST-PSSH512	1/2" - 12 MM STD IMPACT SOCKET	19	25	38	8	0.70
AST-PSSH513	1/2" - 13 MM STD IMPACT SOCKET	20	25	38	8	0.75
AST-PSSH514	1/2" - 14 MM STD IMPACT SOCKET	22	25	38	8	0.80
AST-PSSH515	1/2" - 15 MM STD IMPACT SOCKET	23	30	38	8	112
AST-PSSH516	1/2" - 16 MM STD IMPACT SOCKET	24	30	38	9	112
AST-PSSH517	1/2" - 17 MM STD IMPACT SOCKET	26	30	38	9	120
AST-PSSH518	1/2" - 18 MM STD IMPACT SOCKET	27	30	38	10	120
AST-PSSH519	1/2" - 19 MM STD IMPACT SOCKET	28	30	38	10	120
AST-PSSH520	1/2" - 20 MM STD IMPACT SOCKET	29	30	38	12	120
AST-PSSH521	1/2" - 21 MM STD IMPACT SOCKET	30	30	38	12	120
AST-PSSH522	1/2" - 22 MM STD IMPACT SOCKET	31.8	30	38	12	128
AST-PSSH523	1/2" - 23 MM STD IMPACT SOCKET	31.8	30	38	14	128
AST-PSSH524	1/2" - 24 MM STD IMPACT SOCKET	33.8	30	38	14	135
AST-PSSH527	1/2" - 27 MM STD IMPACT SOCKET	37.8	30	43	14	180
AST-PSSH530	1/2" - 30 MM STD IMPACT SOCKET	41.8	30	43	16	210
AST-PSSH532	1/2" - 32 MM STD IMPACT SOCKET	43.8	30	43	18	210
AST-PSSH533	1/2" - 33 MM STD IMPACT SOCKET	44.8	30	46	18	220
AST-PSSH534	1/2" - 34 MM STD IMPACT SOCKET	45.8	30	46	18	230
AST-PSSH536	1/2" - 36 MM STD IMPACT SOCKET	49.8	30	50	20	312



- ❖ 1/2" Drive Deep Impact socket
- ❖ Manufactured to DIN / ANSI Standards
- ❖ Chrome Molybdenum
- ❖ All Sockets are "Anti-Slip"

1/2" DR



PART No:	DESCRIPTION	D1	D2	L	T	WEIGHT (KG)
AST-PSDHM510	1/2" - 10 MM DEEP IMPACT SOCKET	17	25	78	12	160
AST-PSDHM511	1/2" - 11 MM DEEP IMPACT SOCKET	18	25	78	13	160
AST-PSDHM512	1/2" - 12 MM DEEP IMPACT SOCKET	19	25	78	14	160
AST-PSDHM513	1/2" - 13 MM DEEP IMPACT SOCKET	20	25	78	14	180
AST-PSDHM514	1/2" - 14 MM DEEP IMPACT SOCKET	22	25	78	14	180
AST-PSDHM515	1/2" - 15 MM DEEP IMPACT SOCKET	23	30	78	16	210
AST-PSDHM516	1/2" - 16 MM DEEP IMPACT SOCKET	24	30	78	16	210
AST-PSDHM517	1/2" - 17 MM DEEP IMPACT SOCKET	26	30	78	17	220
AST-PSDHM518	1/2" - 18 MM DEEP IMPACT SOCKET	27	30	78	18	220
AST-PSDHM519	1/2" - 19 MM DEEP IMPACT SOCKET	28	30	78	20	220
AST-PSDHM520	1/2" - 20 MM DEEP IMPACT SOCKET	29	30	78	20	220
AST-PSDHM521	1/2" - 21 MM DEEP IMPACT SOCKET	30	30	78	22	220
AST-PSDHM522	1/2" - 22 MM DEEP IMPACT SOCKET	31.8	30	78	22	230
AST-PSDHM524	1/2" - 24 MM DEEP IMPACT SOCKET	33.8	30	78	24	310
AST-PSDHM527	1/2" - 27 MM DEEP IMPACT SOCKET	37.8	30	78	27	410
AST-PSDHM530	1/2" - 30 MM DEEP IMPACT SOCKET	41.8	30	78	30	410
AST-PSDHM532	1/2" - 32 MM DEEP IMPACT SOCKET	43.8	30	78	32	430
AST-PSDHM533	1/2" - 33 MM DEEP IMPACT SOCKET	44.8	30	78	32	430
AST-PSDHM536	1/2" - 36 MM DEEP IMPACT SOCKET	49.8	30	78	32	570


- ❖ 1/2" Drive Impact Extensions and Accessories
- ❖ Manufactured to DIN / ANSI Standards
- ❖ Chrome Molybdenum



❖ AST-PEXT5250

❖ AST-PEXT5150

❖ AST-PEXT575



PART No:	DESCRIPTION	L INCH-mm	S Max	S Min	WEIGHT (KG)
AST-PEXT575	1/2" - IMPACT EXTENSION BAR	3"/125	13.02	12.75	0.22
AST-PEXT5150	1/2" - IMPACT EXTENSION BAR	6"/150	13.02	12.75	0.27
AST-PEXT5250	1/2" - IMPACT EXTENSION BAR	10"/250	13.02	12.75	0.44



PART No:	DESCRIPTION	L	D1	WEIGHT (KG)
AST-PA5F3M	1/2F - 3/8M IMPACT ADAPTOR	38	25	0.07
AST-PA5F7M	1/2F - 3/4M IMPACT ADAPTOR	49	30	0.16
AST-PUJ5	1/2" DRIVE IMPACT UNIVERSAL JOINT	63	28	0.17
AST-PA7FX5M	3/4F - 1/2M IMPACT ADAPTOR	56	44	0.33
AST-PA7FX9M	3/4F - 1M IMPACT ADAPTOR	63	44	0.46

❖ 3/8" Drive Standard & Deep Socket Set & Accessories

- ❖ Manufactured to DIN / ANSI Standards
- ❖ Chrome Molybdenum
- ❖ All Sockets are "Anti-Slip"
- ❖ Set contains:
 - ❖ Standard sockets 6 point
8,9,10,11,12,13,14,15,16,17,18,19mm
 - ❖ Deep sockets 6 point
10,11,12,13,14,15,16,17,18,19mm
 - ❖ 3/8" Impact Universal Joint
 - ❖ 3/8" 75mm Impact Extension
 - ❖ 3/8" 150mm Impact Extension
 - ❖ 3/8" 250mm Impact Extension
 - ❖ Socket rail and clips



❖ AST-PS3KIT

❖ 1/2" Standard & Deep Drive Socket Sets & Accessories

- ❖ Manufactured to DIN / ANSI Standards
- ❖ Chrome Molybdenum
- ❖ All Sockets are "Anti-Slip"
- ❖ Set contains:
 - ❖ Standard sockets 6 point
13,14,15,16,17,18,19,20,22,24mm
 - ❖ Deep sockets 6 point
13,14,15,16,17,18,19,20,22,24mm
 - ❖ 1/2" Impact Universal Joint
 - ❖ 1/2" 75mm Impact Extension
 - ❖ 1/2" 150mm Impact Extension
 - ❖ 1/2" 250mm Impact Extension
 - ❖ Socket rail and clips



❖ AST-PS5KIT

❖ IMPACT Universal Adaptor set

- ❖ Manufactured to DIN / ANSI Standards
- ❖ Chrome Molybdenum
- ❖ Set contains:
 - ❖ 1/2" Drive Impact Universal Joint
 - ❖ 3/8" Drive Impact Universal Joint
 - ❖ 3/8F - 1/4M, 1/2F - 3/8M, 3/4F - 1/2M
 - ❖ 3/8F - 1/2M, 1/2F - 3/4M, 3/4F - 1M.




❖ AST-PIA8KIT

PART No:	DESCRIPTION
AST-PS3KIT	3/8" DRIVE 26 PIECE STANDARD & DEEP IMPACT SOCKET SET
AST-PS5KIT	1/2" DRIVE 24 PIECE STANDARD & DEEP IMPACT SOCKET SET
AST-PIA8KIT	8 PIECE IMPACT ADAPTOR SOCKET SET



❖ Standard Combination Wrenches

- ❖ All AST Combination Wrenches are manufactured to DIN / ANSI Standards from CR-V Steel with Full Galvanic Treatment for maximum durability and Corrosion Resistance.
- ❖ AST Combination Wrenches are clearly marked with Wrench size and part number.



- ❖ Ring End “Anti slip” design for maximum grip.
- ❖ Open End “Slim design” for easy access.

❖ Reversible Ratcheting Combination Wrenches

- ❖ AST 72 Teeth Ratcheting Combination Wrenches are manufactured to DIN / ANSI Standards from CR-V Steel with Full Galvanic Treatment for maximum durability and Corrosion Resistance.
- ❖ AST 72 Teeth Ratcheting Combination Wrenches are clearly marked with Wrench size and part number.




- ❖ Ring End “Anti slip” design for maximum grip.
- ❖ Open End “Slim design” for easy access.

- ❖ Standard Combination Wrench
- ❖ CR-V with full galvanic treatment for maximum durability and corrosion resistance.
- ❖ Manufactured to DIN / ANSI Standards
- ❖ Clearly marked at with size at both open and ring ends.



PART No:	DESCRIPTION	L	C	B	C1	B1	T	WEIGHT (KG)
AST-CWM8	8 MM STANDARD COMBINATION WRENCH	125	19.2	12.8	4.6	5.5	3.0	0.26
AST-CWM9	9 MM STANDARD COMBINATION WRENCH	135	21.2	14.2	4.8	5.9	3.3	0.35
AST-CWM10	10 MM STANDARD COMBINATION WRENCH	145	23.2	15.6	5.0	6.5	3.5	0.40
AST-CWM11	11 MM STANDARD COMBINATION WRENCH	155	25.3	16.9	5.4	6.9	3.7	0.50
AST-CWM12	12 MM STANDARD COMBINATION WRENCH	165	27.2	18.3	5.5	7.3	3.9	0.59
AST-CWM13	13 MM STANDARD COMBINATION WRENCH	175	29.4	19.7	5.9	7.8	4.1	0.75
AST-CWM14	14 MM STANDARD COMBINATION WRENCH	185	31.5	21.2	6.2	8.3	4.4	0.92
AST-CWM15	15 MM STANDARD COMBINATION WRENCH	195	33.2	22.5	6.4	9.6	4.6	0.95
AST-CWM16	16 MM STANDARD COMBINATION WRENCH	205	34.7	24.0	6.7	8.9	4.8	1.09
AST-CWM17	17 MM STANDARD COMBINATION WRENCH	215	36.5	25.3	6.9	9.3	5.0	1.22
AST-CWM18	18 MM STANDARD COMBINATION WRENCH	225	38.7	26.8	7.2	9.9	5.2	1.49
AST-CWM19	19 MM STANDARD COMBINATION WRENCH	235	40.7	28.1	7.4	10.5	5.4	1.65
AST-CWM20	20 MM STANDARD COMBINATION WRENCH	245	43.1	29.7	7.7	10.9	5.6	1.85
AST-CWM21	21 MM STANDARD COMBINATION WRENCH	255	44.8	31.3	8.0	11.3	5.7	2.09
AST-CWM22	22 MM STANDARD COMBINATION WRENCH	265	46.9	32.6	8.2	11.5	5.8	2.31
AST-CWM23	23 MM STANDARD COMBINATION WRENCH	275	48.3	34.2	8.4	11.8	5.9	2.34
AST-CWM24	24 MM STANDARD COMBINATION WRENCH	285	50.4	35.5	8.7	12.1	6.0	2.74
AST-CWM26	26 MM STANDARD COMBINATION WRENCH	305	53.6	38.2	9.2	12.8	6.4	3.10
AST-CWM27	27 MM STANDARD COMBINATION WRENCH	305	55.7	39.6	9.4	13.1	6.6	3.30
AST-CWM30	30 MM STANDARD COMBINATION WRENCH	345	61.8	43.7	10.1	13.7	7.1	4.74
AST-CWM32	32 MM STANDARD COMBINATION WRENCH	365	65.8	46.4	10.4	14.3	7.3	5.23
AST-CWM33	33 MM STANDARD COMBINATION WRENCH	380	69.2	48.8	10.7	15.0	7.5	6.70
AST-CWM36	36 MM STANDARD COMBINATION WRENCH	410	74.0	53.0	13.5	19.4	8.0	8.25

- ❖ Ratcheting Combination Wrench
- ❖ 72 Tooth mechanism
- ❖ CR-V with full galvanic treatment for maximum durability and corrosion resistance.
- ❖ Manufactured to DIN / ANSI Standards
- ❖ Clearly marked with size at both open and ring ends.



PART No:	DESCRIPTION	L	D2	D1 MIN	T1 MAX	T2	T3	WEIGHT (KG)
AST-RCWM8R	8 MM RATCHETING COMBINATION WRENCH	140	8.0	8.15	5.3	3.5	7.3	0.50
AST-RCWM9R	9 MM RATCHETING COMBINATION WRENCH	150	9.0	9.15	5.3	3.5	7.3	0.55
AST-RCWM10R	10 MM RATCHETING COMBINATION WRENCH	160	10.05	10.19	5.8	4.0	7.5	0.70
AST-RCWM11R	11 MM RATCHETING COMBINATION WRENCH	165	11.05	11.19	6.3	4.0	7.8	0.75
AST-RCWM12R	12 MM RATCHETING COMBINATION WRENCH	170	12.06	12.24	6.3	4.3	8.5	0.95
AST-RCWM13R	13 MM RATCHETING COMBINATION WRENCH	180	13.06	13.24	6.8	4.5	9.5	0.95
AST-RCWM14R	14 MM RATCHETING COMBINATION WRENCH	190	14.07	14.27	7.3	4.7	9.5	120
AST-RCWM15R	15 MM RATCHETING COMBINATION WRENCH	200	15.07	15.27	7.3	5.0	9.5	130
AST-RCWM16R	16 MM RATCHETING COMBINATION WRENCH	210	16.08	16.27	7.3	5.0	10.3	160
AST-RCWM17R	17 MM RATCHETING COMBINATION WRENCH	225	17.08	17.3	8.3	5.5	10.3	190
AST-RCWM18R	18 MM RATCHETING COMBINATION WRENCH	235	18.09	18.3	8.3	6.0	10.8	230
AST-RCWM19R	19 MM RATCHETING COMBINATION WRENCH	245	19.09	19.32	8.8	6.0	11.5	255



❖ Screwdriver Blades

- ❖ AST Screwdriver Blades are made from high quality S2 Steel to ensure longer lasting.
- ❖ All Screwdriver Blades have magnetised points for easier dismantling.
- ❖ Large range of sizes.



❖ Flared TIP



❖ Parallel TIP



❖ PZ TIP




❖ PH TIP

❖ Screwdriver Handles

- ❖ AST Screwdriver Handles are ergonomically designed with a two pack construction for comfort and durability.
- ❖ A Soft Texture Grip allows maximum use without muscular fatigue.
- ❖ Large size handles give a positive grip when applying high torque loads.
- ❖ Small size handles provide accurate location and a faster screw turning.



- ❖ Handle Moulded onto a Tanged Blade To Prevent Twisting or Slipping
- ❖ AST Screwdriver Blades All Manufactured From S2 Steel
- ❖ Black Phosphate Tip
- ❖ Magnetised Tip
- ❖ Flared Tip Range




PART No:	DESCRIPTION	D1	D2	L1	L2	L3	L4	WEIGHT (KG)
AST-SDF380	3.0 X 80 FLARED SCREWDRIVER	25	3.2	78	80	3.0	0.5	0.25
AST-SDF3100	3.0 X 100 FLARED SCREWDRIVER	25	3.2	78	100	3.0	0.5	0.28
AST-SDF4100	4.0 X 100 FLARED SCREWDRIVER	31	4.0	100	100	4	0.8	0.61
AST-SDF55100	5.5 X 100 FLARED SCREWDRIVER	31	5.0	100	100	5.5	1.0	0.61
AST-SDF65150	6.5 X 150 FLARED SCREWDRIVER	35	6.0	113	150	6.5	1.2	0.98
AST-SDF8150	8 X 150 FLARED SCREWDRIVER	38	8.0	121	150	8.0	1.2	148
AST-SDF8200	8 X 200 FLARED SCREWDRIVER	38	8.0	121	200	8.0	1.2	180
AST-SDFL8450	8 X 450 LONG FLARED SCREWDRIVER	38	8.0	121	450	8.0	1.2	280



❖ FLARED TIP SCREWDRIVER

- ❖ Handle Moulded onto a Tanged Blade To Prevent Twisting or Slipping
- ❖ AST Screwdriver Blades All Manufactured From S2 Steel
- ❖ Black Phosphate Tip
- ❖ Magnetised Tip
- ❖ Parallel Tip Range




PART No:	DESCRIPTION	D1	D2	L1	L2	L3	L4	WEIGHT (KG)
AST-SDP375	3.0 X 75 PARALLEL TIP SCREWDRIVER	25	3.0	78	75	3.0	0.5	0.25
AST-SDP3100	3.0 X 100 PARALLEL TIP SCREWDRIVER	25	3.0	78	100	3.0	0.5	0.28
AST-SDP4100	4.0 X 100 PARALLEL TIP SCREWDRIVER	31	4.0	100	100	4	0.8	0.61
AST-SDP5150	5.0 X 150 PARALLEL TIP SCREWDRIVER	31	5.0	100	150	5.0	1.0	0.72
AST-SDP6200	6.0 X 200 PARALLEL TIP SCREWDRIVER	35	6.0	113	200	6.0	1.2	1.17



❖ PARALLEL TIP SCREWDRIVER

- ❖ Handle Moulded onto a Tanged Blade To Prevent Twisting or Slipping
- ❖ AST Screwdriver Blades All Manufactured From S2 Steel
- ❖ Black Phosphate Tip
- ❖ Magnetised Tip
- ❖ PZ Range




PART No:	DESCRIPTION	D1	D2	L1	L2	WEIGHT (KG)
AST-SDPZ175	No1 X 75 PZ SCREWDRIVER	31	5.0	100	75	0.56
AST-SDPZ2100	No2 X 100 PZ SCREWDRIVER	35	6.0	113	100	0.88
AST-SDPZL2600	No2 X 600 LONG PZ SCREWDRIVER	35	6.0	113	600	215
AST-SDPZ3150	No3 X 150 PZ SCREWDRIVER	38	8.0	121	150	148



❖ PZ TIP SCREWDRIVER

- ❖ Handle Moulded onto a Tanged Blade To Prevent Twisting or Slipping
- ❖ AST Screwdriver Blades All Manufactured From S2 Steel
- ❖ Black Phosphate Tip
- ❖ Magnetised Tip
- ❖ PH Range



PART No:	DESCRIPTION	D1	D2	L1	L2	WEIGHT (KG)
AST-SDPH175	No1 X 75 PH SCREWDRIVER	31	5.0	100	75	0.56
AST-SDPH2100	No2 X 100 PH SCREWDRIVER	35	6.0	113	100	0.83
AST-SDPHL2600	No2 X 600 LONG PH SCREWDRIVER	35	6.0	113	600	215
AST-SDPH3150	No3 X 150 PH SCREWDRIVER	38	8.0	121	150	148



❖ PH TIP SCREWDRIVER

- ❖ Handle Moulded onto a Tanged Blade To Prevent Twisting or Slipping
- ❖ AST Screwdriver Blades All Manufactured From S2 Steel
- ❖ Black Phosphate Tips
- ❖ Magnetised Tips
- ❖ 6 Piece Screwdriver set
- ❖ 12 Piece Screwdriver set



❖ AST-SD6SET



❖ AST-SD12SET

❖ AST-SD6SET Contains

6 pcs	●	●	⊕
	3 x 80	4 x 100	PZ1 x 75
	3 x 100	5.5 x 100	PZ2 x 100

❖ AST-SD12SET Contains

12 pcs	●	●	⊕
	3 x 75	4 x 100	PZ1 x 75
	3 x 80	5.5 x 100	PZ2 x 100
	3 x 100	6.5 x 100	PZ3 x 150
	4 x 100	8 x 150	PH2 x 100

PART No:	DESCRIPTION
AST-SD6SET	6 PIECE SCREWDRIVER SET
AST-SD12SET	12 PIECE SCREWDRIVER SET



❖ Pliers

- ❖ The AST Pliers range are manufactured from a Chrome Molybdenum Steel construction using a unique high frequency process for the cutting edges, HRC over 60 degrees.
- ❖ Resistant to temperatures as low as -40C.



❖ Plier Handle Grip

- ❖ AST Plier Grips are the latest combination of two different softness of TPE rubberised TRR material, Ergonomically designed to fit right in your palm and to provide firm handling, reduces involuntary and painful rubbing on the inside of the palm and limits risks of slippage & handling discomfort.
- ❖ Contoured curve design with larger grip on palm side adds comfort to the user.

❖ Labour Saving Area

- ❖ Other Grip: Less contact area, more labour needed, more exhaustion caused.
- ❖ AST Grip: 30% more contact with AST grip reduces amount of force to be applied.



❖ Other Grip



❖ AST Grip



- ❖ Two Tone colour TPR handles with 30% enlarged grip surface for better comfort.

- ❖ Combination Pliers
- ❖ Chrome Molybdenum Steel
- ❖ Unique high frequency cutting edges
- ❖ Patented two tone colour TPR handles
- ❖ Enlarged 30% grip gives more comfort



❖ AST-PE175

PART No:	DESCRIPTION
AST-PE175	175 MM COMBINATION PLIERS
AST-PE200	200 MM COMBINATION PLIERS

- ❖ Long Nose Pliers
- ❖ Chrome Molybdenum Steel
- ❖ Unique high frequency cutting edges
- ❖ Patented two tone colour TPR handles
- ❖ Enlarged 30% grip gives more comfort



❖ AST-PLN200

PART No:	DESCRIPTION
AST-PLN200	200 MM LONG NOSE PLIERS

- ❖ Side Cutter
- ❖ Chrome Molybdenum Steel
- ❖ Unique high frequency cutting edges
- ❖ Patented two tone colour TPR handles
- ❖ Enlarged 30% grip gives more comfort



❖ AST-PSC150

PART No:	DESCRIPTION
AST-PSC150	150 MM SIDE CUTTER PLIERS

- ❖ Heavy Duty Diagonal Cutter
- ❖ Chrome Molybdenum Steel
- ❖ Unique high frequency cutting edges
- ❖ Patented two tone colour TPR handles
- ❖ Enlarged 30% grip gives more comfort
- ❖ Able To Cut Piano Wire



❖ AST-PDC175

PART No:	DESCRIPTION
AST-PDC175	175 MM HEAVY DUTY DIAGONAL CUTTERS
AST-PDC200	200 MM HEAVY DUTY DIAGONAL CUTTERS

- ❖ 4 Piece Plier set
- ❖ PVC Grip
- ❖ Set contains
 - ❖ 7” Heavy Duty Diagonal Cutter
 - ❖ 8” Long Plier
 - ❖ 8” Slip Joint Plier
 - ❖ 10” Groove Joint Plier



❖ AST-PL4SET

PART No:	DESCRIPTION
AST-PL4SET	4 PIECE PLIER SET
AST-GJP4SET	4 PIECE GROOVE JOINT PLIER SET

- ❖ 4 Piece Groove Joint Plier set
- ❖ PVC Grip
- ❖ Set contains
 - ❖ 4³/₄”, 6¹/₂”, 12”, 16” Groove joint plier.



❖ AST-GJP4SET

HEX KEYS



❖ Hex Keys

- ❖ AST Hex Keys are manufactured to DIN / ANSI standards
- ❖ Hex Keys - S2 Steel

❖ Hex Key Features



❖ STANDARD KEYS



❖ BALL END KEYS



❖ TX KEYS

- ❖ Hex Keys - S2 Steel
- ❖ Manufactured to DIN / ANSI Standards
- ❖ ABS folding tool holder



❖ AST-HKML/9S2

PART No:	DESCRIPTION	CONTAINS SIZES
AST-HKML/9S2	9 PIECE LONG METRIC HEX KEYS - S2	1.5, 2, 2.5, 3, 4, 5, 6, 8,10MM

- ❖ Ball End Metric Hex Keys - S2 Steel
- ❖ Manufactured to DIN / ANSI Standards
- ❖ ABS folding tool holder



❖ AST-HKMB/9S2

PART No:	DESCRIPTION	CONTAINS SIZES
AST-HKMB/9S2	9 PIECE LONG METRIC BALL END HEX KEYS - S2	1.5, 2, 2.5, 3, 4, 5, 6, 8, 10MM

- ❖ Long TX Keys - S2 Steel
- ❖ Manufactured to DIN / ANSI Standards
- ❖ ABS folding tool holder



❖ AST-TXK/9S2

PART No:	DESCRIPTION	CONTAINS SIZES
AST-TXK/9S2	9 PIECE LONG TX KEYS - S2	TX10, TX15, TX20, TX25, TX27, TX30, TX40, TX45, TX50

AST Part No:

Page No:

TOOLBOXES

AST-TC6	6 DRAWER TOP TOOL CHEST	4
AST-RC7	7 DRAWER ROLL CABINET	4
AST-TC5ABS/R	5 DRAWER TOP CHEST	5
AST-RC7ABS/R	7 DRAWER ROLL CABINET	5

SOCKETRY

AST-R1S	1/4 DR RATCHET STD	9
AST-R1RH	1/4 DR RATCHET (RH)	9
AST6002	1/4 DR RATCHET	9
AST-R3S	3/8 DR RATCHET STD	10
AST-R3RH	3/8 DR RATCHET (RH)	10
AST-R3L	3/8 DR RATCHET LONG	10
AST6001	3/8 DR RATCHET	10
AST-EXT3125	3/8 DR 125mm EXT BAR	11
AST-EXT3250	3/8 DR 250mm EXT BAR	11
AST-EXT3375	3/8 DR 375mm EXT BAR	11
AST-EXT3600	3/8 DR 600mm EXT BAR	11
AST-SSHM308	3/8 DR 8mm STD SOCKET	12
AST-SSHM309	3/8 DR 9mm STD SOCKET	12
AST-SSHM310	3/8 DR 10mm STD SOCKET	12
AST-SSHM311	3/8 DR 11mm STD SOCKET	12
AST-SSHM312	3/8 DR 12mm STD SOCKET	12
AST-SSHM313	3/8 DR 13mm STD SOCKET	12
AST-SSHM314	3/8 DR 14mm STD SOCKET	12
AST-SSHM315	3/8 DR 15mm STD SOCKET	12
AST-SSHM316	3/8 DR 16mm STD SOCKET	12
AST-SSHM317	3/8 DR 17mm STD SOCKET	12
AST-SSHM318	3/8 DR 18mm STD SOCKET	12
AST-SSHM319	3/8 DR 19mm STD SOCKET	12
AST-SSHM321	3/8 DR 21mm STD SOCKET	12
AST-SSHM322	3/8 DR 22mm STD SOCKET	12
AST-SSHM312SET	3/8 DR STD SOCKET SET 8,9,10,11,12,13,14,15,16,17, 18,19 MM	12
AST-SDHM308	3/8 DR 8mm DEEP SOCKET	13
AST-SDHM309	3/8 DR 9mm DEEP SOCKET	13
AST-SDHM310	3/8 DR 10mm DEEP SOCKET	13
AST-SDHM311	3/8 DR 11mm DEEP SOCKET	13
AST-SDHM312	3/8 DR 12mm DEEP SOCKET	13

AST Part No:

Page No:

AST-SDHM313	3/8 DR 13mm DEEP SOCKET	13
AST-SDHM314	3/8 DR 14mm DEEP SOCKET	13
AST-SDHM315	3/8 DR 15mm DEEP SOCKET	13
AST-SDHM316	3/8 DR 16mm DEEP SOCKET	13
AST-SDHM317	3/8 DR 17mm DEEP SOCKET	13
AST-SDHM318	3/8 DR 18mm DEEP SOCKET	13
AST-SDHM319	3/8 DR 19mm DEEP SOCKET	13
AST-SDHM321	3/8 DR 21mm DEEP SOCKET	13
AST-SDHM322	3/8 DR 22mm DEEP SOCKET	13
AST-SDHM323	3/8 DR 23mm DEEP SOCKET	13
AST-SDHM312SET	3/8 DR DEEP SOCKET SET 8,9,10,11,12,13,14,15,16,17, 18,19 MM	13
AST-STX310	3/8 DR TX10 TX SOCKET	14
AST-STX315	3/8 DR TX15 TX SOCKET	14
AST-STX320	3/8 DR TX20 TX SOCKET	14
AST-STX325	3/8 DR TX25 TX SOCKET	14
AST-STX327	3/8 DR TX27 TX SOCKET	14
AST-STX330	3/8 DR TX30 TX SOCKET	14
AST-STX340	3/8 DR TX40 TX SOCKET	14
AST-STX345	3/8 DR TX45 TX SOCKET	14
AST-STX350	3/8 DR TX50 TX SOCKET	14
AST-STX39SET	3/8 DR TX SOCKET SET TX10,TX15,TX20,TX25,TX27, TX30,TX40,TX45,TX50 mm	14
AST-SHKM34	3/8 DR 4mm HEX KEY SOCKET	15
AST-SHKM35	3/8 DR 5mm HEX KEY SOCKET	15
AST-SHKM36	3/8 DR 6mm HEX KEY SOCKET	15
AST-SHKM37	3/8 DR 7mm HEX KEY SOCKET	15
AST-SHKM38	3/8 DR 8mm HEX KEY SOCKET	15
AST-SHKM310	3/8 DR 10mm HEX KEY SOCKET	15
AST-SHKM36SET	3/8 DR HEX KEY SOCKET SET 4,5,6,7,8,10 MM	15
AST-R5S	1/2 DR RATCHET STD	16
AST-R5RH	1/2 DR RATCHET (RH)	16
AST-PB5600	1/2 DR 600mm POWER BAR	17

AST Part No:

Page No:

SOCKETRY - continued

AST-EXT5125	1/2 DR 125mm EXT BAR	17
AST-EXT5250	1/2 DR 250mm EXT BAR	17
AST-EXT5375	1/2 DR 375mm EXT BAR	17
AST-EXT5600	1/2DR 600mm EXT BAR	17
AST-SSHM510	1/2DR 10mm STD SOCKET	18
AST-SSHM511	1/2DR 11mm STD SOCKET	18
AST-SSHM512	1/2DR 12mm STD SOCKET	18
AST-SSHM513	1/2DR 13mm STD SOCKET	18
AST-SSHM514	1/2DR 14mm STD SOCKET	18
AST-SSHM515	1/2DR 15mm STD SOCKET	18
AST-SSHM516	1/2DR 16mm STD SOCKET	18
AST-SSHM517	1/2DR 17mm STD SOCKET	18
AST-SSHM518	1/2DR 18mm STD SOCKET	18
AST-SSHM519	1/2DR 19mm STD SOCKET	18
AST-SSHM520	1/2DR 20mm STD SOCKET	18
AST-SSHM521	1/2DR 21mm STD SOCKET	18
AST-SSHM522	1/2DR 22mm STD SOCKET	18
AST-SSHM524	1/2DR 24mm STD SOCKET	18
AST-SSHM527	1/2DR 27mm STD SOCKET	18
AST-SSHM530	1/2DR 30mm STD SOCKET	18
AST-SSHM532	1/2DR 32mm STD SOCKET	18
AST-SHKM56	1/2DR 6mm HEX KEY SOCKET	19
AST-SHKM57	1/2DR 7mm HEX KEY SOCKET	19
AST-SHKM58	1/2DR 8mm HEX KEY SOCKET	19
AST-SHKM510	1/2DR 10mm HEX KEY SOCKET	19
AST-SHKM512	1/2DR 12mm HEX KEY SOCKET	19
AST-SHKM514	1/2DR 14mm HEX KEY SOCKET	19
AST-SHKM517	1/2DR 17mm HEX KEY SOCKET	19
AST-SHKM519	1/2DR 19mm HEX KEY SOCKET	19
AST-SHKM59SET	1/2DR METRIC HEX KEY SET 9PCS 4,5,6,7,8,10,12,14,17mm	19
AST-RS3KIT	3 PCE STEEL HANDLE RATCHET SET 1/4,3/8,1/2DR	20
AST-RR3KIT	3 PCE RUBBER HANDLE RATCHET SET 1/4,3/8,1/2DR	20

AST Part No:

Page No:

AST-SRC312	3/8DR 12 PCs Socket Rail & Clips	20
AST-SRC36	3/8DR 6 PCs Socket Rail & Clips	20
AST-SRC39	3/8DR 9 PCs Socket Rail & Clips	20
AST-SRC59	1/2DR 9 PCs Socket Rail & Clips	20

IMPACT SOCKETRY

AST-PSSHM310	3/8DR 10mm STD IMPACT SKT	23
AST-PSSHM311	3/8DR 11mm STD IMPACT SKT	23
AST-PSSHM312	3/8DR 12mm STD IMPACT SKT	23
AST-PSSHM313	3/8DR 13mm STD IMPACT SKT	23
AST-PSSHM314	3/8DR 14mm STD IMPACT SKT	23
AST-PSSHM315	3/8DR 15mm STD IMPACT SKT	23
AST-PSSHM316	3/8DR 16mm STD IMPACT SKT	23
AST-PSSHM317	3/8 DR 17mm STD IMPACT SKT	23
AST-PSSHM318	3/8 DR 18mm STD IMPACT SKT	23
AST-PSSHM319	3/8 DR 19mm STD IMPACT SKT	23
AST-PSDH310	3/8 DR 10mm DEEP IMPACT SKT	24
AST-PSDH311	3/8 DR 11mm DEEP IMPACT SKT	24
AST-PSDH312	3/8 DR 12mm DEEP IMPACT SKT	24
AST-PSDH313	3/8 DR 13mm DEEP IMPACT SKT	24
AST-PSDH314	3/8 DR 14mm DEEP IMPACT SKT	24
AST-PSDH315	3/8 DR 15mm DEEP IMPACT SKT	24
AST-PSDH316	3/8 DR 16mm DEEP IMPACT SKT	24
AST-PSDH317	3/8 DR 17mm DEEP IMPACT SKT	24
AST-PSDH318	3/8 DR 18mm DEEP IMPACT SKT	24
AST-PSDH319	3/8 DR 19mm DEEP IMPACT SKT	24
AST-PEXT375	3/8DR 75 mm IMPACT EXT	25
AST-PEXT3150	3/8DR 150 mm IMPACT EXT	25
AST-PEXT3250	3/8DR 250 mm IMPACT EXT	25
AST-PA3F1M	3/8F - 1/4M IMPACT ADAPTOR	25
AST-PA3F5M	3/8F - 1/2M IMPACT ADAPTOR	25
AST-PUJ3	3/8DR IMPACT UNIVERSAL JOINT	25
AST-PSSHM510	1/2 DR 10mm STD IMPACT SKT	26
AST-PSSHM511	1/2 DR 11mm STD IMPACT SKT	26
AST-PSSHM512	1/2 DR 12mm STD IMPACT SKT	26
AST-PSSHM513	1/2 DR 13mm STD IMPACT SKT	26
AST-PSSHM514	1/2 DR 14mm STD IMPACT SKT	26
AST-PSSHM515	1/2 DR 15mm STD IMPACT SKT	26

AST Part No:

Page No:

IMPACT SOCKETRY - continued

AST-PSSH516	1/2 DR 16mm STD IMPACT SKT	26
AST-PSSH517	1/2 DR 17mm STD IMPACT SKT	26
AST-PSSH518	1/2 DR 18mm STD IMPACT SKT	26
AST-PSSH519	1/2 DR 19mm STD IMPACT SKT	26
AST-PSSH520	1/2 DR 20mm STD IMPACT SKT	26
AST-PSSH521	1/2 DR 21mm STD IMPACT SKT	26
AST-PSSH522	1/2 DR 22mm STD IMPACT SKT	26
AST-PSSH523	1/2 DR 23mm STD IMPACT SKT	26
AST-PSSH524	1/2 DR 24mm STD IMPACT SKT	26
AST-PSSH527	1/2 DR 27mm STD IMPACT SKT	26
AST-PSSH530	1/2 DR 30mm STD IMPACT SKT	26
AST-PSSH532	1/2 DR 32mm STD IMPACT SKT	26
AST-PSSH533	1/2 DR 33mm STD IMPACT SKT	26
AST-PSSH534	1/2 DR 34mm STD IMPACT SKT	26
AST-PSSH536	1/2 DR 36mm STD IMPACT SKT	26

AST-PSDH510	1/2 DR 10mm DEEP IMPACT SKT	27
AST-PSDH511	1/2 DR 11mm DEEP IMPACT SKT	27
AST-PSDH512	1/2 DR 12mm DEEP IMPACT SKT	27
AST-PSDH513	1/2 DR 13mm DEEP IMPACT SKT	27
AST-PSDH514	1/2 DR 14mm DEEP IMPACT SKT	27
AST-PSDH515	1/2 DR 15mm DEEP IMPACT SKT	27
AST-PSDH516	1/2 DR 16mm DEEP IMPACT SKT	27
AST-PSDH517	1/2 DR 17mm DEEP IMPACT SKT	27
AST-PSDH518	1/2 DR 18mm DEEP IMPACT SKT	27
AST-PSDH519	1/2 DR 19mm DEEP IMPACT SKT	27
AST-PSDH520	1/2 DR 20mm DEEP IMPACT SKT	27
AST-PSDH521	1/2 DR 21mm DEEP IMPACT SKT	27
AST-PSDH522	1/2 DR 22mm DEEP IMPACT SKT	27
AST-PSDH524	1/2 DR 24mm DEEP IMPACT SKT	27
AST-PSDH527	1/2 DR 27mm DEEP IMPACT SKT	27
AST-PSDH530	1/2 DR 30mm DEEP IMPACT SKT	27
AST-PSDH532	1/2 DR 32mm DEEP IMPACT SKT	27
AST-PSDH533	1/2 DR 33mm DEEP IMPACT SKT	27
AST-PSDH536	1/2 DR 36mm DEEP IMPACT SKT	27

AST-PEXT575	1/2 DR 75 mm IMPACT EXT	28
AST-PEXT5150	1/2 DR 150 mm IMPACT EXT	28
AST-PEXT5250	1/2 DR 250 mm IMPACT EXT	28

AST-PA5F3M	1/2F - 3/8M IMPACT ADAPTOR	28
AST-PA5F7M	1/2F - 3/4M IMPACT ADAPTOR	28
AST-PUJ5	1/2 DR IMPACT UNIVERSAL JOINT	28

AST Part No:

Page No:

AST-PA7FX5M	3/4F - 1/2M IMPACT ADAPTOR	28
AST-PA7FX9M	3/4F - 1M IMPACT ADAPTOR	28

AST-PS5KIT	24 PCE STD & DEEP IMPACT SOCKET SET	29
------------	-------------------------------------	----

AST-PS3KIT	26 PCE STD & DEEP IMPACT SOCKET SET	29
------------	-------------------------------------	----

AST-PIA8KIT	8 PCE IMPACT ADAPTOR SET	29
-------------	--------------------------	----

WRENCHES

AST-CWM8	8mm STD COMBI WRENCH	32
AST-CWM9	9mm STD COMBI WRENCH	32
AST-CWM10	10mm STD COMBI WRENCH	32
AST-CWM11	11mm STD COMBI WRENCH	32
AST-CWM12	12mm STD COMBI WRENCH	32
AST-CWM13	13mm STD COMBI WRENCH	32
AST-CWM14	14mm STD COMBI WRENCH	32
AST-CWM15	15mm STD COMBI WRENCH	32
AST-CWM16	16mm STD COMBI WRENCH	32
AST-CWM17	17mm STD COMBI WRENCH	32
AST-CWM18	18mm STD COMBI WRENCH	32
AST-CWM19	19mm STD COMBI WRENCH	32
AST-CWM20	20mm STD COMBI WRENCH	32
AST-CWM21	21mm STD COMBI WRENCH	32
AST-CWM22	22mm STD COMBI WRENCH	32
AST-CWM23	23mm STD COMBI WRENCH	32
AST-CWM24	24mm STD COMBI WRENCH	32
AST-CWM26	26mm STD COMBI WRENCH	32
AST-CWM27	27mm STD COMBI WRENCH	32
AST-CWM30	30mm STD COMBI WRENCH	32
AST-CWM32	32mm STD COMBI WRENCH	32
AST-CWM33	33mm STD COMBI WRENCH	32
AST-CWM36	36mm STD COMBI WRENCH	32

AST-RCWM8R	8mm RATCHETING WRENCH	33
AST-RCWM9R	9mm RATCHETING WRENCH	33
AST-RCWM10R	10mm RATCHETING WRENCH	33
AST-RCWM11R	11mm RATCHETING WRENCH	33
AST-RCWM12R	12mm RATCHETING WRENCH	33
AST-RCWM13R	13mm RATCHETING WRENCH	33
AST-RCWM14R	14mm RATCHETING WRENCH	33

AST Part No:

Page No:

WRENCHES - continued

AST-RCWM15R	15mm RATCHETING WRENCH	33
AST-RCWM16R	16mm RATCHETING WRENCH	33
AST-RCWM17R	17mm RATCHETING WRENCH	33
AST-RCWM18R	18mm RATCHETING WRENCH	33
AST-RCWM19R	19mm RATCHETING WRENCH	33

SCREWDRIVERS

AST-SDF380	3.0 X 80 FLARED TIP	36
AST-SDF3100	3.0 x 100 FLARED TIP	36
AST-SDF4100	4.0 x 100 FLARED TIP	36
AST-SDF55100	5.5 x 100 FLARED TIP	36
AST-SDF65150	6.5 x 150 FLARED TIP	36
AST-SDF8150	8 x 150 FLARED TIP	36
AST-SDF8200	8 x 200 FLARED TIP	36
AST-SDFL8450	8 X 450 LONG FLARED TIP	36
AST-SDP375	3 x 75 PARALLEL TIP	37
AST-SDP3100	3 x 100 PARALLEL TIP	37
AST-SDP4100	4 x 100 PARALLEL TIP	37
AST-SDP5150	5 x 150 PARALLEL TIP	37
AST-SDP6200	6 X 200 PARALLEL TIP	37
AST-SDPZ175	No1 x 75 PZ	38
AST-SDPZ2100	No2 x 100 PZ	38
AST-SDPZL2600	No2 x 600 PZ	38
AST-SDPZ3150	No3 x 150 PZ	38
AST-SDPH175	No1 x 75 PH	39
AST-SDPH2100	No2 x 100 PH	39
AST-SDPH3150	No 3 x 150 PH	39
AST-SDPHL2600	No2 x 600 LONG PH	39
AST-SD6SET	6 PCE SCREWDRIVER SET	40
AST-SD12SET	12 PCE SCREWDRIVER SET	40

PLIERS

AST-PE175	7" COMBINATION PLIERS	43
AST-PE200	8" COMBINATION PLIERS	43
AST-PLN200	8" LONG NOSE PLIERS	43
AST-PSC150	6" SIDE CUTTERS	44
AST-PDC175	7" HEAVY DUTY DIAGONAL CUTTERS	44

AST Part No:

Page No:

AST-PDC200	8" HEAVY DUTY DIAGONAL CUTTERS	44
AST-PL4SET	4 PCE PLIERS SET	45
AST-GJP4SET	4 PCE GROOVE JOINT PLIERS	45

HEX KEYS

AST-HKML/9S2	9 PCE LONG METRIC HEX KEYS	47
AST-HKMB/9S2	9 PCE LONG METRIC BALL END	48
AST-TXK/9S2	9 PCE LONG TX KEYS S2	48

❖ THE AST HAND TOOL GUARANTEE

All AST products are manufactured to the highest European standards and are guaranteed against defective materials and workmanship when used for the purpose for which they are designed. If the product fails in normal use it will be replaced or repaired.

GUARANTEE TERMS AND CONDITIONS

- 1) Products are guaranteed to perform the job in which they are designed for and are used under normal working conditions
- 2) The guarantee is lifetime except the following:
 - a) Fair wear and Tear
 - b) Misuse or Damage
 - c) Alterations to the product
 - d) The guarantee offers free of charge exchange or repair
 - e) AST gives no rights to damages for loss or consequential loss under any circumstances
 - f) The guarantee is in addition to your statutory rights.

SPECIFIC TERMS TO THE GUARANTEE

- 1) Moving parts (Ratchet Mechanisms) which are subject to wear and tear have a fixed period of guarantee, within this period products containing moving parts will be repaired free of charge.
- 2) Storage Cabinets moving parts will only be replaced or repaired under the terms of the guarantee.



❖ Contact AST for details of the complete AST range of Professional Hand Tools