



Super HC® Belts


Pioneered by Gates, these "narrow" cross-sections can transmit up to three times the horsepower of the classical cross-sections (A, B, C, and D) in the same amount of drive space.

Markets/Applications

Suitable for all industrial applications, particularly where space, weight and horsepower capacity are critical.

Features/Advantages

- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **The Flex-Weave Cover** is a patented construction for longer cover life, providing extended protection to the core of the belt from oil, dirt, and heat.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



HEAVY DUTY V-BELTS


Recommended Sheaves

Super HC Sheaves

Notes

Gates Super HC belts are available in 3V, 5V, and 8V cross-sections.

Product No. Series 9332



3V Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3V250	\$11.29	9332-0250	25.0	.13	5
3V265	11.58	9332-0265	26.5	.14	1
3V280	11.86	9332-0280	28.0	.15	1
3V300	12.17	9332-0300	30.0	.16	1
3V315	12.74	9332-0315	31.5	.16	5
3V335	13.03	9332-0335	33.5	.16	1
3V355	13.60	9332-0355	35.5	.17	5
3V375	13.89	9332-0375	37.5	.18	1
3V400	14.77	9332-0400	40.0	.19	5
3V425	15.34	9332-0425	42.5	.20	5
3V450	15.92	9332-0450	45.0	.21	5
3V475	16.49	9332-0475	47.5	.21	5
3V500	16.80	9332-0500	50.0	.29	5
3V530	17.38	9332-0530	53.0	.30	5
3V560	17.94	9332-0560	56.0	.32	5
3V600	18.80	9332-0600	60.0	.37	5
3V630	19.40	9332-0630	63.0	.37	5

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3V650	\$19.83	9332-0650	65.0	.37	1
3V670	20.26	9332-0670	67.0	.37	5
3V710	21.42	9332-0710	71.0	.39	5
3V730	22.00	9332-0730	73.0	.40	1
3V750	22.58	9332-0750	75.0	.40	5
3V800	24.03	9332-0800	80.0	.43	5
3V830	25.06	9332-0830	83.0	.44	1
3V850	25.75	9332-0850	85.0	.45	5
3V900	27.78	9332-0900	90.0	.47	5
3V950	29.23	9332-0950	95.0	.48	5
3V1000	30.98	9332-1000	100.0	.52	5
3V1060	32.71	9332-1060	106.0	.53	1
3V1120	35.60	9332-1120	112.0	.56	1
3V1180	37.93	9332-1180	118.0	.56	1
3V1250	40.53	9332-1250	125.0	.56	1
3V1320	42.84	9332-1320	132.0	.60	1
3V1400	45.44	9332-1400	140.0	.64	1


Prices Subject To Change Without Notice





Super HC® Belts

Product No. Series 9334




5V Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
5V500	\$35.60	9334-0500	50.0	.64	1
5V530	37.06	9334-0530	53.0	.69	5
5V560	38.80	9334-0560	56.0	.73	1
5V600	41.97	9334-0600	60.0	.78	5
5V630	43.99	9334-0630	63.0	.87	1
5V670	46.89	9334-0670	67.0	.87	1
5V710	49.78	9334-0710	71.0	.92	1
5V750	52.69	9334-0750	75.0	.97	1
5V800	56.17	9334-0800	80.0	1.14	5
5V850	60.52	9334-0850	85.0	1.21	1
5V900	62.82	9334-0900	90.0	1.27	1
5V950	67.46	9334-0950	95.0	1.34	5
5V1000	71.21	9334-1000	100.0	1.41	5
5V1060	75.56	9334-1060	106.0	1.51	5
5V1120	79.90	9334-1120	112.0	1.58	5
5V1180	84.24	9334-1180	118.0	1.66	5
5V1250	89.45	9334-1250	125.0	1.76	5
5V1320	94.37	9334-1320	132.0	1.94	5
5V1400	99.58	9334-1400	140.0	2.01	5

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
5V1500	\$107.10	9334-1500	150.0	2.14	5
5V1600	114.36	9334-1600	160.0	2.27	5
5V1630	116.53	9334-1630	163.0	2.31	1
5V1700	121.59	9334-1700	170.0	2.40	5
5V1710	122.34	9334-1710	171.0	2.43	1
5V1800	129.11	9334-1800	180.0	2.68	5
5V1900	136.65	9334-1900	190.0	2.81	5
5V2000	144.15	9334-2000	200.0	2.94	5
5V2120	153.13	9334-2120	212.0	3.15	5
5V2240	162.13	9334-2240	224.0	3.26	1
5V2360	170.22	9334-2360	236.0	3.47	1
5V2500	180.34	9334-2500	250.0	3.32	1
5V2650	191.62	9334-2650	265.0	3.52	1
5V2800	202.07	9334-2800	280.0	4.05	1
5V3000	216.25	9334-3000	300.0	3.98	1
5V3150	226.96	9334-3150	315.0	4.20	1
5V3350	241.43	9334-3350	335.0	4.46	1
5V3550	255.91	9334-3550	355.0	4.73	1

HEAVY DUTY V-BELTS

Product No. Series 9336



8V Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
8V1000	\$136.06	9336-1000	100.0	3.35	1
8V1060	144.15	9336-1060	106.0	3.56	1
8V1120	152.56	9336-1120	112.0	4.18	1
8V1180	160.95	9336-1180	118.0	4.39	1
8V1250	170.50	9336-1250	125.0	4.42	1
8V1320	180.08	9336-1320	132.0	4.45	1
8V1400	191.06	9336-1400	140.0	4.75	1
8V1500	204.95	9336-1500	150.0	5.09	1
8V1600	218.57	9336-1600	160.0	5.44	1
8V1700	234.49	9336-1700	170.0	6.45	5
8V1800	247.22	9336-1800	180.0	6.79	1
8V1900	261.40	9336-1900	190.0	7.14	5
8V2000	275.60	9336-2000	200.0	7.48	1
8V2120	292.67	9336-2120	212.0	7.90	5
8V2240	308.58	9336-2240	224.0	8.48	1
8V2300	316.55	9336-2300	230.0	8.69	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
8V2360	\$324.52	9336-2360	236.0	8.90	5
8V2500	343.61	9336-2500	250.0	8.97	5
8V2650	364.47	9336-2650	265.0	9.05	5
8V2800	385.89	9336-2800	280.0	9.57	5
8V3000	413.39	9336-3000	300.0	10.26	5
8V3150	434.53	9336-3150	315.0	10.78	5
8V3350	462.60	9336-3350	335.0	11.46	5
8V3550	490.10	9336-3550	355.0	12.15	1
8V3750	518.18	9336-3750	375.0	12.84	1
8V4000	554.08	9336-4000	400.0	13.70	1
8V4250	589.97	9336-4250	425.0	14.57	1
8V4500	625.86	9336-4500	450.0	15.43	1
8V4750	661.76	9336-4750	475.0	16.29	1
8V5000	697.66	9336-5000	500.0	17.15	1
8V5600	783.93	9336-5600	560.0	21.42	1

Prices Subject To Change Without Notice





Super HC[®] Molded Notch Belts


Constructed with Gates proprietary construction, this belt has a superior combination of flex and load carrying capacity, as well as transmitting more horsepower than the classical cross sections in the same amount of drive space.

Markets/Applications

Suitable for all industrial applications, particularly where space, weight and horsepower capacity are critical.

Features/Advantages

- **Notches molded** into the belt during manufacturing make this belt well suited for drives with smaller diameter sheaves.
- **Belt Edge** is machined for even sheave groove contact resulting in less slip and wear.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



Recommended Sheaves


Super HC Sheaves

Notes

Gates Super HC Molded Notch belts are available in 3VX and 5VX cross sections.

HEAVY DUTY V-BELTS

Product No. Series 9412



3VX Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3VX250	\$11.29	9412-0250	25.0	.13	5
3VX265	11.59	9412-0265	26.5	.13	1
3VX280	11.86	9412-0280	28.0	.14	5
3VX300	12.17	9412-0300	30.0	.16	5
3VX315	12.74	9412-0315	31.5	.21	5
3VX326	12.94	9412-0326	32.6	.21	5
3VX335	13.03	9412-0335	33.5	.22	5
3VX350	13.42	9412-0350	35.0	.22	5
3VX355	13.60	9412-0355	35.5	.22	5
3VX366	13.80	9412-0366	36.6	.23	5
3VX375	13.89	9412-0375	37.5	.23	5
3VX385	14.22	9412-0385	38.5	.24	5
3VX400	14.77	9412-0400	40.0	.25	5
3VX415	14.98	9412-0415	41.5	.25	5
3VX425	15.34	9412-0425	42.5	.26	5
3VX450	15.92	9412-0450	45.0	.27	5
3VX464	16.11	9412-0464	46.4	.28	5
3VX475	16.49	9412-0475	47.5	.28	5
3VX487	16.66	9412-0487	48.7	.29	5
3VX500	16.80	9412-0500	50.0	.29	1
3VX520	17.06	9412-0520	52.0	.33	5
3VX530	17.38	9412-0530	53.0	.34	1
3VX540	17.71	9412-0540	54.0	.34	5
3VX550	17.84	9412-0550	55.0	.35	5
3VX560	17.94	9412-0560	56.0	.35	5
3VX570	18.48	9412-0570	57.0	.35	5
3VX580	18.60	9412-0580	58.0	.36	5
3VX590	18.70	9412-0590	59.0	.36	5

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
3VX600	\$18.80	9412-0600	60.0	.37	5
3VX616	18.97	9412-0616	61.6	.38	5
3VX630	19.40	9412-0630	63.0	.38	5
3VX650	19.66	9412-0650	65.0	.39	5
3VX670	20.26	9412-0670	67.0	.40	5
3VX690	20.81	9412-0690	69.0	.41	5
3VX710	21.42	9412-0710	71.0	.42	5
3VX750	22.58	9412-0750	75.0	.43	5
3VX771	23.16	9412-0771	77.1	.44	5
3VX800	24.03	9412-0800	80.0	.45	5
3VX826	24.81	9412-0826	82.6	.45	5
3VX850	25.75	9412-0850	85.0	.45	5
3VX900	27.78	9412-0900	90.0	.45	5
3VX926	28.50	9412-0926	92.6	.49	5
3VX950	29.23	9412-0950	95.0	.48	5
3VX974	29.97	9412-0974	97.4	.49	5
3VX1000	30.98	9412-1000	100.0	.50	5
3VX1027	31.69	9412-1027	102.7	.52	5
3VX1060	32.71	9412-1060	106.0	.53	5
3VX1088	34.58	9412-1088	108.8	.54	5
3VX1120	35.60	9412-1120	112.0	.56	5
3VX1146	36.84	9412-1146	114.6	.59	5
3VX1180	37.93	9412-1180	118.0	.60	1
3VX1224	39.69	9412-1224	122.4	.63	5
3VX1250	40.53	9412-1250	125.0	.65	5
3VX1296	42.06	9412-1296	129.6	.67	5
3VX1320	42.84	9412-1320	132.0	.69	1
3VX1400	45.44	9412-1400	140.0	.74	1


Prices Subject To Change Without Notice





Super HC® Molded Notch Belts

Product No. Series 9414



5VX Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
5VX350	\$24.99	9414-0350	35.0	.34	1
5VX362	25.85	9414-0362	36.2	.36	1
5VX372	26.56	9414-0372	37.2	.37	1
5VX382	27.28	9414-0382	38.2	.37	1
5VX392	28.00	9414-0392	39.2	.38	1
5VX402	28.70	9414-0402	40.2	.39	1
5VX412	29.42	9414-0412	41.2	.40	1
5VX422	30.14	9414-0422	42.2	.41	1
5VX433	30.92	9414-0433	43.3	.42	1
5VX450	32.14	9414-0450	45.0	.50	1
5VX459	32.68	9414-0459	45.9	.51	1
5VX470	33.46	9414-0470	47.0	.52	1
5VX479	34.11	9414-0479	47.9	.53	1
5VX490	34.89	9414-0490	49.0	.54	1
5VX500	35.60	9414-0500	50.0	.56	1
5VX510	36.31	9414-0510	51.0	.56	1
5VX519	36.94	9414-0519	51.9	.57	1
5VX530	37.06	9414-0530	53.0	.58	1
5VX540	37.75	9414-0540	54.0	.59	1
5VX550	38.45	9414-0550	55.0	.60	1
5VX560	38.80	9414-0560	56.0	.61	1
5VX570	39.49	9414-0570	57.0	.62	1
5VX580	40.58	9414-0580	58.0	.63	1
5VX590	41.28	9414-0590	59.0	.64	1
5VX600	41.97	9414-0600	60.0	.65	1
5VX610	42.67	9414-0610	61.0	.66	1
5VX619	43.22	9414-0619	61.9	.66	5
5VX630	43.99	9414-0630	63.0	.67	5
5VX650	45.50	9414-0650	65.0	.69	1
5VX660	46.21	9414-0660	66.0	.70	1
5VX670	46.89	9414-0670	67.0	.71	5
5VX680	47.59	9414-0680	68.0	.72	1
5VX690	48.29	9414-0690	69.0	.73	1
5VX700	49.09	9414-0700	70.0	.74	1
5VX710	49.78	9414-0710	71.0	.75	1
5VX720	50.49	9414-0720	72.0	.76	1
5VX730	51.18	9414-0730	73.0	.77	1
5VX740	51.89	9414-0740	74.0	.78	1
5VX750	52.69	9414-0750	75.0	.79	5
5VX760	53.96	9414-0760	76.0	.80	5
5VX769	54.59	9414-0769	76.9	.81	5
5VX780	55.37	9414-0780	78.0	.82	1
5VX790	55.47	9414-0790	79.0	.83	5
5VX800	56.17	9414-0800	80.0	.84	5

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
5VX810	\$56.87	9414-0810	81.0	.85	1
5VX830	58.28	9414-0830	83.0	.87	1
5VX840	59.81	9414-0840	84.0	.88	1
5VX850	60.52	9414-0850	85.0	.88	1
5VX860	61.22	9414-0860	86.0	.90	1
5VX867	61.72	9414-0867	86.7	.92	5
5VX880	62.03	9414-0880	88.0	.94	1
5VX890	62.12	9414-0890	89.0	.95	1
5VX900	62.82	9414-0900	90.0	.97	1
5VX918	65.16	9414-0918	91.8	.98	1
5VX930	66.01	9414-0930	93.0	.99	1
5VX940	66.76	9414-0940	94.0	.99	1
5VX950	67.46	9414-0950	95.0	1.00	1
5VX960	69.35	9414-0960	96.0	1.01	1
5VX978	69.64	9414-0978	97.8	1.03	1
5VX990	70.49	9414-0990	99.0	1.05	1
5VX1000	71.21	9414-1000	100.0	1.07	1
5VX1017	72.43	9414-1017	101.7	1.08	1
5VX1030	73.35	9414-1030	103.0	1.10	1
5VX1050	74.84	9414-1050	105.0	1.12	1
5VX1060	75.56	9414-1060	106.0	1.13	1
5VX1080	76.97	9414-1080	108.0	1.15	1
5VX1108	79.05	9414-1108	110.8	1.17	1
5VX1120	79.90	9414-1120	112.0	1.19	1
5VX1139	81.26	9414-1139	113.9	1.22	1
5VX1150	82.04	9414-1150	115.0	1.24	1
5VX1162	82.95	9414-1162	116.2	1.25	1
5VX1180	84.24	9414-1180	118.0	1.27	1
5VX1220	87.26	9414-1220	122.0	1.29	1
5VX1230	87.97	9414-1230	123.0	1.32	1
5VX1250	89.45	9414-1250	125.0	1.34	1
5VX1277	91.29	9414-1277	127.7	1.41	1
5VX1320	94.37	9414-1320	132.0	1.49	1
5VX1374	97.45	9414-1374	137.4	1.52	1
5VX1400	99.58	9414-1400	140.0	1.57	1
5VX1469	104.75	9414-1469	146.9	1.62	5
5VX1500	107.10	9414-1500	150.0	1.67	5
5VX1600	114.36	9414-1600	160.0	1.77	5
5VX1700	121.59	9414-1700	170.0	1.85	5
5VX1701	121.66	9414-1701	170.1	1.94	5
5VX1800	129.11	9414-1800	180.0	2.02	5
5VX1900	136.65	9414-1900	190.0	2.17	5
5VX2000	144.15	9414-2000	200.0	2.30	5

HEAVY DUTY V-BELTS

Prices Subject To Change Without Notice





Super HC® PowerBand® Belts

The PowerBand construction allows multiple belts to function as a single unit, with even load distribution and each strand fitting securely in the sheave groove.

Markets/Applications

Recommended for multiple V-belt drives exposed to pulsating or heavy shock loads which can make belts whip, turn over or jump off the drive.

Features/Advantages

- The **Tie Band** assures high lateral rigidity, guiding the belt in a straight line and preventing it from coming off the drive.
- **Concave sidewalls** provide proper cord support and full contact with the sheave-groove for equal loading and uniform wear.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves


Super HC Sheaves

Notes

Minimum order quantities are not required on lengths listed.

Super HC PowerBand belts with six strands or more may require lead time.

The part number is constructed by placing the number of strands required followed by a slash (/) in front of the belt size. For example 5/5V1400 represents a 5V1400 with 5 strands.



HEAVY DUTY V-BELTS

Product No. Series 9385



3V PowerBand Belts are non-notched, raw edge construction for sizes 3V300 through 3V750. Sizes 3V800 and longer are banded (covered) construction.



3V Section

Size	Suggested List Prices for Stock PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (in.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
¹⁵ 3V300	\$33.04	\$49.57	\$68.96	\$86.20	\$18.11	30.0	.18
¹⁵ 3V315	34.64	51.96	72.29	90.36	18.98	31.5	.20
¹⁵ 3V335	35.44	53.16	73.98	92.46	19.43	33.5	.20
¹⁵ 3V355	36.97	55.46	77.17	96.45	20.27	35.5	.20
¹⁵ 3V375	37.76	56.64	78.81	98.50	20.70	37.5	.22
¹⁵ 3V400	40.14	60.22	83.78	104.71	22.00	40.0	.24
¹⁵ 3V425	41.74	62.61	87.11	108.88	22.87	42.5	.26
¹⁵ 3V450	43.28	64.93	90.34	112.91	23.72	45.0	.28
¹⁵ 3V475	44.86	67.29	93.62	117.02	24.59	47.5	.29
¹⁵ 3V500	45.67	68.50	95.31	119.12	25.03	50.0	.30
¹⁵ 3V530	47.20	70.79	98.50	123.12	25.85	53.0	.33
¹⁵ 3V560	48.79	73.18	101.83	127.28	26.73	56.0	.34
¹⁵ 3V600	51.17	76.75	106.80	133.47	28.04	60.0	.37
¹⁵ 3V630	52.72	79.08	110.03	137.53	28.89	63.0	.40
¹⁵ 3V670	55.08	82.62	114.95	143.68	30.18	67.0	.41
¹⁵ 3V710	58.23	87.34	121.51	151.88	31.91	71.0	.44
¹⁵ 3V750	61.39	92.09	128.13	160.14	33.64	75.0	.46
3V800	65.32	97.99	136.32	170.39	35.80	80.0	.50
3V850	70.04	105.06	146.17	182.71	38.39	85.0	.53
3V900	78.01	117.02	162.82	203.50	42.75	90.0	.56

¹⁵3V PowerBand belts up to 3V750 are available up to 22 strands. 3V PowerBand belts 3V800 and longer are available up to 30 strands. Most PowerBand belts 6 strands or wider are Standard/Non-Stock.

¹⁵Not included in V-80 matching program.

Prices Subject To Change Without Notice





Super HC® PowerBand® Belts

Product No. Series 9385 (continued)


3V Section (continued)

Size	Suggested List Prices for Stock PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
3V950	\$79.48	\$119.22	\$165.86	\$207.31	\$43.54	95.0	.60
3V1000	84.22	126.32	175.76	219.68	46.14	100.0	.63
3V1060	88.93	133.40	185.61	231.98	48.73	106.0	.66
3V1120	96.79	145.19	202.01	252.49	53.04	112.0	.70
3V1180	103.08	154.63	215.13	268.89	56.49	118.0	.74
3V1250	110.19	165.28	229.95	287.41	60.37	125.0	.79
3V1320	116.45	174.68	243.04	303.76	63.81	132.0	.83
3V1400	123.40	185.10	257.52	321.88	67.62	140.0	.88

3V PowerBand belts up to 3V750 are available up to 22 strands. 3V PowerBand belts 3V800 and longer are available up to 30 strands. Most PowerBand belts 6 strands or wider are Standard/Non-Stock.

HEAVY DUTY V-BELTS

Product No. Series 9386



5V Section

Size	Suggested List Prices for Stock PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
¹⁵ 5V500	\$96.79	\$145.18	\$202.00	\$252.47	\$53.04	50.0	.70
¹⁵ 5V530	100.71	151.08	210.19	262.72	55.19	53.0	.80
¹⁵ 5V560	105.47	158.20	220.12	275.12	57.80	56.0	.86
¹⁵ 5V600	114.10	171.16	238.14	297.65	62.52	60.0	.96
¹⁵ 5V630	119.62	179.43	249.64	312.03	65.55	63.0	1.00
5V670	127.46	191.18	266.01	332.48	69.85	67.0	1.04
5V710	135.36	203.04	282.47	353.07	74.17	71.0	1.18
5V750	143.24	214.85	298.94	373.63	78.49	75.0	1.18
5V800	152.63	228.95	318.55	398.14	83.65	80.0	1.25
5V850	164.44	246.66	343.18	428.94	90.12	85.0	1.36
5V900	170.75	256.13	356.36	445.40	93.57	90.0	1.39
5V950	183.35	275.01	382.64	478.25	100.47	95.0	1.50
5V1000	193.58	290.38	404.00	504.95	106.08	100.0	1.57
5V1060	205.38	308.08	428.65	535.76	112.55	106.0	1.71
5V1120	217.15	325.73	453.20	566.45	119.00	112.0	1.79
5V1180	228.97	343.47	477.87	597.28	125.49	118.0	1.86
5V1200	233.02	349.54	486.33	607.85	127.70	120.0	1.90
5V1210	235.05	352.58	490.56	613.13	128.81	121.0	1.92
5V1250	243.15	364.73	507.47	634.26	133.24	125.0	2.00
5V1320	256.53	384.78	535.35	669.13	140.58	132.0	2.11
5V1400	270.66	406.01	564.88	706.04	148.32	140.0	2.25
5V1500	291.12	436.66	607.56	759.37	159.53	150.0	2.39
5V1600	310.81	466.22	648.67	810.76	170.33	160.0	2.57
5V1700	330.47	495.72	689.71	862.05	181.10	170.0	2.75
5V1800	350.93	526.39	732.37	915.38	192.31	180.0	2.89
5V1900	371.37	557.08	775.08	968.76	203.52	190.0	3.07
5V2000	391.87	587.80	817.84	1022.20	214.74	200.0	3.25
5V2120	416.25	624.36	868.70	1085.78	228.09	212.0	3.46
5V2240	440.63	660.92	919.58	1149.36	241.47	224.0	3.68
5V2360	462.65	693.99	965.58	1206.86	253.54	236.0	3.89
5V2500	490.20	735.31	1023.05	1278.70	268.63	250.0	4.07
5V2650	520.92	781.37	1087.15	1358.81	285.46	265.0	4.32

5V PowerBand belts are available up to 18 strands. Most PowerBand belts 6 strands or wider are Standard/Non-Stock.
¹⁵Not included in V-80 matching program.

Prices Subject To Change Without Notice





Super HC® PowerBand® Belts


Product No. Series 9386 (continued)

5V Section (continued)

Size	Suggested List Prices for Stock PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
5V2800	\$549.21	\$823.83	\$1146.20	\$1432.63	\$300.97	280.0	4.57
5V3000	587.78	881.67	1226.70	1533.22	322.11	300.0	4.89
5V3150	616.89	925.32	1287.43	1609.13	338.05	315.0	5.18
5V3350	656.23	984.34	1369.54	1711.78	359.62	335.0	5.50
5V3550	695.59	1043.38	1451.69	1814.45	381.18	355.0	5.79

5V PowerBand belts are available up to 18 strands. Most PowerBand belts 6 strands or wider are Standard/Non-Stock.

HEAVY DUTY V-BELTS



Product No. Series 9387

8V Section



Size	Suggested List Prices for Stock PowerBand® Belts			Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	3 Strand	4 Strand	5 Strand			
8V1000	\$554.74	\$771.83	\$964.69	\$202.66	100.0	3.90
8V1060	587.79	817.82	1022.17	214.74	106.0	4.15
8V1120	622.03	865.47	1081.72	227.26	112.0	4.42
8V1180	656.23	913.04	1141.18	239.74	118.0	4.67
8V1250	695.23	967.29	1209.00	253.99	125.0	5.00
8V1320	734.12	1021.40	1276.62	268.20	132.0	5.25
8V1400	779.00	1083.86	1354.69	284.60	140.0	5.58
8V1500	835.66	1162.69	1453.21	305.29	150.0	6.00
8V1600	891.12	1239.85	1549.66	325.56	160.0	6.33
8V1700	956.05	1330.19	1662.58	349.27	170.0	6.75
8V1800	1007.95	1402.40	1752.83	368.23	180.0	7.25
8V1900	1065.80	1482.88	1853.42	389.38	190.0	7.67
8V2000	1123.65	1563.36	1954.01	410.51	200.0	8.00
8V2120	1193.26	1660.22	2075.07	435.94	212.0	8.50
8V2240	1258.18	1750.55	2187.98	459.66	224.0	9.00
8V2360	1323.10	1840.87	2300.86	483.37	236.0	9.42
8V2500	1400.98	1949.24	2436.31	511.84	250.0	10.00
8V2650	1485.99	2067.52	2584.14	542.89	265.0	10.58
8V2800	1573.33	2189.03	2736.03	574.80	280.0	11.33
8V3000	1685.47	2345.03	2931.02	615.75	300.0	12.08
8V3150	1771.62	2464.90	3080.83	647.23	315.0	12.75
8V3350	1886.06	2624.13	3279.86	689.04	335.0	13.58
8V3550	1998.22	2780.21	3474.93	730.03	355.0	14.33
8V3750	2112.70	2939.46	3673.97	771.84	375.0	15.08
8V4000	2259.06	3143.09	3928.50	825.31	400.0	16.08
8V4250	2405.44	3346.76	4183.05	878.79	425.0	17.08
8V4500	2551.74	3550.32	4437.47	932.22	450.0	18.08
8V4750	2698.11	3753.98	4692.02	985.71	475.0	19.17
8V5000	2844.47	3957.62	4946.55	1039.18	500.0	20.17
8V5600	3196.20	4446.98	5558.20	1167.68	560.0	22.75
8V6000	3628.75	5048.79	6310.40	1325.70	600.0	24.42

8V PowerBand belts up to 8V1400 are available up to 11 strands. 8V PowerBand belts 8V1500 and longer are available up to 12 strands. Most PowerBand belts 6 strands or wider are Standard/Non-Stock.

Prices Subject To Change Without Notice





Super HC[®] Molded Notch PowerBand[®] Belts


The PowerBand construction allows multiple belts to function as a single unit, with even load distribution and each strand fitting securely in the sheave groove.

Markets/Applications

Recommended for multiple V-belt drives exposed to pulsating or heavy shock loads which can make belts whip, turn over or jump off the drive.

Features/Advantages

- The **Tie Band** assures high lateral rigidity, guiding the belt in a straight line and preventing it from coming off the drive.
- **Notches molded** into the belt during manufacturing make this belt well suited for drives with smaller diameter sheaves.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



HEAVY DUTY V-BELTS

Recommended Sheaves

Super HC Sheaves

Notes

Minimum order quantities are not required on lengths listed.

Super HC PowerBand belts with six strands or more may require lead time.

The part number is constructed by placing the number of strands required followed by a slash (/) in front of the belt size. For example 5/5VX1400 represents a 5VX1400 with 5 strands.

Product No. Series 9388



3VX Section

Size	Suggested List Prices for Stock PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
3VX250	\$30.69	\$46.03	\$64.03	\$80.05	—	25.0	.10
3VX265	31.51	47.27	65.77	82.20	—	26.0	.14
3VX280	32.26	48.39	67.32	84.15	—	28.0	.16
3VX300	33.04	49.57	68.96	86.20	\$18.11	30.0	.18
3VX315	34.64	51.96	72.29	90.36	18.98	31.5	.20
3VX335	35.44	53.16	73.98	92.46	19.43	33.5	.20
3VX355	36.97	55.46	77.17	96.45	20.27	35.5	.20
3VX375	37.76	56.64	78.81	98.50	20.70	37.5	.22
3VX400	40.14	60.22	83.78	104.71	22.00	40.0	.24
3VX425	41.74	62.61	87.11	108.88	22.87	42.5	.26
3VX450	43.28	64.93	90.34	112.91	23.72	45.0	.28
3VX475	44.86	67.29	93.62	117.02	24.59	47.5	.29
3VX500	45.67	68.50	95.31	119.12	25.03	50.0	.30
3VX530	47.20	70.79	98.50	123.12	25.85	53.0	.33
3VX560	48.79	73.18	101.83	127.28	26.73	56.0	.34
3VX600	51.17	76.75	106.80	133.47	28.04	60.0	.37
3VX630	52.72	79.08	110.03	137.53	28.89	63.0	.40
3VX670	55.08	82.62	114.95	143.68	30.18	67.0	.41
3VX710	58.23	87.34	121.51	151.88	31.91	71.0	.44
3VX750	61.39	92.09	128.13	160.14	33.64	75.0	.46

3VX PowerBand belts are available up to 22 strands. Most PowerBand belts 6 strands or wider are Standard/Non-Stock.

Prices Subject To Change Without Notice





Super HC® Molded Notch PowerBand® Belts

Product No. Series 9388 (continued)


3VX Section (continued)

Size	Suggested List Prices for Stock PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
3VX800	\$65.32	\$97.99	\$136.32	\$170.39	\$35.80	80.0	.50
3VX850	70.04	105.06	146.17	182.71	38.39	85.0	.53
3VX900	78.01	117.02	162.82	203.50	42.75	90.0	.56
3VX950	79.48	119.22	165.86	207.31	43.54	95.0	.60
3VX1000	84.22	126.32	175.76	219.68	46.14	100.0	.63
3VX1060	88.93	133.40	185.61	231.98	48.73	106.0	.66
3VX1120	96.79	145.19	202.01	252.49	53.04	112.0	.70
3VX1180	103.08	154.63	215.13	268.89	56.49	118.0	.74
3VX1250	110.19	165.28	229.95	287.41	60.37	125.0	.79
3VX1320	116.45	174.68	243.04	303.76	63.81	132.0	.83
3VX1400	123.40	185.10	257.52	321.88	67.62	140.0	.88

3VX PowerBand belts are available up to 22 strands. Most PowerBand belts 6 strands or wider are Standard/Non-Stock.

HEAVY DUTY V-BELTS

Product No. Series 9389



5VX Section

Size	Suggested List Prices for Stock PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
5VX500	\$96.79	\$145.18	\$202.00	\$252.47	\$ 53.04	50.0	.70
5VX530	100.71	151.08	210.19	262.72	55.19	53.0	.80
5VX560	105.47	158.20	220.12	275.12	57.80	56.0	.86
5VX600	114.10	171.16	238.14	297.65	62.52	60.0	.96
5VX630	119.62	179.43	249.64	312.03	65.55	63.0	1.00
5VX670	127.46	191.18	266.01	332.48	69.85	67.0	1.04
5VX710	135.36	203.04	282.47	353.07	74.17	71.0	1.18
5VX750	143.24	214.85	298.94	373.63	78.49	75.0	1.21
5VX800	152.63	228.95	318.55	398.14	83.65	80.0	1.25
5VX850	164.44	246.66	343.18	428.94	90.12	85.0	1.36
5VX900	170.75	256.13	356.36	445.40	93.57	90.0	1.39
5VX950	183.35	275.01	382.64	478.25	100.47	95.0	1.50
5VX1000	193.58	290.38	404.00	504.95	106.08	100.0	1.57
5VX1060	205.38	308.08	428.65	535.76	112.55	106.0	1.71
5VX1120	217.15	325.73	453.20	566.45	119.00	112.0	1.79
5VX1180	228.97	343.47	477.87	597.28	125.49	118.0	1.86
5VX1250	243.15	364.73	507.47	634.26	133.24	125.0	2.00
5VX1320	256.53	384.78	535.35	669.13	140.58	132.0	2.11
5VX1400	270.66	406.01	564.88	706.04	148.32	140.0	2.25
5VX1500	291.12	436.66	607.56	759.37	159.53	150.0	2.39
5VX1600	310.81	466.22	648.67	810.76	170.33	160.0	2.57
5VX1700	330.47	495.72	689.71	862.05	181.10	170.0	2.75
5VX1800	350.93	526.39	732.37	915.38	192.31	180.0	2.89
5VX1900	371.37	557.08	775.08	968.76	203.52	190.0	3.07
5VX2000	391.87	587.80	817.84	1022.20	214.74	200.0	3.25

5VX PowerBand belts are available up to 13 strands. Most PowerBand belts 6 strands or wider are Standard/Non-Stock.

Prices Subject To Change Without Notice





Predator® Single Belts

Specifically designed for aggressive applications, this extra heavy-duty belt construction provides extraordinary high impact strength, capacity, and wear resistance.


Markets/Applications

Predator belts are well suited as replacement belts for applications exposed to pulsating loads or heavy shock loads, such as mining, agriculture, wood processing, oil field equipment, heavy construction and sand/gravel operations.

Features/Advantages

- **Aramid Tensile Cords** combine limited stretch with extraordinary strength and durability that is pound-for-pound stronger than steel.
- **Bareback Cover** resists debris and allows the belt to slip under extreme shock load conditions, reducing heat buildup and prolonging belt life.
- **Gates Curves** provide proper cord support and full contact with the sheave-groove for equal loading, uniform wear, and increased belt life.

Meets RMA **oil and heat** resistant standards.




HEAVY DUTY V-BELTS

Notes

Minimum order quantities will not be required on lengths listed. Check with Customer Service for availability.
Predator belts listed may require manufacturing lead times.
Predator belts do not meet RMA requirements for belt static conductivity.

Product No. Series 9185



Section AP

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
AP31	\$9.70	9185-0031	33.0	.29
AP33	10.82	9185-0033	35.0	.31
AP35	11.20	9185-0035	37.0	.34
AP38	11.93	9185-0038	40.0	.35
AP40	12.32	9185-0040	42.0	.36
AP42	12.84	9185-0042	44.0	.37
AP44	13.23	9185-0044	46.0	.38
AP45	10.51	9185-0045	47.0	.40
AP46	13.44	9185-0046	48.0	.40
AP47	13.57	9185-0047	49.0	.41
AP48	13.74	9185-0048	50.0	.42
AP50	14.03	9185-0050	52.0	.43
AP51	14.20	9185-0051	53.0	.43
AP52	14.34	9185-0052	54.0	.44
AP53	14.48	9185-0053	55.0	.45
AP54	14.71	9185-0054	56.0	.45

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
AP55	14.85	9185-0055	57.0	.46
AP56	14.99	9185-0056	58.0	.49
AP58	15.39	9185-0058	60.0	.51
AP59	15.53	9185-0059	61.0	.51
AP60	15.67	9185-0060	62.0	.51
AP61	15.90	9185-0061	63.0	.52
AP62	16.04	9185-0062	64.0	.52
AP63	16.28	9185-0063	65.0	.52
AP64	16.43	9185-0064	66.0	.53
AP66	16.80	9185-0066	68.0	.54
AP68	17.15	9185-0068	70.0	.55
AP70	17.92	9185-0070	72.0	.56
AP71	18.06	9185-0071	73.0	.59
AP85	25.44	9185-0085	87.0	.65
AP87	26.04	9185-0087	89.0	.67
AP90	26.31	9185-0090	92.0	.69

Prices Subject To Change Without Notice





Predator® Single Belts

Product No. Series 9186

Section BP




Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
BP38	\$16.43	9186-0038	41.0	.57
BP40	17.15	9186-0040	43.0	.64
BP42	17.92	9186-0042	45.0	.66
BP44	18.67	9186-0044	47.0	.67
BP46	19.40	9186-0046	49.0	.68
BP48	20.01	9186-0048	51.0	.69
BP50	20.60	9186-0050	53.0	.70
BP51	20.89	9186-0051	54.0	.70
BP52	21.13	9186-0052	55.0	.71
BP53	21.27	9186-0053	56.0	.72
BP54	21.48	9186-0054	57.0	.72
BP55	21.65	9186-0055	58.0	.74
BP56	21.80	9186-0056	59.0	.74
BP57	21.94	9186-0057	60.0	.75
BP58	22.09	9186-0058	61.0	.75
BP59	22.25	9186-0059	62.0	.78
BP60	22.39	9186-0060	63.0	.78
BP61	22.70	9186-0061	64.0	.78
BP62	22.98	9186-0062	65.0	.78
BP63	23.30	9186-0063	66.0	.79
BP64	23.57	9186-0064	67.0	.79
BP65	23.89	9186-0065	68.0	.79
BP66	24.17	9186-0066	69.0	.82
BP68	24.62	9186-0068	71.0	.84
BP70	25.30	9186-0070	73.0	.93

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
BP71	\$25.59	9186-0071	74.0	.94
BP75	26.85	9186-0075	78.0	.96
BP78	28.01	9186-0078	81.0	.98
BP80	28.73	9186-0080	83.0	1.02
BP81	29.12	9186-0081	84.0	1.05
BP83	30.06	9186-0083	86.0	1.06
BP85	30.59	9186-0085	88.0	1.07
BP90	32.09	9186-0090	93.0	1.12
BP93	33.58	9186-0093	96.0	1.21
BP95	34.32	9186-0095	98.0	1.30
BP97	35.09	9186-0097	100.0	1.32
BP100	35.83	9186-0100	103.0	1.33
BP103	36.58	9186-0103	106.0	1.34
BP105	37.32	9186-0105	108.0	1.35
BP108	38.68	9186-0108	111.0	1.36
BP112	40.32	9186-0112	115.0	1.37
BP120	42.53	9186-0120	123.0	1.47
BP124	44.05	9186-0124	127.0	1.62
BP128	45.53	9186-0128	131.0	1.72
BP136	48.66	9186-0136	139.0	1.83
BP144	51.51	9186-0144	147.0	1.91
BP158	55.98	9186-0158	161.0	1.99
BP173	61.21	9186-0173	176.0	2.55
BP195	69.39	9186-0195	198.0	2.64

Product No. Series 9187

Section CP




Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
CP85	\$55.98	9187-0085	89.0	1.99
CP90	60.44	9187-0090	94.0	2.08
CP96	64.18	9187-0096	100.0	2.13
CP100	66.87	9187-0100	104.0	2.29
CP105	70.16	9187-0105	109.0	2.47
CP112	74.63	9187-0112	116.0	2.58
CP120	79.86	9187-0120	124.0	2.74
CP128	85.09	9187-0128	132.0	1.99

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
CP136	\$89.86	9187-0136	140.0	3.00
CP144	95.52	9187-0144	148.0	3.55
CP158	104.48	9187-0158	162.0	3.60
CP162	106.72	9187-0162	166.0	3.68
CP173	114.19	9187-0173	177.0	3.91
CP180	119.41	9187-0180	184.0	4.05
CP195	129.10	9187-0195	199.0	4.36
CP240	186.93	9187-0240	242.0	5.18

Product No. Series 9188

Section 5VP



Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
5VP800	\$93.32	9188-0080	80.0	1.25
5VP850	100.53	9188-0085	85.0	1.36
5VP900	104.40	9188-0090	90.0	1.39
5VP950	112.09	9188-0095	95.0	1.50
5VP1000	118.34	9188-0100	100.0	1.57
5VP1060	125.56	9188-0106	106.0	1.71
5VP1120	132.75	9188-0112	112.0	1.79
5VP1180	140.00	9188-0118	118.0	1.86
5VP1250	148.66	9188-0125	125.0	2.00
5VP1320	156.83	9188-0132	132.0	2.11
5VP1400	165.48	9188-0140	140.0	2.25
5VP1500	177.98	9188-0150	150.0	2.39
5VP1600	190.03	9188-0160	160.0	2.57
5VP1700	202.04	9188-0170	170.0	2.75

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
5VP1800	\$214.54	9188-0180	180.0	2.89
5VP1900	227.04	9188-0190	190.0	3.07
5VP2000	239.57	9188-0200	200.0	3.25
5VP2120	254.47	9188-0212	212.0	3.46
5VP2240	269.38	9188-0224	224.0	3.68
5VP2360	282.85	9188-0236	236.0	3.89
5VP2500	299.69	9188-0250	250.0	4.07
5VP2650	318.46	9188-0265	265.0	4.32
5VP2800	335.76	9188-0280	280.0	4.57
5VP3000	359.35	9188-0300	300.0	4.89
5VP3150	377.14	9188-0315	315.0	5.18
5VP3350	401.21	9188-0335	335.0	5.50
5VP3550	425.26	9188-0355	355.0	5.79


Prices Subject To Change Without Notice





Predator® Single Belts

Product No. Series 9189




Section 8VP

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
8VP1600	\$381.28	9189-0160	160.0	6.33
8VP1700	409.07	9189-0170	170.0	6.75
8VP1800	431.26	9189-0180	180.0	7.25
8VP1900	456.03	9189-0190	190.0	7.65
8VP2000	480.77	9189-0200	200.0	8.00
8VP2120	510.55	9189-0212	212.0	8.50
8VP2240	538.33	9189-0224	224.0	9.00
8VP2360	566.13	9189-0236	236.0	9.42

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
8VP2500	\$599.44	9189-0250	250.0	10.00
8VP2650	635.81	9189-0265	265.0	10.58
8VP2800	673.18	9189-0280	280.0	11.33
8VP3000	721.16	9189-0300	300.0	12.08
8VP3150	758.01	9189-0315	315.0	12.75
8VP3350	806.99	9189-0335	335.0	13.58
8VP3550	854.99	9189-0355	355.0	14.33

HEAVY DUTY V-BELTS

Product No. Series 9190




Section SPBP

Part No.	Suggested List Price	Product No.	Pitch Length (mm)	Wt. Ea. (Lbs.)
SPB1260P	\$25.59	9190-01260	1260	.60
SPB1500P	30.54	9190-01500	1500	.78
SPB1600P	32.22	9190-01600	1600	.82
SPB1700P	34.60	9190-01700	1700	.86
SPB1800P	36.06	9190-01800	1800	.92
SPB1900P	38.84	9190-01900	1900	.98
SPB2000P	41.05	9190-02000	2000	.99
SPB2120P	43.29	9190-02120	2120	1.00
SPB2240P	45.82	9190-02240	2240	1.06
SPB2360P	48.20	9190-02360	2360	1.11
SPB2500P	50.97	9190-02500	2500	1.27
SPB2650P	54.29	9190-02650	2650	1.31
SPB2800P	56.87	9190-02800	2800	1.34
SPB3000P	61.08	9190-03000	3000	1.42
SPB3150P	62.93	9190-03150	3150	1.62
SPB3350P	67.17	9190-03350	3350	1.75

Part No.	Suggested List Price	Product No.	Pitch Length (mm)	Wt. Ea. (Lbs.)
SPB3550P	\$71.01	9190-03550	3550	1.90
SPB3750P	75.07	9190-03750	3750	2.00
SPB4000P	79.85	9190-04000	4000	2.11
SPB4250P	84.99	9190-04250	4250	2.23
SPB4500P	90.14	9190-04500	4500	2.46
SPB4750P	95.13	9190-04750	4750	2.58
SPB5000P	100.28	9190-05000	5000	2.70
SPB5300P	106.17	9190-05300	5300	2.84
SPB5600P	112.23	9190-05600	5600	2.98
SPB6000P	119.97	9190-06000	6000	3.18
SPB6300P	126.95	9190-06300	6300	3.32
SPB6700P	134.31	9190-06700	6700	3.51
SPB7100P	141.75	9190-07100	7100	3.70
SPB7500P	150.49	9190-07500	7500	3.74
SPB8000P	160.26	9190-08000	8000	3.79

Product No. Series 9191



Section SPCP

Part No.	Suggested List Price	Product No.	Pitch Length (mm)	Wt. Ea. (Lbs.)
SPC2000P	\$62.55	9191-02000	2000	1.50
SPC2120P	65.69	9191-02120	2120	1.63
SPC2240P	69.16	9191-02240	2240	1.71
SPC2360P	72.85	9191-02360	2360	1.79
SPC2500P	76.53	9191-02500	2500	1.89
SPC2650P	80.95	9191-02650	2650	2.06
SPC2800P	85.20	9191-02800	2800	2.15
SPC3000P	95.43	9191-03000	3000	2.43
SPC3150P	97.69	9191-03150	3150	2.78
SPC3350P	98.45	9191-03350	3350	2.96
SPC3550P	109.47	9191-03550	3550	3.14
SPC3750P	109.47	9191-03750	3750	3.31
SPC4000P	117.22	9191-04000	4000	3.54
SPC4250P	124.01	9191-04250	4250	4.09

Part No.	Suggested List Price	Product No.	Pitch Length (mm)	Wt. Ea. (Lbs.)
SPC4500P	\$130.64	9191-04500	4500	4.20
SPC4750P	144.45	9191-04750	4750	4.31
SPC5000P	144.45	9191-05000	5000	4.42
SPC5300P	152.70	9191-05300	5300	4.69
SPC5600P	161.36	9191-05600	5600	4.95
SPC6000P	172.21	9191-06000	6000	5.31
SPC6300P	173.66	9191-06300	6300	5.57
SPC6700P	191.34	9191-06700	6700	6.59
SPC7100P	202.39	9191-07100	7100	6.95
SPC7500P	213.42	9191-07500	7500	7.30
SPC8000P	228.13	9191-08000	8000	7.75
SPC8500P	241.01	9191-08500	8500	8.19
SPC9000P	255.82	9191-09000	9000	8.63

Prices Subject To Change Without Notice





Predator® PowerBand® Belts


Specifically designed for aggressive applications, this extra heavy-duty belt construction provides extraordinary high impact strength, capacity, and wear resistance.

Markets/Applications

Predator belts are well suited as replacement belts for applications exposed to pulsating loads or heavy shock loads, such as mining, agriculture, wood processing, oil field equipment, heavy construction and sand/gravel operations.

Features/Advantages

- **Aramid Tensile Cords** combine limited stretch with extraordinary strength and durability that is pound-for-pound stronger than steel.
- **Bareback Cover** resists debris and allows the belt to slip under extreme shock load conditions, reducing heat buildup and prolonging belt life.
- Multiple layer **Tie Band** provides excellent lateral rigidity to prevent belts from turning over or from coming off of the drive.
- **Gates Curves** provide proper cord support and full contact with the sheave-groove for equal loading, uniform wear, and increased belt life.
- Meets RMA **oil and heat** resistant standards.



Recommended Sheaves

Contact the Gates Made-To-Order Metals Team.

Notes

Minimum order quantities will not be required on lengths listed. Check with Customer Service for availability.


Predator belts listed may require manufacturing lead times.

When application requires Predator PowerBand belt sets, request belts with same group/match number.

Predator belts do not meet RMA requirements for belt static conductivity.

The part number is constructed by placing the number of strands required, followed by a slash (/) in front of the belt size. For example 5/8VP3000 represents an 8VP3000 with 5 strands.

Product No. Series 9184



Section CP

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
3/CP85	\$223.19	9184-3085	89.0	7.14
3/CP90	241.00	9184-3090	94.0	7.47
3/CP99	263.94	9184-3099	103.0	8.06

CP Predator belts are available up to 12 strands.

Product No. Series 9180



Section 3VP

Size	Suggested List Prices for Stock Predator PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
3VP450	\$54.11	\$81.17	\$112.93	\$141.14	\$29.65	45.0	.28
3VP475	56.07	84.12	117.02	146.28	30.72	47.5	.29
3VP500	57.09	85.63	119.13	148.91	31.29	50.0	.30
3VP530	59.00	88.49	123.12	153.89	32.32	53.0	.33
3VP560	60.98	91.49	127.29	159.10	33.41	56.0	.34
3VP600	63.97	95.95	133.50	166.85	35.05	60.0	.37
3VP630	65.90	98.86	137.54	171.91	36.12	63.0	.40
3VP670	103.28	103.28	143.69	179.51	37.73	67.0	.41
3VP710	72.79	109.17	151.89	189.86	39.89	71.0	.44
3VP750	76.74	115.11	160.16	200.18	42.05	75.0	.46

3VP Predator belts are available up to 10 strands.

Prices Subject To Change Without Notice





Predator® PowerBand® Belts

Product No. Series 9180 (continued)


Section 3VP (continued)

Size	Suggested List Prices for Stock Predator PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
3VP800	\$81.66	\$122.48	\$170.40	\$212.99	\$44.74	80.0	.50
3VP850	87.55	131.32	182.72	228.38	47.99	85.0	.53
3VP900	97.51	146.28	203.52	254.37	53.45	90.0	.56
3VP950	99.34	149.02	207.33	259.15	54.43	95.0	.60
3VP1000	105.27	157.90	219.70	274.60	57.69	100.0	.63
3VP1060	111.16	166.75	232.01	289.98	60.92	106.0	.66
3VP1120	120.99	181.49	252.51	315.62	66.30	112.0	.70
3VP1180	128.86	193.28	268.92	336.12	70.61	118.0	.74
3VP1250	137.73	206.60	287.44	359.27	75.47	125.0	.79
3VP1320	145.56	218.35	303.80	379.70	79.77	132.0	.83
3VP1400	154.25	231.37	321.91	402.35	84.53	140.0	.88

3VP Predator® belts are available up to 10 strands.

HEAVY DUTY V-BELTS

Product No. Series 9181



Section 5VP

Size	Suggested List Prices for Stock Predator PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
5VP600	\$142.63	\$213.95	\$297.68	\$372.06	\$78.16	60.0	.96
5VP630	149.52	224.28	312.05	390.03	81.94	63.0	1.00
5VP670	159.33	238.98	332.51	415.60	87.31	67.0	1.04
5VP710	169.20	253.80	353.09	441.34	92.72	71.0	1.18
5VP750	179.05	268.57	373.67	467.04	98.11	75.0	1.21
5VP800	190.79	286.19	398.18	497.68	104.56	80.0	1.25
5VP850	205.56	308.32	428.98	536.17	112.64	85.0	1.36
5VP870	208.71	313.06	435.56	544.40	114.37	87.0	1.40
5VP900	213.43	320.17	445.44	556.75	116.97	90.0	1.39
5VP950	229.18	343.77	478.30	597.82	125.59	95.0	1.50
5VP1000	241.97	362.96	505.00	631.19	132.59	100.0	1.57
5VP1060	256.73	385.10	535.80	669.70	140.69	106.0	1.68
5VP1120	271.45	407.17	566.51	708.06	148.74	112.0	1.79
5VP1180	286.21	429.33	597.33	746.60	156.86	118.0	1.86
5VP1250	303.94	455.91	634.33	792.83	166.56	125.0	2.00
5VP1320	320.65	480.97	669.20	836.41	175.72	132.0	2.11
5VP1400	338.33	507.51	706.10	882.55	185.41	140.0	2.25
5VP1500	363.90	545.83	759.44	949.21	199.42	150.0	2.39
5VP1600	388.52	582.77	810.84	1013.46	212.91	160.0	2.57
5VP1700	413.09	619.65	862.13	1077.56	226.37	170.0	2.75
5VP1800	438.66	657.98	915.46	1144.23	240.38	180.0	2.89
5VP1900	464.23	696.34	968.85	1210.94	254.39	190.0	3.07
5VP2000	489.85	734.75	1022.29	1277.75	268.43	200.0	3.25
5VP2030	497.47	746.18	1038.19	1297.62	272.60	203.0	3.30
5VP2120	520.31	780.45	1085.87	1357.22	285.12	212.0	3.46
5VP2240	550.78	826.15	1149.47	1436.69	301.83	224.0	3.68
5VP2360	578.32	867.49	1206.98	1508.57	316.92	236.0	3.89
5VP2500	612.75	919.14	1278.82	1598.37	335.79	250.0	4.07
5VP2650	651.15	976.71	1358.94	1698.51	356.82	265.0	4.32
5VP2800	686.51	1029.79	1432.76	1790.79	376.20	280.0	4.57
5VP3000	734.73	1102.09	1533.38	1916.53	402.63	300.0	4.89
5VP3150	771.10	1156.65	1609.28	2011.41	422.56	315.0	5.18
5VP3350	820.28	1230.42	1711.93	2139.72	449.53	335.0	5.50
5VP3550	869.49	1304.23	1814.62	2268.05	476.48	355.0	5.79


5VP Predator belts are available up to 16 strands.

Prices Subject To Change Without Notice





Predator® PowerBand® Belts



Product No. Series 9182

Section 8VP

HEAVY DUTY V-BELTS

Size	Suggested List Prices for Stock Predator PowerBand Belts			Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	3 Strand	4 Strand	5 Strand			
8VP1000	\$762.76	\$1061.26	\$1326.45	\$265.94	100.0	3.90
8VP1060	808.22	1124.51	1405.50	281.65	106.0	4.15
8VP1120	855.30	1190.02	1487.37	298.21	112.0	4.42
8VP1180	902.31	1255.42	1569.13	314.59	118.0	4.67
8VP1250	958.20	1333.16	1666.30	333.29	125.0	5.00
8VP1320	1011.85	1407.82	1759.61	351.94	132.0	5.25
8VP1400	1073.68	1493.84	1867.12	373.45	140.0	5.58
8VP1500	1151.77	1602.49	2002.93	400.62	150.0	6.00
8VP1600	1228.20	1708.83	2135.83	427.21	160.0	6.33
8VP1700	1317.65	1833.29	2290.34	458.34	170.0	6.75
8VP1800	1389.23	1932.88	2415.87	483.21	180.0	7.25
8VP1900	1468.97	2043.83	2554.55	510.95	190.0	7.65
8VP2000	1548.66	2154.69	2693.10	538.68	200.0	8.00
8VP2120	1644.67	2288.29	2860.07	572.05	212.0	8.50
8VP2240	1734.13	2412.75	3015.64	603.17	224.0	9.00
8VP2360	1823.62	2537.27	3171.28	634.31	236.0	9.42
8VP2500	1930.93	2686.57	3357.89	671.64	250.0	10.00
8VP2650	2048.08	2849.56	3561.61	712.39	265.0	10.58
8VP2800	2168.46	3017.05	3770.95	754.27	280.0	11.33
8VP3000	2322.99	3232.06	4039.69	808.02	300.0	12.08
8VP3150	2441.76	3397.32	4246.23	849.31	315.0	12.75
8VP3350	2599.50	3616.77	4520.52	904.19	335.0	13.58
8VP3550	2754.07	3831.83	4789.33	957.97	355.0	14.33
8VP3750	2911.86	4051.36	5063.72	1012.83	375.0	15.08
8VP4000	3113.58	4332.03	5414.51	1083.00	400.0	16.08
8VP4250	3315.30	4612.69	5765.32	1153.17	425.0	17.08
8VP4500	3516.99	4893.30	6116.04	1223.30	450.0	18.08
8VP4750	3718.71	5173.97	6466.83	1293.50	475.0	19.17
8VP5000	3920.44	5454.63	6817.64	1363.65	500.0	20.17
8VP5600	4405.19	6129.09	7660.62	1532.27	560.0	22.75
8VP6000	4989.53	6942.10	8676.79	1739.63	600.0	24.42

8VP Predator belts are available up to 12 strands.

Prices Subject To Change Without Notice





Hi-Power® II Belts


Featuring a composite, multi-purpose construction, these belts resist oil and heat, ozone, sunlight, weather, and aging.

Markets/Applications

Suitable for all industrial applications, including v-flat drives.

Features/Advantages

- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **The Flex-Weave® Cover** is a patented fabric construction for longer cover life, providing extended protection to the belt core from oil, dirt and heat.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



HEAVY DUTY V-BELTS


Recommended Sheaves

Multi-Duty Sheaves

Notes

Gates Hi-Power belts are available in A, B, C, D and E cross sections.

Product No. Series 9002



A Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
A24	\$6.77	9002-2024	26.0	.17	5
A25	6.87	9002-2025	27.0	.18	1
A26	6.98	9002-2026	28.0	.20	5
A27	7.08	9002-2027	29.0	.21	5
A28	7.19	9002-2028	30.0	.22	5
A29	7.29	9002-2029	31.0	.22	5
A29.8	7.41	9002-2298	31.8	.23	1
A30	7.41	9002-2030	32.0	.23	5
A31	7.52	9002-2031	33.0	.24	5
A32	7.68	9002-2032	34.0	.24	5
A33	7.78	9002-2033	35.0	.28	5
A34	7.94	9002-2034	36.0	.29	5
A35	8.05	9002-2035	37.0	.30	5
A36	8.21	9002-2036	38.0	.30	5
A37	8.43	9002-2037	39.0	.31	5
A38	8.58	9002-2038	40.0	.31	5
A39	8.75	9002-2039	41.0	.31	5
A40	8.86	9002-2040	42.0	.32	5
A41	9.03	9002-2041	43.0	.32	5
A42	9.23	9002-2042	44.0	.33	5
A43	9.39	9002-2043	45.0	.34	5
A44	9.50	9002-2044	46.0	.34	5
A45	9.61	9002-2045	47.0	.35	5
A46	9.66	9002-2046	48.0	.35	5
A47	9.76	9002-2047	49.0	.36	5
A48	9.88	9002-2048	50.0	.37	5
A49	9.98	9002-2049	51.0	.37	5
A50	10.08	9002-2050	52.0	.42	5
A51	10.20	9002-2051	53.0	.42	5
A52	10.31	9002-2052	54.0	.43	5

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
A53	\$10.41	9002-2053	55.0	.43	5
A54	10.58	9002-2054	56.0	.44	5
A55	10.68	9002-2055	57.0	.45	5
A56	10.78	9002-2056	58.0	.45	5
A57	10.88	9002-2057	59.0	.46	5
A58	11.06	9002-2058	60.0	.47	5
A59	11.16	9002-2059	61.0	.47	1
A60	11.27	9002-2060	62.0	.48	1
A61	11.43	9002-2061	63.0	.49	1
A62	11.53	9002-2062	64.0	.49	5
A63	11.71	9002-2063	65.0	.50	1
A64	11.81	9002-2064	66.0	.50	5
A65	11.92	9002-2065	67.0	.50	1
A66	12.08	9002-2066	68.0	.51	5
A67	12.23	9002-2067	69.0	.51	1
A68	12.35	9002-2068	70.0	.51	5
A69	12.62	9002-2069	71.0	.53	1
A70	12.88	9002-2070	72.0	.53	5
A71	12.98	9002-2071	73.0	.53	5
A72	13.05	9002-2072	74.0	.53	1
A73	13.15	9002-2073	75.0	.54	1
A74	13.26	9002-2074	76.0	.54	1
A75	13.42	9002-2075	77.0	.54	5
A76	13.63	9002-2076	78.0	.54	1
A77	13.85	9002-2077	79.0	.54	1
A78	14.07	9002-2078	80.0	.54	5
A79	14.27	9002-2079	81.0	.56	1
A80	14.50	9002-2080	82.0	.56	5
A81	14.70	9002-2081	83.0	.56	1
A82	14.92	9002-2082	84.0	.57	1

Prices Subject To Change Without Notice





Hi-Power® II Belts

Product No. Series 9002 (continued)

A Section (continued)


Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
A91	\$16.83	9002-2091	93.0	.64	1
A92	17.01	9002-2092	94.0	.64	1
A93	17.17	9002-2093	95.0	.65	1
A94	17.36	9002-2094	96.0	.65	1
A95	17.54	9002-2095	97.0	.66	1
A96	17.71	9002-2096	98.0	.67	1
A97	17.85	9002-2097	99.0	.66	1
A98	18.09	9002-2098	100.0	.68	1
A99	18.28	9002-2099	101.0	.69	1
A100	18.46	9002-2100	102.0	.70	1
A101	18.64	9002-2101	103.0	.71	1
A102	18.83	9002-2102	104.0	.72	1
A103	19.01	9002-2103	105.0	.72	1
A104	19.16	9002-2104	106.0	.74	1
A105	19.31	9002-2105	107.0	.74	1
A106	19.69	9002-2106	108.0	.75	1
A107	20.07	9002-2107	109.0	.75	1
A108	20.45	9002-2108	110.0	.76	1
A110	20.83	9002-2110	112.0	.76	1
A112	21.46	9002-2112	114.0	.78	1
A113	21.68	9002-2113	115.0	.79	1
A114	21.87	9002-2114	116.0	.80	1
A115	22.06	9002-2115	117.0	.80	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
A116	\$22.31	9002-2116	118.0	.81	1
A117	22.50	9002-2117	119.0	.82	1
A118	22.70	9002-2118	120.0	.83	1
A120	23.08	9002-2120	122.0	.84	1
A124	23.88	9002-2124	126.0	.85	1
A125	24.08	9002-2125	127.0	.87	1
A128	24.68	9002-2128	130.0	.87	1
A130	25.12	9002-2130	132.0	.87	1
A132	25.51	9002-2132	134.0	.87	1
A133	25.70	9002-2133	135.0	.94	1
A134	25.90	9002-2134	136.0	.94	1
A136	26.30	9002-2136	138.0	.96	1
A137	26.50	9002-2137	139.0	.98	1
A144	27.87	9002-2144	146.0	1.02	1
A152	29.42	9002-2152	154.0	1.02	1
A156	30.20	9002-2156	158.0	1.03	1
A157	30.40	9002-2157	159.0	1.03	1
A158	30.59	9002-2158	160.0	1.05	1
A162	31.38	9002-2162	164.0	1.06	1
A167	32.37	9002-2167	169.0	1.09	1
A173	33.56	9002-2173	175.0	1.20	1
A180	34.94	9002-2180	182.0	1.30	1
A200	38.82	9002-2200	202.0	1.40	1

HEAVY DUTY V-BELTS

Product No. Series 9003

B Section



Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
B28	\$9.33	9003-2028	31.0	.35	1
B29	9.56	9003-2029	32.0	.36	1
B30	9.76	9003-2030	33.0	.37	1
B31	9.95	9003-2031	34.0	.38	1
B32	10.13	9003-2032	35.0	.40	5
B33	10.34	9003-2033	36.0	.41	1
B34	10.51	9003-2034	37.0	.42	5
B35	10.73	9003-2035	38.0	.46	5
B36	11.06	9003-2036	39.0	.47	5
B37	11.43	9003-2037	40.0	.48	1
B38	11.81	9003-2038	41.0	.48	5
B39	12.08	9003-2039	42.0	.49	5
B40	12.35	9003-2040	43.0	.49	5
B41	12.62	9003-2041	44.0	.50	5
B42	12.88	9003-2042	45.0	.51	5
B43	13.15	9003-2043	46.0	.52	5
B44	13.42	9003-2044	47.0	.53	5
B45	13.68	9003-2045	48.0	.54	5
B46	13.95	9003-2046	49.0	.55	5
B47	14.17	9003-2047	50.0	.56	5
B48	14.38	9003-2048	51.0	.57	5
B49	14.60	9003-2049	52.0	.58	5
B50	14.82	9003-2050	53.0	.65	5
B51	15.02	9003-2051	54.0	.66	5
B52	15.20	9003-2052	55.0	.67	5
B53	15.30	9003-2053	56.0	.67	5
B54	15.45	9003-2054	57.0	.69	5
B55	15.57	9003-2055	58.0	.69	5
B56	15.67	9003-2056	59.0	.69	5
B57	15.77	9003-2057	60.0	.70	5
B58	15.89	9003-2058	61.0	.70	5

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
B59	\$16.00	9003-2059	62.0	.70	5
B60	16.10	9003-2060	63.0	.72	5
B61	16.32	9003-2061	64.0	.72	5
B62	16.52	9003-2062	65.0	.73	5
B63	16.75	9003-2063	66.0	.74	5
B64	16.96	9003-2064	67.0	.75	5
B65	17.17	9003-2065	68.0	.76	5
B66	17.39	9003-2066	69.0	.77	5
B67	17.55	9003-2067	70.0	.78	5
B68	17.71	9003-2068	71.0	.79	5
B69	17.92	9003-2069	72.0	.80	5
B70	18.19	9003-2070	73.0	.81	5
B71	18.41	9003-2071	74.0	.82	5
B72	18.62	9003-2072	75.0	.83	5
B73	18.84	9003-2073	76.0	.84	5
B74	19.11	9003-2074	77.0	.85	5
B75	19.31	9003-2075	78.0	.86	5
B76	19.59	9003-2076	79.0	.88	5
B77	19.86	9003-2077	80.0	.88	5
B78	20.14	9003-2078	81.0	.88	5
B79	20.39	9003-2079	82.0	.88	5
B80	20.66	9003-2080	83.0	.91	5
B81	20.94	9003-2081	84.0	.92	5
B82	21.46	9003-2082	85.0	.93	5
B83	21.63	9003-2083	86.0	.94	5
B84	21.84	9003-2084	87.0	.95	5
B85	22.00	9003-2085	88.0	.96	5
B86	22.23	9003-2086	89.0	.96	5
B87	22.44	9003-2087	90.0	.99	5
B88	22.65	9003-2088	91.0	1.00	5
B89	22.86	9003-2089	92.0	1.01	1

Prices Subject To Change Without Notice





Hi-Power® II Belts



Product No. Series 9003 (continued)

B Section (continued)

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
B90	\$23.08	9003-2090	93.0	1.01	5
B91	23.40	9003-2091	94.0	1.02	1
B92	23.78	9003-2092	95.0	1.03	5
B93	24.15	9003-2093	96.0	1.04	5
B94	24.43	9003-2094	97.0	1.05	1
B95	24.68	9003-2095	98.0	1.06	5
B96	24.95	9003-2096	99.0	1.07	5
B97	25.23	9003-2097	100.0	1.08	5
B98	25.38	9003-2098	101.0	1.09	1
B99	25.60	9003-2099	102.0	1.10	1
B100	25.77	9003-2100	103.0	1.11	5
B101	25.98	9003-2101	104.0	1.13	1
B102	26.04	9003-2102	105.0	1.14	1
B103	26.30	9003-2103	106.0	1.14	5
B104	26.56	9003-2104	107.0	1.16	1
B105	26.83	9003-2105	108.0	1.16	5
B106	27.33	9003-2106	109.0	1.18	1
B107	27.57	9003-2107	110.0	1.19	1
B108	27.80	9003-2108	111.0	1.20	5
B109	28.14	9003-2109	112.0	1.21	1
B110	28.40	9003-2110	113.0	1.22	1
B111	28.73	9003-2111	114.0	1.23	1
B112	28.99	9003-2112	115.0	1.24	5
B113	29.01	9003-2113	116.0	1.24	1
B114	29.27	9003-2114	117.0	1.26	1
B115	29.53	9003-2115	118.0	1.27	1
B116	29.79	9003-2116	119.0	1.28	5
B117	29.91	9003-2117	120.0	1.29	1
B118	30.17	9003-2118	121.0	1.30	1
B119	30.38	9003-2119	122.0	1.32	1
B120	30.59	9003-2120	123.0	1.35	5
B122	31.13	9003-2122	125.0	1.36	1
B123	31.41	9003-2123	126.0	1.37	1
B124	31.67	9003-2124	127.0	1.38	5
B125	31.95	9003-2125	128.0	1.39	1
B126	32.21	9003-2126	129.0	1.40	1
B127	32.47	9003-2127	130.0	1.40	1
B128	32.73	9003-2128	131.0	1.43	5
B130	33.39	9003-2130	133.0	1.62	1
B131	33.84	9003-2131	134.0	1.63	1
B132	34.10	9003-2132	135.0	1.64	1
B133	34.36	9003-2133	136.0	1.65	1
B134	34.62	9003-2134	137.0	1.66	1
B135	34.73	9003-2135	138.0	1.67	1
B136	34.99	9003-2136	139.0	1.68	5
B137	35.25	9003-2137	140.0	1.69	5
B138	35.49	9003-2138	141.0	1.70	5
B139	35.73	9003-2139	140.0	1.72	1
B140	35.96	9003-2140	143.0	1.73	5
B141	36.23	9003-2141	144.0	1.74	1
B142	36.50	9003-2142	145.0	1.75	1
B143	36.77	9003-2143	146.0	1.76	1
B144	37.04	9003-2144	147.0	1.76	5
B145	37.27	9003-2145	148.0	1.79	1
B146	37.50	9003-2146	149.0	1.79	1
B147	37.69	9003-2147	150.0	1.80	1
B148	37.95	9003-2148	151.0	1.80	1
B149	38.52	9003-2149	152.0	1.81	1
B150	39.09	9003-2150	153.0	1.81	1
B151	39.36	9003-2151	154.0	1.81	1
B152	39.62	9003-2152	155.0	1.82	1
B153	39.88	9003-2153	156.0	1.82	1
B154	40.14	9003-2154	157.0	1.83	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
B156	\$39.74	9003-2156	159.0	1.84	1
B157	40.00	9003-2157	160.0	1.84	1
B158	40.25	9003-2158	161.0	1.84	5
B160	41.34	9003-2160	163.0	1.85	1
B161	41.60	9003-2161	164.0	1.85	1
B162	41.86	9003-2162	165.0	1.85	1
B164	42.15	9003-2164	167.0	1.86	1
B165	42.41	9003-2165	168.0	1.86	1
B166	42.66	9003-2166	169.0	1.86	1
B168	42.74	9003-2168	171.0	1.87	1
B169	42.99	9003-2169	172.0	1.88	1
B170	43.25	9003-2170	173.0	1.89	1
B173	44.01	9003-2173	176.0	1.92	5
B174	44.61	9003-2174	177.0	1.93	1
B175	44.87	9003-2175	178.0	1.95	1
B177	45.38	9003-2177	180.0	1.97	1
B178	45.63	9003-2178	181.0	1.98	1
B180	46.15	9003-2180	183.0	2.00	5
B182	46.66	9003-2182	185.0	2.02	1
B184	46.79	9003-2187	187.0	2.04	1
B185	46.67	9003-2185	188.0	2.05	1
B186	46.92	9003-2186	189.0	2.06	1
B187	47.18	9003-2187	190.0	2.07	1
B188	47.43	9003-2188	191.0	2.08	1
B190	48.70	9003-2190	193.0	2.11	1
B192	49.14	9003-2192	195.0	2.13	1
B195	49.91	9003-2195	198.0	2.16	5
B199	50.79	9003-2199	202.0	2.21	1
B200	51.05	9003-2200	203.0	2.22	1
B201	51.31	9003-2201	204.0	2.23	1
B204	52.07	9003-2204	207.0	2.27	1
B205	52.33	9003-2205	208.0	2.27	5
B210	53.67	9003-2210	213.0	2.36	5
B212	54.11	9003-2212	213.0	2.37	1
B215	54.78	9003-2215	216.0	2.40	1
B217	55.22	9003-2217	218.0	2.43	1
B218	55.45	9003-2218	219.0	2.44	1
B221	56.11	9003-2221	222.0	2.47	1
B223	56.56	9003-2223	224.0	2.49	1
B225	57.00	9003-2225	226.0	2.51	5
B228	57.67	9003-2228	229.0	2.55	1
B230	58.22	9003-2230	231.0	2.57	1
B234	59.19	9003-2234	235.0	2.52	1
B235	59.43	9003-2235	236.0	2.63	1
B236	59.68	9003-2236	237.0	2.64	1
B240	60.65	9003-2240	241.0	2.68	5
B248	62.80	9003-2248	249.0	2.77	1
B255	64.68	9003-2255	256.0	2.85	5
B265	67.35	9003-2265	266.0	2.96	1
B270	68.69	9003-2270	271.0	3.02	5
B276	70.20	9003-2276	277.0	3.09	1
B279	70.95	9003-2279	280.0	3.12	1
B285	72.46	9003-2285	286.0	3.18	5
B290	72.46	9003-2290	291.0	3.24	1
B292	74.18	9003-2292	295.0	3.26	1
B300	76.21	9003-2300	301.0	3.58	5
B310	76.21	9003-2310	311.0	3.70	1
B315	81.69	9003-2315	316.0	3.76	5
B330	85.58	9003-2330	331.0	4.60	1
B340	88.17	9003-2340	341.0	4.69	1
B345	85.22	9003-2345	346.0	4.74	1
B355	87.72	9003-2355	356.0	4.77	1
B360	88.78	9003-2360	361.0	4.83	1


HEAVY DUTY V-BELTS

Prices Subject To Change Without Notice





Hi-Power® II Belts



Product No. Series 9004

C Section

HEAVY DUTY V-BELTS

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
C44	\$22.45	9004-2044	48.0	.98	1
C46	23.47	9004-2046	50.0	1.02	1
C47	23.98	9004-2047	51.0	1.04	1
C48	24.49	9004-2048	52.0	1.06	1
C50	24.60	9004-2050	54.0	1.10	1
C51	24.68	9004-2051	55.0	1.11	1
C52	25.65	9004-2052	56.0	1.13	1
C53	25.65	9004-2053	57.0	1.17	1
C54	26.25	9004-2054	58.0	1.21	1
C55	26.62	9004-2055	59.0	1.23	1
C56	27.08	9004-2056	60.0	1.27	1
C57	27.56	9004-2057	61.0	1.29	1
C58	28.02	9004-2058	62.0	1.31	1
C59	28.51	9004-2059	63.0	1.33	1
C60	28.99	9004-2060	64.0	1.35	1
C61	30.37	9004-2061	65.0	1.37	1
C62	30.87	9004-2062	66.0	1.41	1
C63	31.00	9004-2063	67.0	1.44	1
C64	31.17	9004-2064	68.0	1.45	1
C65	31.34	9004-2065	69.0	1.47	1
C66	31.81	9004-2066	70.0	1.50	1
C67	32.29	9004-2067	71.0	1.50	1
C68	32.73	9004-2068	72.0	1.52	1
C69	33.20	9004-2069	73.0	1.52	1
C70	33.68	9004-2070	74.0	1.54	1
C71	34.13	9004-2071	75.0	1.56	1
C72	34.56	9004-2072	76.0	1.58	1
C73	35.00	9004-2073	77.0	1.57	1
C74	35.65	9004-2074	78.0	1.58	1
C75	35.96	9004-2075	79.0	1.58	5
C76	36.61	9004-2076	80.0	1.59	1
C78	37.57	9004-2078	82.0	1.59	1
C79	38.18	9004-2079	83.0	1.60	1
C80	38.66	9004-2080	84.0	1.60	1
C81	39.18	9004-2081	85.0	1.62	5
C82	39.24	9004-2082	86.0	1.64	1
C83	39.72	9004-2083	87.0	1.66	1
C84	39.99	9004-2084	88.0	1.68	1
C85	40.25	9004-2085	89.0	1.70	5
C86	41.05	9004-2086	90.0	1.72	1
C87	41.53	9004-2087	91.0	1.74	1
C88	42.50	9004-2088	92.0	1.76	1
C90	43.47	9004-2090	94.0	1.79	5
C91	43.86	9004-2091	95.0	1.82	1
C92	44.37	9004-2092	96.0	1.84	1
C93	44.82	9004-2093	97.0	1.85	1
C94	45.30	9004-2094	98.0	1.88	1
C95	45.78	9004-2095	99.0	1.89	1
C96	46.15	9004-2096	100.0	1.92	5
C97	46.64	9004-2097	101.0	1.93	1
C98	47.13	9004-2098	102.0	1.95	1
C99	47.61	9004-2099	103.0	1.97	1
C101	49.28	9004-2101	105.0	2.01	1
C102	49.40	9004-2102	106.0	2.03	1
C103	49.88	9004-2103	107.0	2.05	1
C104	49.98	9004-2104	108.0	2.07	1
C105	50.46	9004-2105	109.0	2.09	5
C106	50.88	9004-2106	110.0	2.11	1
C107	51.34	9004-2107	111.0	2.13	1
C108	51.79	9004-2108	112.0	2.14	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
C109	\$52.27	9004-2109	113.0	2.16	1
C110	52.75	9004-2110	114.0	2.19	1
C111	53.22	9004-2111	115.0	2.21	1
C112	53.67	9004-2112	116.0	2.23	5
C114	54.60	9002-2114	118.0	2.26	1
C115	55.07	9004-2115	119.0	2.28	1
C116	55.54	9004-2116	120.0	2.30	1
C117	56.01	9004-2117	121.0	2.32	1
C118	56.47	9004-2118	122.0	2.34	1
C120	57.43	9004-2120	124.0	2.38	5
C122	58.35	9004-2122	126.0	2.42	1
C124	59.26	9004-2124	128.0	2.45	1
C126	60.23	9004-2126	130.0	2.50	1
C128	61.19	9004-2128	132.0	2.53	5
C130	62.05	9004-2130	134.0	2.59	1
C131	62.25	9004-2131	135.0	2.63	1
C132	62.73	9004-2132	136.0	2.65	1
C134	63.68	9004-2134	138.0	2.67	1
C135	64.29	9004-2135	139.0	2.75	1
C136	64.63	9004-2136	140.0	2.79	5
C137	65.24	9004-2137	141.0	2.79	1
C138	65.72	9004-2138	142.0	2.80	1
C139	65.71	9004-2139	143.0	2.80	1
C140	66.67	9004-2140	144.0	2.81	1
C141	66.67	9004-2141	145.0	2.81	1
C142	67.74	9004-2142	146.0	2.82	1
C143	68.21	9004-2143	147.0	2.83	1
C144	68.69	9004-2144	148.0	2.85	5
C146	69.54	9004-2146	150.0	2.89	1
C147	70.01	9004-2147	151.0	2.90	1
C148	70.49	9004-2148	152.0	2.92	1
C150	71.38	9004-2150	154.0	2.96	1
C151	71.69	9004-2151	155.0	2.98	1
C152	72.15	9004-2152	156.0	3.00	1
C153	72.64	9004-2153	157.0	3.02	1
C154	71.11	9004-2154	158.0	3.04	1
C155	73.59	9004-2155	159.0	3.06	1
C156	74.06	9004-2156	160.0	3.08	1
C158	75.15	9004-2158	162.0	3.12	5
C160	75.95	9004-2160	164.0	3.16	1
C162	76.75	9004-2162	166.0	3.20	5
C164	77.83	9004-2164	168.0	3.23	1
C165	78.31	9004-2165	169.0	3.25	1
C166	78.78	9004-2166	170.0	3.27	1
C168	79.73	9004-2168	172.0	3.31	1
C169	80.21	9004-2169	173.0	3.33	1
C170	80.68	9004-2170	174.0	3.35	1
C173	82.12	9004-2173	177.0	3.41	5
C175	83.49	9004-2175	179.0	3.45	1
C177	84.45	9004-2177	181.0	3.50	1
C180	85.88	9004-2180	184.0	3.54	5
C181	85.87	9004-2181	185.0	3.57	1
C183	87.32	9004-2183	187.0	3.94	1
C185	88.27	9004-2185	189.0	3.98	1
C188	88.23	9004-2188	192.0	4.03	1
C190	90.48	9004-2190	194.0	4.07	1
C195	92.85	9004-2195	199.0	4.17	5
C197	92.81	9004-2197	201.0	4.23	1
C200	92.76	9004-2200	204.0	4.27	1
C202	96.54	9004-2202	206.0	4.31	1

Prices Subject To Change Without Notice





Hi-Power® II Belts


Product No. Series 9004 (continued)

C Section (continued)

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
C204	\$97.49	9004-2204	208.0	4.39	1
C207	98.93	9004-2207	211.0	4.37	1
C210	100.36	9004-2210	214.0	4.81	5
C214	102.30	9004-2214	216.0	4.85	1
C218	104.25	9004-2218	220.0	4.92	1
C220	104.07	9004-2220	222.0	4.97	1
C221	104.54	9004-2221	223.0	5.01	1
C225	106.44	9004-2225	227.0	5.08	5
C228	107.85	9004-2228	230.0	5.13	1
C229	108.32	9004-2229	231.0	5.19	1
C235	106.16	9004-2235	237.0	5.28	1
C240	112.71	9004-2240	242.0	5.39	5
C245	115.81	9004-2245	247.0	5.49	1
C246	116.28	9004-2246	248.0	5.52	1
C248	117.23	9004-2248	250.0	5.60	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
C255	\$120.54	9004-2255	257.0	5.70	5
C265	124.98	9004-2265	267.0	6.02	1
C270	127.20	9004-2270	272.0	6.09	5
C276	127.04	9004-2276	278.0	6.14	1
C280	131.88	9004-2280	282.0	6.22	1
C285	134.23	9004-2285	287.0	6.62	5
C290	134.11	9004-2290	292.0	6.68	1
C295	138.34	9004-2295	297.0	6.73	1
C297	139.77	9004-2297	299.0	6.85	1
C300	141.15	9004-2300	302.0	6.93	5
C315	148.13	9004-2315	317.0	7.23	5
C320	148.02	9004-2320	322.0	7.41	1
C330	155.12	9004-2330	332.0	7.55	5
C345	162.09	9004-2345	347.0	7.86	5
C360	169.07	9004-2360	362.0	8.17	5
C390	183.57	9004-2390	392.0	8.80	5
C420	198.05	9004-2420	422.0	10.35	1

HEAVY DUTY V-BELTS




Product No. Series 9005

D Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
D105	\$93.39	9005-2105	110.0	5.30	1
D107	95.11	9005-2107	112.0	5.41	1
D112	99.40	9005-2112	117.0	5.56	1
D120	106.27	9005-2120	125.0	5.86	1
D128	113.23	9005-2128	133.0	6.14	1
D136	120.21	9005-2136	141.0	6.43	1
D140	123.71	9005-2140	145.0	6.59	1
D144	127.20	9005-2144	149.0	6.73	1
D158	139.55	9005-2158	163.0	7.24	1
D162	143.85	9005-2162	167.0	7.38	1
D165	145.82	9005-2165	170.0	7.49	1
D167	147.14	9005-2167	172.0	7.59	1
D171	150.67	9005-2171	176.0	7.46	1
D173	152.43	9005-2173	178.0	7.50	1
D180	158.34	9005-2180	185.0	7.76	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
D195	\$171.75	9005-2195	200.0	8.31	1
D205	180.70	9005-2205	210.0	9.10	1
D210	185.17	9005-2210	215.0	9.46	1
D225	195.63	9005-2225	228.0	10.34	1
D240	208.25	9005-2240	243.0	10.92	1
D255	221.13	9005-2255	258.0	11.50	1
D270	234.55	9005-2270	273.0	12.07	1
D285	247.42	9005-2285	288.0	12.65	1
D300	260.32	9005-2300	303.0	13.22	1
D315	273.45	9005-2315	318.0	14.08	1
D330	286.62	9005-2330	333.0	14.66	1
D345	299.49	9005-2345	348.0	15.23	1
D360	312.37	9005-2360	363.0	15.81	1
D390	339.20	9005-2390	393.0	16.96	1
D420	366.04	9005-2420	423.0	18.11	1
D450	392.87	9005-2450	453.0	19.31	1
D480	419.72	9005-2480	483.0	20.42	1
D540	473.39	9005-2540	543.0	23.04	1
D600	527.06	9005-2600	603.0	25.87	1
D660	580.73	9005-2660	663.0	28.24	1



Product No. Series 9006

E Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
E180	\$229.33	9006-2180	187.0	11.66	1
E195	248.17	9006-2195	202.0	12.46	1
E210	267.46	9006-2210	217.0	13.27	1
E240	300.19	9006-2240	244.0	15.31	1
E270	337.77	9006-2270	274.0	16.91	1
E300	374.78	9006-2300	304.0	18.53	1
E330	412.38	9006-2330	334.0	19.82	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
E360	\$449.51	9006-2360	364.0	21.44	1
E390	489.76	9006-2390	394.0	23.05	1
E420	530.01	9006-2420	424.0	24.75	1
E480	609.18	9006-2480	484.0	27.89	1
E540	689.67	9006-2540	544.0	32.02	1
E600	770.19	9006-2600	604.0	35.28	1
E660	850.69	9006-2660	664.0	38.14	1



Prices Subject To Change Without Notice





Hi-Power® II PowerBand® V-Belts


The PowerBand construction allows multiple belts to function as a single unit, with even load distribution and each strand fitting securely in the sheave groove.

Markets/Applications

Recommended for drives where single belts vibrate, turn over or jump off the drive.

Features/Advantages

- The **Tie Band** assures high lateral rigidity, guiding the belt in a straight line and preventing it from coming off the drive.
- **Concave Sidewalls** provide proper cord support and full contact with the sheave-groove for equal loading and uniform wear.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



Recommended Sheaves

Multi-Duty Sheaves (B, C, D)

Notes

Minimum order quantities are not required on B, C, and D PowerBand belts for lengths listed.


PowerBand belts with six strands or more may require lead time..

"A" section PowerBand belts may be Made-To-Order and require minimum order quantities. Check with Customer Service for availability.

The part number is constructed by placing the number of strands required, followed by a slash (/) in front of the belt size. For example, 5/B66 represents a B66 with 5 strands.

HEAVY DUTY V-BELTS

Product No. Series 9092



Most "A" Section sheaves are a combination "A-B" groove. "A" Section PowerBand Belts are not recommended for use in sheaves with "A-B" combination grooves. "A" Section PowerBand belts may be Made-To-Order and require minimum order quantities. Check with customer service for availability.



A Section

Size	Suggested List Prices for Stock PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
¹⁵ A42	\$25.25	\$37.88	\$52.70	\$65.87	\$13.84	44.0	.36
¹⁵ A43	25.70	38.55	53.64	67.04	14.09	45.0	.37
¹⁵ A44	26.11	39.19	54.40	67.98	14.29	46.0	.38
¹⁵ A47	26.58	40.07	55.75	69.68	14.64	49.0	.40
¹⁵ A46	26.42	39.63	55.15	68.92	14.48	48.0	.40
¹⁵ A48	26.73	40.50	56.35	70.43	14.80	50.0	.40
¹⁵ A49	27.30	40.95	56.96	71.21	14.96	51.0	.42
¹⁵ A51	27.88	41.81	58.18	72.71	15.27	53.0	.44
¹⁵ A53	28.49	42.73	59.46	74.32	15.61	55.0	.46
¹⁵ A54	28.92	43.37	60.35	75.43	15.85	56.0	.46
¹⁵ A55	29.21	43.81	60.96	76.19	16.01	57.0	.47
¹⁵ A56	29.49	44.24	61.56	76.94	16.16	58.0	.48
¹⁵ A57	29.80	44.68	62.18	77.71	16.32	59.0	.50
¹⁵ A58	30.24	45.36	63.11	78.88	16.57	60.0	.50
¹⁵ A60	30.84	46.25	64.35	80.43	16.90	62.0	.52
A62	31.57	47.37	65.90	82.37	17.30	64.0	.54
A64	32.29	48.43	67.38	84.21	17.70	66.0	.56
A65	32.58	48.87	67.99	84.98	17.86	67.0	.56
A66	33.03	49.55	68.93	86.16	18.10	68.0	.57
A68	33.75	50.62	70.44	88.04	18.49	70.0	.58
A70	35.24	52.86	73.55	91.93	19.31	72.0	.61

"A" section PowerBand belts are available up to 20 strands. "A" section PowerBand Belts may be made-to-order and require minimum order quantities.

¹⁵Not included in the V-80 matching program.

Prices Subject To Change Without Notice





Hi-Power® II PowerBand® V-Belts

Product No. Series 9092 (continued)

A Section (continued)

Size	Suggested List Prices for Stock PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
A71	\$35.52	\$53.29	\$74.14	\$92.67	\$19.46	73.0	.61
A74	36.25	54.37	75.64	94.55	19.87	76.0	.64
A75	36.69	55.05	76.58	95.72	20.11	77.0	.66
A77	37.79	56.69	78.88	98.59	26.36	79.0	.66
A78	38.32	57.47	79.96	99.94	21.00	80.0	.67
A80	39.61	59.42	82.67	103.33	21.70	82.0	.70
A81	40.23	60.35	83.96	104.94	22.05	83.0	.70
A83	41.40	62.10	86.41	107.99	22.68	85.0	.71
A85	42.57	63.22	88.85	111.05	23.33	87.0	.74
A90	45.51	68.28	94.99	118.73	24.95	92.0	.77
A92	46.52	69.78	97.08	121.34	25.49	94.0	.80
A96	48.43	72.65	101.08	126.34	26.54	98.0	.84
A100	50.50	75.76	105.40	131.73	27.67	102.0	.86
A105	52.84	79.26	110.28	137.84	28.96	107.0	.90
A110	56.95	85.44	118.87	148.57	31.21	112.0	.96
A112	58.71	88.06	122.52	153.14	32.17	114.0	.96
A120	63.11	94.68	131.72	164.64	34.59	122.0	1.04
A128	67.50	101.25	140.87	176.07	36.99	130.0	1.10
A136	71.90	107.85	150.06	187.55	39.40	138.0	1.17
A144	76.15	114.23	158.93	198.65	41.73	146.0	1.24
A158	83.68	125.51	174.63	218.27	45.85	160.0	1.36
A173	91.75	137.62	191.49	239.33	50.28	175.0	1.50
A180	95.55	143.31	199.39	249.23	52.36	182.0	1.56

HEAVY DUTY V-BELTS

"A" section PowerBand belts are available up to 20 strands. "A" section PowerBand Belts may be made-to-order and require minimum order quantities.

Product No. Series 9093



B Section

Size	Suggested List Prices for Stock PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
¹⁵ B35	\$29.34	\$44.01	\$61.24	\$76.54	\$16.08	38.0	.52
¹⁵ B38	32.29	48.43	67.38	84.21	17.70	41.0	.56
¹⁵ B42	35.24	52.86	73.55	91.93	19.31	45.0	.62
¹⁵ B43	35.95	53.92	75.02	93.77	19.71	46.0	.64
¹⁵ B46	38.16	57.24	79.64	99.55	20.91	49.0	.68
¹⁵ B47	38.76	58.14	80.89	101.11	21.24	50.0	.70
¹⁵ B48	39.36	59.03	82.13	102.66	21.56	51.0	.71
¹⁵ B50	40.52	60.79	84.58	105.72	22.21	53.0	.74
¹⁵ B51	41.11	61.66	85.79	107.22	22.52	54.0	.76
¹⁵ B52	41.55	62.34	86.73	108.39	22.78	55.0	.77
¹⁵ B53	41.82	62.74	87.28	109.10	22.92	56.0	.78
¹⁵ B54	42.28	63.41	88.22	110.27	23.17	57.0	.80
¹⁵ B55	42.57	63.85	88.85	111.05	23.33	58.0	.81
¹⁵ B56	42.85	64.28	89.44	111.79	23.48	59.0	.84
¹⁵ B57	43.15	64.72	90.05	112.55	23.64	60.0	.84
¹⁵ B58	43.44	65.17	90.67	113.32	23.81	61.0	.86
¹⁵ B59	43.72	65.59	91.26	114.06	23.97	62.0	.87
¹⁵ B60	44.03	66.03	91.88	114.84	24.13	63.0	.90
¹⁵ B61	44.64	66.30	93.16	116.44	24.46	64.0	.90
B62	44.75	67.79	94.31	117.89	24.77	65.0	.92
B63	45.81	68.72	95.61	119.49	25.11	66.0	.94
B64	46.39	69.58	96.82	121.01	25.42	67.0	.96
B65	46.99	70.47	98.05	122.55	25.74	68.0	.96
B66	47.56	71.34	99.25	124.06	26.06	69.0	.98
B67	47.51	71.97	99.15	125.17	26.29	70.0	1.00

"B" section PowerBand belts are available up to 16 strands. Most PowerBand belts 6 strands or wider are Standard/Non-Stock.
¹⁵Not included in the V-80 matching program.

Prices Subject To Change Without Notice





Hi-Power® II PowerBand® V-Belts

Product No. Series 9093 (continued)

B Section (continued)

Size	Suggested List Prices for Stock PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
B68	\$47.95	\$72.65	\$100.08	\$126.34	\$26.54	71.0	1.00
B70	48.95	74.15	103.17	128.96	27.09	73.0	1.04
B71	49.85	75.53	105.08	131.34	27.59	74.0	1.06
B72	50.92	76.40	106.28	132.85	27.91	75.0	1.06
B73	51.52	77.28	107.52	134.39	28.23	76.0	1.08
B74	51.73	78.38	109.05	136.30	28.63	77.0	1.10
B75	52.32	79.26	110.28	137.84	28.96	78.0	1.11
B77	54.30	81.45	113.31	141.63	29.75	80.0	1.14
B78	54.50	82.57	114.88	143.58	30.16	81.0	1.16
B79	55.76	83.65	116.37	145.46	30.56	82.0	1.17
B80	56.51	84.76	116.76	147.40	30.97	83.0	1.18
B81	57.26	85.88	119.49	149.35	31.37	84.0	1.20
B82	58.13	88.06	121.31	153.14	32.17	85.0	1.21
B83	59.14	88.70	123.40	154.25	32.40	86.0	1.24
B84	59.36	89.48	124.49	155.61	32.69	87.0	1.25
B85	59.58	90.25	125.58	156.96	32.98	88.0	1.26
B86	60.46	91.12	126.79	158.47	33.30	89.0	1.28
B87	61.33	91.99	128.00	159.97	33.61	90.0	1.30
B88	61.92	92.88	129.23	161.52	33.94	91.0	1.30
B90	62.49	93.74	131.72	164.64	34.59	93.0	1.34
B92	64.42	96.63	135.78	169.72	35.66	95.0	1.36
B93	65.38	98.07	137.81	172.26	36.19	96.0	1.37
B95	66.83	101.25	140.87	176.07	36.99	98.0	1.41
B96	68.25	102.37	142.43	178.02	37.40	99.0	1.42
B97	68.99	103.48	143.99	179.96	37.80	100.0	1.44
B99	69.30	104.99	146.08	182.58	38.36	102.0	1.47
B100	70.45	105.67	147.02	183.76	38.60	103.0	1.48
B103	71.90	107.85	150.06	187.55	39.40	106.0	1.52
B104	72.28	108.97	151.62	189.50	39.81	107.0	1.59
B105	72.66	110.08	153.17	191.44	40.22	108.0	1.66
B108	76.02	114.04	158.66	198.31	41.66	111.0	1.60
B109	76.83	115.26	160.35	200.43	42.11	112.0	1.62
B110	77.64	116.47	162.05	202.54	42.55	113.0	1.63
B112	79.26	118.90	165.43	206.77	43.44	115.0	1.66
B113	79.81	119.73	166.58	208.21	43.74	116.0	1.68
B114	80.37	120.56	167.73	209.65	44.04	117.0	1.70
B115	80.92	121.38	168.88	211.08	44.34	118.0	1.71
B116	81.47	122.21	170.03	212.52	44.65	119.0	1.72
B118	82.58	123.86	172.33	215.40	45.25	121.0	1.75
B120	83.68	125.51	174.63	218.27	45.85	123.0	1.78
B124	86.60	129.89	180.72	225.88	47.45	127.0	1.84
B128	89.54	134.31	186.87	233.56	49.07	131.0	1.90
B130	91.29	136.93	190.52	238.12	50.03	133.0	1.93
B133	93.91	140.86	195.99	244.97	51.46	136.0	1.97
B136	95.70	143.54	199.72	249.62	52.44	139.0	2.00
B138	97.09	145.63	202.63	253.26	53.21	141.0	2.04
B139	97.79	146.68	204.09	255.08	53.59	142.0	2.05
B141	99.18	148.77	207.00	258.73	54.35	144.0	2.09
B144	101.27	151.91	211.36	264.19	55.50	147.0	2.14
B148	103.77	155.66	216.57	270.69	56.86	151.0	2.20
B150	104.54	156.80	218.16	272.68	57.29	153.0	2.22
B154	106.78	160.98	223.97	279.93	58.82	157.0	2.28
B158	109.01	165.15	229.78	287.18	60.34	161.0	2.34
B160	111.74	168.42	234.34	292.89	61.54	163.0	2.37
B162	114.47	171.70	238.90	298.59	62.73	165.0	2.40
B168	117.67	176.50	245.58	306.94	64.48	171.0	2.49
B173	120.33	180.50	251.14	313.89	65.94	176.0	2.56
B180	126.21	189.31	263.40	329.21	69.16	183.0	2.66
B185	129.63	194.45	270.54	338.14	71.04	188.0	2.74
B190	133.06	199.58	277.69	347.07	72.91	193.0	2.82

B section PowerBand belts are available up to 16 strands. Most PowerBand belts 6 strands or wider are Standard/Non-Stock.

Prices Subject To Change Without Notice



HEAVY DUTY V-BELTS



Hi-Power® II PowerBand® V-Belts


Product No. Series 9093 (continued)

B Section (continued)

Size	Suggested List Prices for Stock PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
B195	\$136.48	\$204.72	\$284.83	\$356.00	\$74.79	198.0	2.90
B210	146.75	220.13	306.27	382.81	80.42	213.0	3.11
B218	151.61	227.42	316.42	395.49	83.09	219.9	3.23
B225	155.87	233.80	325.30	406.59	85.42	226.0	3.34
B240	165.84	248.77	346.12	432.61	90.88	241.0	3.55
B255	176.84	265.26	369.06	461.29	96.91	256.0	3.77
B270	187.87	281.81	392.08	490.06	102.95	271.0	4.00
B300	208.41	312.63	434.97	543.65	114.21	301.0	4.44
B315	223.36	335.04	466.15	582.63	122.40	316.0	4.66

"B" section PowerBand belts are available up to 16 strands. Most PowerBand belts 6 strands or wider are Standard/Non-Stock.

Product No. Series 9094



C Section

Size	Suggested List Prices for Stock PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
¹⁵ C60	\$79.26	\$118.90	\$165.43	\$206.77	\$43.44	64.0	1.56
C68	89.54	134.31	186.87	233.56	49.07	72.0	1.77
C72	94.56	141.84	197.34	246.65	51.82	76.0	1.88
C75	98.32	147.48	205.19	256.47	53.88	79.0	1.96
C78	102.3	154.10	214.40	267.98	56.30	82.0	2.04
C80	105.67	158.51	220.53	275.65	57.91	84.0	2.09
C81	107.14	160.71	223.60	279.48	58.71	85.0	2.11
C85	110.10	165.15	229.78	287.18	60.34	89.0	2.21
C87	113.61	170.42	237.11	296.34	62.26	91.0	2.26
C90	118.88	178.32	248.10	310.09	65.15	94.0	2.34
C96	126.21	189.31	263.40	329.21	69.16	100.0	2.50
C99	130.19	195.29	271.71	339.61	71.35	103.0	2.57
C100	131.49	197.23	274.43	343.00	72.05	104.0	2.60
C105	137.98	206.96	287.95	359.90	75.61	109.0	2.74
C108	141.63	212.45	295.60	369.46	77.62	112.0	2.81
C109	142.94	214.40	298.30	372.84	78.33	113.0	2.84
C112	146.75	220.13	306.27	382.81	80.42	116.0	2.91
C120	157.03	235.56	327.75	409.64	86.06	124.0	3.12
C124	162.02	243.05	338.15	422.64	88.79	128.0	3.22
C126	164.67	247.00	343.67	429.54	90.24	130.0	3.28
C128	167.32	250.96	349.18	436.43	91.69	132.0	3.34
C136	176.71	265.06	368.79	460.95	96.84	140.0	3.54
C144	187.87	281.81	392.08	490.06	102.95	148.0	3.74
C146	190.38	285.58	397.33	496.62	104.33	150.0	3.79
C151	196.67	295.01	410.46	513.03	107.78	155.0	3.92
C158	205.47	308.21	428.83	535.98	112.59	162.0	4.11
C162	209.88	314.83	438.03	547.48	115.02	166.0	4.21
C173	224.56	336.85	468.67	585.78	123.06	177.0	4.50
C180	234.81	352.22	490.05	612.50	128.67	184.0	4.68
C185	241.17	361.77	503.33	629.10	132.16	189.0	4.81
C190	244.36	366.54	509.98	637.41	133.91	194.0	4.88
C195	253.90	380.86	529.91	662.32	139.14	199.0	5.07
C204	266.23	399.35	555.63	694.47	145.90	208.0	5.30
C210	274.45	411.68	572.78	715.91	150.40	214.0	5.46
C225	291.05	436.57	607.42	759.21	159.50	227.0	5.86
C240	308.20	462.31	643.22	803.95	168.89	242.0	6.24
C255	329.63	494.46	687.95	859.85	180.64	257.0	6.64
C270	347.81	521.73	725.89	907.27	190.61	272.0	7.02

"C" section PowerBand belts are available up to 12 strands. Most PowerBand belts 6 strands or wider are Standard/Non-Stock.

¹⁵Not included in the V-80 matching program.

Prices Subject To Change Without Notice



HEAVY DUTY V-BELTS



Hi-Power® II PowerBand® V-Belts


Product No. Series 9094 (continued)

C Section (continued)

Size	Suggested List Prices for Stock PowerBand Belts				Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	2 Strand	3 Strand	4 Strand	5 Strand			
C285	\$367.03	\$550.55	\$766.00	\$957.42	\$201.14	287.0	7.41
C300	385.97	578.96	805.54	1006.82	211.51	302.0	7.80
C315	405.07	607.61	837.01	1056.62	221.98	317.0	8.20
C330	424.12	636.19	885.14	1106.32	232.42	332.0	8.58
C345	443.23	664.84	925.02	1156.17	242.89	347.0	8.97
C360	462.33	693.49	964.86	1205.97	253.35	362.0	9.36
C390	502.95	752.90	1047.54	1309.30	275.06	392.0	10.14
C420	541.55	812.32	1119.02	1412.64	296.77	422.0	10.92

*"C" section PowerBand belts are available up to 12 strands. Most PowerBand belts 6 strands or wider are Standard/Non-Stock.

HEAVY DUTY V-BELTS



Product No. Series 9095

D Section

Size	Suggested List Prices for Stock PowerBand Belts			Suggested List Price Per Strand 6 Strands or More	Belt O.C. (In.)	Wt. Per Strand (Lbs.)
	3 Strand	4 Strand	5 Strand			
D144	\$521.73	\$725.89	\$907.27	\$190.61	149.0	6.75
D158	572.40	796.40	995.40	209.11	163.0	7.40
D173	625.20	869.86	1087.22	228.41	178.0	8.10
D180	649.42	903.57	1129.35	237.26	185.0	8.44
D195	704.46	980.14	1225.07	257.37	200.0	9.09
D210	759.52	1056.74	1320.81	277.48	215.0	9.84
D225	802.45	1116.47	1395.46	293.16	228.0	10.56
D240	854.19	1188.47	1485.44	312.06	243.0	11.26
D255	907.01	1261.94	1577.29	331.36	258.0	11.96
D270	962.05	1338.53	1673.00	351.47	273.0	12.66
D285	1014.86	1412.00	1764.83	370.76	288.0	13.37
D300	1067.72	1485.56	1856.77	390.07	303.0	14.07
D315	1121.65	1560.58	1950.54	409.78	318.0	14.77
D330	1175.57	1635.61	2044.32	429.47	333.0	15.48
D345	1228.42	1709.15	2136.23	448.78	348.0	16.18
D360	1281.25	1782.64	2228.08	468.08	363.0	16.88
D390	1391.33	1935.80	2419.52	508.30	393.0	18.29
D420	1501.38	2088.91	2610.89	548.50	423.0	19.70
D450	1611.48	2242.10	2802.35	588.73	453.0	21.10
D480	1721.51	2395.20	2993.72	628.93	483.0	22.50
D540	1941.69	2701.55	3376.61	709.36	543.0	25.33
D600	2161.83	3007.84	3759.44	789.79	603.0	28.14
⁴ D660	2381.97	3314.11	4142.24	870.22	663.0	31.13

*"D" section PowerBand belts are available up to 7 strands in sizes up to and including 180 inches.

*"D" section PowerBand belts are available up to 8 strands for belts longer than 180 inches.

PowerBand belts 6 strands or wider are Standard/Non-Stock.

*Minimum production quantities may apply. Contact Customer Service for availability.

Prices Subject To Change Without Notice





Tri-Power® Belts


Constructed with Gates proprietary construction, this belt has a superior combination of flex and load carrying capacity, as well as less stretch resulting in less maintenance.

Markets/Applications

Suitable for all industrial applications, particularly where small or subminimal sheave diameters are required.

Features/Advantages

- **Notches molded** into the belt during manufacturing, make this belt well suited for drives with smaller diameter sheaves.
- **Belt Edge** is machined for even sheave groove contact resulting in less slip and wear.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



HEAVY DUTY V-BELTS


Recommended Sheaves

Multi-Duty Sheaves

Notes

Tri-Power belts are available in AX, BX, and CX sizes.

Product No. Series 9012



AX Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
AX21	\$7.86	9012-2021	23.0	.15	1
AX22	8.24	9012-2022	24.0	.16	1
AX23	8.61	9012-2023	25.0	.16	1
AX24	8.74	9012-2024	26.0	.17	1
AX25	8.86	9012-2025	27.0	.17	1
AX26	9.21	9012-2026	28.0	.19	5
AX27	9.37	9012-2027	29.0	.19	1
AX28	9.57	9012-2028	30.0	.20	1
AX29	9.69	9012-2029	31.0	.20	1
AX30	9.59	9012-2030	32.0	.23	1
AX31	9.91	9012-2031	33.0	.23	5
AX32	10.09	9012-2032	34.0	.25	1
AX33	10.28	9012-2033	35.0	.27	5
AX34	10.48	9012-2034	36.0	.27	5
AX35	10.63	9012-2035	37.0	.28	5
AX36	10.83	9012-2036	38.0	.28	5
AX37	11.33	9012-2037	39.0	.29	5
AX38	11.46	9012-2038	40.0	.30	5
AX39	11.61	9012-2039	41.0	.30	1
AX40	11.82	9012-2040	42.0	.30	1
AX41	12.04	9012-2041	43.0	.32	1
AX42	12.18	9012-2042	44.0	.32	5
AX43	12.40	9012-2043	45.0	.33	5
AX44	12.52	9012-2044	46.0	.33	1
AX45	12.65	9012-2045	47.0	.33	1
AX46	12.75	9012-2046	48.0	.34	5
AX47	12.90	9012-2047	49.0	.34	1
AX48	13.04	9012-2048	50.0	.35	5
AX49	13.19	9012-2049	51.0	.35	1
AX50	13.25	9012-2050	52.0	.36	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
AX51	\$13.46	9012-2051	53.0	.36	5
AX52	13.60	9012-2052	54.0	.36	1
AX53	13.73	9012-2053	55.0	.37	5
AX54	13.96	9012-2054	56.0	.37	5
AX55	14.09	9012-2055	57.0	.37	1
AX56	14.23	9012-2056	58.0	.38	1
AX57	14.39	9012-2057	59.0	.38	1
AX58	14.54	9012-2058	60.0	.39	1
AX59	14.79	9012-2059	61.0	.40	1
AX60	14.87	9012-2060	62.0	.40	5
AX61	15.12	9012-2061	63.0	.41	1
AX62	15.23	9012-2062	64.0	.41	5
AX63	15.48	9012-2063	65.0	.42	1
AX64	15.58	9012-2064	66.0	.42	5
AX65	15.82	9012-2065	67.0	.43	1
AX66	15.93	9012-2066	68.0	.44	1
AX67	16.17	9012-2067	69.0	.44	1
AX68	16.29	9012-2068	70.0	.45	1
AX69	16.64	9012-2069	71.0	.45	1
AX70	16.99	9012-2070	72.0	.46	1
AX71	17.14	9012-2071	73.0	.46	1
AX72	17.38	9012-2072	74.0	.47	1
AX73	17.47	9012-2073	75.0	.48	1
AX74	17.59	9012-2074	76.0	.48	1
AX75	17.70	9012-2075	77.0	.49	1
AX76	18.18	9012-2076	78.0	.49	1
AX77	18.42	9012-2077	79.0	.49	1
AX78	18.55	9012-2078	80.0	.50	5
AX79	18.79	9012-2079	81.0	.51	1
AX80	19.12	9012-2080	82.0	.52	1

Prices Subject To Change Without Notice





Tri-Power® Belts


Product No. Series 9012 (continued)

AX Section (continued)

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
AX81	\$19.35	9012-2081	83.0	.52	1
AX82	19.59	9012-2082	84.0	.53	1
AX83	20.05	9012-2083	85.0	.53	1
AX84	20.29	9012-2084	86.0	.53	1
AX85	20.53	9012-2085	87.0	.54	1
AX86	20.97	9012-2086	88.0	.55	1
AX87	21.01	9012-2087	89.0	.56	1
AX88	21.25	9012-2088	90.0	.56	1
AX89	21.70	9012-2089	91.0	.56	1
AX90	21.95	9012-2090	92.0	.57	1
AX91	22.29	9012-2091	93.0	.57	1
AX92	22.44	9012-2092	94.0	.57	1
AX93	22.68	9012-2093	95.0	.58	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
AX94	\$22.92	9012-2094	96.0	.59	1
AX96	23.37	9012-2096	98.0	.60	1
AX97	23.61	9012-2097	99.0	.61	1
AX98	23.85	9012-2098	100.0	.62	1
AX103	25.06	9012-2103	105.0	.64	1
AX105	25.49	9012-2105	107.0	.64	1
AX110	27.48	9012-2110	112.0	.68	1
AX112	28.32	9012-2112	114.0	.70	1
AX120	30.45	9012-2120	122.0	.74	1
AX128	32.57	9012-2128	130.0	.79	1
AX144	36.65	9012-2144	146.0	.91	1
AX173	44.02	9012-2173	175.0	1.13	1

HEAVY DUTY V-BELTS



Product No. Series 9013

BX Section



Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
BX24	\$10.23	9013-2024	27.0	.30	1
BX25	10.66	9013-2025	28.0	.31	1
BX26	11.09	9013-2026	29.0	.32	1
BX27	11.51	9013-2027	30.0	.33	1
BX28	11.94	9013-2028	31.0	.34	1
BX29	12.44	9013-2029	32.0	.35	1
BX30	12.86	9013-2030	33.0	.35	1
BX31	13.30	9013-2031	34.0	.35	1
BX32	13.42	9013-2032	35.0	.36	1
BX33	13.34	9013-2033	36.0	.37	1
BX34	13.75	9013-2034	37.0	.38	1
BX35	14.16	9013-2035	38.0	.39	5
BX36	14.58	9013-2036	39.0	.40	5
BX37	15.20	9013-2037	40.0	.43	1
BX38	15.58	9013-2038	41.0	.45	5
BX39	15.88	9013-2039	42.0	.47	1
BX40	16.29	9013-2040	43.0	.47	1
BX41	16.64	9013-2041	44.0	.47	1
BX42	16.99	9013-2042	45.0	.50	5
BX43	17.44	9013-2043	46.0	.51	1
BX44	17.85	9013-2044	47.0	.52	1
BX45	18.21	9013-2045	48.0	.53	1
BX46	18.41	9013-2046	49.0	.53	5
BX47	18.57	9013-2047	50.0	.53	1
BX48	18.99	9013-2048	51.0	.54	5
BX49	19.36	9013-2049	52.0	.55	1
BX50	19.54	9013-2050	53.0	.64	5
BX51	19.82	9013-2051	54.0	.65	5
BX52	20.04	9013-2052	55.0	.66	5
BX53	20.18	9013-2053	56.0	.67	5
BX54	20.40	9013-2054	57.0	.63	5
BX55	20.53	9013-2055	58.0	.69	5
BX56	20.68	9013-2056	59.0	.69	5
BX57	20.75	9013-2057	60.0	.70	1
BX58	20.96	9013-2058	61.0	.71	5

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
BX59	\$21.10	9013-2059	62.0	.73	5
BX60	21.26	9013-2060	63.0	.74	5
BX61	21.53	9013-2061	64.0	.75	1
BX62	21.81	9013-2062	65.0	.76	5
BX63	22.09	9013-2063	66.0	.77	5
BX64	22.37	9013-2064	67.0	.78	5
BX65	22.67	9013-2065	68.0	.79	5
BX66	22.94	9013-2066	69.0	.80	5
BX67	23.17	9013-2067	70.0	.81	5
BX68	23.37	9013-2068	71.0	.82	5
BX69	23.71	9013-2069	72.0	.83	1
BX70	24.00	9013-2070	73.0	.83	5
BX71	24.29	9013-2071	74.0	.84	5
BX72	24.64	9013-2072	75.0	.84	1
BX73	25.05	9013-2073	76.0	.85	1
BX74	25.32	9013-2074	77.0	.85	1
BX75	25.49	9013-2075	78.0	.86	5
BX76	25.83	9013-2076	79.0	.87	1
BX77	26.21	9013-2077	80.0	.87	5
BX78	26.55	9013-2078	81.0	.88	5
BX79	26.90	9013-2079	82.0	.89	1
BX80	27.27	9013-2080	83.0	.90	5
BX81	27.62	9013-2081	84.0	.91	5
BX82	28.32	9013-2082	85.0	.92	1
BX83	28.54	9013-2083	86.0	.93	5
BX84	28.88	9013-2084	87.0	.94	1
BX85	29.04	9013-2085	88.0	.95	5
BX86	29.52	9013-2086	89.0	.96	1
BX87	29.72	9013-2087	90.0	.97	1
BX88	30.07	9013-2088	91.0	.97	1
BX89	30.31	9013-2089	92.0	.98	1
BX90	30.45	9013-2090	93.0	.99	5
BX91	30.79	9013-2091	94.0	1.00	1
BX92	31.13	9013-2092	95.0	1.01	1
BX93	31.87	9013-2093	96.0	1.01	5

Prices Subject To Change Without Notice





Tri-Power® Belts

Product No. Series 9013 (continued)

BX Section (continued)


Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
BX94	\$32.26	9013-2094	97.0	1.02	1
BX95	32.57	9013-2095	98.0	1.03	5
BX96	32.93	9013-2096	99.0	1.04	1
BX97	33.28	9013-2097	100.0	1.05	5
BX98	33.43	9013-2098	101.0	1.06	1
BX99	33.77	9013-2099	102.0	1.07	1
BX100	33.99	9013-2100	103.0	1.08	5
BX103	34.69	9013-2103	106.0	1.11	5
BX105	35.41	9013-2105	108.0	1.14	5
BX106	35.74	9013-2106	109.0	1.17	1
BX108	36.75	9013-2108	111.0	1.18	1
BX110	37.56	9013-2110	113.0	1.20	1
BX112	38.25	9013-2112	115.0	1.24	5
BX113	38.46	9013-2113	116.0	1.24	1
BX115	38.68	9013-2115	118.0	1.25	1
BX116	39.01	9013-2116	119.0	1.27	1
BX120	40.36	9013-2120	123.0	1.30	5
BX124	41.78	9013-2124	127.0	1.37	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
BX128	\$43.20	9013-2128	131.0	1.38	5
BX133	45.31	9013-2133	136.0	1.38	1
BX136	46.17	9013-2136	139.0	1.42	1
BX140	47.53	9013-2140	143.0	1.42	1
BX144	48.87	9013-2144	147.0	1.46	5
BX150	51.48	9013-2150	153.0	1.48	1
BX158	53.11	9013-2158	161.0	1.56	1
BX162	55.24	9013-2162	165.0	1.60	1
BX173	58.07	9013-2173	176.0	1.71	1
BX180	60.89	9013-2180	183.0	1.77	1
BX195	65.86	9013-2195	198.0	1.92	1
BX205	69.05	9013-2205	208.0	2.31	1
BX210	70.81	9013-2210	213.0	2.51	1
BX225	75.22	9013-2225	227.0	2.74	5
BX255	85.36	9013-2255	257.0	2.85	5
BX270	90.66	9013-2270	272.0	3.02	5
BX300	95.63	9013-2300	302.0	4.02	1

HEAVY DUTY V-BELTS

Product No. Series 9014

CX Section



Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
CX51	\$32.57	9014-2051	55.0	1.02	1
CX60	38.25	9014-2060	64.0	1.07	1
CX68	43.20	9014-2068	72.0	1.29	1
CX75	47.44	9014-2075	79.0	1.35	1
CX81	51.70	9014-2081	85.0	1.41	1
CX85	53.11	9014-2085	89.0	1.47	1
CX90	57.36	9014-2090	94.0	1.55	5
CX96	60.89	9014-2096	100.0	1.65	5
CX100	63.45	9014-2100	104.0	1.72	1
CX101	64.08	9014-2101	105.0	1.74	1
CX105	66.57	9014-2105	109.0	1.80	5
CX106	67.13	9014-2106	110.0	1.82	1
CX109	68.98	9014-2109	113.0	1.87	1
CX112	70.81	9014-2112	116.0	1.92	1
CX115	72.66	9014-2115	119.0	1.97	1
CX120	75.76	9014-2120	124.0	2.07	5
CX123	78.18	9014-2123	127.0	2.10	1
CX128	78.81	9014-2128	132.0	2.18	5
CX133	80.74	9014-2133	137.0	2.26	1

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)	Customer Pack
CX136	\$82.99	9014-2136	140.0	2.31	1
CX144	90.66	9014-2144	148.0	2.44	1
CX150	95.16	9014-2150	154.0	2.56	1
CX158	99.14	9014-2158	162.0	2.67	1
CX162	101.26	9014-2162	166.0	2.74	1
CX173	108.35	9014-2173	177.0	2.92	1
CX180	113.30	9014-2180	184.0	3.04	1
CX187	118.12	9014-2187	191.0	3.15	1
CX190	120.04	9014-2190	194.0	3.20	1
CX195	122.51	9014-2195	199.0	3.29	1
CX210	132.43	9014-2210	214.0	3.53	1
CX225	140.47	9014-2225	227.0	5.33	5
CX240	148.75	9014-2240	242.0	5.64	5
CX255	159.09	9014-2255	257.0	5.95	5
CX270	167.88	9014-2270	272.0	6.26	5
CX300	186.28	9014-2300	302.0	6.88	5
CX330	204.72	9014-2330	332.0	6.90	5
CX360	223.13	9014-2360	362.0	8.55	5

Prices Subject To Change Without Notice





Metric Power V-Belts


Manufactured in the Americas, these belts are made to Gates high quality global production standards. Metric Power belts are readily available for replacement on drives that require metric cross sections.

Markets/Applications

Excellent for textile mills, machine tool and food processing applications.

Features/Advantages

- **Proprietary Construction** features an unbeatable combination of flex and load carrying capacity, reduced stretch and incredible cord adhesion properties.
- **Molded Notches** (in lengths 3,000mm and under) reduce thermal and bending stresses.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



Recommended Sheaves—Contact the Gates Made-To-Order Metals Team.

Notes

Narrow cross sections include: XPZ/SPZ, XPA/SPA, XPB/SPB, and XPC/SPC.


Classical cross sections include 10X, 13X, and 17X.

Metric Power belts are Vextra molded notch construction in lengths 3,000mm and under. Metric Power belts are banded construction in lengths over 3,000mm.

HEAVY DUTY V-BELTS

Narrow Sizes

Product No. Series 9426



XPZ/SPZ Section

Part No.	Product No.	Sugg. List Price	Part No.	Product No.	Sugg. List Price	Part No.	Product No.	Sugg. List Price	Part No.	Product No.	Sugg. List Price
XPZ604	9426-10604	\$6.40	XPZ900	9426-10900	\$8.19	XPZ1202	9426-11202	\$11.67	XPZ1512	9426-11512	\$14.68
XPZ612	9426-10612	6.40	XPZ912	9426-10912	8.66	XPZ1210	9426-11210	11.67	XPZ1520	9426-11520	14.68
XPZ630	9426-10630	6.40	XPZ925	9426-10925	8.66	XPZ1212	9426-11212	11.67	XPZ1527	9426-11527	14.68
XPZ637	9426-10637	6.50	XPZ937	9426-10937	8.66	XPZ1227	9426-11227	11.67	XPZ1537	9426-11537	14.68
XPZ640	9426-10640	6.50	XPZ950	9426-10950	8.66	XPZ1237	9426-11237	11.67	XPZ1560	9426-11560	14.68
XPZ660	9426-10660	6.50	XPZ962	9426-10962	9.31	XPZ1250	9426-11250	11.67	XPZ1562	9426-11562	14.68
XPZ670	9426-10670	6.50	XPZ987	9426-10987	9.31	XPZ1262	9426-11262	12.05	XPZ1587	9426-11587	14.68
XPZ672	9426-10672	6.88	XPZ1000	9426-11000	9.31	XPZ1270	9426-11270	12.05	XPZ1600	9426-11600	16.19
XPZ682	9426-10682	6.88	XPZ1010	9426-11010	9.79	XPZ1287	9426-11287	12.05	XPZ1612	9426-11612	16.19
XPZ710	9426-10710	6.88	XPZ1012	9426-11012	9.79	XPZ1312	9426-11312	12.05	XPZ1637	9426-11637	16.19
XPZ722	9426-10722	7.14	XPZ1024	9426-11024	9.79	XPZ1320	9426-11320	12.05	XPZ1650	9426-11650	16.19
XPZ730	9426-10730	7.14	XPZ1037	9426-11037	9.79	XPZ1337	9426-11337	13.00	XPZ1662	9426-11662	16.19
XPZ737	9426-10737	7.14	XPZ1047	9426-11047	9.79	XPZ1340	9426-11340	13.00	XPZ1687	9426-11687	16.19
XPZ750	9426-10750	7.14	XPZ1060	9426-11060	9.79	XPZ1362	9426-11362	13.00	XPZ1700	9426-11700	17.90
XPZ758	9426-10758	7.14	XPZ1077	9426-11077	10.37	XPZ1387	9426-11387	13.00	XPZ1712	9426-11712	17.90
XPZ762	9426-10762	7.35	XPZ1080	9426-11080	10.37	XPZ1400	9426-11400	13.28	XPZ1737	9426-11737	17.90
XPZ787	9426-10787	7.35	XPZ1087	9426-11087	10.37	XPZ1412	9426-11412	13.74	XPZ1750	9426-11750	17.90
XPZ800	9426-10800	7.35	XPZ1112	9426-11112	10.37	XPZ1420	9426-11420	13.74	XPZ1762	9426-11762	17.90
XPZ812	9426-10812	7.91	XPZ1120	9426-11120	10.37	XPZ1430	9426-11430	13.74	XPZ1787	9426-11787	17.90
XPZ825	9426-10825	7.91	XPZ1137	9426-11137	11.12	XPZ1437	9426-11437	13.74	XPZ1800	9426-11800	18.65
XPZ837	9426-10837	7.91	XPZ1140	9426-11140	11.12	XPZ1450	9426-11450	13.74	XPZ1812	9426-11812	18.65
XPZ850	9426-10850	7.91	XPZ1150	9426-11150	11.12	XPZ1462	9426-11462	13.74	XPZ1837	9426-11837	18.65
XPZ862	9426-10862	8.19	XPZ1162	9426-11162	11.12	XPZ1470	9426-11470	13.74	XPZ1850	9426-11850	18.65
XPZ875	9426-10875	8.19	XPZ1180	9426-11180	11.12	XPZ1487	9426-11487	13.74	XPZ1862	9426-11862	18.65
XPZ887	9426-10887	8.19	XPZ1187	9426-11187	11.67	XPZ1500	9426-11500	14.68	XPZ1887	9426-11887	18.65

Prices Subject To Change Without Notice





Metric Power V-Belts


Product No. Series 9426 (continued)

XPZ/SPZ Section (continued)

Part No.	Product No.	Sugg. List Price	Part No.	Product No.	Sugg. List Price	Part No.	Product No.	Sugg. List Price	Part No.	Product No.	Sugg. List Price
XPZ1900	9426-11900	\$18.65	XPZ2062	9426-12062	\$21.08	XPZ2300	9426-12300	\$23.91	XPZ2800	9426-12800	\$29.36
XPZ1937	9426-11937	19.96	XPZ2087	9426-12087	21.08	XPZ2360	9426-12360	23.91	XPZ2840	9426-12840	31.24
XPZ1950	9426-11950	19.96	XPZ2120	9426-12120	22.58	XPZ2410	9426-12410	24.59	XPZ3000	9426-13000	31.24
XPZ1962	9426-11962	19.96	XPZ2137	9426-12137	22.58	XPZ2437	9426-12437	24.59	SPZ3150	9426-03150	32.00
XPZ1987	9426-11987	19.96	XPZ2187	9426-12187	22.58	XPZ2487	9426-12487	25.61	SPZ3350	9426-03350	34.08
XPZ2000	9426-12000	19.96	XPZ2240	9426-12240	22.58	XPZ2500	9426-12500	26.35	SPZ3550	9426-03550	36.14
XPZ2030	9426-12030	21.08	XPZ2280	9426-12280	23.91	XPZ2540	9426-12540	26.35			
XPZ2037	9426-12037	21.08	XPZ2287	9426-12287	23.91	XPZ2650	9426-12650	27.49			

HEAVY DUTY V-BELTS

Product No. Series 9420



XPA/SPA Section

Part No.	Product No.	Sugg. List Price	Part No.	Product No.	Sugg. List Price	Part No.	Product No.	Sugg. List Price	Part No.	Product No.	Sugg. List Price
XPA630	9420-10630	\$9.92	XPA1272	9420-11272	\$17.14	XPA1675	9420-11675	\$25.22	XPA2307	9420-12307	\$32.00
XPA670	9420-10670	9.92	XPA1282	9420-11282	17.14	XPA1680	9420-11680	25.22	XPA2332	9420-12332	32.00
XPA730	9420-10730	10.37	XPA1300	9420-11300	17.14	XPA1682	9420-11682	25.22	XPA2360	9420-12360	32.00
XPA732	9420-10732	10.37	XPA1307	9420-11307	17.14	XPA1700	9420-11700	25.22	XPA2382	9420-12382	32.75
XPA750	9420-10750	10.37	XPA1320	9420-11320	17.14	XPA1707	9420-11707	27.63	XPA2432	9420-12432	32.75
XPA760	9420-10760	10.37	XPA1332	9420-11332	19.39	XPA1732	9420-11732	25.97	XPA2482	9420-12482	32.75
XPA762	9420-10762	10.37	XPA1340	9420-11340	19.39	XPA1750	9420-11750	25.97	XPA2500	9420-12500	32.75
XPA772	9420-10772	10.37	XPA1360	9420-11350	19.39	XPA1757	9420-11757	25.97	XPA2532	9420-12532	34.08
XPA782	9420-10782	10.37	XPA1357	9420-11357	19.39	XPA1782	9420-11782	25.97	XPA2582	9420-12582	34.08
XPA800	9420-10800	10.37	XPA1375	9420-11375	19.39	XPA1800	9420-11800	25.97	XPA2607	9420-12607	34.08
XPA832	9420-10832	10.73	XPA1382	9420-11382	19.39	XPA1807	9420-11807	26.92	XPA2650	9420-12650	34.08
XPA850	9420-10850	11.49	XPA1400	9420-11400	19.39	XPA1832	9420-11832	26.92	XPA2682	9420-12682	35.76
XPA900	9420-10900	11.49	XPA1407	9420-11407	19.39	XPA1850	9420-11850	26.92	XPA2732	9420-12732	35.76
XPA910	9420-10910	11.49	XPA1425	9420-11425	22.21	XPA1857	9420-11857	26.92	XPA2782	9420-12782	35.76
XPA922	9420-10922	11.49	XPA1430	9420-11430	22.21	XPA1882	9420-11882	26.92	XPA2800	9420-12800	35.76
XPA932	9420-10932	12.25	XPA1432	9420-11432	22.21	XPA1900	9420-11900	26.92	XPA2832	9420-12832	37.65
XPA950	9420-10950	12.25	XPA1450	9420-11450	22.21	XPA1907	9420-11907	28.05	XPA2882	9420-12882	37.65
XPA967	9420-10967	12.79	XPA1457	9420-11457	22.21	XPA1932	9420-11932	28.05	XPA2982	9420-12982	42.74
XPA982	9420-10982	12.79	XPA1482	9420-11482	22.21	XPA1950	9420-11950	28.05	XPA3000	9420-13000	42.74
XPA1000	9420-11000	12.79	XPA1500	9420-11500	22.21	XPA1982	9420-11982	28.05	SPA3070	9420-03070	43.66
XPA1032	9420-11032	13.74	XPA1507	9420-11507	23.72	XPA2000	9420-12000	28.05	SPA3082	9420-03082	43.66
XPA1060	9420-11060	13.74	XPA1525	9420-11525	23.72	XPA2032	9420-12032	29.56	SPA3150	9420-03150	43.66
XPA1082	9420-11082	14.88	XPA1532	9420-11532	23.72	XPA2057	9420-12057	29.56	SPA3182	9420-03182	44.05
XPA1107	9420-11107	14.88	XPA1550	9420-11550	23.72	XPA2082	9420-12082	29.56	SPA3282	9420-03282	45.93
XPA1120	9420-11120	14.88	XPA1557	9420-11557	23.72	XPA2120	9420-12120	29.56	SPA3350	9420-03350	45.93
XPA1132	9420-11132	14.88	XPA1582	9420-11582	23.72	XPA2132	9420-12132	30.69	SPA3482	9420-03482	48.76
XPA1150	9420-11150	15.82	XPA1600	9420-11600	23.72	XPA2182	9420-12182	30.69	SPA3550	9420-03550	48.76
XPA1157	9420-11157	15.82	XPA1607	9420-11607	25.22	XPA2207	9420-12207	30.69	SPA3750	9420-03750	51.19
XPA1180	9420-11180	15.82	XPA1630	9420-11630	25.22	XPA2227	9420-12227	30.69	SPA4000	9420-04000	54.41
XPA1207	9420-11207	16.56	XPA1632	9420-11632	25.22	XPA2232	9420-12232	30.69	SPA4250	9420-04250	60.60
XPA1232	9420-11232	16.56	XPA1650	9420-11650	25.22	XPA2240	9420-12240	30.69	SPA4500	9420-04500	60.60
XPA1250	9420-11250	16.56	XPA1657	9420-11657	25.22	XPA2282	9420-12282	32.00			
XPA1257	9420-11257	17.14	XPA1662	9420-11662	25.22	XPA2300	9420-12300	32.00			


Prices Subject To Change Without Notice





Metric Power V-Belts

Product No. Series 9421




XPB/SPB Section

HEAVY DUTY V-BELTS

Part No.	Product No.	Sugg. List Price	Part No.	Product No.	Sugg. List Price	Part No.	Product No.	Sugg. List Price	Part No.	Product No.	Sugg. List Price
XPB1250	9421-11250	\$26.18	XPB1800	9421-11800	\$36.89	XPB2500	9421-12500	\$52.14	SPB4500	9421-04500	\$92.22
XPB1260	9421-11260	26.18	XPB1900	9421-11900	39.73	XPB2530	9421-12530	55.54	SPB4750	9421-04750	97.32
XPB1320	9421-11320	27.10	XPB2000	9421-12000	41.99	XPB2650	9421-12650	55.54	SPB5000	9421-05000	102.59
XPB1340	9421-11340	27.10	XPB2020	9421-12020	44.29	XPB2680	9421-12680	58.18	SPB5300	9421-05300	108.61
XPB1400	9421-11400	29.19	XPB2098	9421-12098	44.29	XPB2800	9421-12800	58.18	SPB5600	9421-05600	114.81
XPB1410	9421-11410	31.24	XPB2120	9421-12120	44.29	XPB2990	9421-12990	62.49	SPB6000	9421-06000	122.73
XPB1450	9421-11450	31.24	XPB2150	9421-12150	46.88	XPB3000	9421-13000	62.49	SPB6300	9421-06300	129.87
XPB1500	9421-11500	31.24	XPB2180	9421-12180	46.88	SPB3150	9421-03150	64.37	SPB6700	9421-06700	137.40
XPB1510	9421-11510	32.96	XPB2240	9421-12240	46.88	SPB3350	9421-03350	68.71	SPB7100	9421-07100	145.01
XPB1590	9421-11590	32.96	XPB2280	9421-12280	49.31	SPB3550	9421-03550	72.64	SPB7500	9421-07500	153.96
XPB1600	9421-11600	32.96	XPB2300	9421-12300	49.31	SPB3750	9421-03750	76.80	SPB8000	9421-08000	163.95
XPB1627	9421-11627	32.96	XPB2360	9421-12360	49.31	SPB3800	9421-03800	79.34			
XPB1690	9421-11690	35.39	XPB2391	9421-12391	52.14	SPB4000	9421-04000	81.69			
XPB1700	9421-11700	35.39	XPB2410	9421-12410	52.14	SPB4250	9421-04250	86.95			

Product No. Series 9422



XPC/SPC Section

Part No.	Product No.	Sugg. List Price	Part No.	Product No.	Sugg. List Price	Part No.	Product No.	Sugg. List Price
XPC1800	9422-11800	\$60.79	SPC3350	9422-03350	\$100.71	SPC6000	9422-06000	\$176.17
XPC2000	9422-12000	63.99	SPC3550	9422-03550	111.99	SPC6300	9422-06300	177.66
XPC2120	9422-12120	67.20	SPC3750	9422-03750	111.99	SPC6700	9422-06700	195.75
XPC2240	9422-12240	70.76	SPC4000	9422-04000	119.91	SPC7100	9422-07100	207.04
XPC2360	9422-12360	74.53	SPC4250	9422-04250	126.86	SPC7500	9422-07500	218.33
XPC2500	9422-12500	78.29	SPC4500	9422-04500	133.64	SPC8000	9422-08000	233.38
XPC2650	9422-12650	82.81	SPC4750	9422-04750	147.77	SPC8500	9422-08500	246.56
XPC2800	9422-12800	87.16	SPC5000	9422-05000	147.77	SPC9000	9422-09000	261.70
XPC3000	9422-13000	97.63	SPC5300	9422-05300	156.22	SPC10000	9422-01000	288.53
SPC3150	9422-03150	99.94	SPC5600	9422-05600	165.08	SPC10600	9422-01060	302.95

Prices Subject To Change Without Notice






Metric-Power Belts

Classical Sizes

Product No. Series 9424



10X Section


Part No.	Product No.	Sugg. List Price
10X530LI	9424-10530	\$6.32
10X540LI	9424-10540	6.67
10X670LI	9424-10670	6.76
10X710LI	9424-10710	7.03
10X725LI	9424-10725	7.03
10X730LI	9424-10730	7.03
10X750LI	9424-10750	7.17
10X775LI	9424-10775	7.17

Part No.	Product No.	Sugg. List Price
10X800LI	9424-10800	\$7.17
10X875LI	9424-10875	7.29
10X900LI	9424-10900	7.29
10X925LI	9424-10925	7.60
10X950LI	9424-10950	7.60
10X975LI	9424-10975	8.12
10X1000LI	9424-10100	8.12
10X1016LI	9424-10101	8.21

Part No.	Product No.	Sugg. List Price
10X1060LI	9424-10106	\$8.32
10X1100LI	9424-10110	8.43
10X1120LI	9424-10112	8.43
10X1180LI	9424-10118	8.63
10X1400LI	9424-10140	9.79
10X1422LI	9424-10142	11.05
10X1750LI	9424-10175	14.14

HEAVY DUTY V-BELTS

Product No. Series 9423 & 9424




13X Section

Part No.	Product No.	Sugg. List Price
13X715LI	9424-13715	\$6.96
13X750LI	9424-13750	7.72
13X813LI	9424-13813	8.43
13X925LI	9424-13925	8.97

Part No.	Product No.	Sugg. List Price
13X975LI	9424-13975	\$9.05
13X2650LI	9424-13265	22.05
13X4000LI	9423-13400	35.37

17X Section



Part No.	Product No.	Sugg. List Price
17X875LI	9424-17875	\$11.87
17X1500LI	9424-17150	19.36
17X1525LI	9424-17152	20.19
17X1800LI	9424-17180	22.88
17X2160LI	9424-17216	28.51
17X2240LI	9424-17224	28.51

Part No.	Product No.	Sugg. List Price
17X2540LI	9424-17254	\$32.03
17X3658LI	9423-17365	49.74
17X8180LI	9423-17818	130.70
17X8375LI	9423-17837	133.81
17X8636LI	9423-17863	137.98

Prices Subject To Change Without Notice





Carry Band® Belts

An adaptation of a standard "A" cross-section Gates Power-Band®, with molded longitudinal gum rubber ribs.

Markets/Applications

Ideal for cargo and baggage handling systems and freight handling systems for docks and inland ports.

Features/Advantages

- **Gum rubber ribs** have a high coefficient of friction providing maximum traction.
- Tough, wear resistant surface remains flexible at low temperatures (-40° F).
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



Recommended Pulleys

CarryBand Belts require standard straight A sheaves. Four and five-groove sheaves are available on a Made-To-Order basis. Special sheave designs are required for systems with heavy forces acting transversely to the belt. Contact the Made-To-Order Metals Team.

Notes

Made-To-Order sizes require minimum order quantities. Check with Customer Service for availability.

Product No. Series 9287

Part No.	Suggested List Price	Product No.	Strands Per Band	Pitch Length (In.)	Wt. Per Strand (Lbs.)
13006CB	\$157.92	9287-3006	5	47.2	4.73
2905CB	397.95	9287-2905	4	157.1	9.05
3041CB	480.06	9287-3041	4	190.1	10.83
2864CB	467.44	9287-2864	4	183.9	10.48
2865CB	508.13	9287-2865	4	199.9	11.38
3814CB	526.39	9287-3814	4	206.9	11.78
3761CB	796.94	9287-3761	6	208.6	17.85
13686CB	1132.77	9287-3686	6	294.1	24.96

*Made-To-Order, minimum quantity may apply. Check with Customer Service for availability.

Prices Subject To Change Without Notice





Hi-Power® II Dubl-V Belts


This belt is designed with a unique recessed top and bottom to maintain sidewall contact, while remaining flexible for drives that require power transmission from both sides of the belt.

Markets/Applications

Suitable for all industrial serpentine applications requiring rotation reversal on some driven shafts.

Features/Advantages

- **Gates Curves** provide proper cord support and full contact with the sheave-groove for uniform loading, uniform wear, and increased belt life.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and the absorption of bending stress without cord deterioration.
- **The Flex-Weave® Cover** is a patented construction for longer cover life, providing extended protection to the core of the belt from oil, dirt, and heat.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



HEAVY DUTY V-BELTS


Recommended Sheaves

Multi-Duty Sheaves

Notes

Dubl-V belts are available in AA, BB, CC, and DD cross sections.

Product No. Series 9052




AA Section

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
AA51	\$24.18	9052-0051	53.0	.43
AA55	25.34	9052-0055	57.0	.49
AA60	26.77	9052-0060	62.0	.54
AA68	29.27	9052-0068	70.0	.57
AA73	31.11	9052-0073	75.0	.60
AA75	31.84	9052-0075	77.0	.62
AA80	34.35	9052-0080	82.0	.66
AA85	36.95	9052-0085	87.0	.70

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
AA88	\$38.45	9052-0088	90.0	.72
AA90	39.45	9052-0090	92.0	.74
AA92	40.34	9052-0092	94.0	.76
AA96	42.05	9052-0096	98.0	.79
AA105	45.79	9052-0105	107.0	.86
AA112	50.89	9052-0112	114.0	.92
AA120	54.69	9052-0120	122.0	.99
AA128	58.56	9052-0128	130.0	1.05

Product No. Series 9053



BB Section

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
BB35	\$25.50	9053-0035	38.0	.57
BB38	27.99	9053-0038	41.0	.61
BB42	30.57	9053-0042	45.0	.66
BB43	31.20	9053-0043	46.0	.68
BB45	32.48	9053-0045	48.0	.71

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
BB46	\$33.06	9053-0046	49.0	.72
BB51	35.61	9053-0051	54.0	.78
BB53	36.22	9053-0053	56.0	.81
BB55	36.90	9053-0055	58.0	.84
BB60	38.16	9053-0060	63.0	.85

Prices Subject To Change Without Notice





Hi-Power® II Dubl-V Belts


Product No. Series 9053 (continued)

BB Section (continued)

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
BB66	\$38.40	9053-0066	69.0	.93
BB68	42.05	9053-0068	71.0	.95
BB71	43.66	9053-0071	74.0	.99
BB73	44.72	9053-0073	76.0	1.02
BB74	45.28	9053-0074	77.0	1.03
BB75	45.79	9053-0075	78.0	1.05
BB81	49.63	9053-0081	84.0	1.13
BB85	52.21	9053-0085	88.0	1.18
BB90	54.69	9053-0090	93.0	1.25
BB92	56.37	9053-0092	95.0	1.28
BB93	57.24	9053-0093	96.0	1.29
BB94	57.91	9053-0094	97.0	1.30
BB96	59.16	9053-0096	99.0	1.33
BB97	59.79	9053-0097	100.0	1.34
BB100	61.24	9053-0100	103.0	1.38
BB103	62.69	9053-0130	106.0	1.42
BB105	63.65	9053-0105	108.0	1.45
BB107	65.12	9053-0107	110.0	1.48
BB108	65.90	9053-0108	111.0	1.49
BB111	68.59	9053-0111	114.0	1.53
BB112	68.75	9053-0112	115.0	1.54
BB114	69.69	9053-0014	117.0	1.57
BB116	70.63	9053-0116	119.0	1.60
BB118	71.48	9053-0118	121.0	1.63
BB120	72.56	9053-0120	123.0	1.65
BB122	73.78	9053-0122	125.0	1.68
BB123	74.30	9053-0123	126.0	1.69
BB124	75.06	9053-0124	127.0	1.71

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
BB127	\$76.85	9053-0127	130.0	1.75
BB128	77.59	9053-0128	131.0	1.76
BB129	78.52	9053-0129	132.0	1.77
BB130	79.13	9053-0130	133.0	1.79
BB133	103.69	9053-0133	136.0	1.83
BB135	82.31	9053-0135	138.0	1.85
BB136	82.95	9053-0136	139.0	1.87
BB140	85.37	9053-0140	143.0	1.92
BB144	87.79	9053-0144	147.0	1.98
BB155	92.62	9053-0155	158.0	2.12
BB158	95.44	9053-0158	161.0	2.16
BB168	101.41	9053-0168	171.0	2.30
BB169	101.94	9053-0169	172.0	2.31
BB173	104.37	9053-0173	176.0	2.36
BB180	109.46	9053-0180	183.0	2.46
BB182	110.64	9053-0182	185.0	2.49
BB187	113.59	9053-0187	190.0	2.56
BB190	115.36	9053-0190	193.0	2.59
BB195	118.35	9053-0195	198.0	2.66
BB210	127.20	9053-0210	213.0	2.86
BB226	135.76	9053-0226	227.0	3.12
BB228	136.93	9053-0228	229.0	3.14
BB230	138.10	9053-0230	231.0	3.17
BB240	143.76	9053-0240	241.0	3.31
BB270	162.83	9053-0270	271.0	4.14
BB277	167.07	9053-0277	278.0	4.24
BB300	180.68	9053-0300	301.0	4.13

HEAVY DUTY V-BELTS



Product No. Series 9054

CC Section


Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
CC75	\$85.24	9054-0075	79.0	1.90
CC81	92.91	9054-0081	85.0	2.04
CC85	95.41	9054-0085	89.0	2.14
CC90	103.11	9054-0090	94.0	2.26
CC96	109.39	9054-0096	100.0	2.40
CC105	119.60	9054-0105	109.0	2.62
CC112	127.25	9054-0112	116.0	2.79
CC120	136.10	9054-0120	124.0	2.98
CC128	145.07	9054-0128	132.0	3.17
CC136	153.16	9054-0136	140.0	3.36
CC140	158.03	9054-0140	144.0	3.46
CC144	162.90	9054-0144	148.0	3.56
CC158	178.11	9054-0158	162.0	4.22

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
CC162	\$181.93	9054-0162	166.0	4.32
CC173	194.71	9054-0173	177.0	4.37
CC180	203.53	9054-0180	184.0	4.42
CC195	220.08	9054-0195	199.0	4.78
CC210	237.88	9054-0210	214.0	5.32
CC240	267.22	9054-0240	242.0	6.01
CC270	301.55	9054-0270	272.0	7.42
CC300	334.59	9054-0300	302.0	8.15
CC330	367.70	9054-0330	332.0	8.23
CC360	400.73	9054-0360	362.0	8.97
CC390	435.07	9054-0390	392.0	9.72
CC420	469.48	9054-0420	422.0	10.46

Prices Subject To Change Without Notice



Hi-Power® II Dubl-V Belts



Product No. Series 9055

DD Section

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
DD270	\$555.90	9055-0270	273.0	15.20
DD300	616.98	9055-0300	303.0	16.70
DD360	740.38	9055-0360	363.0	19.67

HEAVY DUTY V-BELTS

Prices Subject To Change Without Notice



PowerBack® Belts


Specifically designed for live roller conveyor applications, this modified "B" section belt has a special flat back to increase top surface contact with Roll and from Roll to Roll.

Markets/Applications

Ideal for roll-to-roll drives in conveyor applications.

Features/Advantages

- **Flat Back** provides greater top surface contact with roll and from roll to roll.
- **Flex-Bonded Cords** are strongly bonded to the body of the belt resulting in equal load distribution and absorption of bending stress without cord deterioration.
- Meets RMA **oil and heat resistant** standards.



Recommended Sheaves

Multi-Duty Sheaves.

Notes

PowerBack belts are available in B cross section.

Product No. Series 9003

B Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
B101PB	\$67.59	9003-8101	104.0	1.12
B113PB	77.25	9003-8113	116.0	1.23
B125PB	82.73	9003-8125	128.0	1.39
B137PB	88.44	9003-8137	140.0	1.57
B149PB	99.19	9003-8149	152.0	1.69
B161PB	107.09	9003-8161	164.0	1.64
B185PB	122.23	9003-8185	188.0	1.89
B197PB	128.81	9003-8197	200.0	2.17
B211PB	137.97	9003-8211	212.0	2.25
B247PB	161.52	9003-8247	248.0	2.50
B259PB	169.64	9003-8259	260.0	2.90
B315PB	206.18	9003-8315	316.0	3.19

Prices Subject To Change Without Notice



Power Curve® Belts

The conveyor turn is a demanding application in which V-belts face varying degrees of transverse bending. The Gates Power Curve belt was specifically engineered to handle the bending and twisting of this demanding application.

Markets/Applications

Recommended for power turn conveyor beds and automotive manufacturing conveyors.

Features/Advantages


- Unique **under cord** construction allows greater than four times the flexibility of Gates standard B section belt.
- Gates patented **Flex-Weave® Cover** increases flexibility and reduces cover stress for longer life.
- Meets RMA **oil and heat resistant** standards.

Recommended Sheaves

Multi-Duty Sheaves

Notes

Power Curve belts are available in B cross section.



HEAVY DUTY V-BELTS

Product No. Series 9003

B Section

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
B112PC	\$33.48	9003-7112	115.0	1.33
B116PC	34.41	9003-7116	119.0	1.35
B120PC	35.33	9003-7120	123.0	1.37
B124PC	36.58	9003-7124	127.0	1.41
B128PC	37.80	9003-7128	131.0	1.51
B133PC	39.69	9003-7133	136.0	1.56
B136PC	40.41	9003-7136	139.0	1.61
B140PC	41.54	9003-7140	143.0	1.63
B144PC	42.78	9003-7144	147.0	1.64
B150PC	45.15	9003-7150	153.0	1.70
B154PC	46.36	9003-7154	157.0	1.75
B158PC	46.49	9003-7158	161.0	1.80
B162PC	48.35	9003-7162	165.0	1.84
B173PC	50.83	9003-7173	176.0	1.96
B180PC	53.31	9003-7180	183.0	2.04
B190PC	56.25	9003-7190	193.0	2.15
B195PC	57.65	9003-7195	198.0	2.21
B205PC	60.44	9003-7205	208.0	2.32
B210PC	61.99	9003-7210	213.0	2.66

Part No.	Suggested List Price	Product No.	Belt O.C. (In.)	Wt. Ea. (Lbs.)
B225PC	\$65.84	9003-7225	226.0	2.53
B240PC	70.06	9003-7240	241.0	2.70
B255PC	74.71	9003-7255	256.0	2.87
B270PC	79.34	9003-7270	271.0	3.04
B285PC	83.70	9003-7285	286.0	3.21
B300PC	88.02	9003-7300	301.0	3.37
B315PC	94.35	9003-7315	316.0	3.54
B330PC	123.55	9003-7330	331.0	4.25
B345PC	129.17	9003-7345	346.0	4.42
B360PC	134.79	9003-7360	361.0	4.59
B375PC	140.41	9003-7375	376.0	4.89
B390PC	146.02	9003-7390	391.0	5.05
B405PC	151.64	9003-7405	406.0	5.22
B420PC	157.26	9003-7420	421.0	5.39
B430PC	161.00	9003-7430	431.0	5.50
B445PC	166.61	9003-7445	446.0	5.67
B460PC	172.23	9003-7460	461.0	5.84
B500PC	187.20	9003-7500	501.0	6.68

Prices Subject To Change Without Notice



Micro-V® Belts


Exclusive truncated (shortened) profile gives Gates Micro-V belts increased flexibility, reduced heat buildup and allows performance at higher speeds on smaller diameter sheaves.

Markets/Applications

Well suited for applications such as appliances, outdoor power equipment, roller conveyors, machine tools, medical equipment and exercise equipment.

Features/Advantages

- **Fiber Reinforced Ribs** for excellent wear resistance.
- **High Modulus, low stretch tensile member** for added strength and dependability.
- Smooth Running for minimal vibration at high speeds.
- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.



HEAVY DUTY V-BELTS

Recommended Sheaves

Taper-Lock® Micro-V Sheaves


Notes

The part number is constructed by using the effective length in tenths of an inch, followed by cross section and the number of ribs. For example, 780L16 represents a 78" effective length, L cross section and 16 ribs.

Rib configurations listed will be stocked. Other rib configurations are Standard/Non-Stock and may require manufacturing lead times. Minimum order quantities are not required on lengths listed.

Product No. Series 9171

J SECTION



J Section

Size	Suggested List Price Per Rib	Suggested List Prices For Standard Rib Configurations						Effective Length (In.)	Wt. Per Rib (Lbs.)	Max. No. of Ribs
		4 Rib	6 Rib	8 Rib	10 Rib	16 Rib	20 Rib			
180J	\$2.24	\$8.94	\$13.42	\$17.89	\$22.36	\$35.78	\$44.72	18.0	.008	30
190J	2.24	8.94	13.42	17.89	22.36	35.78	44.72	19.0	.009	30
200J	2.24	8.94	13.42	17.89	22.36	35.78	44.72	20.0	.009	30
220J	2.24	8.94	13.42	17.89	22.36	35.78	44.72	22.0	.010	211
230J	2.24	8.94	13.42	17.89	22.36	35.78	44.72	23.0	.011	211
240J	2.24	8.94	13.42	17.89	22.36	35.78	44.72	24.0	.011	211
260J	2.29	9.15	13.73	18.30	22.88	36.61	45.76	26.0	.012	211
280J	2.29	9.15	13.73	18.30	22.88	36.61	45.76	28.0	.013	211
290J	2.31	9.24	13.85	18.47	23.09	36.94	46.18	29.0	.014	211
300J	2.34	9.36	14.04	18.72	23.40	37.44	46.80	30.0	.014	211
320J	2.39	9.57	14.35	19.14	23.92	38.27	47.84	32.0	.015	211
330J	2.42	9.69	14.54	19.39	24.23	38.77	48.46	33.0	.016	211
340J	2.43	9.73	14.60	19.47	24.34	38.94	48.67	34.0	.016	211
360J	2.43	9.73	14.60	19.47	24.34	38.94	48.67	36.0	.017	211
380J	2.49	9.94	14.91	19.88	24.86	39.77	49.71	38.0	.018	211
400J	2.53	10.11	15.16	20.22	25.27	40.44	50.54	40.0	.019	211
410J	2.54	10.15	15.23	20.30	25.38	40.60	50.75	41.0	.019	211
420J	2.55	10.19	15.29	20.38	25.48	40.77	50.96	42.0	.020	211
430J	2.58	10.32	15.48	20.63	25.79	41.27	51.58	43.0	.020	211
440J	2.60	10.40	15.60	20.80	26.00	41.60	52.00	44.0	.021	211
460J	2.62	10.48	15.72	20.97	26.21	41.93	52.42	46.0	.022	211
480J	2.65	10.61	15.91	21.22	26.52	42.43	53.04	48.0	.023	211
490J	2.66	10.65	15.97	21.30	26.62	42.60	53.25	49.0	.023	211
500J	2.71	10.86	16.29	21.72	27.14	43.43	54.29	50.0	.024	211
520J	2.82	11.27	16.91	22.55	28.18	45.09	56.37	52.0	.024	211

Prices Subject To Change Without Notice





Micro-V® Belts

Product No. Series 9171 (continued)


J Section (continued)

Size	Suggested List Price Per Rib	Suggested List Prices For Standard Rib Configurations						Effective Length (In.)	Wt. Per Rib (Lbs.)	Max. No. of Ribs
		4 Rib	6 Rib	8 Rib	10 Rib	16 Rib	20 Rib			
550J	\$2.91	\$11.65	\$17.47	\$23.30	\$29.12	\$46.59	\$58.24	55.0	.026	211
580J	3.06	12.23	18.35	24.46	30.58	48.92	61.15	58.0	.027	211
610J	3.15	12.60	18.91	25.21	31.51	50.42	63.02	61.0	.029	211
650J	3.29	13.15	19.72	26.29	32.86	52.58	65.73	65.0	.031	211
730J	3.67	14.68	22.03	29.37	36.71	58.74	73.42	73.0	.034	211
870J	3.86	15.43	23.15	30.87	38.58	61.73	77.17	87.0	.041	211
³920J	4.28	17.14	25.71	34.28	42.85	—	—	92.0	.043	10
³980J	4.53	18.14	27.21	36.28	45.34	—	—	98.0	.046	10

³Available only up to 10 rib configuration due to ground rib construction.

HEAVY DUTY V-BELTS

Product No. Series 9173



L Section

Size	Suggested List Price Per Rib	Suggested List Prices For Standard Rib Configurations								Effective Length (In.)	Wt. Per Rib (Lbs.)	Max. No. of Ribs
		6 Rib	8 Rib	10 Rib	12 Rib	14 Rib	16 Rib	18 Rib	20 Rib			
500L	\$8.21	\$49.23	\$65.64	\$82.06	\$98.47	\$114.88	\$131.29	\$147.70	\$164.11	50.0	.087	105
540L	8.58	51.48	68.64	85.80	102.96	120.12	137.28	154.44	171.60	54.0	.093	105
560L	8.78	52.67	70.22	87.78	105.33	122.89	140.44	158.00	175.55	56.0	.097	105
615L	9.35	56.10	74.80	93.50	112.20	130.89	149.59	168.29	186.99	61.5	.106	105
635L	9.54	57.22	76.29	95.37	114.44	133.52	152.59	171.66	190.74	63.5	.110	105
655L	9.78	58.66	78.21	97.76	117.31	136.86	156.42	175.97	195.52	65.5	.113	105
675L	9.96	59.78	79.71	99.63	119.56	139.48	159.41	179.34	199.26	67.5	.117	105
695L	10.20	61.21	81.62	102.02	122.43	142.83	163.24	183.64	204.05	69.5	.120	105
725L	10.49	62.96	83.95	104.94	125.92	146.91	167.90	188.88	209.87	72.5	.125	105
765L	10.92	65.52	87.36	109.20	131.04	152.88	174.72	196.56	218.40	76.5	.132	105
780L	11.06	66.33	88.44	110.55	132.66	154.77	176.88	198.99	221.10	78.0	.135	105
795L	11.21	67.27	89.69	112.11	134.53	156.96	179.38	201.80	224.22	79.5	.138	105
815L	11.44	68.64	91.52	114.40	137.28	160.16	183.04	205.92	228.80	81.5	.141	105
840L	11.68	70.08	93.43	116.79	140.15	163.51	186.87	210.23	233.58	84.0	.145	105
865L	12.31	73.88	98.51	123.14	147.76	172.39	197.02	221.64	246.27	86.5	.150	105
915L	13.54	81.24	108.33	135.41	162.49	189.57	216.65	243.73	270.82	91.5	.158	60
975L	15.03	90.17	120.22	150.28	180.34	210.39	240.45	270.50	300.56	97.5	.169	60
990L	15.40	92.41	123.22	154.02	184.83	215.63	246.44	277.24	308.05	99.0	.171	60
1065L	17.26	103.58	138.11	172.64	207.17	241.70	276.22	310.75	345.28	106.5	.184	60
1120L	18.60	111.57	148.76	185.95	223.14	260.33	297.52	334.71	371.90	112.0	.194	60
1150L	20.90	125.42	167.23	209.04	250.85	292.66	334.46	376.27	418.08	115.0	.199	60
1215L	25.72	154.32	205.75	257.19	308.63	360.07	411.51	462.95	514.38	121.5	.201	60
1230L	27.56	165.36	220.48	275.60	330.72	385.84	440.96	496.08	551.20	123.0	.213	60
1295L	31.66	189.95	253.26	316.58	379.89	443.21	506.52	569.84	633.15	129.5	.224	60
1310L	32.78	196.68	262.25	327.81	393.37	458.93	524.49	590.05	655.62	131.0	.227	60
1455L	43.57	261.39	348.52	435.66	522.79	609.92	697.05	784.18	871.31	145.5	.252	60

Prices Subject To Change Without Notice





Micro-V® Belts

M SECTION



Product No. Series 9174

M Section

HEAVY DUTY V-BELTS

Size	Suggested List Price Per Rib	Suggested List Prices For Standard Rib Configurations								Effective Length (In.)	Wt. Per Rib (Lbs.)	Max. No. of Ribs
		6 Rib	8 Rib	10 Rib	12 Rib	14 Rib	16 Rib	18 Rib	20 Rib			
900M	\$61.27	\$367.60	\$490.13	\$612.66	\$735.20	\$857.73	\$980.26	\$1102.80	\$1225.33	90.00	.626	30
940M	63.28	379.70	506.27	632.84	759.41	885.98	1012.54	1139.11	1265.68	94.00	.653	30
990M	65.79	394.74	526.32	657.90	789.48	921.07	1052.65	1184.23	1315.81	99.00	.688	30
1060M	69.38	416.27	555.03	693.78	832.54	971.30	1110.05	1248.81	1387.57	106.00	.736	30
1115M	72.13	432.81	577.08	721.34	865.61	1009.88	1154.15	1298.42	1442.69	111.50	.775	30
1150M	73.91	443.48	591.30	739.13	886.95	1034.78	1182.60	1330.43	1478.26	115.00	.799	30
1185M	75.67	454.02	605.36	756.70	908.04	1059.39	1210.73	1362.07	1513.41	118.50	.824	30
1230M	77.96	467.75	623.67	779.58	935.50	1091.42	1247.33	1403.25	1559.17	123.00	.855	30
1310M	82.01	492.09	656.12	820.14	984.17	1148.20	1312.23	1476.26	1640.29	131.00	.910	30
1390M	86.06	516.36	688.48	860.60	1032.72	1204.84	1376.96	1549.08	1721.20	139.00	.966	30
1470M	90.12	540.70	720.93	901.16	1081.39	1261.62	1441.86	1622.09	1802.32	147.00	1.022	30
1610M	95.69	574.14	765.52	956.90	1148.28	1339.67	1531.05	1722.43	1913.81	161.00	1.119	30
1650M	97.26	583.56	778.09	972.61	1167.13	1361.65	1556.17	1750.69	1945.22	165.00	1.147	30
1760M	101.65	609.90	813.20	1016.50	1219.80	1423.09	1626.39	1829.69	2032.99	176.00	1.223	30
1830M	104.47	626.81	835.74	1044.68	1253.62	1462.55	1671.49	1880.42	2089.36	183.00	1.272	30
1980M	110.43	662.56	883.42	1104.27	1325.13	1545.98	1766.84	1987.69	2208.54	198.00	1.376	30
2130M	116.39	698.32	931.09	1163.86	1396.64	1629.41	1862.18	2094.96	2327.73	213.00	1.480	30
2410M	127.55	765.27	1020.36	1275.46	1530.55	1785.64	2040.73	2295.82	2550.91	241.00	1.675	30
2560M	134.46	806.77	1075.69	1344.62	1613.54	1882.46	2151.39	2420.31	2689.23	256.00	1.779	30
2710M	141.33	847.95	1130.60	1413.26	1695.91	1978.56	2261.21	2543.86	2826.51	271.00	1.883	30
3010M	154.95	929.70	1239.60	1549.50	1859.40	2169.29	2479.19	2789.09	3098.99	301.00	2.092	30
3310M	168.93	1013.56	1351.42	1689.27	2027.13	2364.98	2702.84	3040.69	3378.54	331.00	2.300	30
3610M	182.72	1096.31	1461.74	1827.18	2192.61	2558.05	2923.48	3288.92	3654.35	361.00	2.509	30

Prices Subject To Change Without Notice



Xtreme® Snowmobile Belts

Aramid cord and advanced composite construction provide extraordinary strength and durability for high performance requirements like power clutching. Also well suited for everyday trail riding to produce long wear and dependability.

Markets/Applications

Designed for snowmobile trail rider and high performance racing sleds.

Features/Advantages

- **Aramid Tensile Cords** combine limited stretch, extraordinary strength and durability.
- Withstands temperature extremes down to -30° F.

Recommended Sheaves—Contact the Gates Made-To-Order Metals Team.

Notes

Length listed should be used for length comparison only. If a cataloged belt does not fit the specific snowmobile, use the reference length to determine if there is a slightly longer or shorter belt length available which meets the manufacturer's belt fit specifications.



Aramid Tensile Cords

MULTI-SPEED BELTS

Product No. Series 9839

Part No.	Suggested List Price	Product No.	Top Width (In.)	Length (In.)
25X4320	\$87.31	9839-0013	1 1/4	43.250
32X4400	87.31	9839-0014	1 5/16	44.000
38X4320	87.31	9839-0007	1 3/8	43.250
38X4340	87.31	9839-0004	1 3/8	43.500
38X4350	87.31	9839-0009	1 3/8	43.625
38X4351	87.31	9839-0008	1 3/8	43.625
38X4355	87.31	9839-0010	1 3/8	43.625
38X4360	87.31	9839-0027	1 3/8	43.700
38X4400	87.31	9839-0016	1 3/8	44.000
38X4401	87.31	9839-0015	1 3/8	44.000
38X4420	87.31	9839-0001	1 3/8	44.250
38X4421	87.31	9839-0006	1 3/8	44.250
38X4600	87.31	9839-0023	1 3/8	46.200
38X4640	87.31	9839-0017	1 3/8	46.500

Part No.	Suggested List Price	Product No.	Top Width (In.)	Length (In.)
38X4725	\$87.31	9839-0011	1 3/8	47.100
38X4730	87.31	9839-0002	1 3/8	47.375
38X4740	87.31	9839-0028	1 3/8	47.500
38X4750	87.31	9839-0003	1 3/8	47.625
38X5140	87.31	9839-0029	1 3/8	51.500
38X5210	87.31	9839-0018	1 3/8	52.125
42X4900	87.31	9839-0024	1 7/16	48.900
43X4320	87.31	9839-0039	1 7/16	44.000
43X4400	84.58	9839-0043	1 7/16	44.125
43X4616	84.58	9839-0044	1 7/16	46.250
44X4640	87.31	9839-0031	1 7/16	45.850
44X4740	87.31	9839-0030	1 7/16	47.600
44X4810	87.31	9839-0005	1 7/16	48.125

Prices Subject To Change Without Notice



Xtreme® Mountain Snowmobile Belts

Aramid cord and advanced composite construction provide extraordinary strength and durability for high performance requirements like power clutching. Also well suited for everyday trail riding to produce long wear and dependability.

Markets/Applications

Designed for high performance and trail rider snowmobiles (+160hp and over 9,000rpm with 440cc to +900cc)


Features/Advantages

- **Aramid Tensile Cords** combine limited stretch, extraordinary strength and durability.
- Withstands temperature extremes down to -30° F.

Recommended Sheaves—Contact the Gates Made-To-Order Metals Team.

Notes

Length listed should be used for length comparison only. If a cataloged belt does not fit the specific snowmobile, use the reference length to determine if there is a slightly longer or shorter belt length available which meets the manufacturer's belt fit specifications.



MULTI-SPEED BELTS

Product No. Series 9839

Part No.	Suggested List Price	Product No.	Top Width (In.)	Length (In.)
38XM4340	\$149.36	9839-8004	1 ³ / ₈	43.500
38XM4420	149.36	9839-8001	1 ³ / ₈	44.250
38XM4730	149.36	9839-8002	1 ³ / ₈	47.375
38XM4740	149.36	9839-8028	1 ³ / ₈	47.500
38XM4750	149.36	9839-8003	1 ³ / ₈	47.625

Part No.	Suggested List Price	Product No.	Top Width (In.)	Length (In.)
38XM5140	\$149.36	9839-8029	1 ³ / ₈	51.500
44XM4640	149.36	9839-8031	1 ⁷ / ₁₆	45.850
44XM4740	149.36	9839-8030	1 ⁷ / ₁₆	47.600
44XM4810	149.36	9839-8005	1 ⁷ / ₁₆	48.125

AVAILABLE UNTIL
STOCK DEPLETED

Prices Subject To Change Without Notice



Trail Runner® Snowmobile and ATV Belts

Aramid cord and advanced composite construction provide extraordinary strength and durability for high performance requirements like power clutching. Also well suited for everyday trail riding to produce long wear and dependability.

Markets/Applications

Designed for entry level and touring snowmobiles.


Features/Advantages

- **Aramid Tensile Cords** give added durability, strength and dependability.
- Heat resistant notch fabric for smooth idling.

Recommended Sheaves—Contact the Gates Made-To-Order Metals Team.

Notes

Length listed should be used for length comparison only. If a cataloged belt does not fit the specific snowmobile, use the reference length to determine if there is a slightly longer or shorter belt length available which meets the manufacturers belt fit specifications.



MULTI-SPEED BELTS

Product No. Series 9836

Part No.	Suggested List Price	Product No.	Top Width (In.)	Length (In.)
19AT3430	\$91.86	9836-0035	1 ³ / ₁₆	34.375
19AT4090	47.69	9836-4742	1 ³ / ₁₆	40.880
19AT4091E	47.69	9836-0038	1 ³ / ₁₆	40.880
25AT3650	85.01	9836-0036	1 ¹ / ₄	37.000
25AT4395	135.29	9839-9038	1 ¹ / ₄	41.625
19T4300	47.69	9836-0019	1 ³ / ₁₆	43.000
19T4440	47.69	9836-0021	1 ³ / ₁₆	44.500
25T4320	49.08	9836-0013	1 ¹ / ₄	43.250
25T4325	49.08	9836-0020	1 ¹ / ₄	43.625
25T4420	49.08	9836-0012	1 ¹ / ₄	44.250
25T4510	49.08	9836-0022	1 ¹ / ₄	45.125
32T4400	49.08	9836-0014	1 ⁵ / ₁₆	44.000

Part No.	Suggested List Price	Product No.	Top Width (In.)	Length (In.)
38T4320	\$53.31	9836-0007	1 ³ / ₈	43.250
38T4350	53.31	9836-0009	1 ³ / ₈	43.625
38T4351	53.31	9836-0008	1 ³ / ₈	43.625
38T4400	53.31	9836-0016	1 ³ / ₈	44.000
38T4401	53.31	9836-0015	1 ³ / ₈	44.000
38T4420	53.31	9836-0001	1 ³ / ₈	44.250
38T4640	53.31	9836-0017	1 ³ / ₈	46.500
38T4725	53.31	9836-0011	1 ³ / ₈	47.100
38T4730	53.31	9836-0002	1 ³ / ₈	47.375
38T4750	53.31	9836-0003	1 ³ / ₈	47.500
42T4900	57.54	9836-0024	1 ⁷ / ₁₆	48.900
44T4640	59.88	9836-0031	1 ⁷ / ₁₆	45.850

Prices Subject To Change Without Notice



Multi-Speed Belts

Multi-Speed belts are made in banded or bandless construction featuring high-modulus, fiber-loaded stock that offers transverse rigidity and flexibility at the same time. This results in higher load carrying capacity and long belt life.

Markets/Applications

Suitable for all industrial, wide-speed range open pulley or enclosed device variable speed drives.


Features/Advantages

- **Notch Design** reduces thermal and bending stresses for longer life.
- **Smooth Running** construction for minimal vibration at high speeds.
- Meets RMA **oil and heat** resistant standards.

Recommended Sheaves—Contact the Gates Made-To-Order Metals Team.

Notes

HV in the part number denotes Heavy Construction, which has a thickness of .700+.



Minimum Order Quantities for
MTO Multi-Speed Belts

Product No. Prefix	Construction
9800	Banded
9804	Bandless
9833	Bandless/Aramid Tensile

Size Range	Min. Quantity
1228V-1632V	42
1822V-2332V	28
2422V-2930V	20
3028V-3636V	16
3726V-4436V	12

Additional sizes may be available on a Made-To-Order basis. Contact Customer Service for information.

Manufacturing variations may cause actual ship quantity to vary +/-10% from these figures. Orders must be for a minimum of the quantities shown, or multiples thereof.

Product No. Series 9800, 9804 and 9833

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
1228V255	\$42.01	9804-0729	26.1	3/4	28	.45
⁴ 1230V341	48.68	9804-0814	34.6	3/4	30	.56
1230V348	50.08	9804-0815	35.3	3/4	30	.60
1330V242	48.38	9804-0447	24.7	13/16	30	.46
1422V235	41.40	9804-0816	24.0	7/8	22	.52
1422V240	42.54	9804-0495	24.7	7/8	22	.47
1422V290	45.60	9804-0584	29.6	7/8	22	.54
1422V300	46.78	9804-0493	30.7	7/8	22	.55
1422V330	48.68	9804-0492	33.7	7/8	22	.57
1422V340	50.08	9804-0708	34.6	7/8	22	.59
1422V360	50.98	9804-0328	36.7	7/8	22	.67
1422V400	51.74	9804-0348	40.8	7/8	22	.64
1422V420	54.30	9804-0329	42.8	7/8	22	.73
1422V440	55.08	9804-0817	44.5	7/8	22	.67
1422V460	55.59	9804-0768	46.5	7/8	22	.78
1422V466	55.94	9804-0325	47.0	7/8	22	.73
1422V470	56.48	9804-0818	47.5	7/8	22	.70
1422V480	57.13	9804-0337	48.7	7/8	22	.74
1422V540	65.01	9804-0331	54.8	7/8	22	.90
1422V600	71.19	9804-0332	60.7	7/8	22	.85
1422V660	77.55	9804-0333	66.7	7/8	22	.92
1422V780	89.96	9804-0339	78.7	7/8	22	1.09
1426V298	46.20	9804-0259	30.4	7/8	26	.66
1426V299	46.20	9804-0656	30.5	7/8	26	.63
1426V328	50.85	9804-0636	33.3	7/8	26	.70

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
1426V362	\$56.11	9804-0635	36.7	7/8	26	.72
1430V215	31.40	9804-0702	21.8	7/8	30	.38
⁴ 1430V315	50.85	9804-0819	32.0	7/8	30	.58
1430V375	55.94	9804-0820	38.0	7/8	30	.47
⁴ 1430V450	64.02	9804-0849	45.6	7/8	30	.77
⁴ 1430V500	70.13	9804-0850	50.5	7/8	30	.80
⁴ 1524V301	55.59	9804-0821	30.6	15/16	24	.63
1526V264	54.04	9804-0505	27.0	15/16	26	.61
1526V294	60.14	9804-0506	30.0	15/16	26	.65
1528V298	50.34	9804-0769	30.3	15/16	28	.62
1528V326	51.24	9804-0770	33.1	15/16	28	.61
1528V360	54.57	9804-0771	36.5	15/16	28	.79
1528V414	57.21	9804-0772	41.9	15/16	28	.79
1622V270	48.79	9804-0822	27.5	1	22	.59
1622V297	52.12	9804-0823	30.2	1	22	.61
1622V307	54.16	9804-0571	31.1	1	22	.59
1622V336	58.01	9804-0824	34.1	1	22	.61
1622V520	91.75	9804-0572	52.5	1	22	.85
1626V262	50.85	9804-0773	26.7	1	26	.56
1626V290	51.74	9804-0536	29.8	1	26	.56
1626V293	52.38	9804-0588	30.0	1	26	.68
1626V304	53.80	9804-0305	31.1	1	26	.69
1626V330	58.01	9804-0293	33.8	1	26	.78
1626V339	\$60.56	9804-0248	34.7	1	26	.92

*Minimum production quantity may apply. Contact Customer Service for availability. See minimum order quantities for Made-To-Order Multi-Speed belts.

Prices Subject To Change Without Notice





Multi-Speed Belts

Product No. Series 9800, 9804 and 9833 (continued)

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
1626V380	\$65.01	9804-0774	38.5	1	26	.74
1626V384	67.48	9804-0308	39.2	1	26	.78
1626V395	71.41	9804-0618	40.3	1	26	.88
1626V411	72.81	9804-0537	41.9	1	26	.86
1626V428	74.73	9804-0775	43.3	1	26	.72
1626V440	77.29	9804-0291	44.7	1	26	1.07
1626V455	81.02	9804-0617	46.2	1	26	.77
1626V513	84.21	9804-0776	51.8	1	26	.90
1626V517	84.21	9804-0249	52.1	1	26	1.05
1626V597	93.15	9804-0393	60.6	1	26	.97
1626V604	105.65	9804-0306	61.2	1	26	1.28
1626V658	128.52	9804-0397	66.7	1	26	1.18
1626V700	134.28	9804-0403	70.8	1	26	1.30
1628V210	45.38	9804-0686	21.2	1	28	.43
1628V315	54.57	9804-0313	32.7	1	28	.72
1632V210	45.38	9804-0323	21.9	1	32	.53
1822V290	61.60	9804-0648	29.5	1 1/8	22	.64
1822V328	67.34	9804-0651	33.5	1 1/8	22	.80
1826V250	71.48	9804-0592	25.4	1 1/8	26	.55
1828V368	80.61	9804-0284	37.6	1 1/8	28	.92
1832V338	74.62	9804-0777	34.4	1 1/8	32	.78
1922V256	68.61	9804-0253	26.4	1 3/16	22	.72
1922V277	69.40	9804-0611	28.2	1 3/16	22	.66
1922V282	70.26	9804-0060	29.0	1 3/16	22	.75
1922V298	71.19	9804-0500	30.6	1 3/16	22	.70
1922V302	72.04	9804-0778	30.8	1 3/16	22	.71
1922V321	74.36	9804-0070	33.0	1 3/16	22	.85
1922V332	75.90	9804-0713	34.0	1 3/16	22	.85
1922V338	76.66	9804-0501	34.7	1 3/16	22	.75
1922V363	78.06	9804-0027	37.1	1 3/16	22	.93
1922V381	79.47	9804-0307	38.8	1 3/16	22	1.01
1922V386	81.53	9804-0071	39.3	1 3/16	22	1.02
1922V403	83.04	9804-0530	41.4	1 3/16	22	.95
1922V417	83.30	9804-0376	42.5	1 3/16	22	.81
1922V426	83.95	9804-0063	43.4	1 3/16	22	1.06
1922V443	85.09	9804-0072	45.1	1 3/16	22	1.20
1922V454	86.12	9804-0028	46.2	1 3/16	22	1.08
1922V460	94.57	9804-0622	46.8	1 3/16	22	1.26
1922V484	88.56	9804-0057	49.2	1 3/16	22	1.17
1922V526	89.96	9804-0602	53.3	1 3/16	22	1.23
1922V544	92.01	9804-0029	55.1	1 3/16	22	1.38
1922V604	95.69	9804-0026	61.2	1 3/16	22	1.50
1922V630	97.25	9804-0779	63.6	1 3/16	22	1.20
1922V646	99.27	9804-0074	65.4	1 3/16	22	1.34
1922V666	100.94	9804-0075	67.4	1 3/16	22	1.60
1922V686	101.83	9804-0603	69.3	1 3/16	22	1.68
1922V706	103.01	9804-0569	71.3	1 3/16	22	1.76
1922V726	105.92	9804-0673	73.0	1 3/16	22	1.80
1922V751	107.06	9804-0007	75.8	1 3/16	22	1.74
1922V756	108.73	9804-0179	76.4	1 3/16	22	1.70
1922V806	118.45	9804-0674	81.3	1 3/16	22	1.80
1922V846	126.74	9804-0716	85.4	1 3/16	22	1.87
⁴ 1922V1006	158.43	9804-0676	101.3	1 3/16	22	2.36
1922V1026	160.99	9804-0825	103.2	1 3/16	22	2.73
1922V1146	192.93	9804-0719	115.4	1 3/16	22	3.25
1926V249	82.38	9804-0621	25.3	1 3/16	26	.52
1926V250	82.38	9804-0633	25.7	1 3/16	26	.62
1926V275	83.44	9804-0688	28.1	1 3/16	26	3.96
1926V333	88.72	9804-0255	33.9	1 3/16	26	.92
1926V367	87.07	9804-0050	37.2	1 3/16	26	.93

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
1926V376	\$87.41	9804-0624	38.8	1 3/16	26	.87
1926V380	90.98	9804-0509	38.9	1 3/16	26	.95
1926V390	88.18	9804-0780	39.6	1 3/16	26	.96
1926V407	90.10	9804-0256	41.4	1 3/16	26	1.02
⁴ 1926V415	91.36	9804-0826	42.1	1 3/16	26	1.09
1926V427	92.18	9804-0827	40.3	1 3/16	26	1.11
1926V507	97.18	9804-0508	51.4	1 3/16	26	1.22
1926V542	99.87	9804-0638	55.4	1 3/16	26	1.34
1930V355	82.38	9804-0828	36.1	1 3/16	30	.84
1930V366	85.73	9804-0781	37.2	1 3/16	30	1.00
1930V375	88.18	9804-0782	38.1	1 3/16	30	.94
1930V400	91.75	9804-0144	40.7	1 3/16	30	1.08
1930V425	93.15	9804-0790	43.1	1 3/16	30	1.13
1930V431	94.92	9804-0709	44.0	1 3/16	30	1.15
1930V450	98.76	9804-0829	45.6	1 3/16	30	1.00
⁴ 1930V475	102.35	9804-0830	48.1	1 3/16	30	1.24
1930V485	97.80	9804-0177	49.1	1 3/16	30	1.26
1930V491	100.04	9804-0710	50.0	1 3/16	30	1.25
1930V500	106.29	9804-0831	50.6	1 3/16	30	1.17
1930V530	112.17	9804-0783	53.6	1 3/16	30	1.13
1930V541	106.56	9804-0220	55.0	1 3/16	30	1.29
1930V560	116.27	9804-0764	56.9	1 3/16	30	1.23
1930V585	112.84	9804-0178	59.1	1 3/16	30	1.33
1930V591	115.18	9804-0760	60.0	1 3/16	30	1.18
1930V600	122.65	9804-0784	60.6	1 3/16	30	1.21
1930V630	128.40	9804-0832	63.6	1 3/16	30	1.36
1930V641	125.88	9804-0221	64.6	1 3/16	30	1.43
1930V691	137.90	9804-0210	69.6	1 3/16	30	1.55
1930V750	151.79	9804-0209	75.6	1 3/16	30	1.68
1930V791	160.52	9804-0222	79.6	1 3/16	30	1.76
⁴ 1930V800	173.77	9804-0835	80.6	1 3/16	30	1.50
⁴ 1930V850	181.42	9804-0836	85.6	1 3/16	30	1.57
1930V891	188.88	9804-0206	89.6	1 3/16	30	1.96
1930V900	204.16	9804-0837	90.6	1 3/16	30	2.11
⁴ 1930V950	222.32	9804-0838	95.6	1 3/16	30	1.78
1930V991	224.75	9804-0181	99.6	1 3/16	30	2.14
⁴ 1930V1000	241.52	9804-0892	101.2	1 3/16	30	2.23
⁴ 1930V1060	264.50	9804-0839	106.6	1 3/16	30	2.08
1930V1091	266.10	9804-0223	109.6	1 3/16	30	2.81
⁴ 1930V1120	293.86	9804-0840	112.6	1 3/16	30	2.60
1930V1191	333.62	9804-0373	119.6	1 3/16	30	2.54
2026V422	82.38	9804-0394	43.0	1 1/4	26	.94
2026V445	88.18	9804-0520	45.2	1 1/4	26	1.08
2026V474	88.82	9804-0574	48.2	1 1/4	26	1.52
2026V607	106.69	9804-0395	61.5	1 1/4	26	1.21
2030V381	94.71	9804-0640	38.5	1 1/4	30	.78
⁴ 2126V297	81.74	9804-0842	30.4	1 5/16	26	.83
2126V307	84.45	9804-0785	31.4	1 5/16	26	.81
2126V309	89.84	9804-0314	31.7	1 5/16	26	.88
2126V365	93.02	9804-0526	37.4	1 5/16	26	.99
2126V377	94.66	9804-0843	38.4	1 5/16	26	.94
2126V468	122.80	9804-0721	47.7	1 5/16	26	1.32
2130V374	95.30	9804-0749	38.0	1 5/16	30	1.09
2226V307	74.10	9804-0677	31.2	1 3/8	26	.77
2230V266	69.12	9804-0615	27.5	1 3/8	30	.71
2230V273	69.15	9804-0786	27.9	1 3/8	30	.78
2230V275	82.38	9804-0358	28.1	1 3/8	30	.71
2230V326	95.76	9804-0725	33.5	1 3/8	30	.75
2230V375	108.61	9804-0678	38.2	1 3/8	30	.91
2322V329	106.29	9804-0679	33.4	1 7/16	22	1.12

MULTI-SPEED BELTS

⁴Minimum production quantity may apply. Contact Customer Service for availability. See minimum order quantities for Made-To-Order Multi-Speed belts.

Prices Subject To Change Without Notice





Multi-Speed Belts

Product No. Series 9800, 9804 and 9833 (continued)

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
2322V347	\$107.84	9804-0680	35.2	1 7/16	22	1.01
2322V364	108.23	9804-0058	37.2	1 7/16	22	.98
2322V384	109.21	9804-0905	39.3	1 7/16	22	1.10
2322V396	109.89	9804-0547	40.6	1 7/16	22	1.34
2322V421	111.03	9804-0076	42.9	1 7/16	22	1.36
2322V434	112.20	9804-0681	44.2	1 7/16	22	1.38
2322V441	112.70	9804-0127	45.1	1 7/16	22	1.37
2322V461	113.07	9804-0726	47.0	1 7/16	22	1.66
2322V481	106.06	9804-0053	49.2	1 7/16	22	1.44
2322V521	108.98	9804-0044	52.8	1 7/16	22	1.52
2322V541	119.09	9804-0059	55.1	1 7/16	22	1.70
2322V601	125.61	9804-0025	61.2	1 7/16	22	1.73
2322V621	128.66	9804-0734	63.0	1 7/16	22	1.81
2322V661	132.12	9804-0078	67.4	1 7/16	22	2.04
2322V681	134.79	9804-0073	68.8	1 7/16	22	1.78
2322V701	137.34	9804-0162	71.4	1 7/16	22	2.02
2322V721	138.88	9804-0062	73.4	1 7/16	22	2.07
2322V801	147.53	9804-0079	81.4	1 7/16	22	2.46
2322V826	148.61	9804-0718	83.5	1 7/16	22	3.38
2322V846	150.88	9804-0787	85.3	1 7/16	22	2.67
2322V886	154.63	9804-0714	89.5	1 7/16	22	2.63
2322V1001	166.11	9804-0080	101.4	1 7/16	22	3.01
2322V1061	172.12	9804-0788	106.8	1 7/16	22	3.70
2326V310	97.76	9804-0706	31.8	1 7/16	26	.93
2326V359	100.04	9804-0789	36.6	1 7/16	26	1.17
2330V273	73.46	9804-0619	27.9	1 7/16	30	.75
2330V338	91.24	9800-0728	34.6	1 7/16	30	1.04
2330V359	100.08	9804-0690	36.5	1 7/16	30	1.12
2330V537	145.77	9804-0682	54.6	1 7/16	30	1.53
2332V373	133.43	9804-0479	38.0	1 7/16	32	1.07
2422V570	165.34	9804-0844	57.7	1 1/2	22	1.64
2426V343	102.86	9800-0483	35.4	1 1/2	26	1.33
2428V577	221.55	9804-0054	76.6	1 1/2	28	2.81
2430V297	157.66	9804-0717	30.7	1 1/2	30	.90
42430V302	158.01	9804-0845	30.9	1 1/2	30	.96
2430V319	159.15	9804-0846	32.6	1 1/2	30	1.01
2430V345	160.90	9804-0847	35.2	1 1/2	30	1.14
2430V379	176.76	9804-0848	38.6	1 1/2	30	1.49
2436V331	114.08	9804-0366	34.0	1 1/2	36	.97
2526V302	156.25	9800-0069	30.7	1 9/16	26	1.02
2526V314	157.66	9800-0002	32.4	1 9/16	26	1.32
2528V370	167.76	9804-0851	37.7	1 9/16	28	1.33
2530V300	91.87	9800-0521	31.0	1 9/16	30	1.12
2530V335	98.94	9804-0852	34.2	1 9/16	30	1.08
2530V470	126.11	9804-0791	47.7	1 9/16	30	1.66
2530V490	122.97	9800-0326	50.0	1 9/16	30	2.47
2530V500	124.51	9800-0712	50.9	1 9/16	30	3.32
2530V530	128.19	9800-0654	54.0	1 9/16	30	3.39
2530V550	138.38	9800-0436	56.0	1 9/16	30	2.74
2530V560	140.06	9804-0853	56.7	1 9/16	30	1.73
2530V575	147.17	9833-0730	58.5	1 9/16	30	2.74
2530V595	151.79	9800-0166	60.7	1 9/16	30	3.68
2530V600	151.79	9804-0793	60.7	1 9/16	30	2.02
2530V610	154.29	9800-0437	62.0	1 9/16	30	3.03
2530V618	157.09	9800-0260	62.5	1 9/16	30	3.12
2530V630	159.59	9800-0164	64.2	1 9/16	30	3.84
2530V660	165.81	9800-0438	67.0	1 9/16	30	3.94
2530V670	169.30	9800-0165	68.2	1 9/16	30	4.02
42530V680	184.88	9804-0854	68.7	1 9/16	30	2.16
2530V690	176.86	9800-0439	70.0	1 9/16	30	4.07

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
2530V700	\$177.63	9800-0275	71.0	1 9/16	30	4.14
2530V730	192.31	9800-0211	74.2	1 9/16	30	4.28
2530V740	195.71	9800-0683	75.0	1 9/16	30	4.35
2530V750	208.71	9800-0180	76.2	1 9/16	30	4.37
2530V790	227.16	9800-0214	80.0	1 9/16	30	4.54
2530V840	241.04	9800-0215	85.0	1 9/16	30	4.72
42530V850	243.95	9804-0857	85.7	1 9/16	30	3.71
2530V890	258.35	9800-0216	90.0	1 9/16	30	4.98
2530V934	276.70	9800-0163	94.4	1 9/16	30	5.18
2530V990	295.54	9800-0217	100.0	1 9/16	30	5.43
2530V1090	336.92	9800-0218	110.0	1 9/16	30	5.87
42530V1190	409.48	9800-0219	119.7	1 9/16	30	6.30
2530V1290	464.31	9800-0207	130.0	1 9/16	30	6.73
2530V1490	598.99	9800-0904	150.0	1 9/16	30	5.85
42530V1690	687.79	9800-0794	169.8	1 9/16	30	6.40
2626V369	137.24	9800-0645	37.4	1 5/8	26	1.64
2626V388	153.06	9800-0649	39.7	1 5/8	26	1.65
2630V345	115.64	9800-0616	35.3	1 5/8	30	1.33
2630V395	132.39	9804-0858	40.2	1 5/8	30	1.48
2636V332	113.35	9800-0360	34.0	1 5/8	36	1.41
2822V778	227.93	9800-0017	79.5	1 3/4	22	5.48
2826V412	129.95	9800-0646	41.9	1 3/4	26	1.99
2826V452	140.56	9800-0650	46.0	1 3/4	26	2.92
2830V337	97.47	9800-0691	34.8	1 3/4	30	1.68
2830V363	101.95	9833-0662	36.8	1 3/4	30	1.47
2830V366	102.63	9833-0434	37.2	1 3/4	30	1.07
2830V367	103.30	9800-0916	37.9	1 3/4	30	1.80
2830V393	107.06	9800-0664	39.9	1 3/4	30	1.38
2830V396	107.46	9833-0435	40.3	1 3/4	30	1.28
2830V422	132.50	9800-0665	42.7	1 3/4	30	1.46
42830V428	132.88	9804-0859	43.6	1 3/4	30	1.88
42830V492	140.81	9804-0860	50.1	1 3/4	30	1.85
2836V343	148.32	9800-0120	35.1	1 3/4	36	1.69
2836V350	152.93	9800-0324	35.8	1 3/4	36	1.72
2836V380	154.63	9800-0367	38.8	1 3/4	36	1.84
2926V366	131.49	9804-0081	37.5	1 13/16	26	1.57
2926V400	132.12	9804-0759	40.8	1 13/16	26	2.13
2926V426	133.27	9800-0258	43.5	1 13/16	26	2.11
2926V471	133.78	9800-0082	48.0	1 13/16	26	3.08
2926V477	134.41	9804-0762	48.5	1 13/16	26	2.45
2926V486	134.92	9800-0083	49.2	1 13/16	26	2.39
2926V491	138.11	9800-0084	50.0	1 13/16	26	3.17
2926V521	141.44	9800-0064	53.0	1 13/16	26	3.30
42926V534	142.21	9804-0861	54.2	1 13/16	26	2.29
2926V546	143.11	9800-0067	55.5	1 13/16	26	3.38
2926V574	146.54	9800-0085	58.3	1 13/16	26	3.52
2926V586	149.24	9800-0068	59.5	1 13/16	26	3.55
2926V606	151.02	9800-0015	61.5	1 13/16	26	3.66
2926V616	153.32	9800-0149	63.3	1 13/16	26	3.75
2926V636	154.85	9800-0086	64.4	1 13/16	26	3.79
2926V646	156.11	9800-0087	65.5	1 13/16	26	3.81
2926V666	159.85	9800-0088	67.5	1 13/16	26	4.16
2926V686	162.26	9800-0089	69.5	1 13/16	26	4.00
2926V706	163.42	9800-0118	71.5	1 13/16	26	4.10
2926V726	167.51	9800-0035	73.5	1 13/16	26	4.17
2926V776	172.34	9800-0090	78.5	1 13/16	26	4.38
2926V786	176.19	9800-0735	79.4	1 13/16	26	4.44
2926V834	179.92	9800-0704	84.2	1 13/16	26	4.64
2926V856	182.20	9800-0040	86.4	1 13/16	26	4.77
2926V891	185.79	9804-0092	90.0	1 13/16	26	3.92

*Minimum production quantity may apply. Contact Customer Service for availability. See minimum order quantities for Made-To-Order Multi-Speed belts.

Prices Subject To Change Without Notice





Multi-Speed Belts

Product No. Series 9800, 9804 and 9833 (continued)

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)	Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
2926V906	\$192.05	9800-0093	91.5	1 13/16	26	4.96	3326V478	\$231.89	9800-0628	48.5	2 1/16	26	2.77
2926V966	198.94	9800-0094	97.5	1 13/16	26	5.20	3428V451	222.63	9804-0876	46.0	2 1/8	28	2.43
42926V1006	202.39	9800-0095	101.5	1 13/16	26	5.39	3430V424	221.10	9804-0877	43.3	2 1/8	30	2.18
2926V1026	213.39	9800-0684	103.6	1 13/16	26	5.46	3430V476	225.48	9800-0878	48.8	2 1/8	30	3.23
2926V1086	219.50	9800-0685	109.6	1 13/16	26	5.76	3430V493	226.82	9804-0879	50.1	2 1/8	30	2.78
2930V348	131.05	9833-0727	35.5	1 13/16	26	1.42	3432V450	222.85	9804-0880	45.8	2 1/8	32	2.43
2930V492	138.11	9800-0590	50.0	1 13/16	26	3.14	3432V456	223.45	9804-0797	46.5	2 1/8	32	2.47
3028V386	138.78	9800-0529	39.4	1 7/8	28	1.97	3432V480	226.20	9804-0881	48.8	2 1/8	32	2.56
3030V357	134.92	9800-0692	36.5	1 7/8	30	1.88	3432V484	226.67	9804-0798	49.3	2 1/8	32	2.54
3030V377	136.75	9804-0863	38.7	1 7/8	30	1.57	3432V528	230.86	9804-0882	53.4	2 1/8	32	2.63
3030V387	138.78	9800-0694	39.6	1 7/8	30	2.02	3432V534	232.17	9804-0799	54.3	2 1/8	32	2.77
43036V351	139.53	9800-0310	36.0	1 7/8	36	1.79	3436V404	214.79	9804-0364	41.3	2 1/8	36	3.00
3226V392	203.02	9800-0670	39.8	2	26	2.21	43626V556	243.74	9800-0671	56.5	2 1/4	26	4.82
3226V400	203.66	9800-0012	41.1	2	26	2.28	3630V455	243.83	9804-0883	46.4	2 1/4	30	2.69
3226V433	213.75	9804-0581	44.1	2	26	1.91	3636V479	249.92	9800-0361	48.8	2 1/4	36	3.87
3226V439	217.21	9804-0864	44.7	2	26	2.14	3726V558	269.97	9800-0757	56.9	2 5/16	26	5.39
3226V450	218.70	9800-0695	45.8	2	26	2.72	3826V459	282.01	9804-0004	46.8	2 3/8	26	2.80
3226V465	219.90	9800-0400	47.4	2	26	2.98	3826V465	283.02	9800-0055	47.5	2 3/8	26	4.06
3226V505	222.19	9800-0543	51.4	2	26	3.15	3830V501	308.79	9800-0379	51.0	2 3/8	30	4.50
3226V514	225.78	9800-0647	52.3	2	26	2.87	3830V510	314.34	9800-0689	52.0	2 3/8	30	4.68
3226V545	228.44	9800-0477	55.3	2	26	2.57	3830V517	315.70	9800-0614	52.7	2 3/8	30	4.36
3226V585	234.62	9800-0542	59.4	2	26	3.48	3830V580	328.64	9800-0696	59.0	2 3/8	30	5.18
3226V603	237.78	9800-0701	61.4	2	26	4.18	3830V587	330.16	9804-0800	59.6	2 3/8	30	4.13
3226V650	238.24	9804-0763	65.9	2	26	3.55	3836V418	212.47	9800-0124	42.7	2 3/8	36	3.67
3226V663	238.57	9800-0423	67.4	2	26	3.80	3836V426	214.26	9800-0123	43.6	2 3/8	36	3.01
43226V690	242.64	9804-0865	69.8	2	26	3.50	3836V654	226.67	9804-0801	66.3	2 3/8	36	4.29
3226V723	248.59	9800-0424	73.4	2	26	4.05	4030V538	302.06	9804-0687	54.5	2 1/2	30	3.30
3226V783	262.17	9800-0700	79.5	2	26	5.11	4030V590	331.26	9804-0884	60.0	2 1/2	30	4.15
3226V843	283.02	9800-0426	85.4	2	26	4.55	4036V541	252.83	9800-0562	55.4	2 1/2	36	5.28
3226V903	301.66	9800-0427	91.4	2	26	4.80	4036V574	385.78	9800-0369	58.3	2 1/2	36	5.02
3226V963	322.87	9800-0428	97.4	2	26	5.05	4230V503	287.48	9800-0637	51.4	2 5/8	30	5.57
3226V1023	342.93	9800-0429	103.4	2	26	5.43	4230V556	318.91	9800-0601	56.8	2 5/8	30	5.30
3226V1083	362.85	9800-0430	109.4	2	26	5.54	4230V605	333.62	9800-0489	61.0	2 5/8	30	5.24
3230V419	222.32	9800-0653	42.7	2	30	3.06	4234V998	523.58	9800-0143	100.9	2 5/8	34	10.73
3230V481	225.23	9804-0866	48.9	2	30	2.52	4330V521	334.39	9800-0594	53.2	2 11/16	30	5.72
3230V560	234.72	9804-0795	56.8	2	30	2.81	4430V510	246.58	9800-0513	52.0	2 3/4	30	5.48
43230V630	245.10	9804-0868	63.8	2	30	3.44	4430V530	242.42	9800-0736	54.0	2 3/4	30	5.60
3230V670	251.33	9804-0796	67.8	2	30	2.84	4430V548	240.57	9800-0463	55.0	2 3/4	30	5.75
3230V701	254.92	9804-0869	70.9	2	30	3.46	4430V555	247.35	9800-0132	56.5	2 3/4	30	5.81
43230V850	268.95	9804-0873	85.8	2	30	4.28	4430V560	256.70	9804-0886	57.0	2 3/4	30	4.63
3230V871	274.07	9804-0874	87.9	2	30	4.89	4430V570	283.02	9804-0887	58.0	2 3/4	30	5.10
43230V1180	417.70	9804-0875	118.8	2	30	6.72	4430V578	269.71	9800-0441	59.0	2 3/4	30	6.04
3230HV856	299.07	9800-0756	86.7	2	30	6.44	4430V600	305.62	9804-0803	61.0	2 3/4	30	4.97
3230HV931	311.50	9800-0755	94.2	2	30	7.01	4430V610	291.17	9800-0111	62.0	2 3/4	30	6.31
3236V369	163.55	9800-0122	37.7	2	36	2.07	4430V630	302.22	9800-0442	64.0	2 3/4	30	6.45
3236V389	173.14	9800-0121	39.7	2	36	2.17	4430V652	308.84	9804-0888	66.2	2 3/4	30	5.78
3236V432	216.58	9800-0368	44.2	2	36	2.39	4430V660	311.27	9800-0443	67.0	2 3/4	30	6.70
3236HV528	226.93	9800-0612	53.8	2	36	3.58	4430V670	319.04	9800-0112	68.0	2 3/4	30	6.81
3236HV553	227.80	9800-0604	56.3	2	36	4.48	4430V690	325.66	9800-0444	70.0	2 3/4	30	6.95
3236HV570	228.70	9800-0605	58.0	2	36	4.59	4430V700	331.67	9800-0150	71.0	2 3/4	30	7.06
3236HV585	229.84	9800-0606	59.5	2	36	4.68	4430V710	359.42	9804-0889	72.1	2 3/4	30	6.54
3236HV603	231.03	9800-0607	61.3	2	36	4.79	4430V718	363.75	9804-0804	72.8	2 3/4	30	7.88
3236HV613	232.40	9800-0347	62.2	2	36	4.83	4430V730	344.97	9800-0065	74.0	2 3/4	30	7.31
3236HV620	235.09	9800-0608	63.0	2	36	4.91	4430V740	348.58	9800-0445	75.0	2 3/4	30	7.36
3236HV626	238.92	9800-0370	63.6	2	36	4.93	4430V750	377.95	9804-0805	76.0	2 3/4	30	8.17
3236HV644	241.75	9800-0371	65.4	2	36	5.06	4430V760	381.26	9804-0806	77.0	2 3/4	30	6.77
3236HV670	244.64	9800-0372	68.0	2	36	5.22							
3236HV702	250.56	9800-0048	71.1	2	36	5.44							
3236HV723	252.44	9800-0431	73.2	2	36	5.57							
3236HV821	288.25	9800-0639	83.1	2	36	6.14							

MULTI-SPEED BELTS

*Minimum production quantity may apply. Contact Customer Service for availability. See minimum order quantities for Made-To-Order Multi-Speed belts.

Prices Subject To Change Without Notice





Multi-Speed Belts

Product No. Series 9800, 9804 and 9833 (continued)

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
4430V772	\$357.14	9833-0723	78.6	2 3/4	30	10.59
⁴ 4430V780	391.55	9804-0890	79.0	2 3/4	30	6.98
4430V790	365.83	9800-0113	80.0	2 3/4	30	7.81
4430V850	394.88	9800-0114	86.0	2 3/4	30	8.31
4430V910	425.96	9800-0115	92.0	2 3/4	30	8.81
4430V970	453.75	9800-0116	98.0	2 3/4	30	9.31
4430V1000	497.67	9800-0753	101.1	2 3/4	30	10.24
4430V1030	480.57	9800-0117	104.0	2 3/4	30	9.81
4430V1090	517.22	9800-0153	110.0	2 3/4	30	10.31
4430V1150	576.22	9800-0658	116.0	2 3/8	30	13.22
4430V1250	630.41	9800-0752	126.1	2 3/4	30	12.51
4430V1320	671.69	9800-0171	133.0	2 3/4	30	12.28
4430V1410	718.31	9800-0765	142.0	2 3/4	30	13.53
4430V1460	749.69	9800-0766	147.0	2 3/4	30	13.97
4430V1610	830.38	9800-0767	162.0	2 3/4	30	15.28
⁴ 4430V1810	933.54	9800-0808	182.0	2 3/4	30	17.04
⁴ 4430V1917	988.71	9800-0809	192.7	2 3/4	30	17.98
4436V525	256.42	9800-0125	53.5	2 3/4	36	5.56
4436V551	261.80	9800-0154	56.1	2 3/4	36	5.70
⁴ 4436V555	262.68	9800-0066	56.5	2 3/4	36	5.81
4436V561	265.91	9804-0810	57.1	2 3/4	36	4.65
4436V576	283.29	9800-0131	58.6	2 3/4	36	5.99
⁴ 4436V581	288.62	9804-0811	59.1	2 3/4	36	4.81
4436V646	379.98	9800-0522	65.5	2 3/4	36	6.55
4436V714	420.65	9800-0363	72.7	2 3/4	36	8.48
4626V596	449.10	9800-0011	60.6	2 7/8	26	6.91
4630V650	410.78	9800-0613	66.1	2 7/8	30	8.40
4630V663	419.71	9800-0378	67.3	2 7/8	30	8.49
4630V668	419.71	9800-0698	68.1	2 7/8	30	9.47
4630V683	506.04	9800-0464	69.3	2 7/8	30	8.76
4630V733	473.54	9800-0699	74.3	2 7/8	30	9.83
4630V1070	636.82	9800-0034	108.1	2 7/8	30	11.49
⁴ 4632V722	537.27	9800-0510	73.5	2 7/8	32	9.18
4636V613	405.03	9800-0362	62.2	2 7/8	36	7.01
4830V602	356.46	9800-0652	61.1	3	30	7.61
⁴ 4830V614	361.34	9800-0548	62.5	3	30	7.23
4830V653	370.65	9800-0546	66.4	3	30	7.61

Part No.	Sugg. List Price	Product No.	Belt O.C. (In.)	Top Width (In.)	Angle (°)	Wt. Ea. (Lbs.)
4830V692	\$380.90	9800-0545	70.3	3	30	7.99
4830V699	383.67	9800-0610	71.0	3	30	8.06
4830V730	400.56	9800-0544	74.1	3	30	8.44
4830V750	412.18	9800-0813	76.0	3	30	8.55
4830V850	463.80	9800-0566	86.1	3	30	9.55
4830V970	541.62	9800-0567	98.1	3	30	10.73
⁴ 4830V1070	625.20	9800-0598	108.1	3	30	11.63
⁴ 4836V588	355.84	9800-0010	59.8	3	36	6.88
4836V608	356.88	9800-0096	61.9	3	36	7.05
4836V618	361.85	9800-0155	63.4	3	36	7.22
⁴ 4836V642	366.71	9800-0609	65.3	3	36	7.41
4836V655	371.92	9800-0133	66.6	3	36	7.54
⁴ 4836V729	399.91	9800-0101	74.0	3	36	8.25
4836V789	438.12	9800-0102	80.0	3	36	8.83
4836V850	465.48	9800-0031	86.1	3	36	9.49
4836V1180	673.35	9800-0758	119.3	3	36	13.54
5126V938	802.85	9800-0246	95.0	3 3/16	26	11.65
5130V732	729.61	9800-0663	74.6	3 3/16	30	10.87
5228V930	777.36	9800-0894	94.4	3 1/4	28	13.80
⁵ 5228V930S	1554.70	9800-0737	94.4	3 1/4	28	26.49
5230V662	697.33	9800-0660	67.3	3 1/4	30	9.35
5230V734	720.75	9800-0893	75.3	3 1/4	30	10.59
⁵ 5230V734S	1441.50	9800-0657	75.3	3 1/4	30	20.47
5230V867	758.61	9800-0895	88.3	3 1/4	30	11.78
^{4,5} 5230V867S	1517.19	9800-0659	88.3	3 1/4	30	22.56
⁴ 5636V750	446.54	9800-0235	76.4	3 1/2	36	12.39
5636V774	459.97	9800-0237	78.7	3 1/2	36	12.75
5830V756	718.72	9800-0661	76.9	3 5/8	30	13.14
5836V737	786.26	9800-0309	75.0	3 5/8	36	8.10
6036V761	496.96	9833-0738	77.7	3 3/4	36	14.70
6036V850	555.10	9800-0105	86.3	3 3/4	36	13.28
6236V694	514.40	9800-0147	70.8	3 7/8	36	11.21
⁴ 6236V725	521.44	9804-0006	73.9	3 7/8	36	12.58
6236V762	528.22	9800-0104	77.6	3 7/8	36	13.19
6236V785	539.57	9804-0009	79.9	3 7/8	36	12.15
⁴ 6236V905	624.43	9800-0013	91.9	3 7/8	36	14.38

*Minimum production quantity may apply. Contact Customer Service for availability. See minimum order quantities for Made-To-Order Multi-Speed belts.

⁴Set of 2.

Prices Subject To Change Without Notice



Nu-T-Link® Belting

Nu-T-Link V-belting is designed for rapid installation in an assortment of lengths and operating conditions.

Markets/Applications

Suitable alternative to standard belts on all industrial applications and particularly suited to drives requiring link belting for ease of installation.

Features/Advantages

- **Color Coded Studs** make for easy identification and installation.
- **Orange Polyurethane/Polyester** composite resists oil, water, chemicals and heat (working temperature range: -40° F to +212° F (-40° C to +100° C).
- May be assembled in an assortment of lengths to fit multiple drive configurations.

Recommended Sheaves

Multi-Duty Sheaves

Notes


Nu-T-Link is available in 50 foot reels.

The studs are color coded: O-Red; A-Silver; B-Green; C-Blue; D-Black; E-Black.

Nu-T-Link does not meet RMA requirements for V-belt static conductivity.

A Nu-T-Link assembly tool will be supplied free of charge with belting.

WARNING: Do **NOT** use with backside idlers.



V-BELTING

Product No. Series 7760

Part No.	Sugg. List Price (Ft.)	Product No.	Cross Section	Top Width (In.)	Std. Roll (Ft.)	Wt. Per Ft. (Lbs.)
NTL/O	\$17.15	7760-6101	O	$\frac{3}{8}$	50	.04
NTL/A	17.47	7760-6102	A	$\frac{1}{2}$	50	.05
NTL/B	20.27	7760-6103	B	$2\frac{1}{32}$	50	.07
NTL/C	30.72	7760-6104	C	$\frac{7}{8}$	50	.11
NTL/D	87.27	7760-6105	D	$1\frac{1}{4}$	50	.26
NTL/E	104.74	7760-6106	E	$1\frac{1}{2}$	50	1.18

A Nu-T-Link assembly tool will be supplied free of charge with belting. Additional assembly tools are available. Contact Customer Service for availability.

Nu-T-Link Belting Assembly Tool

Part No.	Suggested List Price (Ea.)	Product No.
900004	\$2.72	7469-0701

Prices Subject To Change Without Notice



Easy-Splice V-Belting


Easy-Splice V-Belting has a dependable, non-slip design with minimal stretch characteristics made to outlast other types of open-end belting.

Markets/Applications

Suitable alternative to standard belts on all industrial applications and particularly suited to drives requiring connected belting for ease of installation.

Features/Advantages

- Special resilient **tensile cords** impart high strength and keep stretch to a minimum, prolonging belt life and reducing maintenance.
- Special, **square cut fabric reinforcement** provides a tough, durable anchor for the fastener, while allowing the belt to remain flexible.
- Meets RMA **oil and heat resistant** standards.



Recommended Sheaves

Multi-Duty Sheaves

Notes

Easy-Splice is available in cross sections A-VO, B-VO, C-VO and BB-VO, which correspond to the A, B, C, D, and BB standard industrial V-belt cross sections.

Sold in full rolls only.

How to Find the Correct Belt Length

1. Position the motor on its base so that the center distance can be shortened by the amount shown below.

Easy-Splice Cross Section	A-VO	B-VO	C-VO	D-VO	BB-VO
Center Distance Allowance	3/4"	1"	1 1/2"	2"	1"

2. After positioning the motor, use a flexible tape to measure around the outside of the sheaves. Subtract 1/2% from this measurement to provide enough tension for the belt.

3. From the length found in (2.) above, subtract the amount shown in the table below:

Easy-Splice Cross Section	A-VO	B-VO	C-VO	D-VO	BB-VO
Subtract these Amounts	0.90"	1.85"	2.26"	2.88"	1.00"

This corrects for the difference between **outside belt length** and **pitch length**, and compensates for the length of the fastener.

The result is the correct belt length to order for your drive.

Use the Correct Fastener for the belt section.

The fastener size depends on the belt section. Choose the correct fastener from the table below:

Easy-Splice Cross Section	A-VO	B-VO	C-VO	D-VO	BB-VO
Fastener Number	A312	B437	C531	D750	BB4

Easy-Splice fasteners are not available from Gates, Contact Flexible Steel Lacing Company in Downers Grove, IL at (630) 971-0150 or www.flexco.com.

V-BELTING

Product No. Series 9300 and 9310

Part No.	Suggested List Price (per Ft.)	Product No.	Standard Roll (Ft.)	Top Width (In.)	Wt. Per Ft. (Lbs.)	Max. Pieces Standard Roll	Min. Length Ea. Piece (Ft.)
AVO/525	\$4.76	9300-0002	525	1/2	.09	3	20
BVO/500	6.19	9300-0003	500	21/32	.13	3	20
CVO/450	10.01	9300-0004	450	7/8	.21	3	20
DVO/160	18.61	9300-0005	160	1 1/4	.48	3	20
BBVO/350	7.72	9310-0003	350*	21/32	.30	4	20

*+/- 50 feet

Prices Subject To Change Without Notice



Speed Flex® Belts

This flexible, smooth running flat belting minimizes vibration at high speeds.

Markets/Applications

Suitable for all lightly-loaded, high-speed industrial applications requiring high speed ratios and/or small diameters.

Features/Advantages

- **Tread Cords** increase friction to minimize slip
- Meets RMA **oil and heat** resistant standards
- Meets RMA **static conductivity** requirements

Recommended Sheaves—Contact the Gates Made-To-Order Metals Team.




Notes

Gates Speed-Flex belts are Made-To-Order. Minimum order quantities may apply.

Minimum order quantity is based on a sleeve width of 24" to 28". Belts from 15.5" to 79.9" in length are built on 24" wide drums, and belts from 80" to 138" in length are built on 28" wide drums. Divide the drum width by the belt top width and round down to the nearest whole belt increment.

Refer to the Flat Belt Selection Guide (below) to ensure your drive falls within the operating range of Speed-Flex Belts.

WARNING: Gates Speed-Flex Belts are not recommended for use on flanged pulleys unless the pulleys are crowned. See your local Gates representative for information on proper crowning for Speed-Flex Belt installation.



Product No. Series 9542

Size	Suggested List Price Per Inch	Belt Width (In.)
SF6	\$.91	3/4 & UNDER
SF7	1.07	7/8
SF8	1.08	1
SF9	1.34	1 1/8
SF10	1.37	1 1/4
SF11	1.49	1 3/8
SF12	1.61	1 1/2
SF14	1.84	1 3/4
SF16	2.06	2
SF18	2.27	2 1/4
SF20	2.47	2 1/2
SF22	2.71	2 3/4
SF24	3.05	3
SF28	3.37	3 1/2
SF32	3.86	4
SF40	4.83	5

Nominal thickness of Speed-Flex Flat Belts = .042

SPECIALTY BELTS

Prices Subject To Change Without Notice



Powercord® Belts

Powercord belts are flat belts designed in a heavy-duty construction.

Markets/Applications

Suitable for all moderately to heavily loaded industrial applications.

Features/Advantages


- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves—Contact the Gates Made-To-Order Metals Team.

Notes

Gates Powercord Belts are Made-To-Order. Minimum order quantities may apply. Minimum order quantity is based on a sleeve width of 24" to 28". Belts from 15.5" to 79.9" in length are built on 24" wide drums, and belts from 80" to 138" in length are built on 28" wide drums. Divide the drum width by the belt top width and round down to the nearest whole belt increment.

Refer to Flat Belt Selection Guide (below) to ensure your drive falls within the operating range of Powercord Belts.



Product No. Series 9520 — Powercord 125


Part No.	Suggested List Price		Belt Width (In.)
	*Each	**Ea. Add In.	
PC125/3	\$65.88	\$.73	3/4
PC125/4	68.76	.73	1
PC125/5	70.09	.78	1 1/4
PC125/6	74.54	.83	1 1/2
PC125/7	86.26	.96	1 3/4
PC125/8	97.93	1.09	2
PC125/9	101.72	1.13	2 1/4
PC125/10	105.46	1.17	2 1/2
PC125/12	134.65	1.49	3
PC125/14	148.53	1.65	3 1/2
PC125/16	183.80	2.04	4
PC125/18	199.97	2.22	4 1/2
PC125/20	216.12	2.40	5

Product No. Series 9530 — Powercord 188

Part No.	Suggested List Price		Belt Width (In.)
	*Each	**Ea. Add In.	
PC188/7	\$54.48	\$.60	7/8
PC188/9	70.00	.78	1 1/8
PC188/12	93.33	1.04	1 1/2
PC188/16	121.37	1.35	2
PC188/20	131.79	1.46	2 1/2
PC188/24	167.20	1.86	3
PC188/28	186.39	2.07	3 1/2
PC188/32	230.03	2.55	4
PC188/36	249.96	2.77	4 1/2
PC188/40	269.02	2.99	5
PC188/46	313.52	3.48	6

*10" through 30" I.C. lengths.

**31" through 120" I.C. lengths (in even inch increments).



Prices Subject To Change Without Notice





Tubewinder Belts


These flat belts are featured in black rubber and red ozex, and in light, medium or heavy construction.

Markets/Applications

Specifically designed for use on tube-winding machines.

Features/Advantages

- **High tensile strength** to minimize stretch and maintain the proper pressure on the paper around the mandrel.
- **High coefficient of friction** for even and smooth pulling of the paper around the mandrel.
- **Transverse rigidity** to ensure the belt remains stable and maintains the required pressure.



Recommended Sheaves—Contact the Gates Made-To-Order Metals Team.

Notes

Gates Tubewinder belts are Made-To-Order. Minimum order quantities may apply.

Black Tubewinder Belts—Minimum order quantity is based on a sleeve width of 24" or 28" (+/- 10%). Belts up to 79.9" in length are built on 24" drums, and belts 80" to 140" in length are built on 28" wide drums. Divide the drum width by the top width and round down to the nearest whole belt increment.

Check with Customer Service for availability on lengths longer than 140".

Red Ozex Tubewinder Belts—Intermediate or fractional order quantity is based on a 12 1/2" drum (+/- 10%). Divide 12 1/2" by the belt top width and round down to the nearest whole belt increment.

All sizes are made to order.
Contact Customer Service for
availability.

SPECIALTY BELTS

Black Tubewinder (Also Available in Sleeves)

Belt Width (In.)	Suggested List Price Per Inch of Length — 140" Maximum		
	Light Construction 0.105" Thick (Nominal Cover Thickness 0.025")	Medium Construction 0.266" Thick (Nominal Cover Thickness 0.085")	Heavy Construction 0.390" Thick (Nominal Cover Thickness 0.105")
Over 1/2 to 1 Inclusive	\$.98	\$1.07	\$1.17
Over 1 to 1 1/2 Inclusive	1.59	1.75	1.91
Over 1 1/2 to 2 Inclusive	2.09	2.30	2.51
Over 2 to 2 1/4 Inclusive	2.43	2.67	2.92
Over 2 1/4 to 3 Inclusive	2.92	3.21	3.50
Over 3 to 4 Inclusive	3.76	4.14	4.52
Over 4 to 6 1/2 Inclusive	4.90	5.40	5.88
Over 6 1/2 - Price on application	—	—	—
Sleeves (length x price)	.88	.96	1.06

Red Ozex Tubewinder (Also Available in Sleeves)

Belt Width (In.)	Suggested List Price Per Inch of Length — 240" Maximum		
	Light Construction 0.25" Thick (Nominal Cover Thickness 0.063")	Medium Construction 0.344" Thick (Nominal Cover Thickness 0.063")	Heavy Construction 0.469" Thick (Nominal Cover Thickness 0.125")
Over 1/2 to 1 Inclusive	\$1.95	\$2.33	\$2.34
Over 1 to 1 1/2 Inclusive	2.14	2.57	2.58
Over 1 1/2 to 2 Inclusive	2.95	3.53	3.53
Over 2 to 2 1/4 Inclusive	3.39	4.07	4.07
Over 2 1/4 to 3 Inclusive	4.03	4.82	5.79
Over 3 to 4 Inclusive	5.08	6.08	7.30
Over 4 to 6 1/2 Inclusive	7.60	9.11	10.93
Over 6 1/2	20.61	24.73	29.68

Prices Subject To Change Without Notice





Round Endless Belts


These belts are designed for 1/4 turn or twisted drives where more than an O-ring is required.

Markets/Applications

Round Endless belts are ideal for 1/4 turn or twisted, serpentine drives, power turn and line shaft conveyors and commercial sewing machines.

Features/Advantages

- Minimal stretch for minimum take-up requirements.
- No splice for added durability.



Recommended Sheaves—Contact the Gates Made-To-Order Metals Team.

Notes

Standard-stocked Round Endless belts are footnoted. All others are Made-To-Order and may require minimum order quantities. Contact Customer Service for availability.

When placing an order, add "REbelt" after the part number. For example, 4X33REbelt.

Product No. Series 8820

Minimum order quantity for 1/4" Round Endless Belts is 180 belts per size +/- 10%.

Round Endless Belts—1/4" Diameter

Part No.	Suggested List Price	Product No.	Inside Length (In.)	Part No.	Suggested List Price	Product No.	Inside Length (In.)	Part No.	Suggested List Price	Product No.	Inside Length (In.)
4X33	\$57.52	8820-0499	33	4X51	\$77.83	8820-0571	51	4X69	\$98.17	8820-0643	69
4X34	58.59	8820-0503	34	4X52	78.86	8820-0575	52	4X70	99.24	8820-0647	70
4X35	59.64	8820-0507	35	4X53	79.95	8820-0579	53	4X71	100.54	8820-0651	71
4X36	60.94	8820-0511	36	4X54	81.29	8820-0583	54	4X72	101.60	8820-0655	72
4X37	62.03	8820-0515	37	4X55	82.35	8820-0587	55	4X73	102.64	8820-0659	73
4X38	63.07	8820-0519	38	4X56	83.38	8820-0591	56	4X74	103.70	8820-0663	74
4X39	64.14	8820-0523	39	4X57	83.65	8820-0595	57	4X75	105.03	8820-0667	75
4X40	65.46	8820-0527	40	4X58	85.77	8820-0599	58	4X76	106.09	8820-0671	76
4X41	66.49	8820-0531	41	4X59	86.81	8820-0603	59	4X77	107.08	8820-0675	77
4X42	67.55	8820-0535	42	4X60	87.88	8820-0607	60	4X78	108.47	8820-0679	78
4X43	68.89	8820-0539	43	4X61	89.20	8820-0611	61	4X79	109.51	8820-0683	79
4X44	69.92	8820-0543	44	4X62	90.24	8820-0615	62	4X80	110.88	8820-0687	80
4X45	71.01	8820-0547	45	4X63	91.32	8820-0619	63	4X81	112.26	8820-0691	81
4X46	72.04	8820-0551	46	4X64	92.61	8820-0623	64	4X82	112.91	8820-0695	82
4X47	73.36	8820-0555	47	4X65	93.69	8820-0627	65	4X83	113.98	8820-0699	83
4X48	74.41	8820-0559	48	4X66	94.75	8820-0631	66	4X84	115.06	8820-0703	84
4X49	75.48	8820-0563	49	4X67	95.88	8820-0635	67	4X85	116.37	8820-0707	85
4X50	76.79	8820-0567	50	4X68	97.11	8820-0639	68				

SPECIALTY BELTS

Prices Subject To Change Without Notice





Round Endless Belts

Product No. Series 8820 (continued)

Minimum order quantity for 5/16" Round Endless Belts is 165 belts per size +/- 10%.

Round Endless Belts—5/16" Diameter

Part No.	Suggested List Price	Product No.	Inside Length (In.)
5X33	\$43.88	8820-0838	33
¹⁶ 5X33 1/2	43.88	8820-0840	33 1/2
¹⁶ 5X34	43.88	8820-0842	34
5X35	43.88	8820-0846	35
5X36	43.88	8820-0850	36
5X37	43.88	8820-0854	37
5X38	43.88	8820-0858	38
5X39	43.88	8820-0862	39
5X40	43.88	8820-0866	40
5X41	44.70	8820-0870	41
5X42	45.52	8820-0874	42
5X43	46.18	8820-0878	43
5X44	47.00	8820-0882	44
5X45	47.83	8820-0886	45
5X46	48.65	8820-0890	46
5X47	49.32	8820-0894	47
5X48	49.80	8820-0898	48
5X49	50.23	8820-0902	49
5X50	51.80	8820-0906	50
5X51	52.45	8820-0910	51

Part No.	Suggested List Price	Product No.	Inside Length (In.)
5X52	\$53.27	8820-0914	52
5X53	54.09	8820-0918	53
5X54	54.91	8820-0922	54
5X55	55.57	8820-0926	55
5X56	56.42	8820-0930	56
5X57	57.24	8820-0934	57
5X58	58.06	8820-0938	58
5X59	58.71	8820-0942	59
5X60	59.53	8820-0946	60
5X61	60.38	8820-0950	61
5X62	61.20	8820-0954	62
5X63	61.86	8820-0958	63
5X64	62.68	8820-0962	64
5X65	63.50	8820-0966	65
5X66	64.33	8820-0970	66
5X67	64.99	8820-0974	67
5X68	65.81	8820-0978	68
5X69	66.62	8820-0982	69
5X70	67.44	8820-0986	70
5X71	68.10	8820-0990	71

Part No.	Suggested List Price	Product No.	Inside Length (In.)
5X72	\$68.95	8820-0994	72
5X73	69.77	8820-0998	73
5X74	70.59	8820-1002	74
5X75	71.25	8820-1006	75
5X76	72.06	8820-1010	76
5X77	73.31	8820-1014	77
5X78	73.73	8820-1018	78
5X79	74.39	8820-1022	79
5X80	75.21	8820-1026	80
5X81	76.03	8820-1030	81
5X82	76.86	8820-1034	82
5X83	77.52	8820-1038	83
5X84	78.34	8820-1042	84
5X85	79.16	8820-1046	85
5X86	79.98	8820-1050	86
5X87	80.64	8820-1054	87
5X88	81.48	8820-1058	88
5X89	82.30	8820-1062	89
5X90	83.12	8820-1066	90

¹⁶Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.

Minimum order quantity for 3/8" Round Endless Belts is 139 belts per size +/- 10%.

Round Endless Belts—3/8" Diameter

Part No.	Suggested List Price	Product No.	Inside Length (In.)
6X33	\$40.41	8820-1222	33
¹⁶ 6X33 1/2	41.22	8820-1225	33 1/2
¹⁶ 6X34	41.22	8820-1226	34
6X35	42.07	8820-1230	35
¹⁶ 6X36	42.89	8820-1234	36
6X37	43.70	8820-1238	37
6X38	44.52	8820-1242	38
6X39	45.36	8820-1246	39
6X40	46.18	8820-1250	40
6X41	47.00	8820-1254	41
6X42	47.83	8820-1258	42
6X43	48.65	8820-1262	43
6X44	49.47	8820-1266	44
6X45	49.90	8820-1270	45
6X46	51.13	8820-1274	46
6X47	51.95	8820-1278	47
6X48	52.77	8820-1282	48
6X49	53.61	8820-1286	49
6X50	54.43	8820-1290	50
6X51	55.25	8820-1294	51
6X52	56.08	8820-1298	52
6X53	56.89	8820-1302	53
6X54	57.71	8820-1306	54
6X55	58.56	8820-1310	55
6X56	59.38	8820-1314	56
6X57	60.20	8820-1318	57
6X58	61.02	8820-1322	58
6X59	61.86	8820-1326	59
6X60	62.68	8820-1330	60
6X61	63.50	8820-1334	61

Part No.	Suggested List Price	Product No.	Inside Length (In.)
6X62	\$64.33	8820-1338	62
6X63	65.15	8820-1342	63
6X64	65.97	8820-1346	64
6X65	66.80	8820-1350	65
6X66	67.62	8820-1354	66
6X67	68.44	8820-1358	67
6X68	69.29	8820-1362	68
6X69	70.11	8820-1366	69
6X70	70.91	8820-1370	70
6X71	71.73	8820-1374	71
6X72	72.57	8820-1378	72
6X73	73.39	8820-1382	73
6X74	74.21	8820-1386	74
6X75	75.06	8820-1390	75
6X76	75.88	8820-1394	76
6X77	76.69	8820-1398	77
6X78	77.52	8820-1402	78
6X79	78.34	8820-1406	79
6X80	79.16	8820-1410	80
6X81	79.98	8820-1414	81
6X82	80.82	8820-1418	82
6X83	81.64	8820-1422	83
6X84	82.46	8820-1426	84
6X85	83.30	8820-1430	85
6X86	84.12	8820-1434	86
6X87	84.94	8820-1438	87
6X88	85.77	8820-1442	88
¹⁶ 6X89	86.59	8820-1446	89
6X90	87.41	8820-1460	90
6X91	88.25	8820-1454	91

Part No.	Suggested List Price	Product No.	Inside Length (In.)
6X92	\$89.07	8820-1458	92
6X93	89.89	8820-1462	93
6X94	90.70	8820-1466	94
6X95	91.55	8820-1470	95
⁶ 6X96	92.37	8820-1474	96
⁶ 6X97	93.17	8820-1478	97
⁶ 6X98	94.01	8820-1486	98
6X99	94.83	8820-1482	99
6X100	95.65	8820-1490	100
6X101	96.50	8820-1494	101
6X102	97.32	8820-1498	102
6X103	98.13	8820-1502	103
6X104	98.95	8820-1506	104
6X105	99.79	8820-1510	105
6X106	100.60	8820-1514	106
6X107	101.42	8820-1518	107
6X108	102.27	8820-1522	108
6X109	103.08	8820-1526	109
6X110	103.89	8820-1530	110
6X111	104.74	8820-1534	111
6X112	105.56	8820-1538	112
6X113	106.38	8820-1542	113
6X114	107.21	8820-1546	114
6X115	108.03	8820-1550	115
6X116	108.85	8820-1554	116
6X117	109.66	8820-1558	117
6X118	110.51	8820-1562	118
6X119	111.33	8820-1566	119
6X120	112.15	8820-1570	120

¹⁶Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.

Prices Subject To Change Without Notice





Round Endless Belts

Product No. Series 8820 (continued)

Round Endless Belts—7/16" Diameter

Minimum order quantity for 7/16" Round Endless Belts is 115 belts per size +/- 10%.

Part No.	Suggested List Price	Product No.	Inside Length (In.)
7X33	\$46.34	8820-1831	33
7X34	46.34	8820-1835	34
7X35	46.34	8820-1839	35
¹⁶ 7X36	46.34	8820-1843	36
7X37	47.17	8820-1847	37
7X38	48.17	8820-1851	38
7X39	48.99	8820-1859	39
7X40	49.99	8820-1841	40
7X41	50.81	8820-1863	41
7X42	51.80	8820-1867	42
7X43	52.62	8820-1871	43
7X44	53.61	8820-1875	44
7X45	54.43	8820-1879	45
7X46	55.42	8820-1883	46
7X47	56.24	8820-1887	47
7X48	57.24	8820-1891	48
7X49	57.89	8820-1895	49
7X50	59.04	8820-1899	50
7X51	60.04	8820-1903	51
7X52	60.86	8820-1907	52
7X53	61.68	8820-1911	53
7X54	62.68	8820-1915	54
7X55	63.50	8820-1919	55
7X56	64.48	8820-1923	56
7X57	65.30	8820-1927	57

Part No.	Suggested List Price	Product No.	Inside Length (In.)
7X58	\$66.30	8820-1931	58
7X59	67.13	8820-1935	59
7X60	63.53	8820-1939	60
7X61	68.95	8820-1943	61
7X62	69.92	8820-1947	62
7X63	70.77	8820-1951	63
7X64	71.73	8820-1955	64
7X65	72.57	8820-1959	65
7X66	73.57	8820-1963	66
7X67	74.39	8820-1967	67
7X68	75.38	8820-1971	68
7X69	76.19	8820-1975	69
7X70	77.20	8820-1979	70
7X71	78.01	8820-1983	71
7X72	79.02	8820-1987	72
7X73	79.82	8820-1991	73
7X74	80.82	8820-1995	74
7X75	81.64	8820-1999	75
7X76	82.64	8820-2003	76
7X77	83.46	8820-2007	77
¹⁶ 7X77 ^{1/4}	83.46	8820-2008	77 ^{1/4}
7X78	84.45	8820-2011	78
7X79	85.10	8820-2015	79
7X80	86.26	8820-2019	80
7X81	87.08	8820-2023	81

Part No.	Suggested List Price	Product No.	Inside Length (In.)
7X82	\$87.74	8820-2027	82
7X83	88.89	8820-2031	83
7X84	89.89	8820-2035	84
7X85	90.70	8820-2039	85
7X86	91.69	8820-2043	86
7X87	92.54	8820-2047	87
7X88	93.51	8820-2051	88
7X89	94.35	8820-2055	89
7X90	95.33	8820-2059	90
7X91	96.16	8820-2063	91
7X92	97.13	8820-2067	92
7X93	97.98	8820-2071	93
7X94	98.95	8820-2075	94
7X95	99.79	8820-2079	95
7X96	100.78	8820-2083	96
7X97	101.60	8820-2087	97
7X98	102.60	8820-2091	98
7X99	103.42	8820-2095	99
7X100	104.40	8820-2099	100
7X101	105.22	8820-2103	101
7X102	106.22	8820-2107	102
7X103	107.04	8820-2111	103
7X104	108.03	8820-2115	104
7X105	108.85	8820-2119	105
7X106	109.85	8820-2123	106

¹⁶Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.

SPECIALTY BELTS

Round Endless Belts—1/2" Diameter

Minimum order quantity for 1/2" Round Endless Belts is 95 belts per size +/- 10%.

Part No.	Suggested List Price	Product No.	Inside Length (In.)
8X53	\$67.95	8820-2685	53
8X54	68.95	8820-2689	54
8X55	69.92	8820-2693	55
8X56	70.91	8820-2697	56
8X57	71.91	8820-2701	57
8X58	73.31	8820-2705	58
8X59	73.88	8820-2709	59
8X61	75.88	8820-2717	61
8X62	77.12	8820-2721	62
8X63	77.83	8820-2725	63
8X64	78.83	8820-2729	64
8X65	79.50	8820-2733	65
8X66	80.82	8820-2737	66
8X67	81.82	8820-2741	67
8X68	82.78	8820-2745	68
8X69	83.78	8820-2749	69
8X70	84.78	8820-2753	70
8X71	85.77	8820-2757	71

Part No.	Suggested List Price	Product No.	Inside Length (In.)
8X72	\$86.74	8820-2761	72
8X73	87.74	8820-2765	73
8X74	88.73	8820-2769	74
8X75	89.73	8820-2773	75
8X76	90.70	8820-2777	76
8X77	91.69	8820-2781	77
8X78	92.69	8820-2785	78
8X79	93.69	8820-2789	79
8X80	94.67	8820-2793	80
8X81	95.65	8820-2797	81
8X82	96.55	8820-2801	82
8X83	97.64	8820-2805	83
8X84	98.63	8820-2809	84
8X85	99.62	8820-2813	85
8X86	100.60	8820-2817	86
8X87	101.60	8820-2821	87
8X88	102.60	8820-2825	88
8X89	103.58	8820-2829	89

Part No.	Suggested List Price	Product No.	Inside Length (In.)
8X90	\$103.74	8820-2833	90
8X91	105.56	8820-2837	91
8X92	106.55	8820-2841	92
8X93	107.53	8820-2845	93
8X94	108.53	8820-2849	94
8X95	109.51	8820-2853	95
8X96	110.51	8820-2857	96
8X97	111.51	8820-2861	97
8X98	112.47	8820-2865	98
8X99	113.47	8820-2869	99
8X100	114.47	8820-2873	100
8X101	115.46	8820-2877	101
8X102	116.43	8820-2881	102
8X103	117.44	8820-2885	103
8X104	118.42	8820-2889	104
8X105	119.42	8820-2893	105
8X106	120.39	8820-2897	106

Prices Subject To Change Without Notice





Round Endless Belts

Product No. Series 8820 (continued)

Minimum order quantity for 9/16" Round Endless Belts is 87 belts per size +/- 10%.

Round Endless Belts—9/16" Diameter

Part No.	Suggested List Price	Product No.	Inside Length (In.)	Part No.	Suggested List Price	Product No.	Inside Length (In.)	Part No.	Suggested List Price	Product No.	Inside Length (In.)
¹⁶ 9X41 ³ / ₈	\$60.27	8820-3217	41 ³ / ₈	9X81	\$100.12	8820-3335	81	9X114	\$134.43	8820-3434	114
9X49	66.97	8820-3239	49	9X82	101.09	8820-3338	82	9X115	135.41	8820-3437	115
9X50	67.95	8820-3242	50	9X83	102.27	8820-3341	83	9X116	136.39	8820-3440	116
9X51	69.11	8820-3245	51	9X84	103.24	8820-3344	84	9X118	138.54	8820-3446	118
9X52	70.11	8820-3248	52	9X85	104.24	8820-3347	85	9X119	139.54	8820-3449	119
9X53	71.09	8820-3251	53	9X86	105.38	8820-3350	86	¹⁶ 9X120	140.53	8820-3452	120
¹⁶ 9X54	72.06	8820-3254	54	9X87	106.38	8820-3353	87	¹⁶ 9X128	148.52	8820-3488	128
9X55	73.24	8820-3257	55	9X88	107.37	8820-3356	88	¹⁶ 9X129 ³ / ₄	150.84	8820-3439	129 ³ / ₄
9X56	74.21	8820-3260	56	9X89	108.36	8820-3359	89	¹⁶ 9X135	155.50	8820-3489	135
9X57	75.21	8820-3263	57	¹⁶ 9X90	109.51	8820-3362	90	¹⁶ 9X144	164.48	8820-3458	144
9X58	76.35	8820-3266	58	9X91	110.51	8820-3365	91	¹⁶ 9X148	169.05	8820-3490	148
9X59	77.35	8820-3269	59	9X92	111.51	8820-3368	92	¹⁶ 9X155	175.45	8820-3460	155
9X60	78.34	8820-3272	60	9X93	112.47	8820-3371	93	¹⁶ 9X166	186.43	8820-3491	166
9X61	79.34	8820-3275	61	9X94	113.62	8820-3374	94	¹⁶ 9X172	192.41	8820-4281	172
9X62	80.50	8820-3278	62	9X95	114.62	8820-3377	95	¹⁶ 9X176	196.40	8820-3492	176
9X63	81.48	8820-3281	63	9X96	115.62	8820-3380	96	¹⁶ 9X190	210.36	8820-3493	190
9X64	82.46	8820-3284	64	9X97	116.77	8820-3383	97	¹⁶ 9X200	220.35	8820-3469	200
9X65	83.63	8820-3287	65	9X98	117.75	8820-3386	98	¹⁶ 9X210	230.31	8820-3486	210
9X66	84.60	8820-3290	66	9X99	118.76	8820-3389	99	¹⁶ 9X233	253.26	8820-3470	233
9X67	85.60	8820-3293	67	9X100	119.90	8820-3392	100	¹⁶ 9X250	270.22	8820-3494	250
9X68	86.59	8820-3296	68	9X101	120.90	8820-3395	101	¹⁶ 9X270	290.17	8820-3471	270
9X69	87.74	8820-3299	69	9X102	121.89	8820-3398	102	¹⁶ 9X308	328.08	8820-3472	308
9X70	88.73	8820-3302	70	9X103	122.86	8820-3401	103	¹⁶ 9X331	351.01	8820-3473	331
9X71	89.73	8820-3305	71	9X104	124.04	8820-3404	104	¹⁶ 9X345	364.98	8820-3495	345
9X72	90.88	8820-3308	72	9X105	125.02	8820-3407	105	¹⁶ 9X386	405.90	8820-3474	386
9X73	91.87	8820-3311	73	9X106	126.01	8820-3485	106	¹⁶ 9X416	435.81	8820-3475	416
9X74	92.85	8820-3314	74	9X107	127.16	8820-3413	107	¹⁶ 9X447	466.74	8820-3484	447
9X75	94.39	8820-3317	75	9X108	128.15	8820-3416	108	¹⁶ 9X465	484.69	8820-3476	465
9X76	94.99	8820-3320	76	9X109	129.15	8820-3419	109	¹⁶ 9X564	583.45	8820-3477	564
9X77	95.99	8820-3323	77	9X110	130.15	8820-3422	110	¹⁶ 9X660	679.22	8820-3478	660
9X78	96.98	8820-3326	78	9X111	131.29	8820-3425	111				
9X79	98.13	8820-3329	79	¹⁶ 9X112	132.29	8820-3428	112				
9X80	99.12	8820-3332	80	9X113	133.25	8820-3429	113				

SPECIALTY BELTS

¹⁶Stocked and minimum order quantities are not required. All others are Made-To-Order and lead times and minimum production quantities may apply. Contact Customer Service for availability.

Prices Subject To Change Without Notice





Dry Can Belts

Dry Can belts have a unique deep-groove, double-V, CC section design.

Markets/Applications

Specifically designed for textile drying machines.

Features/Advantages

- Meets RMA **oil and heat resistant** standards.
- Meets RMA **static conductivity** requirements.

Recommended Sheaves

Multi-Duty Sheaves-C Section

Notes

Dry Can Belts are Standard/Nonstock. Contact Customer Service for availability.



Product No. Series 7763

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
CC240DG	\$467.06	7763-0240	242.0	6.21
CC255DG	499.01	7763-0255	257.0	6.55
CC270DG	527.10	7763-0270	272.0	6.96
CC330DG	643.41	7763-0330	332.0	8.89
CC360DG	701.53	7763-0360	362.0	11.90
CC390DG	760.95	7763-0390	392.0	12.50
CC408DG	803.77	7763-0408	410.0	13.80
CC420DG	819.72	7763-0420	422.0	13.80
CC440DG	862.54	7763-0440	442.0	14.20
CC450DG	880.75	7763-0450	452.0	15.20
CC470DG	929.64	7763-0470	472.0	16.00
CC480DG	941.78	7763-0480	482.0	16.50
CC540DG	1062.52	7763-0540	542.0	18.60
CC550DG	1086.49	7763-0550	552.0	19.00

Part No.	Suggested List Price	Product No.	Belt Nominal E.L. (In.)	Wt. Ea. (Lbs.)
CC578DG	\$1143.67	7763-0578	580.0	19.50
CC600DG	1182.64	7763-0600	602.0	20.60
CC640DG	1249.10	7763-0640	642.0	21.30
CC660DG	1300.21	7763-0660	662.0	22.70
CC670DG	1330.23	7763-0670	672.0	23.05
CC680DG	1355.79	7763-0680	682.0	23.40
CC700DG	1383.28	7763-0700	702.0	24.10
CC720DG	1422.86	7763-0720	722.0	24.80
CC750DG	1483.25	7763-0750	752.0	25.80
CC780DG	1543.64	7763-0780	782.0	26.80
CC800DG	1587.72	7763-0800	802.0	27.20
CC840DG	1664.40	7763-0840	842.0	29.60
CC900DG	1788.97	7763-0900	902.0	30.20

SPECIALTY BELTS

Prices Subject To Change Without Notice

