



Poly Chain® GT® Carbon™ Belts

Poly Chain GT Carbon Belts - Nothing Tougher

Give yourself a competitive advantage by designing in the Gates Poly Chain GT Carbon drive system instead of roller chain in your next power transmission application.

The patented use of Carbon Fiber as the tensile cord in this new belt provides increased horsepower rating for greater power density and compactness and increased flexibility, allowing the use of backside idlers. When combined with Gates Poly Chain GT2 sprockets, you have a lightweight, long-lasting, maintenance-free system that's more than a match for roller chain.

Markets/Applications

All industrial markets, especially suited to replace roller chain drives. Narrow width minimizes reducer overhung loads and left-justified hubs on Poly Chain GT2 sprockets accommodate short shaft lengths.

Features/Advantages

- Maintenance-free, clean solution for roller chain drive conversion:
 - Significantly reduces maintenance costs
 - Equivalent capacity to roller chain drives in the same width
 - Easy rust-free wash-down with Gates Stainless Steel or Nickel-Plated hardware
 - Fast drive conversion payback
 - Quieter than roller chain drives
- New construction provides up to 55% more low-speed capacity than the original PCGT2 construction
- Gates **curvilinear tooth profile** provides high shear strength, noise reduction, and improved load carrying capacity.
- Robust **carbon tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity, while absorbing shock and surge loads.
- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication
- Fully operational in temperature extremes of -65° F to +185° F (-54° C to +85° C).

Recommended Sprockets

Poly Chain GT2 Sprockets—8M and 14M

Notes

Poly Chain GT Carbon belts can be used on existing drives as replacement for previous generation Poly Chain belts.


Poly Chain GT Carbon belt part numbers are identical to those of Poly Chain GT2: part number 8MGT-1000-21 denotes an 8mm pitch, 1000mm pitch length and 21mm width. The Gates product numbers have changed as noted in this catalog.

Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain GT2 belt lies within the tensile member

WARNING: Use of non-Gates manufactured sprockets is not recommended: Gates Poly Chain GT2 sprockets are manufactured, specified and tested to fully support the full capabilities of the Poly Chain GT Carbon belt. Product performance cannot be guaranteed when non-Gates sprockets are used.

All Gates warranty programs are voided on drives using non-Gates components (i.e. sprockets and/or belts).

WARNING: Always utilize Taper-Lock type Poly Chain GT2 Sprockets when designing a new Poly Chain GT Carbon belt drive system with the Poly Chain GT2 horsepower rating tables.



POLY CHAIN BELTS

Prices Subject To Change Without Notice





Poly Chain® GT® Carbon™ Belts

Product No. Series 9274

8mm Pitch — 12mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-640-12	\$36.28	9274-0080	80	25.20	.08
8MGT-720-12	40.32	9274-0090	90	28.35	.08
8MGT-800-12	44.35	9274-0100	100	31.50	.10
8MGT-896-12	48.38	9274-0112	112	35.28	.12
8MGT-960-12	52.41	9274-0120	120	37.80	.13
8MGT-1000-12	52.41	9274-0125	125	39.37	.13
8MGT-1040-12	54.71	9274-0130	130	40.95	.14
8MGT-1120-12	56.48	9274-0140	140	44.09	.15
8MGT-1200-12	57.84	9274-0150	150	47.24	.16
8MGT-1224-12	61.23	9274-0153	153	48.19	.17
8MGT-1280-12	61.71	9274-0160	160	50.39	.17
8MGT-1440-12	64.95	9274-0180	180	56.69	.19
8MGT-1600-12	68.76	9274-0200	200	62.99	.21
8MGT-1760-12	74.78	9274-0220	220	69.29	.22
8MGT-1792-12	76.39	9274-0224	224	70.55	.23

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-2000-12	\$84.06	9274-0250	250	78.74	.26
8MGT-2200-12	98.21	9274-0275	275	86.61	.29
8MGT-2240-12	99.32	9274-0280	280	88.19	.29
8MGT-2400-12	103.13	9274-0300	300	94.49	.31
8MGT-2520-12	105.94	9274-0315	315	99.21	.33
8MGT-2600-12	107.80	9274-0325	325	102.36	.34
8MGT-2800-12	109.06	9274-0350	350	110.24	.36
8MGT-2840-12	109.73	9274-0355	355	111.81	.37
8MGT-3048-12	122.19	9274-0381	381	120.00	.40
8MGT-3200-12	128.76	9274-0400	400	125.98	.42
8MGT-3280-12	132.82	9274-0410	410	129.13	.43
8MGT-3600-12	140.00	9274-0450	450	141.73	.52
8MGT-4000-12	155.13	9274-0500	500	157.48	.54
8MGT-4400-12	166.91	9274-0550	550	173.23	.57
8MGT-4480-12	170.26	9274-0560	560	176.38	.58

POLY CHAIN BELTS

8mm Pitch — 21mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-640-21	\$64.51	9274-1080	80	25.20	.15
8MGT-720-21	68.55	9274-1090	90	28.35	.16
8MGT-800-21	80.62	9274-1100	100	31.50	.18
8MGT-896-21	84.66	9274-1112	112	35.28	.20
8MGT-960-21	91.76	9274-1120	120	37.80	.22
8MGT-1000-21	92.74	9274-1125	125	39.37	.23
8MGT-1040-21	94.82	9274-1130	130	40.95	.24
8MGT-1120-21	96.77	9274-1140	140	44.09	.26
8MGT-1200-21	100.27	9274-1150	150	47.24	.27
8MGT-1224-21	102.39	9274-1153	153	48.19	.29
8MGT-1280-21	104.12	9274-1160	160	50.39	.29
8MGT-1440-21	110.79	9274-1180	180	56.69	.33
8MGT-1600-21	118.42	9274-1200	200	62.99	.36
8MGT-1760-21	128.01	9274-1220	220	69.29	.41
8MGT-1792-21	129.87	9274-1224	224	70.55	.43

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-2000-21	\$145.16	9274-1250	250	78.74	.46
8MGT-2200-21	166.42	9274-1275	275	86.61	.50
8MGT-2240-21	171.89	9274-1280	280	88.19	.51
8MGT-2400-21	179.56	9274-1300	300	94.49	.55
8MGT-2520-21	181.62	9274-1315	315	99.21	.57
8MGT-2600-21	187.57	9274-1325	325	102.36	.59
8MGT-2800-21	191.90	9274-1350	350	110.24	.64
8MGT-2840-21	192.97	9274-1355	355	111.81	.65
8MGT-3048-21	211.47	9274-1381	381	120.00	.69
8MGT-3200-21	223.23	9274-1400	400	125.98	.82
8MGT-3280-21	233.96	9274-1410	410	129.13	.75
8MGT-3600-21	245.94	9274-1450	450	141.73	.82
8MGT-4000-21	268.64	9274-1500	500	157.48	.91
8MGT-4400-21	289.69	9274-1550	550	173.23	1.00
8MGT-4480-21	295.11	9274-1560	560	176.38	1.02

8mm Pitch — 36mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-640-36	\$108.85	9274-2080	80	25.20	0.25
8MGT-720-36	116.93	9274-2090	90	28.35	0.28
8MGT-800-36	125.00	9274-2100	100	31.50	0.31
8MGT-896-36	137.07	9274-2112	112	35.28	0.35
8MGT-960-36	151.24	9274-2120	120	37.80	0.37
8MGT-1000-36	153.20	9274-2125	125	39.37	0.39
8MGT-1040-36	156.27	9274-2130	130	40.95	0.41
8MGT-1120-36	161.26	9274-2140	140	44.09	0.44
8MGT-1200-36	161.98	9274-2150	150	47.24	0.47
8MGT-1224-36	167.56	9274-2153	153	48.19	0.48
8MGT-1280-36	169.68	9274-2160	160	50.39	0.50
8MGT-1440-36	183.37	9274-2180	180	56.69	0.56
8MGT-1600-36	202.46	9274-2200	200	62.99	0.62
8MGT-1760-36	220.01	9274-2220	220	69.29	0.70
8MGT-1792-36	221.53	9274-2224	224	70.55	0.70

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-2000-36	\$244.48	9274-2250	250	78.74	0.78
8MGT-2200-36	280.21	9274-2275	275	86.61	0.86
8MGT-2240-36	282.67	9274-2280	280	88.19	0.87
8MGT-2400-36	294.12	9274-2300	300	94.49	0.94
8MGT-2520-36	302.66	9274-2315	315	99.21	0.98
8MGT-2600-36	311.91	9274-2325	325	102.36	1.02
8MGT-2800-36	318.90	9274-2350	350	110.24	1.09
8MGT-2840-36	321.59	9274-2355	355	111.81	1.11
8MGT-3048-36	345.20	9274-2381	381	120.00	1.19
8MGT-3200-36	363.22	9274-2400	400	125.98	1.25
8MGT-3280-36	371.00	9274-2410	410	129.13	1.28
8MGT-3600-36	401.06	9274-2450	450	141.73	1.41
8MGT-4000-36	438.89	9274-2500	500	157.48	1.56
8MGT-4400-36	476.58	9274-2550	550	173.23	1.72
8MGT-4480-36	480.51	9274-2560	560	176.38	1.75

Prices Subject To Change Without Notice





Poly Chain® GT® Carbon™ Belts

Product No. Series 9274 (continued)

8mm Pitch — 62mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-640-62	\$181.43	9274-3080	80	25.20	.43
8MGT-720-62	193.52	9274-3090	90	28.35	.48
8MGT-800-62	213.67	9274-3100	100	31.50	.54
8MGT-896-62	225.77	9274-3112	112	35.28	.60
8MGT-960-62	255.20	9274-3120	120	37.80	.65
8MGT-1000-62	258.03	9274-3125	125	39.37	.67
8MGT-1040-62	265.96	9274-3130	130	40.95	.69
8MGT-1120-62	270.14	9274-3140	140	44.09	.75
8MGT-1200-62	273.80	9274-3150	150	47.24	.81
8MGT-1224-62	278.42	9274-3153	153	48.19	.82
8MGT-1280-62	289.22	9274-3160	160	50.39	.86
8MGT-1440-62	313.23	9274-3180	180	56.69	.97
8MGT-1600-62	339.97	9274-3200	200	62.99	1.08
8MGT-1760-62	371.00	9274-3220	220	69.29	1.17
8MGT-1792-62	378.18	9274-3224	224	70.55	1.21

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-2000-62	\$416.36	9274-3250	250	78.74	1.35
8MGT-2200-62	476.54	9274-3275	275	86.61	1.48
8MGT-2240-62	488.96	9274-3280	280	88.19	1.51
8MGT-2400-62	511.87	9274-3300	300	94.49	1.61
8MGT-2520-62	525.91	9274-3315	315	99.21	1.70
8MGT-2600-62	543.61	9274-3325	325	102.36	1.75
8MGT-2800-62	552.67	9274-3350	350	110.24	1.88
8MGT-2840-62	556.18	9274-3355	355	111.81	1.91
8MGT-3048-62	616.86	9274-3381	381	120.00	2.15
8MGT-3200-62	635.60	9274-3400	400	125.98	2.16
8MGT-3280-62	671.28	9274-3410	410	129.13	2.21
8MGT-3600-62	707.54	9274-3450	450	141.73	2.42
8MGT-4000-62	768.05	9274-3500	500	157.48	2.69
8MGT-4400-62	818.68	9274-3550	550	173.23	2.96
8MGT-4480-62	843.71	9274-3560	560	176.38	3.01

14mm Pitch — 20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-20	\$184.03	9274-4071	71	39.13	.33
14MGT-1120-20	202.43	9274-4080	80	44.09	.39
14MGT-1190-20	213.44	9274-4085	85	46.85	.40
14MGT-1260-20	220.83	9274-4090	90	49.61	.42
14MGT-1400-20	228.20	9274-4100	100	55.12	.47
14MGT-1568-20	239.23	9274-4112	112	61.73	.53
14MGT-1610-20	245.64	9274-4115	115	63.39	.55
14MGT-1750-20	253.91	9274-4125	125	68.90	.59
14MGT-1890-20	264.45	9274-4135	135	74.41	.64
14MGT-1960-20	268.65	9274-4140	140	77.17	.66
14MGT-2100-20	290.74	9274-4150	150	82.68	.71
14MGT-2240-20	309.14	9274-4160	160	88.19	.75
14MGT-2310-20	318.80	9274-4165	165	90.95	.79
14MGT-2380-20	323.86	9274-4170	170	93.70	.80

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2450-20	\$333.39	9274-4175	175	96.46	.84
14MGT-2520-20	338.59	9274-4180	180	99.21	.85
14MGT-2590-20	347.99	9274-4185	185	101.97	.88
14MGT-2660-20	360.65	9274-4190	190	104.72	.89
14MGT-2800-20	379.07	9274-4200	200	110.24	.94
14MGT-3136-20	397.43	9274-4224	224	123.46	1.05
14MGT-3304-20	430.59	9274-4236	236	130.08	1.11
14MGT-3360-20	437.90	9274-4240	240	132.28	1.12
14MGT-3500-20	452.67	9274-4250	250	137.80	1.18
14MGT-3850-20	467.44	9274-4275	275	151.58	1.28
14MGT-3920-20	471.07	9274-4280	280	154.33	1.32
14MGT-4326-20	519.87	9274-4309	309	170.32	1.43
14MGT-4410-20	526.30	9274-4315	315	173.62	1.48

14mm Pitch — 37mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-37	\$338.59	9274-5071	71	39.13	.62
14MGT-1120-37	375.38	9274-5080	80	44.09	.69
14MGT-1190-37	390.12	9274-5085	85	46.85	.74
14MGT-1260-37	408.51	9274-5090	90	49.61	.78
14MGT-1400-37	423.24	9274-5100	100	55.12	.87
14MGT-1568-37	441.64	9274-5112	112	61.73	.97
14MGT-1610-37	453.47	9274-5115	115	63.39	1.01
14MGT-1750-37	471.07	9274-5125	125	68.90	1.08
14MGT-1890-37	487.45	9274-5135	135	74.41	1.16
14MGT-1960-37	493.15	9274-5140	140	77.17	1.21
14MGT-2100-37	537.30	9274-5150	150	82.68	1.30
14MGT-2240-37	574.14	9274-5160	160	88.19	1.39
14MGT-2310-37	592.08	9274-5165	165	90.95	1.43
14MGT-2380-37	596.22	9274-5170	170	93.70	1.47

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2450-37	\$613.76	9274-5175	175	96.46	1.52
14MGT-2520-37	625.67	9274-5180	180	99.21	1.56
14MGT-2590-37	643.05	9274-5185	185	101.97	1.60
14MGT-2660-37	668.78	9274-5190	190	104.72	1.65
14MGT-2800-37	702.93	9274-5200	200	110.24	1.73
14MGT-3136-37	736.09	9274-5224	224	123.46	1.94
14MGT-3304-37	794.96	9274-5236	236	130.08	2.05
14MGT-3360-37	808.44	9274-5240	240	132.28	2.08
14MGT-3500-37	831.76	9274-5250	250	137.80	2.17
14MGT-3850-37	860.33	9274-5275	275	151.58	2.38
14MGT-3920-37	872.23	9274-5280	280	154.33	2.43
14MGT-4326-37	962.58	9274-5309	309	170.32	2.68
14MGT-4410-37	971.62	9274-5315	315	173.62	2.73

Prices Subject To Change Without Notice





Poly Chain® GT® Carbon™ Belts

Product No. Series 9274 (continued)

14mm Pitch — 68mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-68	\$596.22	9274-6071	71	39.13	1.13
14MGT-1120-68	658.75	9274-6080	80	44.09	1.27
14MGT-1190-68	691.92	9274-6085	85	46.85	1.35
14MGT-1260-68	721.32	9274-6090	90	49.61	1.43
14MGT-1400-68	754.48	9274-6100	100	55.12	1.59
14MGT-1568-68	783.00	9274-6112	112	61.73	1.78
14MGT-1610-68	803.97	9274-6115	115	63.39	1.82
14MGT-1750-68	839.13	9274-6125	125	68.90	1.99
14MGT-1890-68	862.94	9274-6135	135	74.41	2.15
14MGT-1960-68	879.61	9274-6140	140	77.17	2.23
14MGT-2100-68	964.23	9274-6150	150	82.68	2.39
14MGT-2240-68	1026.78	9274-6160	160	88.19	2.55
14MGT-2310-68	1058.87	9274-6165	165	90.95	2.63
14MGT-2380-68	1067.27	9274-6170	170	93.70	2.71

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2450-68	\$1098.66	9274-6175	175	96.46	2.79
14MGT-2520-68	1122.51	9274-6180	180	99.21	2.87
14MGT-2590-68	1153.69	9274-6185	185	101.97	2.95
14MGT-2660-68	1199.80	9274-6190	190	104.72	3.03
14MGT-2800-68	1262.36	9274-6200	200	110.24	3.19
14MGT-3136-68	1321.26	9274-6224	224	123.46	3.57
14MGT-3304-68	1431.63	9274-6236	236	130.08	3.76
14MGT-3360-68	1455.89	9274-6240	240	132.28	3.82
14MGT-3500-68	1512.59	9274-6250	250	137.80	3.98
14MGT-3850-68	1560.68	9274-6275	275	151.58	4.38
14MGT-3920-68	1589.88	9274-6280	280	154.33	4.46
14MGT-4326-68	1754.55	9274-6309	309	170.32	4.93
14MGT-4410-68	1751.83	9274-6315	315	173.62	5.02

POLY CHAIN BELTS

14mm Pitch — 90mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-90	\$758.17	9274-7071	71	39.13	1.50
14MGT-1120-90	842.51	9274-7080	80	44.09	1.68
14MGT-1190-90	883.67	9274-7085	85	46.85	1.79
14MGT-1260-90	923.04	9274-7090	90	49.61	1.89
14MGT-1400-90	964.71	9274-7100	100	55.12	2.10
14MGT-1568-90	1005.49	9274-7112	112	61.73	2.36
14MGT-1610-90	1046.74	9274-7115	115	63.39	2.44
14MGT-1750-90	1074.78	9274-7125	125	68.90	2.63
14MGT-1890-90	1118.63	9274-7135	135	74.41	2.85
14MGT-1960-90	1131.00	9274-7140	140	77.17	2.95
14MGT-2100-90	1239.81	9274-7150	150	82.68	3.16
14MGT-2240-90	1320.66	9274-7160	160	88.19	3.37
14MGT-2310-90	1333.83	9274-7165	165	90.95	3.48
14MGT-2380-90	1375.51	9274-7170	170	93.70	3.59

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2450-90	\$1405.04	9274-7175	175	96.46	3.69
14MGT-2520-90	1446.37	9274-7180	180	99.21	3.80
14MGT-2590-90	1507.37	9274-7185	185	101.97	3.90
14MGT-2660-90	1549.24	9274-7190	190	104.72	4.01
14MGT-2800-90	1630.26	9274-7200	200	110.24	4.22
14MGT-3136-90	1709.05	9274-7224	224	123.46	4.72
14MGT-3304-90	1853.51	9274-7236	236	130.08	4.98
14MGT-3360-90	1923.17	9274-7240	240	132.28	5.06
14MGT-3500-90	1955.76	9274-7250	250	137.80	5.27
14MGT-3850-90	2025.88	9274-7275	275	151.58	5.80
14MGT-3920-90	2055.80	9274-7280	280	154.33	5.90
14MGT-4326-90	2061.06	9274-7309	309	170.32	6.52
14MGT-4410-90	2274.54	9274-7315	315	173.62	6.64

14mm Pitch — 125mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-125	\$1015.78	9274-8071	71	39.13	2.08
14MGT-1120-125	1133.51	9274-8080	80	44.09	2.34
14MGT-1190-125	1188.73	9274-8085	85	46.85	2.49
14MGT-1260-125	1243.96	9274-8090	90	49.61	2.64
14MGT-1400-125	1299.18	9274-8100	100	55.12	2.93
14MGT-1568-125	1358.03	9274-8112	112	61.73	3.28
14MGT-1610-125	1394.40	9274-8115	115	63.39	3.48
14MGT-1750-125	1450.04	9274-8125	125	68.90	3.66
14MGT-1890-125	1500.49	9274-8135	135	74.41	3.95
14MGT-1960-125	1531.00	9274-8140	140	77.17	4.10
14MGT-2100-125	1678.21	9274-8150	150	82.68	4.39
14MGT-2240-125	1792.31	9274-8160	160	88.19	4.69
14MGT-2310-125	1848.31	9274-8165	165	90.95	4.83
14MGT-2380-125	1865.92	9274-8170	170	93.70	4.98

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2450-125	\$1920.80	9274-8175	175	96.46	5.13
14MGT-2520-125	1961.61	9274-8180	180	99.21	5.27
14MGT-2590-125	2016.11	9274-8185	185	101.97	5.42
14MGT-2660-125	2105.14	9274-8190	190	104.72	5.57
14MGT-2800-125	2215.52	9274-8200	200	110.24	5.86
14MGT-3136-125	2325.96	9274-8224	224	123.46	6.56
14MGT-3304-125	2524.69	9274-8236	236	130.08	6.91
14MGT-3360-125	2567.48	9274-8240	240	132.28	7.03
14MGT-3500-125	2660.82	9274-8250	250	137.80	7.32
14MGT-3850-125	2704.31	9274-8275	275	151.58	8.05
14MGT-3920-125	2797.04	9274-8280	280	154.33	8.20
14MGT-4326-125	3086.74	9274-8309	309	170.32	9.05
14MGT-4410-125	3106.16	9274-8315	315	173.62	9.23

Prices Subject To Change Without Notice





Poly Chain® GT®2 Belts

An innovative construction combined with the Gates tooth profile makes Poly Chain GT2 belt Gates most powerful synchronous belt. Compact and lightweight, Poly Chain GT2 belt drives deliver more power in less space.

Markets/Applications

All industrial markets, but particularly suited to replace roller chain. Useful for bringing overhung load (created by rubber belt drives) on a reducer into acceptable limits.

Features/Advantages

- Thirty percent higher load carrying capacity than its predecessor (Poly Chain GT).
- Gates **patented curvilinear tooth profile** provides high shear strength, noise reduction, and improved load carrying capacity.
- Robust **aramid tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity, while absorbing shock and surge loads.
- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.
- Quieter than roller chain drives.
- Fully operational in temperature extremes of -65° F to +185° F (-54° C to +85° C).

Recommended Sprockets

Poly Chain GT2 Sprockets—8M and 14M.

Notes


Poly Chain GT2 belts can be used on existing drives as replacement for Poly Chain GT belts.

Poly Chain GT2 belt part numbers are comprised of pitch, pitch length and width. For example, part number 8MGT-1000-21 denotes an 8mm pitch, 1000mm pitch length and 21mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain GT2 belt lies within the tensile member.

WARNING: New designs must utilize the PolyChain GT2 sprockets because of the high torque capacity of the Poly Chain GT2 Belts.

WARNING: Never utilize a QD® type Poly Chain GT2 Sprocket when designing a new Poly Chain GT2 system with the Poly Chain GT2 horsepower rating tables.



Product No. Series 9275

8mm Pitch — 12mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-640-12	\$36.28	9275-0080	80	25.20	.08
8MGT-720-12	40.32	9275-0090	90	28.35	.08
8MGT-800-12	44.35	9275-0100	100	31.50	.10
8MGT-896-12	48.38	9275-0112	112	35.28	.12
8MGT-960-12	52.41	9275-0120	120	37.80	.13
8MGT-1000-12	52.41	9275-0125	125	39.37	.13
8MGT-1040-12	54.71	9275-0130	130	40.95	.14
8MGT-1120-12	56.48	9275-0140	140	44.09	.15
8MGT-1200-12	57.84	9275-0150	150	47.24	.16
8MGT-1224-12	61.23	9275-0153	153	48.19	.17
8MGT-1280-12	61.71	9275-0160	160	50.39	.17
8MGT-1440-12	64.95	9275-0180	180	56.69	.19
8MGT-1600-12	68.76	9275-0200	200	62.99	.21
8MGT-1760-12	74.78	9275-0220	220	69.29	.22
8MGT-1792-12	76.39	9275-0224	224	70.55	.23

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-2000-12	\$84.06	9275-0250	250	78.74	.26
8MGT-2200-12	98.21	9275-0275	275	86.61	.28
8MGT-2240-12	99.32	9275-0280	280	88.19	.29
8MGT-2400-12	103.13	9275-0300	300	94.49	.31
8MGT-2520-12	105.94	9275-0315	315	99.21	.33
8MGT-2600-12	107.80	9275-0325	325	102.36	.34
8MGT-2800-12	109.06	9275-0350	350	110.24	.36
8MGT-2840-12	109.73	9275-0355	355	111.81	.37
8MGT-3048-12	122.19	9275-0381	381	120.00	.40
8MGT-3200-12	128.76	9275-0400	400	125.98	.44
8MGT-3280-12	132.82	9275-0410	410	129.13	.47
8MGT-3600-12	140.00	9275-0450	450	141.73	.52
8MGT-4000-12	155.13	9275-0500	500	157.48	.55
8MGT-4400-12	166.91	9275-0550	550	173.23	.56
8MGT-4480-12	170.26	9275-0560	560	176.38	.58

Prices Subject To Change Without Notice





Poly Chain® GT®2 Belts

Product No. Series 9275 (continued)

8mm Pitch — 21mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-640-21	\$64.51	9275-1080	80	25.20	.15
8MGT-720-21	68.55	9275-1090	90	28.35	.16
8MGT-800-21	80.62	9275-1100	100	31.50	.18
8MGT-896-21	84.66	9275-1112	112	35.28	.20
8MGT-960-21	91.76	9275-1120	120	37.80	.22
8MGT-1000-21	92.74	9275-1125	125	39.37	.23
8MGT-1040-21	94.82	9275-1130	130	40.95	.24
8MGT-1120-21	96.77	9275-1140	140	44.09	.26
8MGT-1200-21	100.27	9275-1150	150	47.24	.27
8MGT-1224-21	102.39	9275-1153	153	48.19	.29
8MGT-1280-21	104.12	9275-1160	160	50.39	.29
8MGT-1440-21	110.79	9275-1180	180	56.69	.33
8MGT-1600-21	118.42	9275-1200	200	62.99	.36
8MGT-1760-21	128.01	9275-1220	220	69.29	.41
8MGT-1792-21	129.87	9275-1224	224	70.55	.43

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-2000-21	\$145.16	9275-1250	250	78.74	.46
8MGT-2200-21	166.42	9275-1275	275	86.61	.50
8MGT-2240-21	171.89	9275-1280	280	88.19	.51
8MGT-2400-21	179.56	9275-1300	300	94.49	.55
8MGT-2520-21	181.62	9275-1315	315	99.21	.57
8MGT-2600-21	187.57	9275-1325	325	102.36	.59
8MGT-2800-21	191.90	9275-1350	350	110.24	.64
8MGT-2840-21	192.97	9275-1355	355	111.81	.65
8MGT-3048-21	211.47	9275-1381	381	120.00	.69
8MGT-3200-21	223.23	9275-1400	400	125.98	.82
8MGT-3280-21	233.96	9275-1410	410	129.13	.75
8MGT-3600-21	245.94	9275-1450	450	141.73	.82
8MGT-4000-21	268.64	9275-1500	500	157.48	.91
8MGT-4400-21	289.69	9275-1550	550	173.23	1.00
8MGT-4480-21	295.11	9275-1560	560	176.38	1.02

POLY CHAIN BELTS

8mm Pitch — 36mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-640-36	\$108.85	9275-2080	80	25.20	.25
8MGT-720-36	116.93	9275-2090	90	28.35	.28
8MGT-800-36	125.00	9275-2100	100	31.50	.31
8MGT-896-36	137.07	9275-2112	112	35.28	.35
8MGT-960-36	151.24	9275-2120	120	37.80	.37
8MGT-1000-36	153.20	9275-2125	125	39.37	.39
8MGT-1040-36	156.27	9275-2130	130	40.95	.41
8MGT-1120-36	161.26	9275-2140	140	44.09	.44
8MGT-1200-36	161.98	9275-2150	150	47.24	.47
8MGT-1224-36	167.56	9275-2153	153	48.19	.48
8MGT-1280-36	169.68	9275-2160	160	50.39	.50
8MGT-1440-36	183.37	9275-2180	180	56.69	.56
8MGT-1600-36	202.46	9275-2200	200	62.99	.62
8MGT-1760-36	220.01	9275-2220	220	69.29	.70
8MGT-1792-36	221.53	9275-2224	224	70.55	.70

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-2000-36	\$244.48	9275-2250	250	78.74	.78
8MGT-2200-36	280.21	9275-2275	275	86.61	.86
8MGT-2240-36	282.67	9275-2280	280	88.19	.87
8MGT-2400-36	294.12	9275-2300	300	94.49	.94
8MGT-2520-36	302.66	9275-2315	315	99.21	.98
8MGT-2600-36	311.91	9275-2325	325	102.36	1.02
8MGT-2800-36	318.90	9275-2350	350	110.24	1.09
8MGT-2840-36	321.59	9275-2355	355	111.81	1.11
8MGT-3048-36	345.20	9275-2381	381	120.00	1.19
8MGT-3200-36	363.22	9275-2400	400	125.98	1.25
8MGT-3280-36	371.00	9275-2410	410	129.13	1.28
8MGT-3600-36	401.06	9275-2450	450	141.73	1.41
8MGT-4000-36	438.89	9275-2500	500	157.48	1.56
8MGT-4400-36	476.58	9275-2550	550	173.23	1.72
8MGT-4480-36	480.51	9275-2560	560	176.38	1.75

8mm Pitch — 62mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-640-62	\$181.43	9275-3080	80	25.20	.43
8MGT-720-62	193.52	9275-3090	90	28.35	.48
8MGT-800-62	213.67	9275-3100	100	31.50	.54
8MGT-896-62	225.77	9275-3112	112	35.28	.60
8MGT-960-62	255.20	9275-3120	120	37.80	.65
8MGT-1000-62	258.03	9275-3125	125	39.37	.67
8MGT-1040-62	265.96	9275-3130	130	40.95	.69
8MGT-1120-62	270.14	9275-3140	140	44.09	.75
8MGT-1200-62	273.80	9275-3150	150	47.24	.81
8MGT-1224-62	278.42	9275-3153	153	48.19	.82
8MGT-1280-62	289.22	9275-3160	160	50.39	.86
8MGT-1440-62	313.23	9275-3180	180	56.69	.97
8MGT-1600-62	339.97	9275-3200	200	62.99	1.08
8MGT-1760-62	371.00	9275-3220	220	69.29	1.17
8MGT-1792-62	378.18	9275-3224	224	70.55	1.21

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8MGT-2000-62	\$416.36	9275-3250	250	78.74	1.35
8MGT-2200-62	476.54	9275-3275	275	86.61	1.48
8MGT-2240-62	488.96	9275-3280	280	88.19	1.51
8MGT-2400-62	511.87	9275-3300	300	94.49	1.61
8MGT-2520-62	525.91	9275-3315	315	99.21	1.70
8MGT-2600-62	543.61	9275-3325	325	102.36	1.75
8MGT-2800-62	552.67	9275-3350	350	110.24	1.88
8MGT-2840-62	556.18	9275-3355	355	111.81	1.91
8MGT-3048-62	616.86	9275-3381	381	120.00	2.15
8MGT-3200-62	635.60	9275-3400	400	125.98	2.16
8MGT-3280-62	671.28	9275-3410	410	129.13	2.21
8MGT-3600-62	707.54	9275-3450	450	141.73	2.42
8MGT-4000-62	768.05	9275-3500	500	157.48	2.96
8MGT-4400-62	818.68	9275-3550	550	173.23	2.96
8MGT-4480-62	843.71	9275-3560	560	176.38	3.01

Prices Subject To Change Without Notice





Poly Chain® GT®2 Belts

Product No. Series 9275 (continued)

14mm Pitch — 20mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-20	\$184.03	9275-4071	71	39.13	.33
14MGT-1120-20	202.43	9275-4080	80	44.09	.39
14MGT-1190-20	213.44	9275-4085	85	46.85	.40
14MGT-1260-20	220.83	9275-4090	90	49.61	.42
14MGT-1400-20	228.20	9275-4100	100	55.12	.47
14MGT-1568-20	239.23	9275-4112	112	61.73	.53
14MGT-1610-20	245.64	9275-4115	115	63.39	.55
14MGT-1750-20	253.91	9275-4125	125	68.90	.59
14MGT-1890-20	264.45	9275-4130	135	74.41	.64
14MGT-1960-20	268.65	9275-4140	140	77.17	.66
14MGT-2100-20	290.74	9275-4150	150	82.68	.71
14MGT-2240-20	309.14	9275-4160	160	88.19	.75
14MGT-2310-20	318.80	9275-4165	165	90.95	.79
14MGT-2380-20	323.86	9275-4170	170	93.70	.80

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2450-20	\$333.39	9275-4175	175	96.46	.84
14MGT-2520-20	338.59	9275-4180	180	99.21	.85
14MGT-2590-20	347.99	9275-4185	185	101.97	.88
14MGT-2660-20	360.65	9275-4190	190	104.72	.89
14MGT-2800-20	379.07	9275-4200	200	110.24	.94
14MGT-3136-20	397.43	9275-4224	224	123.46	1.05
14MGT-3304-20	430.59	9275-4236	236	130.08	1.11
14MGT-3360-20	437.90	9275-4240	240	132.28	1.12
14MGT-3500-20	452.67	9275-4250	250	137.80	1.18
14MGT-3850-20	467.44	9275-4275	275	151.58	1.28
14MGT-3920-20	471.07	9275-4280	280	154.33	1.32
14MGT-4326-20	519.87	9275-4309	309	170.32	1.43
14MGT-4410-20	526.30	9275-4315	315	173.62	1.48

14mm Pitch — 37mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-37	\$338.59	9275-5071	71	39.13	.62
14MGT-1120-37	375.38	9275-5080	80	44.09	.69
14MGT-1190-37	390.12	9275-5085	85	46.85	.74
14MGT-1260-37	408.51	9275-5090	90	49.61	.78
14MGT-1400-37	423.24	9275-5100	100	55.12	.87
14MGT-1568-37	441.64	9275-5112	112	61.73	.97
14MGT-1610-37	453.47	9275-5115	115	63.39	1.01
14MGT-1750-37	471.07	9275-5125	125	68.90	1.08
14MGT-1890-37	487.45	9275-5130	135	74.41	1.16
14MGT-1960-37	493.15	9275-5140	140	77.17	1.21
14MGT-2100-37	537.30	9275-5150	150	82.68	1.30
14MGT-2240-37	574.14	9275-5160	160	88.19	1.39
14MGT-2310-37	592.08	9275-5165	165	90.95	1.43
14MGT-2380-37	596.22	9275-5170	170	93.70	1.47

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2450-37	\$613.76	9275-5175	175	96.46	1.52
14MGT-2520-37	625.67	9275-5180	180	99.21	1.56
14MGT-2590-37	643.05	9275-5185	185	101.97	1.60
14MGT-2660-37	668.78	9275-5190	190	104.72	1.65
14MGT-2800-37	702.93	9275-5200	200	110.24	1.73
14MGT-3136-37	736.09	9275-5224	224	123.46	1.94
14MGT-3304-37	794.96	9275-5236	236	130.08	2.05
14MGT-3360-37	808.44	9275-5240	240	132.28	2.08
14MGT-3500-37	831.76	9275-5250	250	137.80	2.17
14MGT-3850-37	860.33	9275-5275	275	151.58	2.38
14MGT-3920-37	872.23	9275-5280	280	154.33	2.43
14MGT-4326-37	962.58	9275-5309	309	170.32	2.68
14MGT-4410-37	971.62	9275-5315	315	173.62	2.73

14mm Pitch — 68mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-68	\$596.22	9275-6071	71	39.13	1.13
14MGT-1120-68	658.75	9275-6080	80	44.09	1.27
14MGT-1190-68	691.92	9275-6085	85	46.85	1.35
14MGT-1260-68	721.32	9275-6090	90	49.61	1.43
14MGT-1400-68	754.48	9275-6100	100	55.12	1.59
14MGT-1568-68	783.00	9275-6112	112	61.73	1.78
14MGT-1610-68	803.97	9275-6115	115	63.39	1.82
14MGT-1750-68	839.13	9275-6125	125	68.90	1.99
14MGT-1890-68	862.94	9275-6130	135	74.41	2.15
14MGT-1960-68	879.61	9275-6140	140	77.17	2.23
14MGT-2100-68	964.23	9275-6150	150	82.68	2.39
14MGT-2240-68	1026.78	9275-6160	160	88.19	2.55
14MGT-2310-68	1058.87	9275-6165	165	90.95	2.63
14MGT-2380-68	1067.27	9275-6170	170	93.70	2.71

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2450-68	\$1098.66	9275-6175	175	96.46	2.79
14MGT-2520-68	1122.51	9275-6180	180	99.21	2.87
14MGT-2590-68	1153.69	9275-6185	185	101.97	2.95
14MGT-2660-68	1199.80	9275-6190	190	104.72	3.03
14MGT-2800-68	1262.36	9275-6200	200	110.24	3.19
14MGT-3136-68	1321.26	9275-6224	224	123.46	3.57
14MGT-3304-68	1431.63	9275-6236	236	130.08	3.76
14MGT-3360-68	1455.89	9275-6240	240	132.28	3.82
14MGT-3500-68	1512.59	9275-6250	250	137.80	3.98
14MGT-3850-68	1560.68	9275-6275	275	151.58	4.38
14MGT-3920-68	1589.88	9275-6280	280	154.33	4.46
14MGT-4326-68	1754.55	9275-6309	309	170.32	4.93
14MGT-4410-68	1751.83	9275-6315	315	173.62	5.02

Prices Subject To Change Without Notice





Poly Chain® GT® 2 Belts

Product No. Series 9275 (continued)

14mm Pitch — 90mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-90	\$758.17	9275-7071	71	39.13	1.50
14MGT-1120-90	842.51	9275-7080	80	44.09	1.68
14MGT-1190-90	883.67	9275-7085	85	46.85	1.79
14MGT-1260-90	923.04	9275-7090	90	49.61	1.89
14MGT-1400-90	964.71	9275-7100	100	55.12	2.10
14MGT-1568-90	1005.49	9275-7112	112	61.73	2.36
14MGT-1610-90	1046.74	9275-7115	115	63.39	2.44
14MGT-1750-90	1074.78	9275-7125	125	68.90	2.63
14MGT-1890-90	1118.63	9275-7130	135	74.41	2.85
14MGT-1960-90	1131.00	9275-7140	140	77.17	2.95
14MGT-2100-90	1239.81	9275-7150	150	82.68	3.16
14MGT-2240-90	1320.66	9275-7160	160	88.19	3.37
14MGT-2310-90	1333.83	9275-7165	165	90.95	3.48
14MGT-2380-90	1375.51	9275-7170	170	93.70	3.59

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2450-90	\$1405.04	9275-7175	175	96.46	3.69
14MGT-2520-90	1446.37	9275-7180	180	99.21	3.30
14MGT-2590-90	1507.37	9275-7185	185	101.97	3.90
14MGT-2660-90	1549.24	9275-7190	190	104.72	4.01
14MGT-2800-90	1630.26	9275-7200	200	110.24	4.22
14MGT-3136-90	1709.05	9275-7224	224	123.46	4.72
14MGT-3304-90	1853.51	9275-7236	236	130.08	4.98
14MGT-3360-90	1923.17	9275-7240	240	132.28	5.06
14MGT-3500-90	1955.76	9275-7250	250	137.80	5.27
14MGT-3850-90	2025.88	9275-7275	275	151.58	5.80
14MGT-3920-90	2055.80	9275-7280	280	154.33	5.90
14MGT-4326-90	2061.06	9275-7309	309	170.32	6.52
14MGT-4410-90	2274.54	9275-7315	315	173.62	6.64

POLY CHAIN BELTS

14mm Pitch — 125mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-994-125	\$1015.78	9275-7320	71	39.13	2.08
14MGT-1120-125	1133.51	9275-7325	80	44.09	2.34
14MGT-1190-125	1188.73	9275-7330	85	46.85	2.49
14MGT-1260-125	1243.96	9275-7335	90	49.61	2.64
14MGT-1400-125	1299.18	9275-7340	100	55.12	2.93
14MGT-1568-125	1358.03	9275-7345	112	61.73	3.28
14MGT-1610-125	1394.40	9275-7347	115	63.39	3.78
14MGT-1750-125	1450.04	9275-7350	125	68.90	3.66
14MGT-1890-125	1500.49	9275-7353	135	74.41	3.95
14MGT-1960-125	1531.00	9275-7355	140	77.17	4.10
14MGT-2100-125	1678.24	9275-7360	150	82.68	4.39
14MGT-2240-125	1792.31	9275-7365	160	88.19	4.69
14MGT-2310-125	1848.31	9275-7367	165	90.95	4.83
14MGT-2380-125	1865.92	9275-7370	170	93.70	4.98

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14MGT-2450-125	\$1920.80	9275-7372	175	96.46	5.13
14MGT-2520-125	1961.61	9275-7375	180	99.21	5.27
14MGT-2590-125	2016.11	9275-7377	185	101.97	5.42
14MGT-2660-125	2105.14	9275-7380	190	104.72	5.57
14MGT-2800-125	2215.52	9275-7385	200	110.24	5.86
14MGT-3136-125	2325.96	9275-7390	224	123.46	6.56
14MGT-3304-125	2524.69	9275-7395	236	130.08	6.91
14MGT-3360-125	2567.48	9275-7397	240	132.28	7.03
14MGT-3500-125	2660.82	9275-7400	250	137.80	7.32
14MGT-3850-125	2704.31	9275-7402	275	151.58	8.05
14MGT-3920-125	2797.04	9275-7405	280	154.33	8.20
14MGT-4326-125	3086.74	9275-7407	309	170.32	9.05
14MGT-4410-125	3106.16	9275-7410	315	173.62	9.23

Prices Subject To Change Without Notice





Curve Saw Poly Chain® GT®2 Belts

An innovative construction combined with the Gates tooth profile makes the Curve Saw Belt compact and lightweight with extraordinary strength and load carrying capacity. The Curve Saw Belt can be used on the toughest shock loaded applications to reduce down time.

Markets/Applications

All industrial markets, but particularly suited for Curve Saw applications or any shock loaded application requiring synchronization.

Features/Advantages

- Gates patented curvilinear tooth profile provides high shear strength, and improved load carrying capacity.
- Unique **aramid tensile cord** combines extraordinary strength and superior shock load capacity.
- Significantly reduces log jams and associated down time.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.
- Fully operational in temperature extremes of -65°F to +185°F (-54°C to +85°C).

Recommended Sprockets

Poly Chain™ GT®2 sprockets—14M

Notes


Belt pitch is the distance in millimeters between two adjacent tooth centers as measured on the **pitch line** of the belt.

Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line.

The theoretical pitch line of a Poly Chain GT2 belt lies within the tensile member.

WARNING:

New designs must utilize the Poly Chain GT2 Sprockets because of the high torque capacity of the Curve Saw Poly Chain GT2 Belt.



Product No. Series 9279

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
14M-2520-125PS	\$2353.94	9279-0646	180	99.21	5.31
14M-3136-125PS	2791.15	9279-0647	224	123.46	6.56
14M-3304-125PS	3029.63	9279-0648	236	130.08	6.93
14M-3500-125PS	3192.99	9279-0649	250	137.80	7.37

Prices Subject To Change Without Notice



Poly Chain® GT® Belts – 5M


The original Poly Chain GT belt construction utilizes a polyurethane body combined with aramid tensile cords for increased capacity and performance.

Markets/Applications

All industrial markets requiring high-density power. Especially targeted toward machine tool, roller chain, small conveyors and compact drives where space is a problem.

Features/Advantages

- Robust **aramid tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity, while absorbing shock and surge loads.
- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.
- Gates **patented tooth profile** provides high shear strength, noise reduction, and improved load carrying capacity.
- Fully operational in temperature extremes of -65° F to +185° F (-54° C to +85° C).



POLY CHAIN BELTS

Recommended Sprockets

PowerGrip GT2 and Poly Chain GT.

Notes

5M Poly Chain GT part numbers are comprised of pitch, pitch length and width. For example, part number 5MGT-425-15 denotes a 5mm pitch, 425mm pitch length and 15mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the **pitch line** of the belt. Belt pitch length is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain GT belt lies within the tensile member.

WARNING: 5M Poly Chain GT belts must be used with 5MGT sprockets. Consult your local Gates Field Representative for drive design assistance.

Product No. Series 9270

5mm Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MGT-300-09	\$29.35	9270-5700	60	11.81	.03
5MGT-375-09	29.80	9270-5200	75	14.76	.04
5MGT-425-09	30.29	9270-5400	85	16.73	.04

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MGT-535-09	\$31.78	9270-5720	107	21.06	.05
5MGT-600-09	32.22	9270-5500	120	23.62	.06
5MGT-815-09	35.27	9270-5600	163	32.09	.06

5mm Pitch — 15mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MGT-300-15	\$38.89	9270-5680	60	11.81	.05
5MGT-375-15	39.79	9270-5250	75	14.76	.06
5MGT-425-15	40.57	9270-5425	85	16.73	.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MGT-535-15	\$42.70	9270-5730	107	21.06	.08
5MGT-600-15	43.65	9270-5525	120	23.62	.10
5MGT-815-15	47.37	9270-5625	163	32.09	.13

5mm Pitch — 25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MGT-300-25	\$64.47	9270-5710	60	11.81	.09
5MGT-375-25	66.63	9270-5300	75	14.76	.10
5MGT-425-25	68.17	9270-5450	85	16.73	.12

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MGT-535-25	\$71.69	9270-5740	107	21.06	.14
5MGT-600-25	73.18	9270-5550	120	23.62	.16
5MGT-815-25	79.47	9270-5650	163	32.09	.22

Prices Subject To Change Without Notice



Poly Chain® GT® Belts – 8M Short Length


The original Poly Chain GT belt construction utilizes a polyurethane body combined with aramid tensile cords for increased capacity and performance.

Markets/Applications

All industrial markets requiring short center distance but high-density power. Particularly suited for replacing roller chain on Roll-to-Roll conveyors.

Features/Advantages

- Robust **aramid tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity, while absorbing shock and surge loads.
- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.
- Gates **patented tooth profile** provides high shear strength, noise reduction, and improved load carrying capacity.
- Fully operational in temperature extremes of -65° F to +185° F (-54° C to +85° C).



Recommended Sprockets

Poly Chain GT2

Notes

Poly Chain GT belts must be used with sprockets of the same pitch and profile.

Poly Chain GT part numbers are comprised of pitch, pitch length and width. For example, part number 8M-248-12 denotes an 8mm pitch, 248mm pitch length and 12mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain GT belt lies within the tensile member.

Product No. Series 9270

8mm Pitch — 12mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-248-12	\$13.49	9270-0063	31	9.76	.03
8M-288-12	15.52	9270-0001	36	11.34	.04
8M-352-12	18.78	9270-0002	44	13.86	.04
8M-416-12	21.97	9270-0004	52	16.38	.05

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-456-12	\$23.84	9270-0060	57	17.95	.05
8M-480-12	24.84	9270-0015	60	18.90	.06
8M-544-12	27.88	9270-0006	68	21.42	.06
8M-608-12	30.84	9270-0050	76	23.94	.07

8mm Pitch — 21mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-248-21	\$24.01	9270-0064	31	9.76	.05
8M-288-21	27.60	9270-0056	36	11.34	.07
8M-352-21	33.40	9270-0065	44	13.86	.07
8M-416-21	39.06	9270-0025	52	16.38	.08

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-456-21	\$42.40	9270-0069	57	17.95	.09
8M-480-21	44.17	9270-0023	60	18.90	.10
8M-544-21	49.58	9270-0070	68	21.42	.11
8M-608-21	54.83	9270-0071	76	23.94	.12

8mm Pitch — 36mm Wide

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-248-36	\$40.50	9270-0072	31	9.76	.08
8M-288-36	46.56	9270-0074	36	11.34	.11
8M-352-36	56.35	9270-0073	44	13.86	.12
8M-416-36	65.91	9270-0075	52	16.38	.14

Part No.	Suggested List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
8M-456-36	\$71.53	9270-0076	57	17.95	.15
8M-480-36	74.53	9270-0066	60	18.90	.16
8M-544-36	83.64	9270-0077	68	21.42	.18
8M-608-36	92.53	9270-0079	76	23.94	.20

Prices Subject To Change Without Notice



Poly Chain® HTD® Belts


Gates original HTD tooth profile combined with Poly Chain belt construction.

Markets/Applications

Suitable for replacement of HTD belts in HTD sprockets.

Features/Advantages

- The durable **polyurethane body** resists chemicals, oil, pollutants and abrasion.
- Robust **aramid tensile cords** combine minimal stretch with extraordinary strength.
- **Nylon tooth facing** provides durable wear surface for long life.



POLY CHAIN BELTS

Recommended Sprockets—Contact the Gates Made-To-Order Metals Team.

Notes

Poly Chain HTD belts are Standard/Non-Stock and may require manufacturing lead times. Contact Customer Service for availability.

Poly Chain HTD part numbers are comprised of pitch, pitch length and width. For example, part number PC1190-14M-55 denotes "PC" for Poly Chain, 1190mm pitch length, 14mm pitch and 55mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a Poly Chain HTD belt lies within the tensile member.

Product No. Series 9258

14mm Pitch — 20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
PC966-14M-20	\$175.28	9258-0080	69	38.03	.42
PC1190-14M-20	192.82	9258-0087	85	46.85	.52
PC1400-14M-20	210.36	9258-0094	100	55.12	.60
PC1610-14M-20	224.37	9258-0101	115	63.38	.70
PC1778-14M-20	241.87	9258-0108	127	70.00	.76
PC1890-14M-20	252.43	9258-0115	135	74.40	.82
PC2100-14M-20	276.94	9258-0122	150	82.67	.92
PC2310-14M-20	294.48	9258-0129	165	90.94	1.25

14mm Pitch — 40mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
PC966-14M-40	\$350.57	9258-0082	69	38.03	.84
PC1190-14M-40	382.12	9258-0089	85	46.85	1.03
PC1400-14M-40	417.14	9258-0096	100	55.12	1.21
PC1610-14M-40	452.24	9258-0103	115	63.38	1.40
PC1778-14M-40	480.30	9258-0110	127	70.00	1.64
PC1890-14M-40	504.83	9258-0117	135	74.40	1.64
PC2100-14M-40	550.36	9258-0124	150	82.67	1.82
PC2310-14M-40	588.94	9258-0131	165	90.94	2.00

14mm Pitch — 30mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
PC966-14M-30	\$262.92	9258-0081	69	38.03	.63
PC1190-14M-30	287.46	9258-0088	85	46.85	.78
PC1400-14M-30	312.01	9258-0095	100	55.12	.91
PC1610-14M-30	340.05	9258-0102	115	63.38	1.05
PC1778-14M-30	361.08	9258-0109	127	70.00	1.15
PC1890-14M-30	378.58	9258-0116	135	74.40	1.23
PC2100-14M-30	413.68	9258-0123	150	82.67	1.37
PC2310-14M-30	441.71	9258-0130	165	90.94	1.30

14mm Pitch — 55mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
PC966-14M-55	\$459.26	9258-0083	69	38.03	1.15
PC1190-14M-55	504.83	9258-0090	85	46.85	1.42
PC1400-14M-55	553.87	9258-0097	100	55.12	1.67
PC1610-14M-55	602.99	9258-0104	115	63.38	1.92
PC1778-14M-55	641.55	9258-0111	127	70.00	2.13
PC1890-14M-55	676.62	9258-0118	135	74.40	2.26
PC2100-14M-55	736.20	9258-0125	150	82.67	2.51
PC2310-14M-55	785.27	9258-0132	165	90.94	2.76

Prices Subject To Change Without Notice



Poly Chain® HTD® Belts

Product No. Series 9258 (continued)

14mm Pitch — 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
PC966-14M-85	\$666.06	9258-0084	69	38.03	2.37
PC1190-14M-85	739.71	9258-0091	85	46.85	2.20
PC1400-14M-85	813.33	9258-0098	100	55.12	2.58
PC1610-14M-85	886.96	9258-0105	115	63.38	2.97
PC1778-14M-85	943.01	9258-0112	127	70.00	3.28
PC1890-14M-85	995.59	9258-0119	135	74.40	3.49
PC2100-14M-85	1090.26	9258-0126	150	82.67	3.88
PC2310-14M-85	1163.91	9258-0133	165	90.94	4.26

14mm Pitch — 170mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
PC966-14M-170	\$1283.07	9258-0086	69	38.03	3.56
PC1190-14M-170	1426.80	9258-0093	85	46.85	4.39
PC1400-14M-170	1570.57	9258-0100	100	55.12	5.16
PC1610-14M-170	1717.78	9258-0107	115	63.38	5.95
PC1778-14M-170	1836.97	9258-0114	127	70.00	6.56
PC1890-14M-170	1994.72	9258-0121	135	74.40	6.97
PC2100-14M-170	2124.44	9258-0128	150	82.67	7.75
PC2310-14M-170	2268.19	9258-0135	165	90.94	8.53

14mm Pitch — 115mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
PC966-14M-115	\$886.96	9258-0085	69	38.03	2.41
PC1190-14M-115	985.10	9258-0092	85	46.85	2.98
PC1400-14M-115	1083.27	9258-0099	100	55.12	3.50
PC1610-14M-115	1184.93	9258-0106	115	63.38	4.02
PC1778-14M-115	1265.54	9258-0113	127	70.00	4.45
PC1890-14M-115	1332.17	9258-0120	135	74.40	4.73
PC2100-14M-115	1461.86	9258-0127	150	82.67	5.25
PC2310-14M-115	1560.02	9258-0134	165	90.94	5.77

Prices Subject To Change Without Notice



POLY CHAIN BELTS

Eliminator® Belts


Gates Eliminator belt eliminates the competition! It's a high-performance, polyurethane, synchronous belt designed to replace an RPP® belt of the same pitch, width and comparable length (within approximately +/- .5" on center distance maximum).

Markets/Applications

Any industrial applications utilizing RPP belts and sprockets, including Goodyear® BlackhawkPd®, Browning® RPP Panther®, Carlisle/Dayco® RPP Panther Ultra and TB Wood's® QT Power Chain®.

Features/Advantages

- With durable **polyurethane construction** and robust **aramid tensile**, the Eliminator belt will last a minimum of two times longer than competitive RPP belts.
- The Eliminator **tooth profile** is designed to fit all RPP sprocket grooves, therefore it's not necessary to change sprockets, saving money on transaction costs and reducing downtime.
- **Green nylon tooth facing** reduces friction and provides durable wear surface for long life.



ELIMINATOR BELTS

Notes

Eliminator part numbers are comprised of pitch, pitch length and width. For example, part number 1280-8M-12E denotes a 1280mm pitch length, 8mm pitch, 12mm width, and "E" for Eliminator.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of an Eliminator belt lies within the tensile member.

Product No. Series 9307

8mm Pitch

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Pitch Length (In.)	Belt Width (mm)	Belt Width (In.)	Wt. Ea. (Lbs.)
640-8M-12E	\$32.30	9307-0080	80	640	25.197	12	.472	.36
640-8M-22E	62.81	9307-1080	80	640	25.197	22	.866	.42
640-8M-35E	96.14	9307-2080	80	640	25.197	35	1.378	.68
640-8M-60E	160.28	9307-3080	80	640	25.197	60	2.362	.82
720-8M-12E	35.59	9307-0090	90	720	28.346	12	.472	.37
720-8M-22E	60.49	9307-1090	90	720	28.346	22	.866	.44
720-8M-35E	103.28	9307-2090	90	720	28.346	35	1.378	.66
720-8M-60E	170.97	9307-3090	90	720	28.346	60	2.362	.84
800-8M-12E	39.14	9307-0100	100	800	31.496	12	.472	.37
800-8M-22E	71.22	9307-1100	100	800	31.496	22	.866	.46
800-8M-35E	110.36	9307-2100	100	800	31.496	35	1.378	.68
800-8M-60E	188.83	9307-3100	100	800	31.496	60	2.362	.89
896-8M-12E	41.79	9307-0112	112	896	35.276	12	.472	.39
896-8M-22E	77.17	9307-1112	112	896	35.276	22	.866	.48
896-8M-35E	116.73	9307-2112	112	896	35.276	35	1.378	.72
896-8M-60E	198.21	9307-3112	112	896	35.276	60	2.362	.95
960-8M-12E	44.52	9307-0120	120	960	37.795	12	.472	.89
960-8M-22E	79.27	9307-1120	120	960	37.795	22	.866	.99
960-8M-35E	129.79	9307-2120	120	960	37.795	35	1.378	1.22
960-8M-60E	222.47	9307-3120	120	960	37.795	60	2.362	1.47
1040-8M-12E	46.36	9307-0130	130	1040	40.945	12	.472	.90
1040-8M-22E	80.92	9307-1130	130	1040	40.945	22	.866	1.01
1040-8M-35E	136.32	9307-2130	130	1040	40.945	35	1.378	1.25
1040-8M-60E	230.80	9307-3130	130	1040	40.945	60	2.362	1.52
1120-8M-12E	49.92	9307-0140	140	1120	44.094	12	.472	.91
1120-8M-22E	85.45	9307-1140	140	1120	44.094	22	.866	1.03
1120-8M-35E	142.40	9307-2140	140	1120	44.094	35	1.378	1.28
1120-8M-60E	238.65	9307-3140	140	1120	44.094	60	2.362	1.56

Prices Subject To Change Without Notice



Eliminator® Belts

Product No. Series 9307 (continued)

8mm Pitch (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Pitch Length (In.)	Belt Width (mm)	Belt Width (In.)	Wt. Ea. (Lbs.)
1200-8M-12E	\$53.36	9307-0150	150	1200	47.244	12	.472	.92
1200-8M-22E	92.59	9307-1150	150	1200	47.244	22	.866	1.05
1200-8M-35E	149.60	9307-2150	150	1200	47.244	35	1.378	1.31
1200-8M-60E	252.87	9307-3150	150	1200	47.244	60	2.362	1.61
1224-8M-12E	54.99	9307-0153	153	1224	48.189	12	.472	.93
1224-8M-22E	95.08	9307-1153	153	1224	48.189	22	.866	1.05
1224-8M-35E	152.87	9307-2153	153	1224	48.189	35	1.378	1.32
1224-8M-60E	258.08	9307-3153	153	1224	48.189	60	2.362	1.63
1280-8M-12E	57.84	9307-0160	160	1280	50.394	12	.472	.93
1280-8M-22E	100.90	9307-1160	160	1280	50.394	22	.866	1.06
1280-8M-35E	160.17	9307-2160	160	1280	50.394	35	1.378	1.34
1280-8M-60E	273.13	9307-3160	160	1280	50.394	60	2.362	1.66
1440-8M-12E	61.35	9307-0180	180	1440	56.693	12	.472	.95
1440-8M-22E	104.98	9307-1180	180	1440	56.693	22	.866	1.10
1440-8M-35E	172.52	9307-2180	180	1440	56.693	35	1.378	1.39
1440-8M-60E	298.25	9307-3180	180	1440	56.693	60	2.362	1.76
1600-8M-12E	65.47	9307-0200	200	1600	62.992	12	.472	.97
1600-8M-22E	112.22	9307-1200	200	1600	62.992	22	.866	1.14
1600-8M-35E	192.09	9307-2200	200	1600	62.992	35	1.378	1.45
1600-8M-60E	324.70	9307-3200	200	1600	62.992	60	2.362	1.86
1760-8M-12E	70.30	9307-0220	220	1760	69.291	12	.472	.99
1760-8M-22E	118.76	9307-1220	220	1760	69.291	22	.866	1.17
1760-8M-35E	199.73	9307-2220	220	1760	69.291	35	1.378	1.51
1760-8M-60E	340.54	9307-3220	220	1760	69.291	60	2.362	1.95
1792-8M-12E	73.13	9307-0224	224	1792	70.551	12	.472	1.00
1792-8M-22E	124.35	9307-1224	224	1792	70.551	22	.866	1.18
1792-8M-35E	212.17	9307-2224	224	1792	70.551	35	1.378	1.52
1792-8M-60E	361.26	9307-3224	224	1792	70.551	60	2.362	1.97
2000-8M-12E	82.66	9307-0250	250	2000	78.740	12	.472	1.02
2000-8M-22E	143.10	9307-1250	250	2000	78.740	22	.866	1.22
2000-8M-35E	239.13	9307-2250	250	2000	78.740	35	1.378	1.59
2000-8M-60E	409.68	9307-3250	250	2000	78.740	60	2.362	2.10
2200-8M-12E	88.91	9307-0275	275	2200	86.614	12	.472	1.02
2200-8M-22E	161.95	9307-1275	275	2200	86.614	22	.866	1.28
2200-8M-35E	261.42	9307-2275	275	2200	86.614	35	1.378	1.66
2200-8M-60E	446.66	9307-2275	275	2200	86.614	60	2.362	2.22
2400-8M-12E	101.09	9307-0300	300	2400	94.488	12	.472	1.07
2400-8M-22E	169.12	9307-1300	300	2400	94.488	22	.866	1.31
2400-8M-35E	280.24	9307-2300	300	2400	94.488	35	1.378	1.74
2400-8M-60E	485.76	9307-3300	300	2400	94.488	60	2.362	2.35
2600-8M-12E	102.01	9307-0325	325	2600	102.362	12	.472	1.09
2600-8M-22E	174.50	9307-1325	325	2600	102.362	22	.866	1.36
2600-8M-35E	293.94	9307-2325	325	2600	102.362	35	1.378	1.81
2600-8M-60E	496.61	9307-3325	325	2600	102.362	60	2.362	2.47
2800-8M-12E	107.11	9307-0350	350	2800	110.236	12	.472	1.12
2800-8M-22E	180.14	9307-1350	350	2800	110.236	22	.866	1.40
2800-8M-35E	299.14	9307-2350	350	2800	110.236	35	1.378	1.88
2800-8M-60E	512.37	9307-3350	350	2800	110.236	60	2.362	2.59
3048-8M-12E	113.30	9307-0381	381	3048	120.000	12	.472	1.15
3048-8M-22E	196.66	9307-1381	381	3048	120.000	22	.866	1.44
3048-8M-35E	325.63	9307-2381	381	3048	120.000	35	1.378	1.97
3048-8M-60E	569.58	9307-3381	381	3048	120.000	60	2.362	2.74
3280-8M-12E	123.60	9307-0410	410	3280	129.134	12	.472	1.19
3280-8M-22E	211.64	9307-1410	410	3280	129.134	22	.866	1.52
3280-8M-35E	350.45	9307-2410	410	3280	129.134	35	1.378	2.08
3280-8M-60E	612.90	9307-3410	410	3280	129.134	60	2.362	2.88

ELIMINATOR BELTS

Prices Subject To Change Without Notice





Eliminator® Belts

Product No. Series 9307 (continued)

8mm Pitch (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Pitch Length (In.)	Belt Width (mm)	Belt Width (In.)	Wt. Ea. (Lbs.)
3600-8M-12E	\$131.73	9307-0450	450	3600	141.732	12	.472	2.20
3600-8M-22E	233.25	9307-1450	450	3600	141.732	22	.866	2.56
3600-8M-35E	377.51	9307-2450	450	3600	141.732	35	1.378	2.93
3600-8M-60E	666.06	9307-3450	450	3600	141.732	60	2.362	3.85
4400-8M-12E	156.74	9307-0550	550	4400	173.228	12	.472	2.29
4400-8M-22E	272.59	9307-1550	550	4400	173.228	22	.866	2.74
4400-8M-35E	445.20	9307-2550	550	4400	173.228	35	1.378	3.22
4400-8M-60E	779.07	9307-3550	550	4400	173.228	60	2.362	4.34

14mm Pitch

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Pitch Length (In.)	Belt Width (mm)	Belt Width (In.)	Wt. Ea. (Lbs.)
994-14M-20E	\$173.00	9307-4071	71	994	39.130	20	.787	1.12
994-14M-42E	308.01	9307-5071	71	994	39.130	42	1.654	1.50
994-14M-65E	561.05	9307-6071	71	994	39.130	65	2.559	2.00
994-14M-90E	713.09	9307-7071	71	994	39.130	90	3.543	2.66
994-14M-120E	955.41	9307-8071	71	994	39.130	120	4.724	3.02
1190-14M-20E	206.55	9307-4085	85	1190	46.850	20	.787	1.19
1190-14M-42E	377.51	9307-5085	85	1190	46.850	42	1.654	1.74
1190-14M-65E	669.60	9307-6085	85	1190	46.850	65	2.559	2.21
1190-14M-90E	855.24	9307-7085	85	1190	46.850	90	3.543	2.97
1190-14M-120E	1150.39	9307-8085	85	1190	46.850	120	4.724	3.58
1400-14M-20E	220.87	9307-4100	100	1400	55.118	20	.787	1.26
1400-14M-42E	409.90	9307-5100	100	1400	55.118	42	1.654	2.28
1400-14M-65E	730.11	9307-6100	100	1400	55.118	65	2.559	2.92
1400-14M-90E	933.66	9307-7100	100	1400	55.118	90	3.543	3.70
1400-14M-120E	1257.30	9307-8100	100	1400	55.118	120	4.724	4.42
1610-14M-20E	237.74	9307-4115	115	1610	63.386	20	.787	2.31
1610-14M-42E	438.80	9307-5115	115	1610	63.386	42	1.654	2.82
1610-14M-65E	778.77	9307-6115	115	1610	63.386	65	2.559	3.04
1610-14M-90E	997.29	9307-7115	115	1610	63.386	90	3.543	4.44
1610-14M-120E	1342.45	9307-8115	115	1610	63.386	120	4.724	5.27
1750-14M-20E	249.62	9307-4125	125	1750	68.898	20	.787	2.36
1750-14M-42E	463.45	9307-5125	125	1750	68.898	42	1.654	2.92
1750-14M-65E	886.00	9307-6125	125	1750	68.898	65	2.559	3.90
1750-14M-90E	1056.44	9307-7125	125	1750	68.898	90	3.543	4.66
1750-14M-120E	1425.41	9307-8125	125	1750	68.898	120	4.724	5.56
1890-14M-20E	257.06	9307-4135	135	1890	74.409	20	.787	2.41
1890-14M-42E	492.66	9307-5135	135	1890	74.409	42	1.654	3.02
1890-14M-65E	839.12	9307-6135	135	1890	74.409	65	2.559	4.06
1890-14M-90E	1089.69	9307-7135	135	1890	74.409	90	3.543	4.88
1890-14M-120E	1438.13	9307-8135	135	1890	74.409	120	4.724	5.85
2100-14M-20E	281.42	9307-4150	150	2100	82.677	20	.787	2.48
2100-14M-42E	519.97	9307-5150	150	2100	82.677	42	1.654	3.17
2100-14M-65E	933.15	9307-6150	150	2100	82.677	65	2.559	4.30
2100-14M-90E	1199.86	9307-7150	150	2100	82.677	90	3.543	5.20
2100-14M-120E	1624.12	9307-8150	150	2100	82.677	120	4.724	6.29
2310-14M-20E	304.08	9307-4165	165	2310	90.945	20	.787	2.55
2310-14M-42E	566.14	9307-5165	165	2310	90.945	42	1.654	3.33
2310-14M-65E	1013.56	9307-6165	165	2310	90.945	65	2.559	4.53
2310-14M-90E	1305.76	9307-7165	165	2310	90.945	90	3.543	5.53
2310-14M-120E	1770.77	9307-8165	165	2310	90.945	120	4.724	6.72

Prices Subject To Change Without Notice



ELIMINATOR BELTS



Eliminator® Belts

Product No. Series 9307 (continued)

14mm Pitch (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Pitch Length (In.)	Belt Width (mm)	Belt Width (In.)	Wt. Ea. (Lbs.)
2450-14M-20E	\$318.75	9307-4175	175	2450	96.457	20	.787	2.60
2450-14M-42E	589.72	9307-5175	175	2450	96.457	42	1.654	3.43
2450-14M-65E	1062.43	9307-6175	175	2450	96.457	65	2.559	4.69
2450-14M-90E	1365.93	9307-7175	175	2450	96.457	90	3.543	5.74
2450-14M-120E	1852.89	9307-8175	175	2450	96.457	120	4.724	7.22
2590-14M-20E	336.92	9307-4185	185	2590	101.968	20	.787	2.65
2590-14M-42E	627.03	9307-5185	185	2590	101.968	42	1.654	3.53
2590-14M-65E	1062.33	9307-6185	185	2590	101.968	65	2.559	4.85
2590-14M-90E	1452.02	9307-7185	185	2590	101.968	90	3.543	5.96
2590-14M-120E	1966.75	9307-8185	185	2590	101.968	120	4.724	7.30
2800-14M-20E	366.82	9307-4200	200	2800	110.236	20	.787	2.72
2800-14M-42E	680.13	9307-5200	200	2800	110.236	42	1.654	3.68
2800-14M-65E	1221.71	9307-6200	200	2800	110.236	65	2.559	5.08
2800-14M-90E	1577.76	9307-7200	200	2800	110.236	90	3.543	6.29
2800-14M-120E	2144.18	9307-8200	200	2800	110.236	120	4.724	7.73
3136-14M-20E	386.94	9307-4224	224	3136	123.465	20	.787	2.84
3136-14M-42E	715.43	9307-5224	224	3136	123.465	42	1.654	3.92
3136-14M-65E	1300.87	9307-6224	224	3136	123.465	65	2.559	5.46
3136-14M-90E	1661.92	9307-7224	224	3136	123.465	90	3.543	6.81
3136-14M-120E	2261.94	9307-8224	224	3136	123.465	120	4.724	8.34
3360-14M-20E	423.24	9307-4240	240	3360	132.283	20	.787	2.91
3360-14M-42E	782.31	9307-5240	240	3360	132.283	42	1.654	4.09
3360-14M-65E	1404.96	9307-6240	240	3360	132.283	65	2.559	5.71
3360-14M-90E	1824.74	9307-7240	240	3360	132.283	90	3.543	7.16
3360-14M-120E	2479.51	9307-8240	240	3360	132.283	120	4.724	8.89
3500-14M-20E	438.15	9307-4250	250	3500	137.795	20	.787	2.96
3500-14M-42E	804.93	9307-5250	250	3500	137.795	42	1.654	4.19
3500-14M-65E	1463.89	9307-6250	250	3500	137.795	65	2.559	5.86
3500-14M-90E	1891.87	9307-7250	250	3500	137.795	90	3.543	7.37
3500-14M-120E	2575.06	9307-8250	250	3500	137.795	120	4.724	9.18
3850-14M-20E	451.68	9307-4275	275	3850	151.575	20	.787	3.08
3850-14M-42E	828.79	9307-5275	275	3850	151.575	42	1.654	4.44
3850-14M-65E	1530.39	9307-6275	275	3850	151.575	65	2.559	6.26
3850-14M-90E	1967.54	9307-7275	275	3850	151.575	90	3.543	7.92
3850-14M-120E	2687.47	9307-8275	275	3850	151.575	120	4.724	9.91
4326-14M-20E	500.25	9307-4309	309	4326	170.315	20	.787	3.25
4326-14M-42E	922.27	9307-5309	309	4326	170.315	42	1.654	4.78
4326-14M-65E	1674.84	9307-6309	309	4326	170.315	65	2.559	6.79
4326-14M-90E	2159.41	9307-7309	309	4326	170.315	90	3.543	8.65
4326-14M-120E	2976.81	9307-8309	309	4326	170.315	120	4.724	10.89

ELIMINATOR BELTS

Prices Subject To Change Without Notice





Eliminator® Competitive Crossover

Goodyear® BlackHawk Pd®	Carlisle/Dayco® Panther® Ultra	T.B. Wood's® QT Power Chain®	Browning® RPP® Panther®	Gates Eliminator
480 8M BH 12	480PTH8M-12	480 8M 12W	480PTH8M-12	—
480 8M BH 22	480PTH8M-22	480 8M 22W	480PTH8M-22	—
480 8M BH 35	480PTH8M-35	480 8M 35W	480PTH8M-35	—
480 8M BH 60	480PTH8M-60	480 8M 60W	480PTH8M-60	—
560 8M BH 12	560PTH8M-12	560 8M 12W	560PTH8M-12	—
560 8M BH 22	560PTH8M-22	560 8M 22W	560PTH8M-22	—
560 8M BH 35	560PTH8M-35	560 8M 35W	560PTH8M-35	—
560 8M BH 60	560PTH8M-60	560 8M 60W	560PTH8M-60	—
600 8M BH 12	600PTH8M-12	600 8M 12W	600PTH8M-12	—
600 8M BH 22	600PTH8M-22	600 8M 22W	600PTH8M-22	—
600 8M BH 35	600PTH8M-35	600 8M 35W	600PTH8M-35	—
600 8M BH 60	600PTH8M-60	600 8M 60W	600PTH8M-60	—
640 8M BH 12	640PTH8M-12	640 8M 12W	640PTH8M-12	640-8M-12E
640 8M BH 22	640PTH8M-22	640 8M 22W	640PTH8M-22	640-8M-22E
640 8M BH 35	640PTH8M-35	640 8M 35W	640PTH8M-35	640-8M-35E
640 8M BH 60	640PTH8M-60	640 8M 60W	640PTH8M-60	640-8M-60E
720 8M BH 12	720PTH8M-12	720 8M 12W	720PTH8M-12	720-8M-12E
720 8M BH 22	720PTH8M-22	720 8M 22W	720PTH8M-22	720-8M-22E
720 8M BH 35	720PTH8M-35	720 8M 35W	720PTH8M-35	720-8M-35E
720 8M BH 60	720PTH8M-60	720 8M 60W	720PTH8M-60	720-8M-60E
800 8M BH 12	800PTH8M-12	800 8M 12W	800PTH8M-12	800-8M-12E
800 8M BH 22	800PTH8M-22	800 8M 22W	800PTH8M-22	800-8M-22E
800 8M BH 35	800PTH8M-35	800 8M 35W	800PTH8M-35	800-8M-35E
800 8M BH 60	800PTH8M-60	800 8M 60W	800PTH8M-60	800-8M-60E
880 8M BH 12	880PTH8M-12	880 8M 12W	880PTH8M-12	896-8M-12E
880 8M BH 22	880PTH8M-22	880 8M 22W	880PTH8M-22	896-8M-22E
880 8M BH 35	880PTH8M-35	880 8M 35W	880PTH8M-35	896-8M-35E
880 8M BH 60	880PTH8M-60	880 8M 60W	880PTH8M-60	896-8M-60E
960 8M BH 12	960PTH8M-12	960 8M 12W	960PTH8M-12	960-8M-12E
960 8M BH 22	960PTH8M-22	960 8M 22W	960PTH8M-22	960-8M-22E
960 8M BH 35	960PTH8M-35	960 8M 35W	960PTH8M-35	960-8M-35E
960 8M BH 60	960PTH8M-60	960 8M 60W	960PTH8M-60	960-8M-60E
1040 8M BH 12	1040PTH8M-12	1040 8M 12W	1040PTH8M-12	1040-8M-12E
1040 8M BH 22	1040PTH8M-22	1040 8M 22W	1040PTH8M-22	1040-8M-22E
1040 8M BH 35	1040PTH8M-35	1040 8M 35W	1040PTH8M-35	1040-8M-35E
1040 8M BH 60	1040PTH8M-60	1040 8M 60W	1040PTH8M-60	1040-8M-60E
1120 8M BH 12	1120PTH8M-12	1120 8M 12W	1120PTH8M-12	1120-8M-12E
1120 8M BH 22	1120PTH8M-22	1120 8M 22W	1120PTH8M-22	1120-8M-22E
1120 8M BH 35	1120PTH8M-35	1120 8M 35W	1120PTH8M-35	1120-8M-35E
1120 8M BH 60	1120PTH8M-60	1120 8M 60W	1120PTH8M-60	1120-8M-60E
1200 8M BH 12	1200PTH8M-12	1200 8M 12W	1200PTH8M-12	1200-8M-12E
1200 8M BH 22	1200PTH8M-22	1200 8M 22W	1200PTH8M-22	1200-8M-22E
1200 8M BH 35	1200PTH8M-35	1200 8M 35W	1200PTH8M-35	1200-8M-35E
1200 8M BH 60	1200PTH8M-60	1200 8M 60W	1200PTH8M-60	1200-8M-60E
—	1224PTH8M-12	—	1224PTH8M-12	1224-8M-12E
—	1224PTH8M-22	—	1224PTH8M-22	1224-8M-22E
—	1224PTH8M-35	—	1224PTH8M-35	1224-8M-35E
—	1224PTH8M-60	—	1224PTH8M-60	1224-8M-60E
1280 8M BH 12	1280PTH8M-12	1280 8M 12W	1280PTH8M-12	1280-8M-12E
1280 8M BH 22	1280PTH8M-22	1280 8M 22W	1280PTH8M-22	1280-8M-22E
1280 8M BH 35	1280PTH8M-35	1280 8M 35W	1280PTH8M-35	1280-8M-35E
1280 8M BH 60	1280PTH8M-60	1280 8M 60W	1280PTH8M-60	1280-8M-60E
1440 8M BH 12	1440PTH8M-12	1440 8M 12W	1440PTH8M-12	1440-8M-12E
1440 8M BH 22	1440PTH8M-22	1440 8M 22W	1440PTH8M-22	1440-8M-22E
1440 8M BH 35	1440PTH8M-35	1440 8M 35W	1440PTH8M-35	1440-8M-35E
1440 8M BH 60	1440PTH8M-60	1440 8M 60W	1440PTH8M-60	1440-8M-62E
1600 8M BH 12	1600PTH8M-12	1600 8M 12W	1600PTH8M-12	1600-8M-12E
1600 8M BH 22	1600PTH8M-22	1600 8M 22W	1600PTH8M-22	1600-8M-22E
1600 8M BH 35	1600PTH8M-35	1600 8M 35W	1600PTH8M-35	1600-8M-35E
1600 8M BH 60	1600PTH8M-60	1600 8M 60W	1600PTH8M-60	1600-8M-60E
1760 8M BH 12	1760PTH8M-12	1760 8M 12W	1760PTH8M-12	1760-8M-12E
1760 8M BH 22	1760PTH8M-22	1760 8M 22W	1760PTH8M-22	1760-8M-22E
1760 8M BH 35	1760PTH8M-35	1760 8M 35W	1760PTH8M-35	1760-8M-35E
1760 8M BH 60	1760PTH8M-60	1760 8M 60W	1760PTH8M-60	1760-8M-60E

ELIMINATOR BELTS

Prices Subject To Change Without Notice





Eliminator® Competitive Crossover

Goodyear® BlackHawk Pd®	Carlisle/Dayco® Panther® Ultra	T.B. Wood's® QT Power Chain®	Browning® RPP® Panther®	Gates Eliminator
1800 8M BH 12 1800 8M BH 22 1800 8M BH 35 1800 8M BH 60	1800PTH8M-12 1800PTH8M-22 1800PTH8M-35 1800PTH8M-60	1800 8M 12W 1800 8M 22W 1800 8M 35W 1800 8M 60W	1800PTH8M-12 1800PTH8M-22 1800PTH8M-35 1800PTH8M-60	1792-8M-12E 1792-8M-22E 1792-8M-35E 1792-8M-60E
2000 8M BH 12 2000 8M BH 22 2000 8M BH 35 2000 8M BH 60	2000PTH8M-12 2000PTH8M-22 2000PTH8M-35 2000PTH8M-60	2000 8M 12W 2000 8M 22W 2000 8M 35W 2000 8M 60W	2000PTH8M-12 2000PTH8M-22 2000PTH8M-35 2000PTH8M-60	2000-8M-12E 2000-8M-22E 2000-8M-35E 2000-8M-60E
— — — —	2200PTH8M-12 2200PTH8M-22 2200PTH8M-35 2200PTH8M-60	2200 8M 12W 2200 8M 22W 2200 8M 35W 2200 8M 60W	2200PTH8M-12 2200PTH8M-22 2200PTH8M-35 2200PTH8M-60	2200-8M-12E 2200-8M-22E 2200-8M-35E 2200-8M-60E
2400 8M BH 12 2400 8M BH 22 2400 8M BH 35 2400 8M BH 60	2400PTH8M-12 2400PTH8M-22 2400PTH8M-35 2400PTH8M-60	2400 8M 12W 2400 8M 22W 2400 8M 35W 2400 8M 60W	2400PTH8M-12 2400PTH8M-22 2400PTH8M-35 2400PTH8M-60	2400-8M-12E 2400-8M-22E 2400-8M-35E 2400-8M-60E
2600 8M BH 12 2600 8M BH 22 2600 8M BH 35 2600 8M BH 60	2600PTH8M-12 2600PTH8M-22 2600PTH8M-35 2600PTH8M-60	2600 8M 12W 2600 8M 22W 2600 8M 35W 2600 8M 60W	2600PTH8M-12 2600PTH8M-22 2600PTH8M-35 2600PTH8M-60	2600-8M-12E 2600-8M-22E 2600-8M-35E 2600-8M-60E
2800 8M BH 12 2800 8M BH 22 2800 8M BH 35 2800 8M BH 60	2800PTH8M-12 2800PTH8M-22 2800PTH8M-35 2800PTH8M-60	2800 8M 12W 2800 8M 22W 2800 8M 35W 2800 8M 60W	2800PTH8M-12 2800PTH8M-22 2800PTH8M-35 2800PTH8M-60	2800-8M-12E 2800-8M-22E 2800-8M-35E 2800-8M-60E
3048 8M BH 12 3048 8M BH 22 3048 8M BH 35 3048 8M BH 60	3048PTH8M-12 3048PTH8M-22 3048PTH8M-35 3048PTH8M-60	3048 8M 12W 3048 8M 22W 3048 8M 35W 3048 8M 60W	3048PTH8M-12 3048PTH8M-22 3048PTH8M-35 3048PTH8M-60	3048-8M-12E 3048-8M-22E 3048-8M-35E 3048-8M-60E
3280 8M BH 12 3280 8M BH 22 3280 8M BH 35 3280 8M BH 60	3280PTH8M-12 3280PTH8M-22 3280PTH8M-35 3280PTH8M-60	3280 8M 12W 3280 8M 22W 3280 8M 35W 3280 8M 60W	3280PTH8M-12 3280PTH8M-22 3280PTH8M-35 3280PTH8M-60	3280-8M-12E 3280-8M-22E 3280-8M-35E 3280-8M-60E
3600 8M BH 12 3600 8M BH 22 3600 8M BH 35 3600 8M BH 60	3600PTH8M-12 3600PTH8M-22 3600PTH8M-35 3600PTH8M-60	3600 8M 12W 3600 8M 22W 3600 8M 35W 3600 8M 60W	3600PTH8M-12 3600PTH8M-22 3600PTH8M-35 3600PTH8M-60	3600-8M-12E 3600-8M-22E 3600-8M-35E 3600-8M-60E
4400 8M BH 12 4400 8M BH 22 4400 8M BH 35 4400 8M BH 60	4400PTH8M-12 4400PTH8M-22 4400PTH8M-35 4400PTH8M-60	4400 8M 12W 4400 8M 22W 4400 8M 35W 4400 8M 60W	4400PTH8M-12 4400PTH8M-22 4400PTH8M-35 4400PTH8M-60	4400-8M-12E 4400-8M-22E 4400-8M-35E 4400-8M-60E
966 14M BH 20 966 14M BH 42 966 14M BH 65 966 14M BH 90 966 14M BH 120	966PTH14M-20 966PTH14M-42 966PTH14M-65 966PTH14M-90 966PTH14M-120	966 14M 20W 966 14M 42W 966 14M 65W 966 14M 90W 966 14M 120W	966PTH14M-20 966PTH14M-42 966PTH14M-65 966PTH14M-90 966PTH14M-120	994-14M-20E 994-14M-42E 994-14M-65E 994-14M-90E 994-14M-120E
1190 14M BH 20 1190 14M BH 42 1190 14M BH 65 1190 14M BH 90 1190 14M BH 120	1190PTH14M-20 1190PTH14M-42 1190PTH14M-65 1190PTH14M-90 1190PTH14M-120	1190 14M 20W 1190 14M 42W 1190 14M 65W 1190 14M 90W 1190 14M 120W	1190PTH14M-20 1190PTH14M-42 1190PTH14M-65 1190PTH14M-90 1190PTH14M-120	1190-14M-20E 1190-14M-42E 1190-14M-65E 1190-14M-90E 1190-14M-120E
1400 14M BH 20 1400 14M BH 42 1400 14M BH 65 1400 14M BH 90 1400 14M BH 120	1400PTH14M-20 1400PTH14M-42 1400PTH14M-65 1400PTH14M-90 1400PTH14M-120	1400 14M 20W 1400 14M 42W 1400 14M 65W 1400 14M 90W 1400 14M 120W	1400PTH14M-20 1400PTH14M-42 1400PTH14M-65 1400PTH14M-90 1400PTH14M-120	1400-14M-20E 1400-14M-42E 1400-14M-65E 1400-14M-90E 1400-14M-120E
1610 14M BH 20 1610 14M BH 42 1610 14M BH 65 1610 14M BH 90 1610 14M BH 120	1610PTH14M-20 1610PTH14M-42 1610PTH14M-65 1610PTH14M-90 1610PTH14M-120	1610 14M 20W 1610 14M 42W 1610 14M 65W 1610 14M 90W 1610 14M 120W	1610PTH14M-20 1610PTH14M-42 1610PTH14M-65 1610PTH14M-90 1610PTH14M-120	1610-14M-20E 1610-14M-42E 1610-14M-65E 1610-14M-90E 1610-14M-120E
1778 14M BH 20 1778 14M BH 42 1778 14M BH 65 1778 14M BH 90 1778 14M BH 120	1778PTH14M-20 1778PTH14M-42 1778PTH14M-65 1778PTH14M-90 1778PTH14M-120	1778 14M 20W 1778 14M 42W 1778 14M 65W 1778 14M 90W 1778 14M 120W	1778PTH14M-20 1778PTH14M-42 1778PTH14M-65 1778PTH14M-90 1778PTH14M-120	1750-14M-20E 1750-14M-42E 1750-14M-65E 1750-14M-90E 1750-14M-120E

ELIMINATOR BELTS

Prices Subject To Change Without Notice





Eliminator® Competitive Crossover

Goodyear® BlackHawk Pd®	Carlisle/Dayco® Panther® Ultra	T.B. Wood's® QT Power Chain®	Browning® RPP® Panther®	Gates Eliminator
1890 14M BH 20 1890 14M BH 42 1890 14M BH 65 1890 14M BH 90 1890 14M BH 120	1890PTH14M-20 1890PTH14M-42 1890PTH14M-65 1890PTH14M-90 1890PTH14M-120	1890 14M 20W 1890 14M 42W 1890 14M 65W 1890 14M 90W 1890 14M 120W	1890PTH14M-20 1890PTH14M-42 1890PTH14M-65 1890PTH14M-90 1890PTH14M-120	1890-14M-20E 1890-14M-42E 1890-14M-65E 1890-14M-90E 1890-14M-120E
2100 14M BH 20 2100 14M BH 42 2100 14M BH 65 2100 14M BH 90 2100 14M BH 120	2100PTH14M-20 2100PTH14M-42 2100PTH14M-65 2100PTH14M-90 2100PTH14M-120	2100 14M 20W 2100 14M 42W 2100 14M 65W 2100 14M 90W 2100 14M 120W	2100PTH14M-20 2100PTH14M-42 2100PTH14M-65 2100PTH14M-90 2100PTH14M-120	2100-14M-20E 2100-14M-42E 2100-14M-65E 2100-14M-90E 2100-14M-120E
2310 14M BH 20 2310 14M BH 42 2310 14M BH 65 2310 14M BH 90 2310 14M BH 120	2310PTH14M-20 2310PTH14M-42 2310PTH14M-65 2310PTH14M-90 2310PTH14M-120	2310 14M 20W 2310 14M 42W 2310 14M 65W 2310 14M 90W 2310 14M 120W	2310PTH14M-20 2310PTH14M-42 2310PTH14M-65 2310PTH14M-90 2310PTH14M-120	2310-14M-20E 2310-14M-42E 2310-14M-65E 2310-14M-90E 2310-14M-120E
2450 14M BH 20 2450 14M BH 42 2450 14M BH 65 2450 14M BH 90 2450 14M BH 120	2450PTH14M-20 2450PTH14M-42 2450PTH14M-65 2450PTH14M-90 2450PTH14M-120	2450 14M 20W 2450 14M 42W 2450 14M 65W 2450 14M 90W 2450 14M 120W	2450PTH14M-20 2450PTH14M-42 2450PTH14M-65 2450PTH14M-90 2450PTH14M-120	2450-14M-20E 2450-14M-42E 2450-14M-65E 2450-14M-90E 2450-14M-120E
2590 14M BH 20 2590 14M BH 42 2590 14M BH 65 2590 14M BH 90 2590 14M BH 120	2590PTH14M-20 2590PTH14M-42 2590PTH14M-65 2590PTH14M-90 2590PTH14M-120	2590 14M 20W 2590 14M 42W 2590 14M 65W 2590 14M 90W 2590 14M 120W	2590PTH14M-20 2590PTH14M-42 2590PTH14M-65 2590PTH14M-90 2590PTH14M-120	2590-14M-20E 2590-14M-42E 2590-14M-65E 2590-14M-90E 2590-14M-120E
2800 14M BH 20 2800 14M BH 42 2800 14M BH 65 2800 14M BH 90 2800 14M BH 120	2800PTH14M-20 2800PTH14M-42 2800PTH14M-65 2800PTH14M-90 2800PTH14M-120	2800 14M 20W 2800 14M 42W 2800 14M 65W 2800 14M 90W 2800 14M 120W	2800PTH14M-20 2800PTH14M-42 2800PTH14M-65 2800PTH14M-90 2800PTH14M-120	2800-14M-20E 2800-14M-42E 2800-14M-65E 2800-14M-90E 2800-14M-125E
3150 14M BH 20 3150 14M BH 42 3150 14M BH 65 3150 14M BH 90 3150 14M BH 120	3150PTH14M-20 3150PTH14M-42 3150PTH14M-65 3150PTH14M-90 3150PTH14M-120	3150 14M 20W 3150 14M 42W 3150 14M 65W 3150 14M 90W 3150 14M 120W	3150PTH14M-20 3150PTH14M-42 3150PTH14M-65 3150PTH14M-90 3150PTH14M-120	3136-14M-20E 3136-14M-42E 3136-14M-65E 3136-14M-90E 3136-14M-120E
3360 14M BH 20 3360 14M BH 42 3360 14M BH 65 3360 14M BH 90 3360 14M BH 120	3360PTH14M-20 3360PTH14M-42 3360PTH14M-65 3360PTH14M-90 3360PTH14M-120	3360 14M 20W 3360 14M 42W 3360 14M 65W 3360 14M 90W 3360 14M 120W	3360PTH14M-20 3360PTH14M-42 3360PTH14M-65 3360PTH14M-90 3360PTH14M-120	3360-14M-20E 3360-14M-42E 3360-14M-65E 3360-14M-90E 3360-14M-120E
3500 14M BH 20 3500 14M BH 42 3500 14M BH 65 3500 14M BH 90 3500 14M BH 120	3500PTH14M-20 3500PTH14M-42 3500PTH14M-65 3500PTH14M-90 3500PTH14M-120	3500 14M 20W 3500 14M 42W 3500 14M 65W 3500 14M 90W 3500 14M 120W	3500PTH14M-20 3500PTH14M-42 3500PTH14M-65 3500PTH14M-90 3500PTH14M-120	3500-14M-20E 3500-14M-42E 3500-14M-65E 3500-14M-90E 3500-14M-120E
3850 14M BH 20 3850 14M BH 42 3850 14M BH 65 3850 14M BH 90 3850 14M BH 120	3850PTH14M-20 3850PTH14M-42 3850PTH14M-65 3850PTH14M-90 3850PTH14M-120	3850 14M 20W 3850 14M 42W 3850 14M 65W 3850 14M 90W 3850 14M 120W	3850PTH14M-20 3850PTH14M-42 3850PTH14M-65 3850PTH14M-90 3850PTH14M-120	3850-14M-20E 3850-14M-42E 3850-14M-65E 3850-14M-90E 3850-14M-120E
4326 14M BH 20 4326 14M BH 42 4326 14M BH 65 4326 14M BH 90 4326 14M BH 120	4326PTH14M-20 4326PTH14M-42 4326PTH14M-65 4326PTH14M-90 4326PTH14M-120	4326 14M 20W 4326 14M 42W 4326 14M 65W 4326 14M 90W 4326 14M 120W	4326PTH14M-20 4326PTH14M-42 4326PTH14M-65 4326PTH14M-90 4326PTH14M-120	4326-14M-20E 4326-14M-42E 4326-14M-65E 4326-14M-90E 4326-14M-120E
4578 14M BH 20 4578 14M BH 42 4578 14M BH 65 4578 14M BH 90 4578 14M BH 120	4578PTH14M-20 4578PTH14M-42 4578PTH14M-65 4578PTH14M-90 4578PTH14M-120	4578 14M 20W 4578 14M 42W 4578 14M 65W 4578 14M 90W 4578 14M 120W	4578PTH14M-20 4578PTH14M-42 4578PTH14M-65 4578PTH14M-90 4578PTH14M-120	— — — — —
4956 14M BH 20 4956 14M BH 42 4956 14M BH 65 4956 14M BH 90 4956 14M BH 120	4956PTH14M-20 4956PTH14M-42 4956PTH14M-65 4956PTH14M-90 4956PTH14M-120	4956 14M 20W 4956 14M 42W 4956 14M 65W 4956 14M 90W 4956 14M 120W	4956PTH14M-20 4956PTH14M-42 4956PTH14M-65 4956PTH14M-90 4956PTH14M-120	— — — — —

ELIMINATOR BELTS

Prices Subject To Change Without Notice





PowerGrip® TruMotion™ Belts

The new PowerGrip TruMotion belts are available in all of Gates light duty synchronous pitches.

PowerGrip GT® TruMotion Belts: 2MR, 3MR and 5MR

*PowerGrip HTD® TruMotion Belts: 3M and 5M

PowerGrip Timing TruMotion Belts: MXL, XL and L

*PowerGrip HTD TruMotion Belts are made to order. Please contact customer service for price and availability.

Markets/Applications

The TruMotion belt construction utilizes a clean white polymer and a polymer free nylon tooth surface, resulting in minimal dusting. This makes it ideal for many applications including data storage equipment, printers, plotters, medical equipment, food processors, money handling, copiers and other office equipment.

Features/Advantages

- **Fiberglass tensile cord** provides excellent flex life, and high resistance to elongation.
- The **white polymer rubber body** provides a non marking, cleaner running construction.
- The **polymer free nylon tooth facing** provides a durable wear surfact for longer service life and lower noise levels.

Recommended Sprockets

PowerGrip GT TruMotion Belts: PowerGrip GT2 Sprockets


PowerGrip HTD TruMotion Belts: PowerGrip HTD Sprockets

PowerGrip Timing TruMotion Belts: PowerGrip Timing Pulleys

Notes

PowerGrip HTD TruMotion belts are made to order. Minimum order quantities will be required.

Check with customer service for availability.



POWERGRIP TRUMOTION

Product No. Series 9581

PowerGrip GT TruMotion Belts

2MR Pitch — 4mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E2MR-96-04	\$3.19	9581-0048	48	3.78	.01
E2MR-100-04	3.19	9581-0050	50	3.94	.01
E2MR-112-04	3.19	9581-0056	56	4.41	.01
E2MR-124-04	3.19	9581-0062	62	4.88	.01
E2MR-126-04	3.19	9581-0063	63	4.96	.01
E2MR-130-04	3.29	9581-0065	65	5.12	.01
E2MR-132-04	3.29	9581-0066	66	5.20	.01
E2MR-134-04	3.29	9581-0067	67	5.28	.01
E2MR-136-04	3.29	9581-0068	68	5.35	.01
E2MR-140-04	3.29	9581-0070	70	5.51	.01
E2MR-152-04	3.29	9581-0076	76	5.98	.01
E2MR-158-04	3.43	9581-0079	79	6.22	.01
E2MR-160-04	3.43	9581-0080	80	6.30	.01
E2MR-164-04	3.43	9581-0082	82	6.46	.01
E2MR-166-04	3.43	9581-0083	83	6.54	.01
E2MR-168-04	3.43	9581-0084	84	6.61	.01
E2MR-172-04	3.43	9581-0086	86	6.77	.01
E2MR-178-04	3.43	9581-0089	89	7.01	.01
E2MR-180-04	3.54	9581-0090	90	7.09	.01
E2MR-186-04	3.54	9581-0093	93	7.32	.01
E2MR-192-04	3.54	9581-0096	96	7.56	.01
E2MR-200-04	3.54	9581-0100	100	7.87	.01
E2MR-202-04	3.54	9581-0101	101	7.95	.01
E2MR-208-04	3.64	9581-0104	104	8.19	.01
E2MR-210-04	3.64	9581-0105	105	8.27	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E2MR-212-04	\$3.64	9581-0106	106	8.35	.01
E2MR-216-04	3.64	9581-0108	108	8.50	.01
E2MR-220-04	3.64	9581-0110	110	8.66	.01
E2MR-224-04	3.64	9581-0112	112	8.82	.01
E2MR-236-04	3.77	9581-0118	118	9.29	.01
E2MR-240-04	3.77	9581-0120	120	9.45	.01
E2MR-250-04	3.77	9581-0125	125	9.84	.01
E2MR-252-04	3.77	9581-0126	126	9.92	.01
E2MR-258-04	3.90	9581-0129	129	10.16	.01
E2MR-258-04	3.90	9581-0137	137	10.79	.01
E2MR-278-04	3.90	9581-0139	139	10.94	.01
E2MR-280-04	3.90	9581-0140	140	11.02	.01
E2MR-286-04	4.01	9581-0143	143	11.26	.01
E2MR-300-04	4.01	9581-0150	150	11.81	.01
E2MR-320-04	4.14	9581-0160	160	12.60	.01
E2MR-322-04	4.14	9581-0161	161	12.68	.01
E2MR-332-04	4.14	9581-0166	166	13.07	.01
E2MR-342-04	4.26	9581-0171	171	13.46	.01
E2MR-346-04	4.26	9581-0173	173	13.62	.01
E2MR-350-04	4.26	9581-0175	175	13.78	.01
E2MR-360-04	4.36	9581-0180	180	14.17	.01
E2MR-364-04	4.36	9581-0182	182	14.33	.01
E2MR-370-04	4.36	9581-0185	185	14.57	.01
E2MR-380-04	4.36	9581-0190	190	14.96	.01
E2MR-386-04	4.49	9581-0193	193	15.20	.01

Prices Subject To Change Without Notice





PowerGrip® TruMotion™ Belts

Product No. Series 9581 (continued)

2MR Pitch — 4mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E2MR-400-04	\$4.49	9581-0200	200	15.75	.01
E2MR-406-04	4.49	9581-0203	203	15.98	.01
E2MR-420-04	4.61	9581-0210	210	16.54	.01
E2MR-428-04	4.61	9581-0214	214	16.85	.01
E2MR-456-04	4.73	9581-0228	228	17.95	.01
E2MR-470-04	4.86	9581-0235	235	18.50	.01
E2MR-474-04	4.86	9581-0237	237	18.66	.01
E2MR-488-04	4.97	9581-0244	244	19.21	.01
E2MR-504-04	4.97	9581-0252	252	19.84	.01
E2MR-528-04	5.07	9581-0264	264	20.79	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E2MR-552-04	\$5.21	9581-0276	276	21.73	.01
E2MR-560-04	5.21	9581-0280	280	22.05	.01
E2MR-576-04	5.31	9581-0288	288	22.68	.01
E2MR-600-04	5.45	9581-0300	300	23.62	.01
E2MR-640-04	5.69	9581-0320	320	25.20	.02
E2MR-696-04	5.92	9581-0348	348	27.40	.02
E2MR-744-04	6.16	9581-0372	372	29.29	.02
E2MR-848-04	6.64	9581-0424	424	33.39	.02
E2MR-1164-04	8.08	9581-0582	582	45.83	.03
E2MR-1558-04	10.57	9581-0779	779	61.34	.05

2MR Pitch — 6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E2MR-96-06	\$4.57	9581-1048	48	3.78	.01
E2MR-100-06	4.57	9581-1050	50	3.94	.01
E2MR-112-06	4.57	9581-1056	56	4.41	.01
E2MR-124-06	4.57	9581-1062	62	4.88	.01
E2MR-126-06	4.57	9581-1063	63	4.96	.01
E2MR-130-06	4.73	9581-1065	65	5.12	.01
E2MR-132-06	4.73	9581-1066	66	5.20	.01
E2MR-134-06	4.73	9581-1067	67	5.28	.01
E2MR-136-06	4.73	9581-1068	68	5.35	.01
E2MR-140-06	4.73	9581-1070	70	5.51	.01
E2MR-152-06	4.73	9581-1076	76	5.98	.01
E2MR-158-06	4.85	9581-1079	79	6.22	.01
E2MR-160-06	4.85	9581-1080	80	6.30	.01
E2MR-164-06	4.85	9581-1082	82	6.46	.01
E2MR-166-06	4.85	9581-1083	83	6.54	.01
E2MR-168-06	4.85	9581-1084	84	6.61	.01
E2MR-172-06	4.85	9581-1086	86	6.77	.01
E2MR-178-06	4.85	9581-1089	89	7.01	.01
E2MR-180-06	4.99	9581-1090	90	7.09	.01
E2MR-186-06	4.99	9581-1093	93	7.32	.01
E2MR-192-06	4.99	9581-1096	96	7.56	.01
E2MR-200-06	4.99	9581-1100	100	7.87	.01
E2MR-202-06	4.99	9581-1101	101	7.95	.01
E2MR-208-06	4.99	9581-1104	104	8.19	.01
E2MR-210-06	5.11	9581-1105	105	8.27	.01
E2MR-212-06	5.11	9581-1106	106	8.35	.01
E2MR-216-06	5.11	9581-1108	108	8.50	.01
E2MR-220-06	5.11	9581-1110	110	8.66	.01
E2MR-224-06	5.11	9581-1112	112	8.82	.01
E2MR-236-06	5.26	9581-1118	118	9.29	.01
E2MR-240-06	5.26	9581-1120	120	9.45	.01
E2MR-250-06	5.26	9581-1125	125	9.84	.01
E2MR-252-06	5.26	9581-1126	126	9.92	.01
E2MR-258-06	5.45	9581-1129	129	10.16	.01
E2MR-258-06	5.45	9581-1137	137	10.79	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E2MR-278-06	\$5.45	9581-1139	139	10.94	.01
E2MR-280-06	5.45	9581-1140	140	11.02	.01
E2MR-286-06	5.59	9581-1143	143	11.26	.01
E2MR-300-06	5.59	9581-1150	150	11.81	.01
E2MR-320-06	5.71	9581-1160	160	12.60	.01
E2MR-322-06	5.71	9581-1161	161	12.68	.01
E2MR-332-06	5.71	9581-1166	166	13.07	.01
E2MR-342-06	5.85	9581-1171	171	13.46	.01
E2MR-346-06	5.85	9581-1173	173	13.62	.01
E2MR-350-06	5.85	9581-1175	175	13.78	.01
E2MR-360-06	6.05	9581-1180	180	14.17	.01
E2MR-364-06	6.05	9581-1182	182	14.33	.01
E2MR-370-06	6.05	9581-1185	185	14.57	.01
E2MR-380-06	6.05	9581-1190	190	14.96	.01
E2MR-386-06	6.17	9581-1193	193	15.20	.01
E2MR-400-06	6.17	9581-1200	200	15.75	.01
E2MR-406-06	6.17	9581-1203	203	15.98	.01
E2MR-420-06	6.30	9581-1210	210	16.54	.01
E2MR-428-06	6.30	9581-1214	214	16.85	.01
E2MR-456-06	6.44	9581-1228	228	17.95	.01
E2MR-470-06	6.56	9581-1235	235	18.50	.01
E2MR-474-06	6.56	9581-1237	237	18.66	.01
E2MR-488-06	6.77	9581-1244	244	19.21	.01
E2MR-504-06	6.77	9581-1252	252	19.84	.01
E2MR-528-06	6.91	9581-1264	264	20.79	.02
E2MR-552-06	7.04	9581-1276	276	21.73	.02
E2MR-560-06	7.04	9581-1280	280	22.05	.02
E2MR-576-06	7.18	9581-1288	288	22.68	.02
E2MR-600-06	7.37	9581-1300	300	23.62	.02
E2MR-640-06	7.64	9581-1320	320	25.20	.02
E2MR-696-06	7.90	9581-1348	348	27.40	.02
E2MR-744-06	8.17	9581-1372	372	29.29	.03
E2MR-848-06	8.78	9581-1424	424	33.39	.03
E2MR-1164-06	10.56	9581-1582	582	45.83	.04
E2MR-1558-06	13.53	9581-1779	779	61.34	.06

POWERGRIP TRUMOTION

Prices Subject To Change Without Notice





PowerGrip® TruMotion™ Belts

Product No. Series 9581 (continued)

2MR Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E2MR-96-09	\$6.00	9581-2048	48	3.78	.01
E2MR-100-09	6.00	9581-2050	50	3.94	.01
E2MR-112-09	6.00	9581-2056	56	4.41	.01
E2MR-124-09	6.00	9581-2062	62	4.88	.01
E2MR-126-09	6.00	9581-2063	63	4.96	.01
E2MR-130-09	6.17	9581-2065	65	5.12	.01
E2MR-132-09	6.17	9581-2066	66	5.20	.01
E2MR-134-09	6.17	9581-2067	67	5.28	.01
E2MR-136-09	6.17	9581-2068	68	5.35	.01
E2MR-140-09	6.17	9581-2070	70	5.51	.01
E2MR-152-09	6.17	9581-2076	76	5.98	.01
E2MR-158-09	6.38	9581-2079	79	6.22	.01
E2MR-160-09	6.38	9581-2080	80	6.30	.01
E2MR-164-09	6.38	9581-2082	82	6.46	.01
E2MR-166-09	6.38	9581-2083	83	6.54	.01
E2MR-168-09	6.38	9581-2084	84	6.61	.01
E2MR-172-09	6.38	9581-2086	86	6.77	.01
E2MR-178-09	6.38	9581-2089	89	7.01	.01
E2MR-180-09	6.65	9581-2090	90	7.09	.01
E2MR-186-09	6.65	9581-2093	93	7.32	.01
E2MR-192-09	6.65	9581-2096	96	7.56	.01
E2MR-200-09	6.65	9581-2100	100	7.87	.01
E2MR-202-09	6.65	9581-2101	101	7.95	.01
E2MR-208-09	6.82	9581-2104	104	8.19	.01
E2MR-210-09	6.82	9581-2105	105	8.27	.01
E2MR-212-09	6.82	9581-2106	106	8.35	.01
E2MR-216-09	6.82	9581-2108	108	8.50	.01
E2MR-220-09	6.82	9581-2110	110	8.66	.01
E2MR-224-09	6.82	9581-2112	112	8.82	.01
E2MR-236-09	7.04	9581-2118	118	9.29	.01
E2MR-240-09	7.04	9581-2120	120	9.45	.01
E2MR-250-09	7.04	9581-2125	125	9.84	.01
E2MR-252-09	7.04	9581-2126	126	9.92	.01
E2MR-258-09	7.25	9581-2129	129	10.16	.01
E2MR-258-09	7.25	9581-2137	137	10.79	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E2MR-278-09	\$7.25	9581-2139	139	10.94	.01
E2MR-280-09	7.25	9581-2140	140	11.02	.01
E2MR-286-09	7.51	9581-2143	143	11.26	.01
E2MR-300-09	7.51	9581-2150	150	11.81	.01
E2MR-320-09	7.64	9581-2160	160	12.60	.01
E2MR-322-09	7.64	9581-2161	161	12.68	.01
E2MR-332-09	7.64	9581-2166	166	13.07	.01
E2MR-342-09	7.90	9581-2171	171	13.46	.01
E2MR-346-09	7.90	9581-2173	173	13.62	.01
E2MR-350-09	7.90	9581-2175	175	13.78	.01
E2MR-360-09	8.09	9581-2180	180	14.17	.02
E2MR-364-09	8.09	9581-2182	182	14.33	.02
E2MR-370-09	8.09	9581-2185	185	14.57	.02
E2MR-380-09	8.09	9581-2190	190	14.96	.02
E2MR-386-09	8.31	9581-2193	193	15.20	.02
E2MR-400-09	8.31	9581-2200	200	15.75	.02
E2MR-406-09	8.31	9581-2203	203	15.98	.02
E2MR-420-09	8.57	9581-2210	210	16.54	.02
E2MR-428-09	8.57	9581-2214	214	16.85	.02
E2MR-456-09	8.69	9581-2228	228	17.95	.02
E2MR-470-09	8.96	9581-2235	235	18.50	.02
E2MR-474-09	8.96	9581-2237	237	18.66	.02
E2MR-488-09	9.17	9581-2244	244	19.21	.02
E2MR-504-09	9.17	9581-2252	252	19.84	.02
E2MR-528-09	9.36	9581-2264	264	20.79	.03
E2MR-552-09	9.58	9581-2276	276	21.73	.03
E2MR-560-09	9.58	9581-2280	280	22.05	.03
E2MR-576-09	9.84	9581-2288	288	22.68	.03
E2MR-600-09	9.96	9581-2300	300	23.62	.03
E2MR-640-09	10.44	9581-2320	320	25.20	.03
E2MR-696-09	10.90	9581-2348	348	27.40	.04
E2MR-744-09	11.29	9581-2372	372	29.29	.04
E2MR-848-09	12.15	9581-2424	424	33.39	.04
E2MR-1164-09	14.69	9581-2582	582	45.83	.06
E2MR-1558-09	19.19	9581-2779	779	61.34	.08

3MR Pitch — 6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E3MR-99-06	\$5.25	9581-3033	33	3.90	.01
E3MR-111-06	5.25	9581-3037	37	4.37	.01
E3MR-123-06	5.25	9581-3041	41	4.84	.01
E3MR-129-06	5.44	9581-3043	43	5.08	.01
E3MR-159-06	5.58	9581-3053	45	5.32	.01
E3MR-162-06	5.58	9581-3054	50	5.91	.01
E3MR-165-06	5.58	9581-3055	53	6.26	.01
E3MR-180-06	5.74	9581-3060	60	7.09	.01
E3MR-183-06	5.74	9581-3061	61	7.20	.01
E3MR-189-06	5.74	9581-3063	63	7.44	.01
E3MR-201-06	5.74	9581-3067	67	7.97	.01
E3MR-210-06	5.88	9581-3070	70	8.27	.01
E3MR-219-06	5.88	9581-3073	73	8.62	.01
E3MR-225-06	5.88	9581-3075	75	8.86	.01
E3MR-240-06	6.04	9581-3080	80	9.45	.01
E3MR-243-06	6.04	9581-3081	81	9.57	.00
E3MR-252-06	6.04	9581-3084	84	9.92	.01
E3MR-255-06	6.27	9581-3085	85	10.04	.01
E3MR-267-06	6.27	9581-3089	89	10.51	.01
E3MR-282-06	6.43	9581-3094	94	11.10	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E3MR-291-06	\$6.43	9581-3097	97	11.46	.01
E3MR-300-06	6.43	9581-3100	100	11.81	.01
E3MR-339-06	6.73	9581-3113	113	13.35	.01
E3MR-348-06	6.73	9581-3116	116	13.70	.02
E3MR-357-06	6.96	9581-3119	119	14.06	.02
E3MR-360-06	6.96	9581-3120	120	14.17	.02
E3MR-375-06	6.96	9581-3125	125	14.76	.02
E3MR-390-06	7.10	9581-3130	130	15.35	.02
E3MR-393-06	7.10	9581-3131	131	15.47	.02
E3MR-414-06	7.24	9581-3138	138	16.30	.02
E3MR-420-06	7.24	9581-3140	140	16.54	.02
E3MR-444-06	7.40	9581-3149	148	17.48	.02
E3MR-447-06	7.40	9581-3150	149	17.60	.02
E3MR-474-06	7.54	9581-3158	158	18.66	.02
E3MR-480-06	7.54	9581-3160	160	18.90	.02
E3MR-483-06	7.79	9581-3161	161	19.02	.02
E3MR-489-06	7.79	9581-3163	163	19.25	.02
E3MR-504-06	7.79	9581-3168	168	19.84	.02
E3MR-510-06	7.95	9581-3170	170	20.08	.02
E3MR-537-06	8.09	9581-3179	179	21.14	.02

Prices Subject To Change Without Notice





PowerGrip® TruMotion™ Belts

Product No. Series 9581 (continued)

3MR Pitch — 6mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E3MR-552-06	\$8.09	9581-3184	184	21.73	.02
E3MR-564-06	8.25	9581-3188	188	22.20	.02
E3MR-600-06	8.48	9581-3200	200	23.62	.02
E3MR-630-06	8.64	9581-3210	210	24.80	.02
E3MR-684-06	8.94	9581-3228	228	26.93	.03
E3MR-696-06	9.09	9581-3232	232	27.40	.03
E3MR-735-06	9.31	9581-3245	245	28.94	.03
E3MR-750-06	9.39	9581-3250	250	29.53	.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E3MR-786-06	\$9.61	9581-3262	262	30.94	.03
E3MR-840-06	10.10	9581-3280	280	33.07	.03
E3MR-945-06	10.77	9581-3315	315	37.20	.04
E3MR-1050-06	11.46	9581-3350	350	41.34	.04
E3MR-1080-06	11.62	9581-3360	360	42.52	.04
E3MR-1272-06	12.98	9581-3424	424	50.08	.05
E3MR-1536-06	15.56	9581-3512	512	60.47	.06
E3MR-2061-06	20.84	9581-3687	687	81.14	.06

3MR Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E3MR-99-09	\$6.90	9581-4033	33	3.90	.01
E3MR-111-09	6.90	9581-4037	37	4.37	.01
E3MR-123-09	6.90	9581-4041	41	4.84	.01
E3MR-129-09	7.10	9581-4043	43	5.08	.01
E3MR-159-09	7.34	9581-4053	45	5.32	.01
E3MR-162-09	7.34	9581-4054	50	5.91	.01
E3MR-165-09	7.34	9581-4055	53	6.26	.01
E3MR-180-09	7.65	9581-4060	60	7.09	.01
E3MR-183-09	7.65	9581-4061	61	7.20	.01
E3MR-189-09	7.65	9581-4063	63	7.44	.01
E3MR-201-09	7.65	9581-4067	67	7.97	.01
E3MR-210-09	7.85	9581-4070	70	8.27	.01
E3MR-219-09	7.85	9581-4073	73	8.62	.01
E3MR-225-09	7.85	9581-4075	75	8.86	.01
E3MR-240-09	8.09	9581-4080	80	9.45	.01
E3MR-243-09	8.09	9581-4081	81	9.57	.02
E3MR-252-09	8.09	9581-4084	84	9.92	.02
E3MR-255-09	8.34	9581-4085	85	10.04	.02
E3MR-267-09	8.34	9581-4089	89	10.51	.02
E3MR-282-09	8.64	9581-4094	94	11.10	.02
E3MR-291-09	8.64	9581-4097	97	11.46	.02
E3MR-300-09	8.64	9581-4100	100	11.81	.02
E3MR-339-09	9.09	9581-4113	113	13.35	.02
E3MR-348-09	9.09	9581-4116	116	13.70	.02
E3MR-357-09	9.31	9581-4119	119	14.06	.02
E3MR-360-09	9.31	9581-4120	120	14.17	.02
E3MR-375-09	9.31	9581-4125	125	14.76	.02
E3MR-390-09	9.55	9581-4130	130	15.35	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E3MR-393-09	\$9.55	9581-4131	131	15.47	.02
E3MR-414-09	9.86	9581-4138	138	16.30	.02
E3MR-420-09	9.86	9581-4140	140	16.54	.02
E3MR-444-09	10.00	9581-4149	148	17.48	.03
E3MR-447-09	10.00	9581-4150	149	17.60	.03
E3MR-474-09	10.30	9581-4158	158	18.66	.03
E3MR-480-09	10.30	9581-4160	160	18.90	.03
E3MR-483-09	10.55	9581-4161	161	19.02	.03
E3MR-489-09	10.55	9581-4163	163	19.25	.03
E3MR-504-09	10.55	9581-4168	168	19.84	.03
E3MR-510-09	10.77	9581-4170	170	20.08	.03
E3MR-537-09	11.01	9581-4179	179	21.14	.03
E3MR-552-09	11.01	9581-4184	184	21.73	.03
E3MR-564-09	11.32	9581-4188	188	22.20	.04
E3MR-600-09	11.46	9581-4200	200	23.62	.04
E3MR-630-09	11.76	9581-4210	210	24.80	.04
E3MR-684-09	12.23	9581-4228	228	26.93	.04
E3MR-696-09	12.53	9581-4232	232	27.40	.04
E3MR-735-09	12.76	9581-4245	245	28.94	.05
E3MR-750-09	12.98	9581-4250	250	29.53	.05
E3MR-786-09	13.22	9581-4262	262	30.94	.05
E3MR-840-09	13.97	9581-4280	280	33.07	.05
E3MR-945-09	14.89	9581-4315	315	37.20	.06
E3MR-1050-09	15.88	9581-4350	350	41.34	.06
E3MR-1080-09	16.18	9581-4360	360	42.52	.06
E3MR-1272-09	18.11	9581-4424	424	50.08	.09
E3MR-1536-09	21.70	9581-4512	512	60.47	.09
E3MR-2061-09	28.92	9581-4687	687	81.14	.14

POWERGRIP TRUMOTION

Prices Subject To Change Without Notice





PowerGrip® TruMotion™ Belts

Product No. Series 9581 (continued)

3MR Pitch — 15mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E3MR-99-15	\$11.07	9581-5033	33	3.90	.01
E3MR-111-15	11.07	9581-5037	37	4.37	.01
E3MR-123-15	11.08	9581-5041	41	4.84	.01
E3MR-129-15	11.58	9581-5043	43	5.08	.02
E3MR-159-15	12.01	9581-5053	45	5.32	.02
E3MR-162-15	12.01	9581-5054	50	5.91	.02
E3MR-165-15	12.01	9581-5055	53	6.26	.02
E3MR-180-15	12.41	9581-5060	60	7.09	.02
E3MR-183-15	12.41	9581-5061	61	7.20	.02
E3MR-189-15	12.41	9581-5063	63	7.44	.02
E3MR-201-15	12.41	9581-5067	67	7.97	.02
E3MR-210-15	12.84	9581-5070	70	8.27	.02
E3MR-219-15	12.84	9581-5073	73	8.62	.02
E3MR-225-15	12.84	9581-5075	75	8.86	.02
E3MR-240-15	13.34	9581-5080	80	9.45	.02
E3MR-243-15	13.34	9581-5081	81	9.57	.02
E3MR-252-15	13.34	9581-5084	84	9.92	.02
E3MR-255-15	13.69	9581-5085	85	10.04	.02
E3MR-267-15	13.69	9581-5089	89	10.51	.02
E3MR-282-15	14.12	9581-5094	94	11.10	.03
E3MR-291-15	14.12	9581-5097	97	11.46	.03
E3MR-300-15	14.12	9581-5100	100	11.81	.03
E3MR-339-15	14.97	9581-5113	113	13.35	.03
E3MR-348-15	14.97	9581-5116	116	13.70	.03
E3MR-357-15	15.47	9581-5119	119	14.06	.04
E3MR-360-15	15.47	9581-5120	120	14.17	.04
E3MR-375-15	15.47	9581-5125	125	14.76	.04
E3MR-390-15	15.90	9581-5130	130	15.35	.04

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E3MR-393-15	\$15.90	9581-5131	131	15.47	.04
E3MR-414-15	16.22	9581-5138	138	16.30	.04
E3MR-420-15	16.22	9581-5140	140	16.54	.04
E3MR-444-15	16.65	9581-5149	148	17.48	.04
E3MR-447-15	16.65	9581-5150	149	17.60	.05
E3MR-474-15	17.08	9581-5158	158	18.66	.05
E3MR-480-15	17.08	9581-5160	160	18.90	.05
E3MR-483-15	17.60	9581-5161	161	19.02	.05
E3MR-489-15	17.60	9581-5163	163	19.25	.05
E3MR-504-15	17.60	9581-5168	168	19.84	.05
E3MR-510-15	18.03	9581-5170	170	20.08	.05
E3MR-537-15	18.44	9581-5179	179	21.14	.05
E3MR-552-15	18.44	9581-5184	184	21.73	.05
E3MR-564-15	18.80	9581-5188	188	22.20	.06
E3MR-600-15	19.23	9581-5200	200	23.62	.06
E3MR-630-15	19.73	9581-5210	210	24.80	.06
E3MR-684-15	20.58	9581-5228	228	26.93	.07
E3MR-696-15	21.01	9581-5232	232	27.40	.07
E3MR-735-15	21.36	9581-5245	245	28.94	.08
E3MR-750-15	21.86	9581-5250	250	29.53	.08
E3MR-786-15	22.31	9581-5262	262	30.94	.08
E3MR-840-15	23.48	9581-5280	280	33.07	.09
E3MR-945-15	25.25	9581-5315	315	37.20	.10
E3MR-1050-15	26.95	9581-5350	350	41.34	.11
E3MR-1080-15	27.40	9581-5360	360	42.52	.11
E3MR-1272-15	30.89	9581-5424	424	50.08	.12
E3MR-1536-15	37.03	9581-5512	512	60.47	.16
E3MR-2061-15	49.40	9581-5687	687	81.14	.23

5MR Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E5MR-300-09	\$11.22	9581-6060	60	11.81	.03
E5MR-355-09	11.97	9581-6071	71	13.98	.03
E5MR-375-09	12.35	9581-6075	75	14.76	.03
E5MR-400-09	12.74	9581-6080	80	15.75	.04
E5MR-405-09	12.74	9581-6081	81	15.94	.04
E5MR-425-09	13.04	9581-6085	85	16.73	.04
E5MR-450-09	13.41	9581-6090	90	17.72	.04
E5MR-500-09	14.18	9581-6100	100	19.69	.05
E5MR-535-09	14.87	9581-6107	107	21.06	.05
E5MR-565-09	15.27	9581-6113	113	22.24	.05
E5MR-575-09	15.27	9581-6115	115	22.64	.05
E5MR-580-09	15.27	9581-6116	116	22.83	.05
E5MR-600-09	15.56	9581-6120	120	23.62	.06
E5MR-625-09	15.94	9581-6125	125	24.61	.06

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E5MR-650-09	\$16.27	9581-6130	130	25.59	.06
E5MR-700-09	17.04	9581-6140	140	27.56	.06
E5MR-750-09	17.71	9581-6150	150	29.53	.07
E5MR-800-09	18.48	9581-6160	160	31.50	.07
E5MR-815-09	18.84	9581-6163	163	32.09	.07
E5MR-850-09	19.17	9581-6170	170	33.46	.08
E5MR-900-09	19.94	9581-6180	180	35.43	.08
E5MR-1000-09	21.38	9581-6200	200	39.37	.09
E5MR-1150-09	23.46	9581-6230	230	45.28	.11
E5MR-1300-09	25.39	9581-6260	260	51.18	.12
E5MR-1450-09	27.44	9581-6290	290	57.09	.13
E5MR-1600-09	29.65	9581-6320	320	62.99	.15
E5MR-1720-09	31.11	9581-6344	344	67.72	.17
E5MR-1755-09	31.78	9581-6351	351	69.09	.18

Prices Subject To Change Without Notice





PowerGrip® TruMotion™ Belts

Product No. Series 9581 (continued)

5MR Pitch — 15mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E5MR-300-15	\$16.93	9581-7060	60	11.81	.05
E5MR-355-15	18.23	9581-7071	71	13.98	.05
E5MR-375-15	18.86	9581-7075	75	14.76	.06
E5MR-400-15	19.47	9581-7080	80	15.75	.06
E5MR-405-15	19.47	9581-7081	81	15.94	.06
E5MR-425-15	20.10	9581-7085	85	16.73	.06
E5MR-450-15	20.73	9581-7090	90	17.72	.07
E5MR-500-15	22.02	9581-7100	100	19.69	.08
E5MR-535-15	23.26	9581-7107	107	21.06	.08
E5MR-565-15	23.87	9581-7113	113	22.24	.09
E5MR-575-15	23.87	9581-7115	115	22.64	.09
E5MR-580-15	23.87	9581-7116	116	22.83	.09
E5MR-600-15	24.52	9581-7120	120	23.62	.09
E5MR-625-15	25.19	9581-7125	125	24.61	.10

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E5MR-650-15	\$25.74	9581-7130	130	25.59	.10
E5MR-700-15	26.99	9581-7140	140	27.56	.11
E5MR-750-15	28.29	9581-7150	150	29.53	.11
E5MR-800-15	29.53	9581-7160	160	31.50	.12
E5MR-815-15	30.14	9581-7163	163	32.09	.12
E5MR-850-15	30.77	9581-7170	170	33.46	.13
E5MR-900-15	32.00	9581-7180	180	35.43	.14
E5MR-1000-15	34.56	9581-7200	200	39.37	.15
E5MR-1150-15	38.35	9581-7230	230	45.28	.18
E5MR-1300-15	41.43	9581-7260	260	51.18	.20
E5MR-1450-15	45.17	9581-7290	290	57.09	.22
E5MR-1600-15	48.94	9581-7320	320	62.99	.24
E5MR-1720-15	51.41	9581-7344	344	67.72	.25
E5MR-1755-15	52.75	9581-7351	351	69.09	.27

5MR Pitch — 25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E5MR-300-25	\$26.79	9581-8060	60	11.81	.08
E5MR-355-25	28.94	9581-8071	71	13.98	.09
E5MR-375-25	30.06	9581-8075	75	14.76	.10
E5MR-400-25	31.05	9581-8080	80	15.75	.10
E5MR-405-25	31.05	9581-8081	81	15.94	.10
E5MR-425-25	32.14	9581-8085	85	16.73	.11
E5MR-450-25	33.26	9581-8090	90	17.72	.11
E5MR-500-25	35.39	9581-8100	100	19.69	.13
E5MR-535-25	37.50	9581-8107	107	21.06	.14
E5MR-565-25	38.57	9581-8113	113	22.24	.14
E5MR-575-25	38.57	9581-8115	115	22.64	.14
E5MR-580-25	38.57	9581-8116	116	22.83	.15
E5MR-600-25	39.67	9581-8120	120	23.62	.15
E5MR-625-25	40.76	9581-8125	125	24.61	.16

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E5MR-650-25	\$41.82	9581-8130	130	25.59	.17
E5MR-700-25	43.95	9581-8140	140	27.56	.18
E5MR-750-25	46.12	9581-8150	150	29.53	.19
E5MR-800-25	48.27	9581-8160	160	31.50	.20
E5MR-815-25	49.38	9581-8163	163	32.09	.20
E5MR-850-25	50.40	9581-8170	170	33.46	.22
E5MR-900-25	52.55	9581-8180	180	35.43	.23
E5MR-1000-25	56.85	9581-8200	200	39.37	.25
E5MR-1150-25	63.26	9581-8230	230	45.28	.29
E5MR-1300-25	68.75	9581-8260	260	51.18	.33
E5MR-1450-25	75.16	9581-8290	290	57.09	.37
E5MR-1600-25	81.59	9581-8320	320	62.99	.40
E5MR-1720-25	85.87	9581-8344	344	67.72	.46
E5MR-1755-25	88.04	9581-8351	351	69.09	.47

POWERGRIP TRUMOTION

Prices Subject To Change Without Notice





PowerGrip® TruMotion™ Belts

Product No. Series 9582

PowerGrip Timing TruMotion Belts

2/25" Pitch (.080"/MXL)— 1/8" Wide

POWERGRIP TRUMOTION

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E320MXL012	\$2.07	9582-0129	40	3.20	.01
E336MXL012	2.07	9582-0130	42	3.36	.01
E360MXL012	2.07	9582-0119	45	3.60	.01
E376MXL012	2.07	9582-0131	47	3.76	.01
E400MXL012	2.17	9582-0120	50	4.00	.01
E432MXL012	2.17	9582-0132	54	4.32	.01
E440MXL012	2.17	9582-0121	55	4.40	.01
E456MXL012	2.17	9582-0133	57	4.56	.01
E472MXL012	2.17	9582-0134	59	4.72	.01
E480MXL012	2.17	9582-0122	60	4.80	.01
E488MXL012	2.17	9582-0101	61	4.88	.01
E512MXL012	2.23	9582-0135	64	5.12	.01
E520MXL012	2.23	9582-0136	65	5.20	.01
E536MXL012	2.23	9582-0137	67	5.36	.01
E544MXL012	2.23	9582-0138	68	5.44	.01
E560MXL012	2.23	9582-0104	70	5.60	.01
E568MXL012	2.23	9582-0139	71	5.68	.01
E576MXL012	2.23	9582-0140	72	5.76	.01
E592MXL012	2.23	9582-0141	74	5.92	.01
E608MXL012	2.23	9582-0142	76	6.08	.01
E616MXL012	2.23	9582-0143	77	6.16	.01
E632MXL012	2.23	9582-0144	79	6.32	.01
E640MXL012	2.23	9582-0105	80	6.40	.01
E656MXL012	2.23	9582-0102	82	6.56	.01
E664MXL012	2.23	9582-0145	83	6.64	.01
E680MXL012	2.23	9582-0123	85	6.80	.01
E696MXL012	2.23	9582-0146	87	6.96	.01
E704MXL012	2.30	9582-0147	88	7.04	.01
E720MXL012	2.30	9582-0106	90	7.20	.01
E736MXL012	2.30	9582-0148	92	7.36	.01
E744MXL012	2.30	9582-0103	93	7.44	.01
E752MXL012	2.30	9582-0149	94	7.52	.01
E760MXL012	2.30	9582-0124	95	7.60	.01
E776MXL012	2.30	9582-0191	97	7.76	.01
E800MXL012	2.38	9582-0107	100	8.00	.01
E816MXL012	2.38	9582-0150	102	8.16	.01
E824MXL012	2.38	9582-0151	103	8.24	.01
E840MXL012	2.38	9582-0192	105	8.40	.01
E848MXL012	2.38	9582-0152	106	8.48	.01
E856MXL012	2.38	9582-0153	107	8.56	.01
E864MXL012	2.38	9582-0154	108	8.64	.01
E872MXL012	2.38	9582-0155	109	8.72	.01
E880MXL012	2.38	9582-0108	110	8.80	.01
E896MXL012	2.42	9582-0156	112	8.96	.01
E912MXL012	2.42	9582-0157	114	9.12	.01
E960MXL012	2.42	9582-0100	120	9.60	.01
E976MXL012	2.42	9582-0193	122	9.76	.01
E984MXL012	2.42	9582-0158	123	9.84	.01
E1000MXL012	2.48	9582-0159	125	10.00	.01
E1008MXL012	2.48	9582-0160	126	10.08	.01
E1040MXL012	2.48	9582-0109	130	10.40	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E1056MXL012	\$2.48	9582-0161	132	10.56	.01
E1120MXL012	2.48	9582-0110	140	11.20	.01
E1152MXL012	2.48	9582-0162	144	11.52	.01
E1200MXL012	2.57	9582-0111	150	12.00	.01
E1224MXL012	2.57	9582-0163	153	12.24	.01
E1240MXL012	2.57	9582-0164	155	12.40	.01
E1320MXL012	2.66	9582-0125	165	13.20	.01
E1328MXL012	2.66	9582-0165	166	13.28	.01
E1360MXL012	2.66	9582-0166	170	13.60	.01
E1400MXL012	2.68	9582-0112	175	14.00	.01
E1440MXL012	2.69	9582-0195	180	14.40	.01
E1472MXL012	2.68	9582-0167	184	14.72	.01
E1520MXL012	2.81	9582-0126	190	15.20	.01
E1560MXL012	2.81	9582-0168	195	15.60	.01
E1600MXL012	2.83	9582-0113	200	16.00	.01
E1664MXL012	2.83	9582-0169	208	16.64	.01
E1680MXL012	2.85	9582-0127	210	16.80	.01
E1696MXL012	2.85	9582-0170	212	16.96	.01
E1720MXL012	2.85	9582-0196	215	17.20	.01
E1768MXL012	2.85	9582-0171	221	17.68	.01
E1776MXL012	2.85	9582-0172	222	17.76	.01
E1800MXL012	2.88	9582-0114	225	18.00	.01
E1840MXL012	2.88	9582-0173	230	18.40	.01
E1960MXL012	2.97	9582-0174	245	19.60	.01
E1984MXL012	2.97	9582-0175	248	19.84	.01
E1992MXL012	2.97	9582-0197	249	19.92	.01
E2000MXL012	3.03	9582-0115	250	20.00	.01
E2008MXL012	3.03	9582-0198	251	20.08	.01
E2080MXL012	3.03	9582-0116	260	20.80	.01
E2120MXL012	3.09	9582-0176	265	21.20	.01
E2240MXL012	3.09	9582-0177	280	22.40	.01
E2360MXL012	3.20	9582-0128	295	23.60	.01
E2400MXL012	3.24	9582-0117	300	24.00	.01
E2520MXL012	3.28	9582-0178	315	25.20	.01
E2592MXL012	3.28	9582-0199	324	25.92	.01
E2776MXL012	3.38	9582-0179	347	27.76	.01
E2968MXL012	3.48	9582-0180	371	29.68	.01
E2976MXL012	3.48	9582-0181	372	29.76	.01
E3200MXL012	3.63	9582-0118	400	32.00	.01
E3296MXL012	3.69	9582-0182	412	32.96	.01
E3392MXL012	3.69	9582-0183	424	33.92	.01
E3472MXL012	3.79	9582-0184	434	34.72	.01
E3480MXL012	3.79	9582-0185	435	34.80	.01
E3520MXL012	3.84	9582-0400	440	35.20	.01
E3624MXL012	3.89	9582-0194	453	36.24	.01
E3896MXL012	4.04	9582-0186	487	38.96	.01
E3984MXL012	4.04	9582-0187	498	39.84	.01
E4800MXL012	4.60	9582-0188	600	48.00	.01
E4896MXL012	4.60	9582-0189	612	48.96	.01
E5184MXL012	4.69	9582-0190	648	51.84	.01

Prices Subject To Change Without Notice





PowerGrip® TruMotion™ Belts

Product No. Series 9582 (continued)

2/25" Pitch (.080"/MXL)— 3/16" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E320MXL019	\$2.59	9582-0229	40	3.20	.01
E336MXL019	2.59	9582-0230	42	3.36	.01
E360MXL019	2.59	9582-0219	45	3.60	.01
E376MXL019	2.59	9582-0231	47	3.76	.01
E400MXL019	2.63	9582-0220	50	4.00	.01
E432MXL019	2.63	9582-0232	54	4.32	.01
E440MXL019	2.63	9582-0221	55	4.40	.01
E456MXL019	2.63	9582-0233	57	4.56	.01
E472MXL019	2.63	9582-0234	59	4.72	.01
E480MXL019	2.63	9582-0222	60	4.80	.01
E488MXL019	2.63	9582-0201	61	4.88	.01
E512MXL019	2.68	9582-0235	64	5.12	.01
E520MXL019	2.68	9582-0236	65	5.20	.01
E536MXL019	2.68	9582-0237	67	5.36	.01
E544MXL019	2.68	9582-0238	68	5.44	.01
E560MXL019	2.68	9582-0204	70	5.60	.01
E568MXL019	2.68	9582-0239	71	5.68	.01
E576MXL019	2.68	9582-0240	72	5.76	.01
E592MXL019	2.68	9582-0241	74	5.92	.01
E608MXL019	2.81	9582-0242	76	6.08	.01
E616MXL019	2.81	9582-0243	77	6.16	.01
E632MXL019	2.81	9582-0244	79	6.32	.01
E640MXL019	2.81	9582-0205	80	6.40	.01
E656MXL019	2.81	9582-0202	82	6.56	.01
E664MXL019	2.81	9582-0245	83	6.64	.01
E680MXL019	2.81	9582-0223	85	6.80	.01
E696MXL019	2.81	9582-0246	87	6.96	.01
E704MXL019	2.90	9582-0247	88	7.04	.01
E720MXL019	2.90	9582-0206	90	7.20	.01
E736MXL019	2.90	9582-0248	92	7.36	.01
E744MXL019	2.90	9582-0203	93	7.44	.01
E752MXL019	2.90	9582-0249	94	7.52	.01
E760MXL019	2.90	9582-0224	95	7.60	.01
E776MXL019	2.90	9582-0291	97	7.76	.01
E800MXL019	2.98	9582-0207	100	8.00	.01
E816MXL019	2.98	9582-0250	102	8.16	.01
E824MXL019	2.98	9582-0251	103	8.24	.01
E840MXL019	2.98	9582-0292	105	8.40	.01
E848MXL019	2.98	9582-0252	106	8.48	.01
E856MXL019	2.98	9582-0253	107	8.56	.01
E864MXL019	2.98	9582-0254	108	8.64	.01
E872MXL019	2.98	9582-0255	109	8.72	.01
E880MXL019	2.98	9582-0208	110	8.80	.01
E896MXL019	3.03	9582-0256	112	8.96	.01
E912MXL019	3.03	9582-0257	114	9.12	.01
E960MXL019	3.03	9582-0200	120	9.60	.01
E976MXL019	3.03	9582-0293	122	9.76	.01
E984MXL019	3.03	9582-0258	123	9.84	.01
E1000MXL019	3.09	9582-0259	125	10.00	.01
E1008MXL019	3.09	9582-0260	126	10.08	.01
E1040MXL019	3.09	9582-0209	130	10.40	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E1056MXL019	\$3.09	9582-0261	132	10.56	.01
E1120MXL019	3.18	9582-0210	140	11.20	.01
E1152MXL019	3.18	9582-0262	144	11.52	.01
E1200MXL019	3.24	9582-0211	150	12.00	.01
E1224MXL019	3.24	9582-0263	153	12.24	.01
E1240MXL019	3.24	9582-0264	155	12.40	.01
E1320MXL019	3.31	9582-0225	165	13.20	.01
E1328MXL019	3.31	9582-0265	166	13.28	.01
E1360MXL019	3.31	9582-0266	170	13.60	.01
E1400MXL019	3.39	9582-0212	175	14.00	.01
E1440MXL019	3.39	9582-0295	180	14.40	.01
E1472MXL019	3.39	9582-0267	184	14.72	.01
E1520MXL019	3.53	9582-0226	190	15.20	.01
E1560MXL019	3.53	9582-0268	195	15.60	.01
E1600MXL019	3.61	9582-0213	200	16.00	.01
E1664MXL019	3.61	9582-0269	208	16.64	.01
E1680MXL019	3.61	9582-0227	210	16.80	.01
E1696MXL019	3.63	9582-0270	212	16.96	.01
E1720MXL019	3.63	9582-0296	215	17.20	.01
E1768MXL019	3.63	9582-0271	221	17.68	.01
E1776MXL019	3.63	9582-0272	222	17.76	.01
E1800MXL019	3.69	9582-0214	225	18.00	.01
E1840MXL019	3.69	9582-0273	230	18.40	.01
E1960MXL019	3.79	9582-0274	245	19.60	.01
E1984MXL019	3.79	9582-0275	248	19.84	.01
E1992MXL019	3.79	9582-0297	249	19.92	.01
E2000MXL019	3.84	9582-0215	250	20.00	.01
E2008MXL019	3.84	9582-0298	251	20.08	.01
E2080MXL019	3.84	9582-0216	260	20.80	.01
E2120MXL019	3.89	9582-0276	265	21.20	.01
E2240MXL019	3.99	9582-0277	280	22.40	.01
E2360MXL019	4.11	9582-0228	295	23.60	.01
E2400MXL019	4.19	9582-0217	300	24.00	.01
E2520MXL019	4.24	9582-0278	315	25.20	.01
E2592MXL019	4.24	9582-0299	324	25.92	.01
E2776MXL019	4.39	9582-0279	347	27.76	.01
E2968MXL019	4.49	9582-0280	371	29.68	.01
E2976MXL019	4.49	9582-0281	372	29.76	.01
E3200MXL019	4.80	9582-0218	400	32.00	.01
E3296MXL019	4.86	9582-0282	412	32.96	.01
E3392MXL019	4.86	9582-0283	424	33.92	.02
E3472MXL019	4.90	9582-0284	434	34.72	.02
E3480MXL019	4.90	9582-0285	435	34.80	.02
E3520MXL019	5.00	9582-0500	440	35.20	.02
E3624MXL019	5.05	9582-0294	453	36.24	.02
E3896MXL019	5.30	9582-0286	487	38.96	.02
E3984MXL019	5.30	9582-0287	498	39.84	.02
E4800MXL019	6.01	9582-0288	600	48.00	.02
E4896MXL019	6.06	9582-0289	612	48.96	.02
E5184MXL019	6.22	9582-0290	648	51.84	.02

POWERGRIP TRUMOTION

Prices Subject To Change Without Notice





PowerGrip® TruMotion™ Belts

Product No. Series 9582 (continued)

2/25" Pitch (.080"/MXL)— 3/16" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E320MXL025	\$3.39	9582-0329	40	3.20	.01
E336MXL025	3.39	9582-0330	42	3.36	.01
E360MXL025	3.39	9582-0319	45	3.60	.01
E376MXL025	3.39	9582-0331	47	3.76	.01
E400MXL025	3.44	9582-0320	50	4.00	.01
E432MXL025	3.44	9582-0332	54	4.32	.01
E440MXL025	3.44	9582-0321	55	4.40	.01
E456MXL025	3.44	9582-0333	57	4.56	.01
E472MXL025	3.44	9582-0334	59	4.72	.01
E480MXL025	3.44	9582-0322	60	4.80	.01
E488MXL025	3.44	9582-0301	61	4.88	.01
E512MXL025	3.61	9582-0335	64	5.12	.01
E520MXL025	3.61	9582-0336	65	5.20	.01
E536MXL025	3.61	9582-0337	67	5.36	.01
E544MXL025	3.61	9582-0338	68	5.44	.01
E560MXL025	3.61	9582-0304	70	5.60	.01
E568MXL025	3.61	9582-0339	71	5.68	.01
E576MXL025	3.61	9582-0340	72	5.76	.01
E592MXL025	3.61	9582-0341	74	5.92	.01
E608MXL025	3.72	9582-0342	76	6.08	.01
E616MXL025	3.72	9582-0343	77	6.16	.01
E632MXL025	3.72	9582-0344	79	6.32	.01
E640MXL025	3.72	9582-0305	80	6.40	.01
E656MXL025	3.72	9582-0302	82	6.56	.01
E664MXL025	3.72	9582-0345	83	6.64	.01
E680MXL025	3.72	9582-0323	85	6.80	.01
E696MXL025	3.72	9582-0346	87	6.96	.01
E704MXL025	3.81	9582-0347	88	7.04	.01
E720MXL025	3.81	9582-0306	90	7.20	.01
E736MXL025	3.81	9582-0348	92	7.36	.01
E744MXL025	3.81	9582-0303	93	7.44	.01
E752MXL025	3.81	9582-0349	94	7.52	.01
E760MXL025	3.81	9582-0324	95	7.60	.01
E776MXL025	3.81	9582-0391	97	7.76	.01
E800MXL025	3.89	9582-0307	100	8.00	.01
E816MXL025	3.89	9582-0350	102	8.16	.01
E824MXL025	3.89	9582-0351	103	8.24	.01
E840MXL025	3.89	9582-0392	105	8.40	.01
E848MXL025	3.89	9582-0352	106	8.48	.01
E856MXL025	3.89	9582-0353	107	8.56	.01
E864MXL025	3.89	9582-0354	108	8.64	.01
E872MXL025	3.89	9582-0355	109	8.72	.01
E880MXL025	3.89	9582-0308	110	8.80	.01
E896MXL025	4.00	9582-0356	112	8.96	.01
E912MXL025	4.00	9582-0357	114	9.12	.01
E960MXL025	4.00	9582-0300	120	9.60	.01
E976MXL025	4.00	9582-0393	122	9.76	.01
E984MXL025	4.00	9582-0358	123	9.84	.01
E1000MXL025	4.15	9582-0359	125	10.00	.01
E1008MXL025	4.15	9582-0360	126	10.08	.01
E1040MXL025	4.15	9582-0309	130	10.40	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E1056MXL025	\$4.15	9582-0361	132	10.56	.01
E1120MXL025	4.24	9582-0310	140	11.20	.01
E1152MXL025	4.24	9582-0362	144	11.52	.01
E1200MXL025	4.35	9582-0311	150	12.00	.01
E1224MXL025	4.35	9582-0363	153	12.24	.01
E1240MXL025	4.35	9582-0364	155	12.40	.01
E1320MXL025	4.49	9582-0325	165	13.20	.01
E1328MXL025	4.49	9582-0365	166	13.28	.01
E1360MXL025	4.49	9582-0366	170	13.60	.01
E1400MXL025	4.60	9582-0312	175	14.00	.01
E1440MXL025	4.60	9582-0395	180	14.40	.01
E1472MXL025	4.60	9582-0367	184	14.72	.01
E1520MXL025	4.74	9582-0326	190	15.20	.01
E1560MXL025	4.74	9582-0368	195	15.60	.01
E1600MXL025	4.83	9582-0313	200	16.00	.01
E1664MXL025	4.83	9582-0327	208	16.64	.01
E1680MXL025	4.83	9582-0369	210	16.80	.01
E1696MXL025	4.90	9582-0370	212	16.96	.01
E1720MXL025	4.90	9582-0396	221	17.20	.01
E1768MXL025	4.90	9582-0371	215	17.68	.01
E1776MXL025	4.90	9582-0372	222	17.76	.01
E1800MXL025	5.00	9582-0314	225	18.00	.01
E1840MXL025	5.00	9582-0373	230	18.40	.01
E1960MXL025	5.15	9582-0374	245	19.60	.01
E1984MXL025	5.15	9582-0375	248	19.84	.01
E1992MXL025	5.15	9582-0397	249	19.92	.01
E2000MXL025	5.25	9582-0315	250	20.00	.01
E2008MXL025	5.25	9582-0398	251	20.08	.01
E2080MXL025	5.25	9582-0316	260	20.80	.01
E2120MXL025	5.36	9582-0376	265	21.20	.01
E2240MXL025	5.45	9582-0377	280	22.40	.01
E2360MXL025	5.66	9582-0328	295	23.60	.01
E2400MXL025	5.71	9582-0317	300	24.00	.01
E2520MXL025	5.81	9582-0378	315	25.20	.01
E2592MXL025	5.81	9582-0399	324	25.92	.01
E2776MXL025	6.01	9582-0379	347	27.76	.01
E2968MXL025	6.27	9582-0380	371	29.68	.01
E2976MXL025	6.27	9582-0381	372	29.76	.02
E3200MXL025	6.62	9582-0318	400	32.00	.02
E3296MXL025	6.73	9582-0382	412	32.96	.02
E3392MXL025	6.73	9582-0383	424	33.92	.02
E3472MXL025	6.87	9582-0384	434	34.72	.02
E3480MXL025	6.87	9582-0385	435	34.80	.02
E3520MXL025	6.99	9582-0600	440	35.20	.02
E3624MXL025	7.07	9582-0394	453	36.24	.02
E3896MXL025	7.44	9582-0386	487	38.96	.02
E3984MXL025	7.44	9582-0387	498	39.84	.02
E4800MXL025	8.45	9582-0388	600	48.00	.02
E4896MXL025	8.62	9582-0389	612	48.96	.02
E5184MXL025	8.77	9582-0390	648	51.84	.02

POWERGRIP TRUMOTION

Prices Subject To Change Without Notice





PowerGrip® TruMotion™ Belts

Product No. Series 9582 (continued)

1/5" Pitch (.200"/XL)— 1/4" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E42XL025	\$3.44	9582-1141	21	4.20	.01
E50XL025	3.61	9582-1121	25	5.00	.01
E54XL025	3.61	9582-1142	27	5.40	.01
E56XL025	3.61	9582-1143	28	5.60	.01
E58XL025	3.61	9582-1144	29	5.80	.01
E60XL025	3.72	9582-1100	30	6.00	.01
E62XL025	3.72	9582-1145	31	6.20	.01
E64XL025	3.72	9582-1146	32	6.40	.01
E66XL025	3.72	9582-1147	33	6.60	.01
E68XL025	3.72	9582-1148	34	6.80	.01
E70XL025	3.81	9582-1101	35	7.00	.01
E72XL025	3.81	9582-1149	36	7.20	.01
E74XL025	3.81	9582-1150	37	7.40	.01
E76XL025	3.81	9582-1151	38	7.60	.01
E78XL025	3.81	9582-1152	39	7.80	.01
E80XL025	3.89	9582-1102	40	8.00	.01
E82XL025	3.89	9582-1153	41	8.20	.01
E84XL025	3.89	9582-1154	42	8.40	.01
E86XL025	3.89	9582-1155	43	8.60	.01
E88XL025	3.89	9582-1156	44	8.80	.01
E90XL025	4.00	9582-1103	45	9.00	.01
E92XL025	4.00	9582-1157	46	9.20	.01
E94XL025	4.00	9582-1158	47	9.40	.01
E96XL025	4.00	9582-1159	48	9.60	.01
E98XL025	4.00	9582-1160	49	9.80	.01
E100XL025	4.15	9582-1104	50	10.00	.01
E102XL025	4.15	9582-1161	51	10.20	.01
E106XL025	4.15	9582-1162	53	10.60	.01
E108XL025	4.15	9582-1163	54	10.80	.01
E110XL025	4.24	9582-1105	55	11.00	.01
E112XL025	4.24	9582-1164	56	11.20	.01
E114XL025	4.24	9582-1165	57	11.40	.01
E116XL025	4.24	9582-1166	58	11.60	.01
E120XL025	4.35	9582-1106	60	12.00	.01
E122XL025	4.35	9582-1167	61	12.20	.01
E124XL025	4.35	9582-1168	62	12.40	.01
E126XL025	4.35	9582-1169	63	12.60	.01
E128XL025	4.35	9582-1170	64	12.80	.01
E130XL025	4.49	9582-1107	65	13.00	.01
E132XL025	4.49	9582-1171	66	13.20	.01
E134XL025	4.49	9582-1172	67	13.40	.01
E136XL025	4.49	9582-1173	68	13.60	.01
E138XL025	4.49	9582-1174	69	13.80	.01
E140XL025	4.60	9582-1108	70	14.00	.01
E142XL025	4.60	9582-1175	71	14.20	.01
E144XL025	4.60	9582-1176	72	14.40	.01
E146XL025	4.60	9582-1177	73	14.60	.01
E148XL025	4.60	9582-1178	74	14.80	.01
E150XL025	4.74	9582-1109	75	15.00	.01
E152XL025	4.74	9582-1179	76	15.20	.01
E154XL025	4.74	9582-1180	77	15.40	.01
E156XL025	4.74	9582-1181	78	15.60	.01
E158XL025	4.74	9582-1182	79	15.80	.01
E160XL025	4.83	9582-1110	80	16.00	.01
E162XL025	4.83	9582-1183	81	16.20	.01
E164XL025	4.83	9582-1184	82	16.40	.01
E166XL025	4.83	9582-1185	83	16.60	.01
E168XL025	4.83	9582-1186	84	16.80	.02
E170XL025	4.90	9582-1111	85	17.00	.02
E172XL025	4.90	9582-1187	86	17.20	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E174XL025	\$4.90	9582-1188	87	17.40	.02
E176XL025	4.90	9582-1189	88	17.60	.02
E178XL025	4.90	9582-1190	89	17.80	.02
E180XL025	5.00	9582-1112	90	18.00	.02
E182XL025	5.00	9582-1191	91	18.20	.02
E184XL025	5.00	9582-1192	92	18.40	.02
E186XL025	5.00	9582-1193	93	18.60	.02
E188XL025	5.00	9582-1194	94	18.80	.02
E190XL025	5.15	9582-1113	95	19.00	.02
E192XL025	5.15	9582-1195	96	19.20	.02
E194XL025	5.15	9582-1196	97	19.40	.02
E200XL025	5.25	9582-1114	100	20.00	.02
E202XL025	5.25	9582-1197	101	20.20	.02
E204XL025	5.25	9582-1198	102	20.40	.02
E206XL025	5.25	9582-1199	103	20.60	.02
E210XL025	5.36	9582-1115	105	21.00	.02
E212XL025	5.36	9582-8100	106	21.20	.02
E214XL025	5.36	9582-8101	107	21.40	.02
E218XL025	5.36	9582-8102	109	21.80	.02
E220XL025	5.45	9582-1116	110	22.00	.02
E222XL025	5.45	9582-8103	111	22.20	.02
E226XL025	5.45	9582-8104	113	22.60	.02
E228XL025	5.45	9582-8105	114	22.80	.02
E230XL025	5.66	9582-1117	115	23.00	.02
E232XL025	5.66	9582-8106	116	23.20	.02
E234XL025	5.66	9582-8107	117	23.40	.02
E236XL025	5.66	9582-8108	118	23.60	.02
E240XL025	5.71	9582-1118	120	24.00	.02
E244XL025	5.71	9582-8109	122	24.40	.02
E246XL025	5.71	9582-8110	123	24.60	.02
E250XL025	5.81	9582-1119	125	25.00	.02
E254XL025	5.81	9582-8111	127	25.40	.02
E258XL025	5.81	9582-8112	129	25.80	.02
E260XL025	5.91	9582-1120	130	26.00	.02
E262XL025	5.91	9582-8113	131	26.20	.02
E264XL025	5.91	9582-8114	132	26.40	.02
E266XL025	5.91	9582-8115	133	26.60	.02
E268XL025	5.91	9582-8116	134	26.80	.02
E274XL025	6.01	9582-8117	137	27.40	.02
E280XL025	6.21	9582-1122	140	28.00	.03
E286XL025	6.21	9582-8118	143	28.60	.03
E290XL025	6.27	9582-1123	145	29.00	.03
E296XL025	6.27	9582-8119	148	29.60	.03
E300XL025	6.42	9582-1124	150	30.00	.03
E306XL025	6.42	9582-8120	153	30.60	.03
E310XL025	6.51	9582-1125	155	31.00	.03
E316XL025	6.51	9582-8121	158	31.60	.03
E320XL025	6.62	9582-8122	160	32.00	.03
E322XL025	6.62	9582-8123	161	32.20	.03
E330XL025	6.73	9582-1126	165	33.00	.04
E338XL025	6.73	9582-8124	169	33.80	.04
E340XL025	6.87	9582-1127	170	34.00	.04
E344XL025	6.87	9582-9125	172	34.40	.04
E348XL025	6.87	9582-8126	174	34.80	.04
E350XL025	6.99	9582-1128	175	35.00	.04
E352XL025	6.99	9582-8146	176	35.20	.04
E362XL025	7.07	9582-8127	181	36.20	.04
E370XL025	7.19	9582-1129	185	37.00	.04
E380XL025	7.29	9582-1130	190	38.00	.04
E384XL025	7.29	9582-8128	192	38.40	.04

POWERGRIP TRUMOTION

Prices Subject To Change Without Notice





PowerGrip® TruMotion™ Belts

Product No. Series 9582 (continued)

1/5" Pitch (.200"/XL)— 1/4" Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E390XL025	\$7.44	9582-1131	195	39.00	.04
E400XL025	7.54	9582-1132	200	40.00	.04
E412XL025	7.58	9582-8129	206	41.20	.04
E420XL025	7.75	9582-1133	210	42.00	.05
E424XL025	7.75	9582-8130	212	42.40	.05
E432XL025	7.83	9582-8131	216	43.20	.05
E438XL025	7.83	9582-8132	219	43.80	.05
E444XL025	7.97	9582-8133	222	44.40	.05
E450XL025	8.11	9582-1134	225	45.00	.05
E454XL025	8.11	9582-8134	227	45.40	.05
E460XL025	8.20	9582-1135	230	46.00	.05
E468XL025	8.20	9582-8135	234	46.80	.05
E480XL025	8.45	9582-1136	240	48.00	.05
E486XL025	8.45	9582-8149	243	48.60	.05
E492XL025	8.43	9582-8136	246	49.20	.05

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E498XL025	\$8.43	9582-8137	249	49.80	.05
E500XL025	8.67	9582-1137	250	50.00	.06
E506XL025	8.67	9582-8138	253	50.60	.06
E524XL025	8.94	9582-8139	262	52.40	.06
E554XL025	9.44	9582-8150	277	55.40	.07
E570XL025	9.89	9582-1138	285	57.00	.07
E580XL025	9.95	9582-8140	290	58.00	.07
E592XL025	10.13	9582-8141	296	59.20	.07
E612XL025	10.48	9582-8142	306	61.20	.07
E630XL025	10.90	9582-1139	315	63.00	.07
E672XL025	11.52	9582-8143	336	67.20	.08
E690XL025	11.84	9582-8144	345	69.00	.08
E770XL025	13.35	9582-1140	385	77.00	.09
E850XL025	14.59	9582-8145	425	85.00	.09

1/5" Pitch (.200"/XL)— 3/8" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E42XL037	\$4.53	9582-1341	21	4.20	.01
E50XL037	4.74	9582-1321	25	5.00	.01
E54XL037	4.74	9582-1342	27	5.40	.01
E56XL037	4.74	9582-1343	28	5.60	.01
E58XL037	4.74	9582-1344	29	5.80	.01
E60XL037	4.85	9582-1300	30	6.00	.01
E62XL037	4.85	9582-1345	31	6.20	.01
E64XL037	4.85	9582-1346	32	6.40	.01
E66XL037	4.85	9582-1347	33	6.60	.01
E68XL037	4.85	9582-1348	34	6.80	.01
E70XL037	5.06	9582-1301	35	7.00	.01
E72XL037	5.06	9582-1349	36	7.20	.01
E74XL037	5.06	9582-1350	37	7.40	.01
E76XL037	5.06	9582-1351	38	7.60	.01
E78XL037	5.06	9582-1352	39	7.80	.01
E80XL037	5.21	9582-1302	40	8.00	.01
E82XL037	5.21	9582-1353	41	8.20	.01
E84XL037	5.21	9582-1354	42	8.40	.01
E86XL037	5.21	9582-1355	43	8.60	.01
E88XL037	5.21	9582-1356	44	8.80	.01
E90XL037	5.36	9582-1303	45	9.00	.01
E92XL037	5.36	9582-1357	46	9.20	.01
E94XL037	5.36	9582-1358	47	9.40	.01
E96XL037	5.36	9582-1359	48	9.60	.01
E98XL037	5.36	9582-1360	49	9.80	.01
E100XL037	5.51	9582-1304	50	10.00	.01
E102XL037	5.51	9582-1361	51	10.20	.01
E106XL037	5.51	9582-1362	53	10.60	.01
E108XL037	5.51	9582-1363	54	10.80	.01
E110XL037	5.71	9582-1305	55	11.00	.02
E112XL037	5.71	9582-1364	56	11.20	.02
E114XL037	5.71	9582-1365	57	11.40	.02
E116XL037	5.71	9582-1366	58	11.60	.02
E120XL037	5.81	9582-1306	60	12.00	.02
E122XL037	5.81	9582-1367	61	12.20	.02
E124XL037	5.81	9582-1368	62	12.40	.02
E126XL037	5.81	9582-1369	63	12.60	.02
E128XL037	5.81	9582-1370	64	12.80	.02
E130XL037	6.01	9582-1307	65	13.00	.02
E132XL037	6.01	9582-1371	66	13.20	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E134XL037	\$6.01	9582-1372	67	13.40	.02
E136XL037	6.01	9582-1373	68	13.60	.02
E138XL037	6.01	9582-1374	69	13.80	.02
E140XL037	6.16	9582-1308	70	14.00	.02
E142XL037	6.16	9582-1375	71	14.20	.02
E144XL037	6.16	9582-1376	72	14.40	.02
E146XL037	6.16	9582-1377	73	14.60	.02
E148XL037	6.16	9582-1378	74	14.80	.02
E150XL037	6.31	9582-1309	75	15.00	.02
E152XL037	6.31	9582-1379	76	15.20	.02
E154XL037	6.31	9582-1380	77	15.40	.02
E156XL037	6.31	9582-1381	78	15.60	.02
E158XL037	6.31	9582-1382	79	15.80	.02
E160XL037	6.51	9582-1310	80	16.00	.02
E162XL037	6.51	9582-1383	81	16.20	.02
E164XL037	6.51	9582-1384	82	16.40	.02
E166XL037	6.51	9582-1385	83	16.60	.02
E168XL037	6.51	9582-1386	84	16.80	.02
E170XL037	6.62	9582-1311	85	17.00	.02
E172XL037	6.62	9582-1387	86	17.20	.02
E174XL037	6.62	9582-1388	87	17.40	.02
E176XL037	6.62	9582-1389	88	17.60	.02
E178XL037	6.62	9582-1390	89	17.80	.02
E180XL037	6.82	9582-1312	90	18.00	.02
E182XL037	6.82	9582-1391	91	18.20	.02
E184XL037	6.82	9582-1392	92	18.40	.02
E186XL037	6.82	9582-1393	93	18.60	.02
E188XL037	6.82	9582-1394	93	18.60	.02
E190XL037	6.98	9582-1313	95	19.00	.02
E192XL037	6.98	9582-1395	96	19.20	.02
E194XL037	6.98	9582-1396	97	19.40	.02
E200XL037	7.13	9582-1314	100	20.00	.02
E202XL037	7.13	9582-1397	101	20.20	.02
E204XL037	7.13	9582-1398	102	20.40	.02
E206XL037	7.13	9582-1399	103	20.60	.03
E210XL037	7.28	9582-1315	105	21.00	.03
E212XL037	7.28	9582-8300	106	21.20	.03
E214XL037	7.28	9582-8301	107	21.40	.03
E218XL037	7.28	9582-8302	109	21.80	.03
E220XL037	7.48	9582-1316	110	22.00	.03

Prices Subject To Change Without Notice





PowerGrip® TruMotion™ Belts

Product No. Series 9582 (continued)

1/5" Pitch (.200"/XL)— 3/8" Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E222XL037	\$7.48	9582-8303	111	22.20	.03
E226XL037	7.48	9582-8304	113	22.60	.03
E228XL037	7.48	9582-8305	114	22.80	.03
E230XL037	7.58	9582-1317	115	23.00	.03
E232XL037	7.58	9582-8306	116	23.20	.03
E234XL037	7.58	9582-8307	117	23.40	.03
E236XL037	7.58	9582-8308	118	23.60	.03
E240XL037	7.78	9582-1318	120	24.00	.03
E244XL037	7.78	9582-8309	122	24.40	.03
E246XL037	7.78	9582-8310	123	24.60	.03
E250XL037	7.93	9582-1319	125	25.00	.03
E254XL037	7.93	9582-8311	127	25.40	.03
E258XL037	7.93	9582-8312	129	25.80	.03
E260XL037	8.09	9582-1320	130	26.00	.03
E262XL037	8.08	9582-8313	131	26.20	.03
E264XL037	8.08	9582-8314	132	26.40	.03
E266XL037	8.08	9582-8315	133	26.60	.03
E268XL037	8.08	9582-8316	134	26.80	.03
E274XL037	8.28	9582-8317	137	27.40	.04
E280XL037	8.52	9582-1322	140	28.00	.04
E286XL037	8.52	9582-8318	143	28.60	.04
E290XL037	8.67	9582-1323	145	29.00	.05
E296XL037	8.67	9582-8319	148	29.60	.05
E300XL037	8.82	9582-1324	150	30.00	.05
E306XL037	8.82	9582-8320	153	30.60	.05
E310XL037	8.97	9582-1325	155	31.00	.05
E316XL037	8.97	9582-8321	158	31.60	.05
E320XL037	9.04	9582-8322	160	32.00	.05
E322XL037	9.04	9582-8323	161	32.20	.05
E330XL037	9.32	9582-1326	165	33.00	.05
E338XL037	9.32	9582-8324	169	33.80	.05
E340XL037	9.42	9582-1327	170	34.00	.05
E344XL037	9.42	9582-8325	172	34.40	.05
E348XL037	9.42	9582-8326	174	34.80	.05
E350XL037	9.62	9582-1328	175	35.00	.05

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E352XL037	\$9.75	9582-8346	176	35.20	.05
E362XL037	9.93	9582-8327	181	36.20	.05
E370XL037	10.14	9582-1329	185	37.00	.05
E380XL037	10.14	9582-1330	190	38.00	.05
E384XL037	10.29	9582-8328	192	38.40	.05
E390XL037	10.45	9582-1331	195	39.00	.05
E400XL037	10.51	9582-1332	200	40.00	.05
E412XL037	10.80	9582-8329	206	41.20	.05
E420XL037	10.80	9582-1333	210	42.00	.06
E424XL037	10.80	9582-8330	212	42.40	.06
E432XL037	10.80	9582-8331	216	43.20	.06
E438XL037	10.80	9582-8332	219	43.80	.06
E444XL037	11.02	9582-8333	222	44.40	.06
E450XL037	11.25	9582-1334	225	45.00	.06
E454XL037	11.25	9582-8334	227	45.40	.06
E460XL037	11.41	9582-1335	230	46.00	.06
E468XL037	11.41	9582-8335	234	46.80	.06
E480XL037	11.71	9582-1336	240	48.00	.06
E486XL037	11.71	9582-8349	243	48.60	.06
E492XL037	11.82	9582-8336	246	49.20	.06
E498XL037	11.82	9582-8337	249	49.80	.06
E500XL037	12.08	9582-1337	250	50.00	.07
E506XL037	12.08	9582-8338	253	50.60	.07
E524XL037	12.45	9582-8339	262	52.40	.07
E554XL037	13.16	9582-8350	277	55.40	.07
E570XL037	13.76	9582-1338	285	57.00	.07
E580XL037	13.89	9582-8340	290	58.00	.07
E592XL037	14.12	9582-8341	296	59.20	.07
E612XL037	14.59	9582-8342	306	61.20	.07
E630XL037	15.20	9582-1339	315	63.00	.08
E672XL037	16.04	9582-8343	336	67.20	.08
E690XL037	16.29	9582-8344	345	69.00	.08
E770XL037	18.59	9582-1340	385	77.00	.09
E850XL037	20.36	9582-8345	425	85.00	.09

POWERGRIP TRUMOTION

3/8" Pitch (.375"/L)— 1/2" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E124L050	\$9.70	9582-2100	33	12.38	.03
E135L050	10.14	9582-2120	36	13.50	.04
E150L050	10.71	9582-2101	40	15.00	.04
E154L050	10.71	9582-2127	41	15.38	.04
E158L050	10.71	9582-2128	42	15.75	.04
E165L050	11.10	9582-2121	44	16.50	.04
E173L050	11.37	9582-2129	46	17.25	.05
E176L050	11.37	9582-7133	47	17.63	.05
E187L050	11.67	9582-2102	50	18.75	.05
E195L050	12.13	9582-2122	52	19.50	.05
E199L050	12.13	9582-7134	53	19.88	.05
E203L050	12.38	9582-7135	54	20.25	.05
E210L050	12.69	9582-2103	56	21.00	.05
E218L050	12.69	9582-7136	58	21.75	.05
E225L050	13.04	9582-2104	60	22.50	.06
E240L050	13.70	9582-2105	64	24.00	.06
E248L050	13.70	9582-7137	66	24.75	.06
E255L050	13.99	9582-2106	68	25.50	.06
E263L050	14.34	9582-7138	70	26.25	.06
E270L050	14.66	9582-2107	72	27.00	.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E285L050	\$15.01	9582-2108	76	28.50	.08
E300L050	15.66	9582-2109	80	30.00	.08
E315L050	16.09	9582-2123	84	31.50	.09
E322L050	16.32	9582-2110	86	32.25	.09
E345L050	16.97	9582-2111	92	34.50	.09
E367L050	17.58	9582-2112	98	36.75	.09
E375L050	17.93	9582-7139	100	37.50	.09
E390L050	18.59	9582-2113	104	39.00	.10
E420L050	19.55	9582-2114	112	42.00	.11
E446L050	20.21	9582-7140	119	44.63	.11
E450L050	20.56	9582-2115	120	45.00	.12
E480L050	21.58	9582-2116	128	48.00	.13
E510L050	22.23	9582-2117	136	51.00	.14
E540L050	23.54	9582-2118	144	54.00	.15
E566L050	24.19	9582-7141	151	56.63	.15
E570L050	24.19	9582-7142	152	57.00	.15
E581L050	24.85	9582-7143	155	58.13	.15
E600L050	25.51	9582-2119	160	60.00	.16
E630L050	26.17	9582-7144	168	63.00	.16
E660L050	27.70	9582-2124	176	66.00	.18

Prices Subject To Change Without Notice





PowerGrip® TruMotion™ Belts

Product No. Series 9582 (continued)

3/8" Pitch (.375"/L)— 1/2" Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E720L050	\$ 29.45	9582-7145	192	72.00	.18
E731L050	29.45	9582-7146	195	73.13	.18
E817L050	32.39	9582-2125	218	81.75	.22
E900L050	35.65	9582-2126	240	90.00	.26

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E915L050	\$ 35.65	9582-7147	244	91.50	.27
E945L050	36.68	9582-7148	252	94.50	.29
E1103L050	41.98	9582-7149	294	110.25	.33

3/8" Pitch (.200"/XL)— 3/4" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E124L075	\$13.79	9582-2200	33	12.38	.05
E135L075	14.36	9582-2220	36	13.50	.05
E150L075	15.31	9582-2201	40	15.00	.06
E154L075	15.31	9582-2227	41	15.38	.06
E158L075	15.31	9582-2228	42	15.75	.06
E165L075	15.94	9582-2221	44	16.50	.06
E173L075	16.32	9582-2229	46	17.25	.06
E176L075	16.32	9582-7233	47	17.63	.07
E187L075	16.82	9582-2202	50	18.75	.07
E195L075	17.48	9582-2222	52	19.50	.08
E199L075	17.48	9582-7234	53	19.88	.08
E203L075	17.83	9582-7235	54	20.25	.08
E210L075	18.34	9582-2203	56	21.00	.09
E218L075	18.34	9582-7236	58	21.75	.09
E225L075	18.85	9582-2204	60	22.50	.09
E240L075	19.85	9582-2205	64	24.00	.10
E248L075	19.85	9582-7237	66	24.75	.10
E255L075	20.36	9582-2206	68	25.50	.10
E263L075	20.91	9582-7238	70	26.25	.10
E270L075	21.38	9582-2207	72	27.00	.11
E285L075	21.93	9582-2208	76	28.50	.12
E300L075	22.89	9582-2209	80	30.00	.12
E315L075	23.64	9582-2223	84	31.50	.13
E322L075	23.95	9582-2210	86	32.25	.13

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E345L075	\$ 24.95	9582-2211	92	34.50	.14
E367L075	25.97	9582-2212	98	36.75	.15
E375L075	26.46	9582-7239	100	37.50	.15
E390L075	27.48	9582-2213	104	39.00	.16
E420L075	29.00	9582-2214	112	42.00	.17
E446L075	30.06	9582-7240	119	44.63	.17
E450L075	30.57	9582-2215	120	45.00	.18
E480L075	32.08	9582-2216	128	48.00	.20
E510L075	33.10	9582-2217	136	51.00	.21
E540L075	35.11	9582-2218	144	54.00	.22
E566L075	36.12	9582-7241	151	56.63	.22
E570L075	36.12	9582-7242	152	57.00	.23
E581L075	37.19	9582-7243	155	58.13	.24
E600L075	38.20	9582-2219	160	60.00	.24
E630L075	39.21	9582-7244	168	63.00	.26
E660L075	41.56	9582-2224	176	66.00	.27
E720L075	44.30	9582-7245	192	72.00	.29
E731L075	44.30	9582-7246	195	73.13	.31
E817L075	48.73	9582-2225	218	81.75	.34
E900L075	53.87	9582-2226	240	90.00	.39
E915L075	53.87	9582-7247	244	91.50	.41
E945L075	55.47	9582-7248	252	94.50	.45
E1103L075	63.65	9582-7249	294	110.25	.53

3/8" Pitch (.200"/XL)— 1" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E124L100	\$ 17.68	9582-2300	33	12.38	.07
E135L100	18.51	9582-2320	36	13.50	.07
E150L100	19.70	9582-2301	40	15.00	.08
E154L100	19.70	9582-2327	41	15.38	.08
E158L100	19.70	9582-2328	42	15.75	.08
E165L100	20.55	9582-2321	44	16.50	.09
E173L100	21.09	9582-2329	46	17.25	.09
E176L100	21.09	9582-7333	47	17.63	.09
E187L100	21.77	9582-2302	50	18.75	.10
E195L100	22.64	9582-2322	52	19.50	.11
E199L100	22.64	9582-7334	53	19.88	.11
E203L100	23.17	9582-7335	54	20.25	.11
E210L100	23.80	9582-2303	56	21.00	.11
E218L100	23.80	9582-7336	58	21.75	.11
E225L100	24.48	9582-2304	60	22.50	.12
E240L100	25.87	9582-2305	64	24.00	.13
E248L100	25.87	9582-7337	66	24.75	.13
E255L100	26.55	9582-2306	68	25.50	.14
E263L100	27.22	9582-7338	70	26.25	.14
E270L100	27.89	9582-2307	72	27.00	.15
E285L100	28.58	9582-2308	76	28.50	.15
E300L100	29.96	9582-2309	80	30.00	.16
E315L100	30.88	9582-2323	84	31.50	.17
E322L100	31.33	9582-2310	86	32.25	.17

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
E345L100	\$32.67	9582-2311	92	34.50	.19
E367L100	34.03	9582-2312	98	36.75	.20
E375L100	34.73	9582-7339	100	37.50	.20
E390L100	36.05	9582-2313	104	39.00	.21
E420L100	38.12	9582-2314	112	42.00	.23
E446L100	39.50	9582-7340	119	44.63	.23
E450L100	40.15	9582-2315	120	45.00	.24
E480L100	42.22	9582-2316	128	48.00	.26
E510L100	43.61	9582-2317	136	51.00	.28
E540L100	46.31	9582-2318	144	54.00	.29
E566L100	47.68	9582-7341	151	56.63	.29
E570L100	47.68	9582-7342	152	57.00	.30
E581L100	49.00	9582-7343	155	58.13	.31
E600L100	50.40	9582-2319	160	60.00	.32
E630L100	51.75	9582-7344	168	63.00	.34
E660L100	54.92	9582-2324	176	66.00	.36
E720L100	58.57	9582-7345	192	72.00	.39
E731L100	58.57	9582-7346	195	73.13	.41
E817L100	64.54	9582-2325	218	81.75	.45
E900L100	71.39	9582-2326	240	90.00	.52
E915L100	71.39	9582-7347	244	91.50	.59
E945L100	73.53	9582-7348	252	94.50	.64
E1103L100	84.42	9582-7349	294	110.25	.75

Prices Subject To Change Without Notice





PowerGrip® TruMotion™ Belts

Product No. Series 9580 PowerGrip HTD® TruMotion Belts - 3mm Pitch

Part No.	No. of Teeth	Pitch Length (In.)	Part No.	No. of Teeth	Pitch Length (In.)	Part No.	No. of Teeth	Pitch Length (In.)	Part No.	No. of Teeth	Pitch Length (In.)
E87-3M	29	3.43	E264-3M	88	10.39	E435-3M	145	17.13	E663-3M	221	26.10
E102-3M	34	4.02	E267-3M	89	10.51	E438-3M	146	17.24	E669-3M	223	26.34
E105-3M	35	4.13	E270-3M	90	10.63	E444-3M	148	17.48	E672-3M	224	26.46
E111-3M	37	4.37	E276-3M	92	10.87	E447-3M	149	17.60	E684-3M	228	26.93
E123-3M	41	4.84	E282-3M	94	11.10	E459-3M	153	18.07	E687-3M	229	27.05
E129-3M	43	5.08	E285-3M	95	11.22	E465-3M	155	18.31	E696-3M	232	27.40
E144-3M	48	5.67	E288-3M	96	11.34	E468-3M	156	18.43	E711-3M	237	27.99
E147-3M	49	5.79	E291-3M	97	11.46	E471-3M	157	18.54	E735-3M	245	28.94
E150-3M	50	5.91	E297-3M	99	11.69	E474-3M	158	18.66	E738-3M	246	29.06
E156-3M	52	6.14	E300-3M	100	11.81	E480-3M	160	18.90	E753-3M	251	29.65
E159-3M	53	6.26	E306-3M	102	12.05	E486-3M	162	19.13	E795-3M	265	31.30
E165-3M	55	6.50	E312-3M	104	12.28	E489-3M	163	19.25	E804-3M	268	31.65
E168-3M	56	6.61	E315-3M	105	12.40	E492-3M	164	19.37	E822-3M	274	32.36
E174-3M	58	6.85	E318-3M	106	12.52	E501-3M	167	19.72	E837-3M	279	32.95
E177-3M	59	6.97	E324-3M	108	12.76	E510-3M	170	20.08	E843-3M	281	33.19
E180-3M	60	7.09	E330-3M	110	12.99	E513-3M	171	20.20	E873-3M	291	34.37
E183-3M	61	7.20	E333-3M	111	13.11	E519-3M	173	20.43	E882-3M	294	34.72
E186-3M	62	7.32	E336-3M	112	13.23	E525-3M	175	20.67	E891-3M	297	35.08
E189-3M	63	7.44	E339-3M	113	13.35	E528-3M	176	20.79	E900-3M	300	35.43
E192-3M	64	7.56	E345-3M	115	13.58	E531-3M	177	20.91	E915-3M	305	36.02
E195-3M	65	7.68	E357-3M	119	14.06	E537-3M	179	21.14	E945-3M	315	37.20
E201-3M	67	7.91	E360-3M	120	14.17	E558-3M	186	21.97	E951-3M	317	37.44
E204-3M	68	8.03	E363-3M	121	14.29	E564-3M	188	22.20	E981-3M	327	38.62
E207-3M	69	8.15	E366-3M	122	14.41	E570-3M	190	22.44	E1002-3M	334	39.45
E210-3M	70	8.27	E369-3M	123	14.53	E576-3M	192	22.68	E1026-3M	342	40.39
E213-3M	71	8.39	E372-3M	124	14.65	E585-3M	195	23.03	E1035-3M	345	40.75
E216-3M	72	8.50	E381-3M	127	15.00	E591-3M	197	23.27	E1056-3M	352	41.57
E219-3M	73	8.62	E384-3M	128	15.12	E597-3M	199	23.50	E1062-3M	354	41.81
E222-3M	74	8.74	E387-3M	129	15.24	E600-3M	200	23.62	E1125-3M	375	44.29
E225-3M	75	8.86	E390-3M	130	15.35	E606-3M	202	23.86	E1155-3M	385	45.47
E228-3M	76	8.98	E393-3M	131	15.47	E609-3M	203	23.98	E1191-3M	397	46.89
E234-3M	78	9.21	E396-3M	132	15.59	E612-3M	204	24.09	E1263-3M	421	49.72
E237-3M	79	9.33	E399-3M	133	15.71	E627-3M	209	24.69	E1335-3M	445	52.56
E240-3M	80	9.45	E405-3M	135	15.94	E633-3M	211	24.92	E1500-3M	500	59.06
E246-3M	82	9.69	E411-3M	137	16.18	E639-3M	213	25.16	E1512-3M	504	59.53
E252-3M	84	9.92	E417-3M	139	16.42	E645-3M	215	25.39	E1587-3M	529	62.48
E255-3M	85	10.04	E420-3M	140	16.54	E648-3M	216	25.51	E1956-3M	652	77.01
E258-3M	86	10.16	E426-3M	142	16.77	E654-3M	218	25.75	E2004-3M	668	78.90
E261-3M	87	10.28	E432-3M	144	17.01	E657-3M	219	25.87			

POWERGRIP TRUMOTION

5mm Pitch

Part No.	No. of Teeth	Pitch Length (In.)	Part No.	No. of Teeth	Pitch Length (In.)	Part No.	No. of Teeth	Pitch Length (In.)	Part No.	No. of Teeth	Pitch Length (In.)
E200-5M	40	7.87	E480-5M	96	18.90	E745-5M	149	29.33	E1375-5M	275	54.13
E215-5M	43	8.46	E495-5M	99	19.49	E765-5M	153	30.12	E1420-5M	284	55.91
E240-5M	48	9.45	E500-5M	100	19.69	E790-5M	158	31.10	E1575-5M	315	62.01
E260-5M	52	10.24	E520-5M	104	20.47	E800-5M	160	31.50	E1595-5M	319	62.80
E270-5M	54	10.63	E535-5M	107	21.06	E830-5M	166	32.68	E1635-5M	327	64.37
E285-5M	57	11.22	E555-5M	111	21.85	E835-5M	167	32.87	E1690-5M	338	66.54
E295-5M	59	11.61	E565-5M	113	22.24	E850-5M	170	33.46	E1720-5M	344	67.72
E300-5M	60	11.81	E580-5M	116	22.83	E870-5M	174	34.25	E1790-5M	358	70.47
E310-5M	62	12.20	E585-5M	117	23.03	E890-5M	178	35.04	E1800-5M	360	70.87
E320-5M	64	12.60	E590-5M	118	23.23	E925-5M	185	36.42	E1895-5M	379	74.61
E330-5M	66	12.99	E600-5M	120	23.62	E950-5M	190	37.40	E1945-5M	389	76.57
E350-5M	70	13.78	E615-5M	123	24.21	E975-5M	195	38.39	E1980-5M	396	77.95
E375-5M	75	14.76	E635-5M	127	25.00	E985-5M	197	38.78	E2000-5M	400	78.74
E400-5M	80	15.75	E655-5M	131	25.79	E1000-5M	200	39.37	E2110-5M	422	83.07
E405-5M	81	15.94	E665-5M	133	26.18	E1050-5M	210	41.34	E2250-5M	450	88.58
E415-5M	83	16.34	E670-5M	134	26.38	E1115-5M	223	43.90	E2525-5M	505	99.41
E425-5M	85	16.73	E680-5M	136	26.77	E1125-5M	225	44.29	E2760-5M	552	108.66
E425-5M	85	16.73	E685-5M	137	26.97	E1195-5M	239	47.05	E3120-5M	624	122.83
E450-5M	90	17.72	E695-5M	139	27.36	E1250-5M	250	49.21	E3170-5M	634	124.80
E460-5M	92	18.11	E710-5M	142	27.95	E1270-5M	254	50.00	E3430-5M	686	135.04
E475-5M	95	18.70	E740-5M	148	29.13	E1295-5M	259	50.98	E3800-5M	760	149.61

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Belts—2MR and 3MR


The PowerGrip GT2 belt has twice the load carrying capacity of its predecessor HTD®. In addition, less width is required compared to HTD, allowing lighter, more compact drives.

Markets/Applications

PowerGrip GT2 belts are suitable for many applications including data storage, machine tool, hand power tools, postage handling, DC Stepper/Servo, food processors, office machines, centrifuges, money handling, medical diagnostic, sewing machines, ticket dispensers, robotics, vending machines, and vacuum cleaners.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Gates **patented tooth profile** is designed for use with a specific sprocket groove profile. The sprocket groove-belt tooth combination increases capacity, while improving registration.
- PowerGrip GT2 greatly exceeds HTD in tooth ratchet resistance.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor as compared to roller chain drives.
- PowerGrip GT2 belt/sprocket combinations match or exceed the positional accuracy of PowerGrip Timing belt/pulley systems.



POWERGRIP GT2 BELTS

Recommended Sprockets

PowerGrip GT2 Sprockets

Notes

PowerGrip GT2 part numbers are comprised of pitch, pitch length and width. For example, part number 2MR-100-04 signifies 2mm pitch, 100mm pitch length and 4mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT2 belt lies within the tensile member.

Product No. Series 9390

2MR Pitch — 4mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-100-04	\$3.19	9390-0050	50	3.94	.01
2MR-112-04	3.19	9390-0056	56	4.41	.01
2MR-124-04	3.19	9390-0062	62	4.88	.01
2MR-126-04	3.19	9390-0063	63	4.96	.01
2MR-134-04	3.29	9390-0067	67	5.28	.01
2MR-136-04	3.29	9390-0068	68	5.35	.01
2MR-140-04	3.29	9390-0070	70	5.51	.01
2MR-152-04	3.29	9390-0076	76	5.98	.01
2MR-158-04	3.43	9390-0079	79	6.22	.01
2MR-160-04	3.43	9390-0080	80	6.30	.01
2MR-164-04	3.43	9390-0082	82	6.46	.01
2MR-166-04	3.43	9390-0083	83	6.54	.01
2MR-168-04	3.43	9390-0084	84	6.61	.01
2MR-172-04	3.43	9390-0086	86	6.77	.01
2MR-180-04	3.54	9390-0090	90	7.09	.01
2MR-186-04	3.54	9390-0093	93	7.32	.01
2MR-192-04	3.54	9390-0096	96	7.56	.01
2MR-200-04	3.54	9390-0100	100	7.87	.01
2MR-202-04	3.54	9390-0101	101	7.95	.01
2MR-210-04	3.64	9390-0105	105	8.27	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-212-04	\$3.64	9390-0106	106	8.35	.01
2MR-216-04	3.64	9390-0108	108	8.50	.01
2MR-220-04	3.64	9390-0110	110	8.66	.01
2MR-232-04	3.77	9390-0116	116	9.13	.01
2MR-236-04	3.77	9390-0118	118	9.29	.01
2MR-240-04	3.77	9390-0120	120	9.45	.01
2MR-250-04	3.77	9390-0125	125	9.84	.01
2MR-252-04	3.77	9390-0126	126	9.92	.01
2MR-258-04	3.90	9390-0129	129	10.16	.01
2MR-278-04	3.90	9390-0139	139	10.94	.01
2MR-280-04	3.90	9390-0140	140	11.02	.01
2MR-300-04	4.01	9390-0150	150	11.81	.01
2MR-320-04	4.14	9390-0160	160	12.60	.01
2MR-322-04	4.14	9390-0161	161	12.68	.01
2MR-332-04	4.14	9390-0166	166	13.07	.01
2MR-346-04	4.26	9390-0173	173	13.62	.01
2MR-350-04	4.26	9390-0175	175	13.78	.01
2MR-364-04	4.36	9390-0182	182	14.33	.01
2MR-370-04	4.36	9390-0185	185	14.57	.01
2MR-380-04	4.36	9390-0190	190	14.96	.01

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Belts—2MR and 3MR

Product No. Series 9390 (continued)

2MR Pitch — 4mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-386-04	\$4.49	9390-0193	193	15.20	.01
2MR-400-04	4.49	9390-0200	200	15.75	.01
2MR-406-04	4.49	9390-0203	203	15.98	.01
2MR-420-04	4.61	9390-0210	210	16.54	.01
2MR-456-04	4.73	9390-0228	228	17.95	.01
2MR-470-04	4.86	9390-0235	235	18.50	.01
2MR-474-04	4.86	9390-0237	237	18.66	.01
2MR-488-04	4.97	9390-0244	244	19.21	.01
2MR-504-04	4.97	9390-0252	252	19.84	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-528-04	\$5.07	9390-0264	264	20.79	.01
2MR-552-04	5.21	9390-0276	276	21.73	.01
2MR-576-04	5.31	9390-0288	288	22.68	.01
2MR-600-04	5.45	9390-0300	300	23.62	.01
2MR-640-04	5.69	9390-0320	320	25.20	.02
2MR-696-04	5.92	9390-0348	348	27.40	.02
2MR-744-04	6.16	9390-0372	372	29.29	.02
2MR-848-04	6.64	9390-0424	424	33.39	.02
2MR-1164-04	8.08	9390-0582	582	45.83	.03

2MR Pitch — 6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-100-06	\$4.57	9390-1050	50	3.94	.01
2MR-112-06	4.57	9390-1056	56	4.41	.01
2MR-124-06	4.57	9390-1062	62	4.88	.01
2MR-126-06	4.57	9390-1063	63	4.96	.01
2MR-134-06	4.73	9390-1067	67	5.28	.01
2MR-136-06	4.73	9390-1068	68	5.35	.01
2MR-140-06	4.73	9390-1070	70	5.51	.01
2MR-152-06	4.73	9390-1076	76	5.98	.01
2MR-158-06	4.85	9390-1079	79	6.22	.01
2MR-160-06	4.85	9390-1080	80	6.30	.01
2MR-164-06	4.85	9390-1082	82	6.46	.01
2MR-166-06	4.85	9390-1083	83	6.54	.01
2MR-168-06	4.85	9390-1084	84	6.61	.01
2MR-172-06	4.85	9390-1086	86	6.77	.01
2MR-180-06	4.99	9390-1090	90	7.09	.01
2MR-186-06	4.99	9390-1093	93	7.32	.01
2MR-192-06	4.99	9390-1096	96	7.56	.01
2MR-200-06	4.99	9390-1100	100	7.87	.01
2MR-202-06	4.99	9390-1101	101	7.95	.01
2MR-210-06	5.11	9390-1105	105	8.27	.01
2MR-212-06	5.11	9390-1106	106	8.35	.01
2MR-216-06	5.11	9390-1108	108	8.50	.01
2MR-220-06	5.11	9390-1110	110	8.66	.01
2MR-232-06	5.26	9390-1116	116	9.13	.01
2MR-236-06	5.26	9390-1118	118	9.29	.01
2MR-240-06	5.26	9390-1120	120	9.45	.01
2MR-250-06	5.26	9390-1125	125	9.84	.01
2MR-252-06	5.26	9390-1126	126	9.92	.01
2MR-258-06	5.45	9390-1129	129	10.16	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-278-06	\$5.45	9390-1139	139	10.94	.01
2MR-280-06	5.45	9390-1140	140	11.02	.01
2MR-300-06	5.59	9390-1150	150	11.81	.01
2MR-320-06	5.71	9390-1160	160	12.60	.01
2MR-322-06	5.71	9390-1161	161	12.68	.01
2MR-332-06	5.71	9390-1166	166	13.07	.01
2MR-346-06	5.85	9390-1173	173	13.62	.01
2MR-350-06	5.85	9390-1175	175	13.78	.01
2MR-364-06	6.05	9390-1182	182	14.33	.01
2MR-370-06	6.05	9390-1185	185	14.57	.01
2MR-380-06	6.05	9390-1190	190	14.96	.01
2MR-386-06	6.17	9390-1193	193	15.20	.01
2MR-400-06	6.17	9390-1200	200	15.75	.01
2MR-406-06	6.17	9390-1203	203	15.98	.01
2MR-420-06	6.30	9390-1210	210	16.54	.01
2MR-456-06	6.44	9390-1228	228	17.95	.01
2MR-470-06	6.56	9390-1235	235	18.50	.01
2MR-474-06	6.56	9390-1237	237	18.66	.01
2MR-488-06	6.77	9390-1244	244	19.21	.01
2MR-504-06	6.77	9390-1252	252	19.84	.01
2MR-528-06	6.91	9390-1264	264	20.79	.02
2MR-552-06	7.04	9390-1276	276	21.73	.02
2MR-576-06	7.18	9390-1288	288	22.68	.02
2MR-600-06	7.37	9390-1300	300	23.62	.02
2MR-640-06	7.64	9390-1320	320	25.20	.02
2MR-696-06	7.90	9390-1348	348	27.40	.02
2MR-744-06	8.17	9390-1372	372	29.29	.03
2MR-848-06	8.78	9390-1424	424	33.39	.03
2MR-1164-06	10.56	9390-1582	582	45.83	.04

POWERGRIP GT2 BELTS

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Belts—2MR and 3MR

Product No. Series 9390 (continued)

2MR Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-100-09	\$6.00	9390-2050	50	3.94	.01
2MR-112-09	6.00	9390-2056	56	4.41	.01
2MR-124-09	6.00	9390-2062	62	4.88	.01
2MR-126-09	6.00	9390-2063	63	4.96	.01
2MR-134-09	6.17	9390-2067	67	5.28	.01
2MR-136-09	6.17	9390-2068	68	5.35	.01
2MR-140-09	6.17	9390-2070	70	5.51	.01
2MR-152-09	6.17	9390-2076	76	5.98	.01
2MR-158-09	6.38	9390-2079	79	6.22	.01
2MR-160-09	6.38	9390-2080	80	6.30	.01
2MR-164-09	6.38	9390-2082	82	6.46	.01
2MR-166-09	6.38	9390-2083	83	6.54	.01
2MR-168-09	6.38	9390-2084	84	6.61	.01
2MR-172-09	6.38	9390-2086	86	6.77	.01
2MR-180-09	6.65	9390-2090	90	7.09	.01
2MR-186-09	6.65	9390-2093	93	7.32	.01
2MR-192-09	6.65	9390-2096	96	7.56	.01
2MR-200-09	6.65	9390-2100	100	7.87	.01
2MR-202-09	6.65	9390-2101	101	7.95	.01
2MR-210-09	6.82	9390-2105	105	8.27	.01
2MR-212-09	6.82	9390-2106	106	8.35	.01
2MR-216-09	6.82	9390-2108	108	8.50	.01
2MR-220-09	6.82	9390-2110	110	8.66	.01
2MR-232-09	7.04	9390-2116	116	9.13	.01
2MR-236-09	7.04	9390-2118	118	9.29	.01
2MR-240-09	7.04	9390-2120	120	9.45	.01
2MR-250-09	7.04	9390-2125	125	9.84	.01
2MR-252-09	7.04	9390-2126	126	9.92	.01
2MR-258-09	7.25	9390-2129	129	10.16	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2MR-278-09	\$7.25	9390-2139	139	10.94	.01
2MR-280-09	7.25	9390-2140	140	11.02	.01
2MR-300-09	7.51	9390-2150	150	11.81	.01
2MR-320-09	7.64	9390-2160	160	12.60	.01
2MR-322-09	7.64	9390-2161	161	12.68	.01
2MR-332-09	7.64	9390-2166	166	13.07	.01
2MR-346-09	7.90	9390-2173	173	13.62	.01
2MR-350-09	7.90	9390-2175	175	13.78	.01
2MR-364-09	8.09	9390-2182	182	14.33	.02
2MR-370-09	8.09	9390-2185	185	14.57	.02
2MR-380-09	8.09	9390-2190	190	14.96	.02
2MR-386-09	8.31	9390-2193	193	15.20	.02
2MR-400-09	8.31	9390-2200	200	15.75	.02
2MR-406-09	8.31	9390-2203	203	15.98	.02
2MR-420-09	8.57	9390-2210	210	16.54	.02
2MR-456-09	8.69	9390-2228	228	17.95	.02
2MR-470-09	8.96	9390-2235	235	18.50	.02
2MR-474-09	8.96	9390-2237	237	18.66	.02
2MR-488-09	9.17	9390-2244	244	19.21	.02
2MR-504-09	9.17	9390-2252	252	19.84	.02
2MR-528-09	9.36	9390-2264	264	20.79	.03
2MR-552-09	9.58	9390-2276	276	21.73	.03
2MR-576-09	9.84	9390-2288	288	22.68	.03
2MR-600-09	9.96	9390-2300	300	23.62	.03
2MR-640-09	10.44	9390-2320	320	25.20	.03
2MR-696-09	10.90	9390-2348	348	27.40	.04
2MR-744-09	11.29	9390-2372	372	29.29	.04
2MR-848-09	12.15	9390-2424	424	33.39	.04
2MR-1164-09	14.69	9390-2582	582	45.83	.06

3MR Pitch — 6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3MR-99-06	\$5.25	9390-3033	33	3.90	.01
3MR-111-06	5.25	9390-3037	37	4.37	.01
3MR-123-06	5.25	9390-3041	41	4.84	.01
3MR-129-06	5.44	9390-3043	43	5.08	.01
3MR-159-06	5.58	9390-3053	53	6.26	.01
3MR-165-06	5.58	9390-3055	55	6.50	.01
3MR-180-06	5.74	9390-3060	60	7.09	.01
3MR-183-06	5.74	9390-3061	61	7.20	.01
3MR-189-06	5.74	9390-3063	63	7.44	.01
3MR-201-06	5.74	9390-3067	67	7.91	.01
3MR-219-06	5.88	9390-3073	73	8.62	.01
3MR-225-06	5.88	9390-3075	75	8.86	.01
3MR-240-06	6.04	9390-3080	80	9.45	.01
3MR-243-06	6.04	9390-3081	81	9.57	.01
3MR-255-06	6.27	9390-3085	85	10.04	.01
3MR-267-06	6.27	9390-3089	89	10.51	.01
3MR-282-06	6.43	9390-3094	94	11.10	.01
3MR-291-06	6.43	9390-3097	97	11.46	.01
3MR-300-06	6.43	9390-3100	100	11.81	.01
3MR-339-06	6.73	9390-3113	113	13.35	.01
3MR-348-06	6.73	9390-3116	116	13.70	.01
3MR-357-06	6.96	9390-3119	119	14.06	.01
3MR-360-06	6.96	9390-3120	120	14.17	.02
3MR-375-06	6.96	9390-3125	125	14.76	.02
3MR-393-06	7.10	9390-3131	131	15.47	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3MR-414-06	\$7.24	9390-3138	138	16.30	.02
3MR-420-06	7.24	9390-3140	140	16.54	.02
3MR-447-06	7.40	9390-3149	149	17.60	.02
3MR-450-06	7.40	9390-3150	150	17.72	.02
3MR-474-06	7.54	9390-3158	158	18.66	.02
3MR-480-06	7.54	9390-3160	160	18.90	.02
3MR-483-06	7.79	9390-3161	161	19.02	.02
3MR-489-06	7.79	9390-3163	163	19.25	.02
3MR-504-06	7.79	9390-3168	168	19.84	.02
3MR-537-06	8.09	9390-3179	179	21.14	.02
3MR-552-06	8.09	9390-3184	184	21.73	.02
3MR-564-06	8.25	9390-3188	188	22.20	.02
3MR-600-06	8.48	9390-3200	200	23.62	.02
3MR-630-06	8.64	9390-3210	210	24.80	.02
3MR-684-06	8.94	9390-3228	228	26.93	.03
3MR-735-06	9.31	9390-3245	245	28.94	.03
3MR-750-06	9.39	9390-3250	250	29.53	.03
3MR-786-06	9.61	9390-3262	262	30.94	.03
3MR-840-06	10.10	9390-3280	280	33.07	.03
3MR-945-06	10.77	9390-3315	315	37.20	.04
3MR-1050-06	11.46	9390-3350	350	41.34	.04
3MR-1080-06	11.62	9390-3360	360	42.52	.04
3MR-1536-06	15.56	9390-3512	512	60.47	.06
3MR-1587-06	16.06	9390-3529	529	62.48	.06
3MR-2061-06	20.84	9390-3687	687	81.14	.09

Prices Subject To Change Without Notice



POWERGRIP GT2 BELTS



PowerGrip® GT® 2 Belts—2MR and 3MR

Product No. Series 9390 (continued)

3MR Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3MR-99-09	\$6.90	9390-4033	33	3.90	.01
3MR-111-09	6.90	9390-4037	37	4.37	.01
3MR-123-09	6.90	9390-4041	41	4.84	.01
3MR-129-09	7.10	9390-4043	43	5.08	.01
3MR-159-09	7.34	9390-4053	53	6.26	.01
3MR-165-09	7.34	9390-4055	55	6.50	.01
3MR-180-09	7.65	9390-4060	60	7.09	.01
3MR-183-09	7.65	9390-4061	61	7.20	.01
3MR-189-09	7.65	9390-4063	63	7.44	.01
3MR-201-09	7.65	9390-4067	67	7.91	.01
3MR-219-09	7.85	9390-4073	73	8.62	.01
3MR-225-09	7.85	9390-4075	75	8.86	.01
3MR-240-09	8.09	9390-4080	80	9.45	.02
3MR-243-09	8.09	9390-4081	81	9.57	.02
3MR-255-09	8.34	9390-4085	85	10.04	.02
3MR-267-09	8.34	9390-4089	89	10.51	.02
3MR-282-09	8.64	9390-4094	94	11.10	.02
3MR-291-09	8.64	9390-4097	97	11.46	.02
3MR-300-09	8.64	9390-4100	100	11.81	.02
3MR-339-09	9.09	9390-4113	113	13.35	.02
3MR-348-09	9.09	9390-4116	116	13.70	.02
3MR-357-09	9.31	9390-4119	119	14.06	.02
3MR-360-09	9.31	9390-4120	120	14.17	.02
3MR-375-09	9.31	9390-4125	125	14.76	.02
3MR-393-09	9.55	9390-4131	131	15.47	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3MR-414-09	\$9.86	9390-4138	138	16.30	.02
3MR-420-09	9.86	9390-4140	140	16.54	.02
3MR-447-09	10.00	9390-4149	149	17.60	.03
3MR-450-09	10.00	9390-4150	150	17.72	.03
3MR-474-09	10.30	9390-4158	158	18.66	.03
3MR-480-09	10.30	9390-4160	160	18.90	.03
3MR-483-09	10.55	9390-4161	161	19.02	.03
3MR-489-09	10.55	9390-4163	163	19.25	.03
3MR-504-09	10.55	9390-4168	168	19.84	.03
3MR-537-09	11.01	9390-4179	179	21.14	.03
3MR-552-09	11.01	9390-4184	184	21.73	.03
3MR-564-09	11.32	9390-4188	188	22.20	.04
3MR-600-09	11.46	9390-4200	200	23.62	.04
3MR-630-09	11.76	9390-4210	210	24.80	.04
3MR-684-09	12.23	9390-4228	228	26.93	.04
3MR-735-09	12.76	9390-4245	245	28.94	.05
3MR-750-09	12.98	9390-4250	250	29.53	.05
3MR-786-09	13.22	9390-4262	262	30.94	.05
3MR-840-09	13.97	9390-4280	280	33.07	.05
3MR-945-09	14.89	9390-4315	315	37.20	.06
3MR-1050-09	15.88	9390-4350	350	41.34	.06
3MR-1080-09	16.18	9390-4360	360	42.52	.06
3MR-1536-09	21.70	9390-4512	512	60.47	.09
3MR-1587-09	22.39	9390-4529	529	62.48	.09
3MR-2061-09	28.92	9390-4687	687	81.14	.14

POWERGRIP GT2 BELTS

3MR Pitch — 15mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3MR-99-15	\$11.07	9390-5033	33	3.90	.01
3MR-111-15	11.07	9390-5037	37	4.37	.01
3MR-123-15	11.08	9390-5041	41	4.84	.01
3MR-129-15	11.58	9390-5043	43	5.08	.02
3MR-159-15	12.01	9390-5053	53	6.26	.02
3MR-165-15	12.01	9390-5055	55	6.50	.02
3MR-180-15	12.41	9390-5060	60	7.09	.02
3MR-183-15	12.41	9390-5061	61	7.20	.02
3MR-189-15	12.41	9390-5063	63	7.44	.02
3MR-201-15	12.41	9390-5067	67	7.91	.02
3MR-219-15	12.84	9390-5073	73	8.62	.02
3MR-225-15	12.84	9390-5075	75	8.86	.02
3MR-240-15	13.34	9390-5080	80	9.45	.02
3MR-243-15	13.34	9390-5081	81	9.57	.02
3MR-255-15	13.69	9390-5085	85	10.04	.02
3MR-267-15	13.69	9390-5089	89	10.51	.03
3MR-282-15	14.12	9390-5094	94	11.10	.03
3MR-291-15	14.12	9390-5097	97	11.46	.03
3MR-300-15	14.12	9390-5100	100	11.81	.03
3MR-339-15	14.97	9390-5113	113	13.35	.03
3MR-348-15	14.97	9390-5116	116	13.70	.03
3MR-357-15	15.47	9390-5119	119	14.06	.04
3MR-360-15	15.47	9390-5120	120	14.17	.04
3MR-375-15	15.47	9390-5125	125	14.76	.04
3MR-393-15	15.90	9390-5131	131	15.47	.04

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3MR-414-15	\$16.22	9390-5138	138	16.30	.04
3MR-420-15	16.22	9390-5140	140	16.54	.04
3MR-447-15	16.65	9390-5149	149	17.60	.04
3MR-450-15	16.65	9390-5150	150	17.72	.05
3MR-474-15	17.08	9390-5158	158	18.66	.05
3MR-480-15	17.08	9390-5160	160	18.90	.05
3MR-483-15	17.60	9390-5161	161	19.02	.05
3MR-489-15	17.60	9390-5163	163	19.25	.05
3MR-504-15	17.60	9390-5168	168	19.84	.05
3MR-537-15	18.44	9390-5179	179	21.14	.05
3MR-552-15	18.44	9390-5184	184	21.73	.05
3MR-564-15	18.80	9390-5188	188	22.20	.06
3MR-600-15	19.23	9390-5200	200	23.62	.06
3MR-630-15	19.73	9390-5210	210	24.80	.06
3MR-684-15	20.58	9390-5228	228	26.93	.07
3MR-735-15	21.36	9390-5245	245	28.94	.07
3MR-750-15	21.86	9390-5250	250	29.53	.08
3MR-786-15	22.31	9390-5262	262	30.94	.08
3MR-840-15	23.48	9390-5280	280	33.07	.09
3MR-945-15	25.25	9390-5315	315	37.20	.10
3MR-1050-15	26.95	9390-5350	350	41.34	.11
3MR-1080-15	27.40	9390-5360	360	42.52	.11
3MR-1536-15	37.03	9390-5512	512	60.47	.16
3MR-1587-15	38.23	9390-5529	529	62.48	.18
3MR-2061-15	49.40	9390-5687	687	81.14	.23

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Belts—5MR


The highest density 5mm rubber belt, the PowerGrip GT2 belt has twice the load carrying capacity of its predecessor HTD®. In addition, less width is required compared to HTD, allowing lighter, more compact drives.

Markets/Applications

PowerGrip GT2 belts are suitable for many applications such as HVAC, office machines, machine tools, hand power tools, post-age handling, spindle drives, food processors, sewing machines, robotics, linear and light package conveyors.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Gates **patented tooth profile** is designed for use with a specific sprocket groove profile. The sprocket groove-belt tooth combination increases capacity, while improving registration.
- PowerGrip GT2 belts have more tooth ratchet resistance than HTD.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor as compared to roller chain drives.
- PowerGrip GT2 belt/sprocket combinations match or exceed the positional accuracy of PowerGrip Timing belt/pulley systems.



POWERGRIP GT2 BELTS

Recommended Sprockets

PowerGrip GT2 and Poly Chain™ GT.

Notes

PowerGrip GT2 part numbers are comprised of pitch, pitch length and width. For example, 5MR-400-09 signifies 5mm pitch, 400mm pitch length and 9mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT2 belt lies within the tensile member.

Product No. Series 9390

5MR Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-300-09	\$11.22	9390-6060	60	11.81	.03
5MR-355-09	11.97	9390-6071	71	13.98	.03
5MR-375-09	12.35	9390-6075	75	14.76	.03
5MR-400-09	12.74	9390-6080	80	15.75	.04
5MR-405-09	12.74	9390-6081	81	15.95	.04
5MR-425-09	13.04	9390-6085	85	16.73	.04
5MR-450-09	13.41	9390-6090	90	17.72	.04
5MR-500-09	14.18	9390-6100	100	19.69	.05
5MR-535-09	14.87	9390-6107	107	21.06	.05
5MR-565-09	15.27	9390-6113	113	22.24	.05
5MR-575-09	15.27	9390-6115	115	22.64	.05
5MR-580-09	15.27	9390-6116	116	22.83	.05
5MR-600-09	15.56	9390-6120	120	23.62	.06
5MR-625-09	15.94	9390-6125	125	24.61	.06
5MR-650-09	16.27	9390-6130	130	25.59	.06

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-700-09	\$17.04	9390-6140	140	27.56	.06
5MR-750-09	17.71	9390-6150	150	29.53	.07
5MR-800-09	18.48	9390-6160	160	31.50	.07
5MR-815-09	18.84	9390-6163	163	32.09	.07
5MR-850-09	19.17	9390-6170	170	33.46	.08
5MR-900-09	19.94	9390-6180	180	35.43	.08
5MR-1000-09	21.38	9390-6200	200	39.37	.09
5MR-1150-09	23.46	9390-6230	230	45.28	.11
5MR-1300-09	25.39	9390-6260	260	51.18	.12
5MR-1450-09	27.44	9390-6290	290	57.09	.13
5MR-1600-09	29.65	9390-6320	320	62.99	.15
5MR-1720-09	31.11	9390-6344	344	67.72	.17
5MR-1755-09	31.78	9390-6351	351	69.09	.18
5MR-2100-09	36.83	9390-6420	420	82.67	.18

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Belts—5MR

Product No. Series 9390 (continued)

5MR Pitch — 15mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-300-15	\$16.93	9390-7060	60	11.81	.05
5MR-355-15	18.23	9390-7071	71	13.98	.05
5MR-375-15	18.86	9390-7075	75	14.76	.06
5MR-400-15	19.47	9390-7080	80	15.75	.06
5MR-405-15	19.47	9390-7081	81	15.95	.06
5MR-425-15	20.10	9390-7085	85	16.73	.06
5MR-450-15	20.73	9390-7090	90	17.72	.07
5MR-500-15	22.02	9390-7100	100	19.69	.08
5MR-535-15	23.26	9390-7107	107	21.06	.08
5MR-565-15	23.87	9390-7113	113	22.24	.09
5MR-575-15	23.87	9390-7115	115	22.64	.09
5MR-580-15	23.87	9390-7116	116	22.83	.09
5MR-600-15	24.52	9390-7120	120	23.62	.09
5MR-625-15	25.19	9390-7125	125	24.61	.10
5MR-650-15	25.74	9390-7130	130	25.59	.10

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-700-15	\$26.99	9390-7140	140	27.56	.11
5MR-750-15	28.29	9390-7150	150	29.53	.11
5MR-800-15	29.53	9390-7160	160	31.50	.12
5MR-815-15	30.14	9390-7163	163	32.09	.12
5MR-850-15	30.77	9390-7170	170	33.46	.13
5MR-900-15	32.00	9390-7180	180	35.43	.14
5MR-1000-15	34.56	9390-7200	200	39.37	.15
5MR-1150-15	38.35	9390-7230	230	45.28	.18
5MR-1300-15	41.43	9390-7260	260	51.18	.20
5MR-1450-15	45.17	9390-7290	290	57.09	.22
5MR-1600-15	48.94	9390-7320	320	62.99	.24
5MR-1720-15	51.41	9390-7344	344	67.72	.25
5MR-1755-15	52.75	9390-7351	351	69.09	.25
5MR-2100-15	61.45	9390-7420	420	82.68	.27

5MR Pitch — 25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-300-25	\$26.79	9390-8060	60	11.81	.08
5MR-355-25	28.94	9390-8071	71	13.98	.09
5MR-375-25	30.06	9390-8075	75	14.76	.10
5MR-400-25	31.05	9390-8080	80	15.75	.10
5MR-405-25	31.05	9390-8081	81	15.95	.10
5MR-425-25	32.14	9390-8085	85	16.73	.11
5MR-450-25	33.26	9390-8090	90	17.72	.11
5MR-500-25	35.39	9390-8100	100	19.69	.13
5MR-535-25	37.50	9390-8107	107	21.06	.14
5MR-565-25	38.57	9390-8113	113	22.24	.14
5MR-575-25	38.57	9390-8115	115	22.64	.14
5MR-580-25	38.57	9390-8116	116	22.83	.15
5MR-600-25	39.67	9390-8120	120	23.62	.15
5MR-625-25	40.76	9390-8125	125	24.61	.16
5MR-650-25	41.82	9390-8130	130	25.59	.17

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5MR-700-25	\$43.95	9390-8140	140	27.56	.18
5MR-750-25	46.12	9390-8150	150	29.53	.19
5MR-800-25	48.27	9390-8160	160	31.50	.20
5MR-815-25	49.38	9390-8163	163	32.09	.20
5MR-850-25	50.40	9390-8170	170	33.46	.22
5MR-900-25	52.55	9390-8180	180	35.43	.23
5MR-1000-25	56.85	9390-8200	200	39.37	.25
5MR-1150-25	63.26	9390-8230	230	45.28	.29
5MR-1300-25	68.75	9390-8260	260	51.18	.33
5MR-1450-25	75.16	9390-8290	290	57.09	.37
5MR-1600-25	81.59	9390-8320	320	62.99	.40
5MR-1720-25	85.87	9390-8344	344	67.72	.46
5MR-1755-25	88.04	9390-8351	351	69.09	.47
5MR-2100-25	103.05	9390-8420	420	82.68	.53

POWERGRIP GT2 BELTS

Prices Subject To Change Without Notice





PowerGrip® GT®2 Belts—8M and 14M


Reduce both acquisition costs and transaction costs by designing with PowerGrip GT2 belt drive systems. The PowerGrip GT2 belt has two times the rating of competitive RPP® belts, and its predecessors PowerGrip GT and HTD® belts. PowerGrip GT2 drive systems offer the largest selection of belts and sprockets in the industry. At reduced widths, PowerGrip GT2 belts can be used as a direct replacement for most 1.0 and 1.5 rated 8mm and 14mm pitch rubber curvilinear synchronous belts.

Markets/Applications

PowerGrip GT2 belts are suitable for many applications such as HVAC, textile, printing, machine tools, food processing, conveyors, packaging, agriculture, pumps, compressors, centrifuges, laundry, pulp and paper.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Gates **Patented Tooth Profile** is designed for use with a specific sprocket groove profile. The sprocket groove-belt tooth combination increases capacity, while improving registration.
- PowerGrip GT2 has more tooth ratchet resistance than HTD.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor as compared to roller chain drives.
- PowerGrip GT2 ACHE belts are available in 14mm pitch. A single twist cord helps prevent the belt from moving downward on vertical shaft ACHE applications.



POWERGRIP GT2 BELTS

Recommended Sprockets

PowerGrip GT2 Sprockets

Notes

PowerGrip GT2 part numbers are comprised of pitch, pitch length and width. For example, part number 3150-14MGT-55 denotes 3150mm pitch length, 14mm pitch and 55mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT belt lies within the tensile member.

WARNING: New drive designs must use the PowerGrip GT2 sprockets, because of the high torque capacity of PowerGrip GT2 belts.

WARNING: Do not use HTD or RPP profiles sprockets in new designs. PowerGrip GT2 belts can be used on existing HTD or HT100® sprockets as replacement belts, usually at the next narrowest width.

Product No. Series 9207

8mm Pitch — 12mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
384-8MGT-12	\$16.63	9207-1200	48	15.12	.06
480-8MGT-12	17.02	9207-1201	60	18.90	.07
560-8MGT-12	18.50	9207-1202	70	22.05	.08
600-8MGT-12	19.44	9207-1203	75	23.62	.08
640-8MGT-12	19.97	9207-1204	80	25.20	.09
720-8MGT-12	21.45	9207-1205	90	28.35	.09
800-8MGT-12	23.47	9207-1206	100	31.50	.10
840-8MGT-12	24.39	9207-1207	105	33.07	.11
880-8MGT-12	24.94	9207-1208	110	34.65	.12
920-8MGT-12	25.46	9207-1209	115	36.22	.13
960-8MGT-12	26.41	9207-1210	120	37.80	.15
1040-8MGT-12	27.89	9207-1211	130	40.94	.15
1064-8MGT-12	28.15	9207-1212	133	41.89	.16
1104-8MGT-12	28.95	9207-1213	138	43.46	.16
1120-8MGT-12	29.36	9207-1214	140	44.09	.17
1160-8MGT-12	30.02	9207-1215	145	45.83	.17

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1200-8MGT-12	\$30.97	9207-1216	150	47.24	.18
1224-8MGT-12	31.82	9207-1217	153	48.19	.19
1280-8MGT-12	32.44	9207-1218	160	50.39	.19
1440-8MGT-12	35.39	9207-1219	180	56.69	.20
1512-8MGT-12	36.46	9207-1220	189	59.53	.21
1584-8MGT-12	38.47	9207-1221	198	62.36	.21
1600-8MGT-12	38.47	9207-1222	200	62.99	.22
1760-8MGT-12	41.42	9207-1223	220	69.29	.24
1800-8MGT-12	42.37	9207-1224	225	70.87	.25
2000-8MGT-12	46.39	9207-1225	250	78.74	.27
2200-8MGT-12	50.40	9207-1226	275	86.61	.32
2400-8MGT-12	54.30	9207-1227	300	94.49	.36
2600-8MGT-12	58.72	9207-1228	325	102.36	.39
2800-8MGT-12	63.34	9207-1229	350	110.24	.43
3280-8MGT-12	71.86	9207-1230	410	129.13	.47

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Belts—8M and 14M

Product No. Series 9207 (continued)

8mm Pitch — 20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
384-8MGT-20	\$26.40	9207-1021	48	15.12	.10
480-8MGT-20	27.02	9207-0001	60	18.90	.10
560-8MGT-20	29.37	9207-0005	70	22.05	.15
600-8MGT-20	30.86	9207-0009	75	23.62	.15
640-8MGT-20	31.70	9207-0013	80	25.20	.15
720-8MGT-20	34.05	9207-0017	90	28.35	.15
800-8MGT-20	37.25	9207-0021	100	31.50	.15
840-8MGT-20	38.72	9207-1025	105	33.07	.20
880-8MGT-20	39.59	9207-0025	110	34.65	.20
920-8MGT-20	40.42	9207-1001	115	36.22	.30
960-8MGT-20	41.92	9207-0029	120	37.80	.25
1040-8MGT-20	44.27	9207-0033	130	40.94	.25
1064-8MGT-20	44.68	9207-1005	133	41.89	.25
1104-8MGT-20	45.96	9207-1037	138	43.46	.25
1120-8MGT-20	46.60	9207-0037	140	44.09	.25
1160-8MGT-20	47.65	9207-1009	145	45.83	.30
1200-8MGT-20	49.16	9207-0041	150	47.24	.30

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1224-8MGT-20	\$50.50	9207-1029	153	48.19	.31
1280-8MGT-20	51.49	9207-0045	160	50.39	.35
1440-8MGT-20	56.18	9207-0049	180	56.69	.35
1512-8MGT-20	57.87	9207-1013	189	59.53	.35
1584-8MGT-20	61.07	9207-1017	198	62.36	.35
1600-8MGT-20	61.07	9207-0053	200	62.99	.40
1760-8MGT-20	65.74	9207-0057	220	69.29	.40
1800-8MGT-20	67.26	9207-0061	225	70.87	.45
2000-8MGT-20	73.64	9207-0065	250	78.74	.45
2200-8MGT-20	80.00	9207-1033	275	86.62	.55
2400-8MGT-20	86.19	9207-0069	300	94.49	.60
2600-8MGT-20	93.21	9207-0077	325	102.36	.65
2800-8MGT-20	98.96	9207-0073	350	110.24	.65
3048-8MGT-20	106.82	9207-0081	381	120.00	.75
3280-8MGT-20	114.07	9207-0085	410	129.13	.75
3600-8MGT-20	126.19	9207-0089	450	141.73	.95
4400-8MGT-20	150.66	9207-0093	550	173.23	1.10

8mm Pitch — 30mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
384-8MGT-30	\$36.00	9207-1022	48	15.12	.15
480-8MGT-30	38.34	9207-0002	60	18.90	.15
560-8MGT-30	41.92	9207-0006	70	22.05	.15
600-8MGT-30	44.27	9207-0010	75	23.62	.20
640-8MGT-30	45.33	9207-0014	80	25.20	.20
720-8MGT-30	48.72	9207-0018	90	28.35	.26
800-8MGT-30	53.62	9207-0022	100	31.50	.30
840-8MGT-30	54.67	9207-1026	105	33.07	.30
880-8MGT-30	57.04	9207-0026	110	34.65	.35
920-8MGT-30	58.09	9207-1002	115	36.22	.35
960-8MGT-30	60.43	9207-0030	120	37.80	.35
1040-8MGT-30	64.06	9207-0034	130	40.94	.40
1064-8MGT-30	64.67	9207-1006	133	41.89	.40
1104-8MGT-30	66.38	9207-1038	138	43.46	.40
1120-8MGT-30	67.45	9207-0038	140	44.09	.40
1160-8MGT-30	68.50	9207-1010	146	45.83	.42
1200-8MGT-30	71.07	9207-0042	150	47.24	.45

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1224-8MGT-30	\$72.12	9207-1030	153	48.19	.45
1280-8MGT-30	74.48	9207-0046	160	50.39	.45
1440-8MGT-30	81.50	9207-0050	180	56.69	.55
1512-8MGT-30	83.82	9207-1014	189	59.53	.55
1584-8MGT-30	88.53	9207-1018	198	62.36	.55
1600-8MGT-30	88.53	9207-0054	200	62.99	.60
1760-8MGT-30	95.54	9207-0058	220	69.29	.65
1800-8MGT-30	97.66	9207-0062	225	70.87	.70
2000-8MGT-30	107.04	9207-0066	250	78.74	.77
2200-8MGT-30	116.37	9207-1034	275	86.61	.80
2400-8MGT-30	125.77	9207-0070	300	94.49	.90
2600-8MGT-30	135.35	9207-0078	325	102.36	.95
2800-8MGT-30	144.27	9207-0074	350	110.24	1.05
3048-8MGT-30	155.98	9207-0082	381	120.00	1.10
3280-8MGT-30	161.95	9207-0086	410	129.13	1.25
3600-8MGT-30	179.39	9207-0090	450	141.73	1.40
4400-8MGT-30	214.50	9207-0094	550	173.23	1.65

8mm Pitch — 50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
384-8MGT-50	\$60.19	9207-1023	48	15.12	.20
480-8MGT-50	61.07	9207-0003	60	18.90	.25
560-8MGT-50	67.03	9207-0007	70	22.05	.30
600-8MGT-50	70.87	9207-0011	75	23.62	.35
640-8MGT-50	72.78	9207-0015	80	25.20	.35
720-8MGT-50	78.73	9207-0019	90	28.35	.45
800-8MGT-50	86.61	9207-0023	100	31.50	.50
840-8MGT-50	88.71	9207-1027	105	33.07	.55
880-8MGT-50	92.57	9207-0027	110	34.65	.55
920-8MGT-50	94.45	9207-1003	115	36.22	.55
960-8MGT-50	98.52	9207-0031	120	37.80	.60
1040-8MGT-50	104.27	9207-0035	130	40.94	.65
1064-8MGT-50	105.31	9207-1007	133	41.89	.65
1104-8MGT-50	108.28	9207-1039	138	43.46	.67

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1120-8MGT-50	\$110.23	9207-0039	140	44.09	.70
1160-8MGT-50	112.34	9207-1011	146	45.83	.70
1200-8MGT-50	116.20	9207-0043	150	47.24	.75
1224-8MGT-50	118.08	9207-1031	153	48.19	.78
1280-8MGT-50	122.14	9207-0047	160	50.39	.80
1440-8MGT-50	133.85	9207-0051	180	56.69	.90
1512-8MGT-50	137.87	9207-1015	189	59.53	.90
1584-8MGT-50	145.76	9207-1019	198	62.36	.93
1600-8MGT-50	145.76	9207-0055	200	62.99	.95
1760-8MGT-50	157.47	9207-0059	220	69.29	1.10
1800-8MGT-50	161.50	9207-0063	225	70.87	1.12
2000-8MGT-50	177.27	9207-0067	250	78.74	1.15
2200-8MGT-50	192.96	9207-1035	275	86.61	1.30
2400-8MGT-50	208.76	9207-0071	300	94.49	1.55

Prices Subject To Change Without Notice



POWERGRIP GT2 BELTS



PowerGrip® GT® 2 Belts—8M and 14M

Product No. Series 9207 (continued)

8mm Pitch — 50mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2600-8MGT-50	\$227.05	9207-0079	325	102.36	1.65
2800-8MGT-50	240.23	9207-0075	350	110.24	1.72
3048-8MGT-50	258.13	9207-0083	381	120.00	1.80

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3280-8MGT-50	\$274.93	9207-0087	410	129.13	2.15
3600-8MGT-50	304.94	9207-0091	450	141.73	2.35
4400-8MGT-50	365.17	9207-0095	550	173.23	2.70

8mm Pitch — 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
384-8MGT-85	\$100.75	9207-1024	48	15.12	.40
480-8MGT-85	101.49	9207-0004	60	18.90	.50
560-8MGT-85	111.50	9207-0008	70	22.05	.55
600-8MGT-85	118.21	9207-0012	75	23.62	.65
640-8MGT-85	121.51	9207-0016	80	25.20	.70
720-8MGT-85	131.52	9207-0020	90	28.35	.70
800-8MGT-85	144.93	9207-0024	100	31.50	.85
840-8MGT-85	148.29	9207-1028	105	33.07	.90
880-8MGT-85	154.92	9207-0028	110	34.65	.90
920-8MGT-85	158.28	9207-1004	115	36.22	.90
960-8MGT-85	164.92	9207-0032	120	37.80	.95
1040-8MGT-85	174.91	9207-0036	130	40.94	1.10
1064-8MGT-85	176.58	9207-1008	133	41.89	1.10
1104-8MGT-85	181.68	9207-1040	138	43.46	1.15
1120-8MGT-85	184.91	9207-0040	140	44.09	1.20
1160-8MGT-85	191.70	9207-1012	146	45.83	1.20
1200-8MGT-85	194.93	9207-0044	150	47.24	1.25

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1224-8MGT-85	\$198.28	9207-1032	153	48.19	1.30
1280-8MGT-85	204.92	9207-0048	160	50.39	1.35
1440-8MGT-85	224.93	9207-0052	180	56.69	1.50
1512-8MGT-85	231.68	9207-1016	189	59.53	1.60
1584-8MGT-85	245.14	9207-1020	198	62.36	1.70
1600-8MGT-85	245.14	9207-0056	200	62.99	1.70
1760-8MGT-85	264.93	9207-0060	220	69.29	1.90
1800-8MGT-85	271.74	9207-0064	225	70.87	1.95
2000-8MGT-85	298.33	9207-0068	250	78.74	1.90
2200-8MGT-85	325.09	9207-1036	275	86.61	2.05
2400-8MGT-85	351.75	9207-0072	300	94.49	2.26
2600-8MGT-85	379.62	9207-0080	325	102.36	2.40
2800-8MGT-85	405.15	9207-0076	350	110.24	3.05
3048-8MGT-85	438.79	9207-0084	381	120.00	3.25
3280-8MGT-85	472.41	9207-0088	410	129.13	3.40
3600-8MGT-85	524.32	9207-0092	450	141.73	4.35
4400-8MGT-85	628.39	9207-0096	550	173.23	4.40

14mm Pitch — 40mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
966-14MGT-40	\$202.80	9207-0100	69	38.03	.84
1190-14MGT-40	223.02	9207-0105	85	46.85	1.03
1400-14MGT-40	242.59	9207-0110	100	55.12	1.21
1610-14MGT-40	262.58	9207-0115	115	63.39	1.40
1778-14MGT-40	280.25	9207-0120	127	70.00	1.54
1890-14MGT-40	294.30	9207-0125	135	74.41	1.64
2100-14MGT-40	320.68	9207-0130	150	82.68	1.82
2310-14MGT-40	341.54	9207-0135	165	90.94	2.00
2450-14MGT-40	355.59	9207-0140	175	96.46	2.13
2590-14MGT-40	372.81	9207-0145	185	101.97	2.25
2800-14MGT-40	398.77	9207-0150	200	110.24	2.43

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3150-14MGT-40	\$437.71	9207-0155	225	124.02	2.73
3360-14MGT-40	458.36	9207-0180	240	132.28	2.91
3500-14MGT-40	472.63	9207-0160	250	137.80	2.91
3850-14MGT-40	520.29	9207-0165	275	151.57	3.33
4326-14MGT-40	577.96	9207-0170	309	170.31	3.74
4578-14MGT-40	610.73	9207-0175	327	180.24	3.96
4956-14MGT-40	661.15	9207-0185	354	195.12	4.29
5320-14MGT-40	709.89	9207-0190	380	209.45	4.61
5740-14MGT-40	765.85	9207-0195	410	225.98	4.97
6160-14MGT-40	821.62	9207-0200	440	242.52	5.33
6860-14MGT-40	915.25	9207-0205	490	270.08	5.94

14mm Pitch — 55mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
966-14MGT-55	\$266.21	9207-0101	69	38.03	1.15
1190-14MGT-55	294.08	9207-0106	85	46.85	1.42
1400-14MGT-55	321.32	9207-0111	100	55.12	1.67
1610-14MGT-55	350.05	9207-0116	115	63.39	1.92
1778-14MGT-55	373.03	9207-0121	127	70.00	2.13
1890-14MGT-55	392.38	9207-0126	135	74.41	2.26
2100-14MGT-55	428.78	9207-0131	150	82.68	2.51
2310-14MGT-55	456.67	9207-0136	165	90.94	2.76
2450-14MGT-55	475.38	9207-0141	175	96.46	2.93
2590-14MGT-55	499.42	9207-0146	185	101.97	3.10
2800-14MGT-55	535.40	9207-0151	200	110.24	3.34

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3150-14MGT-55	\$589.02	9207-0156	225	124.02	3.77
3360-14MGT-55	618.59	9207-0181	240	132.28	4.02
3500-14MGT-55	637.97	9207-0161	250	137.80	4.19
3850-14MGT-55	708.83	9207-0166	275	151.57	4.60
4326-14MGT-55	781.39	9207-0171	309	170.31	5.17
4578-14MGT-55	828.62	9207-0176	327	180.24	5.48
4956-14MGT-55	896.93	9207-0186	354	195.12	5.90
5320-14MGT-55	963.12	9207-0191	380	209.45	6.33
5740-14MGT-55	1039.09	9207-0196	410	225.98	6.83
6160-14MGT-55	1114.84	9207-0201	440	242.52	7.33
6860-14MGT-55	1241.67	9207-0206	490	270.08	8.16

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Belts—8M and 14M

Product No. Series 9207 (continued)

14mm Pitch — 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
966-14MGT-85	\$387.51	9207-0102	69	38.03	1.78
1190-14MGT-85	430.07	9207-0107	85	46.85	2.20
1400-14MGT-85	471.96	9207-0112	100	55.12	2.58
1610-14MGT-85	514.96	9207-0117	115	63.39	2.97
1778-14MGT-85	549.24	9207-0122	127	70.00	3.28
1890-14MGT-85	578.81	9207-0127	135	74.41	3.49
2100-14MGT-85	634.35	9207-0132	150	82.68	3.88
2310-14MGT-85	676.69	9207-0137	165	90.94	4.26
2450-14MGT-85	704.78	9207-0142	175	96.46	4.52
2590-14MGT-85	740.75	9207-0147	185	101.97	4.78
2800-14MGT-85	794.80	9207-0152	200	110.24	5.17

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3150-14MGT-85	\$876.94	9207-0157	225	124.02	5.82
3360-14MGT-85	920.77	9207-0182	240	132.28	6.20
3500-14MGT-85	950.14	9207-0162	250	137.80	6.46
3850-14MGT-85	1051.86	9207-0167	275	151.57	7.10
4326-14MGT-85	1169.09	9207-0172	309	170.31	7.68
4578-14MGT-85	1233.79	9207-0177	327	180.24	8.45
4956-14MGT-85	1320.84	9207-0187	354	195.12	9.11
5320-14MGT-85	1434.02	9207-0192	380	209.45	9.28
5740-14MGT-85	1547.03	9207-0197	410	225.98	10.55
6160-14MGT-85	1660.03	9207-0202	440	242.52	11.32
6860-14MGT-85	1848.97	9207-0207	490	270.08	12.61

14mm Pitch — 115mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
966-14MGT-115	\$515.19	9207-0103	69	38.03	2.41
1190-14MGT-115	573.70	9207-0108	85	46.85	2.98
1400-14MGT-115	630.30	9207-0113	100	55.12	3.50
1610-14MGT-115	688.62	9207-0118	115	63.39	4.02
1778-14MGT-115	735.43	9207-0123	127	70.00	4.45
1890-14MGT-115	775.42	9207-0128	135	74.41	4.73
2100-14MGT-115	850.54	9207-0133	150	82.68	5.25
2310-14MGT-115	907.36	9207-0138	165	90.94	5.77
2450-14MGT-115	945.23	9207-0143	175	96.46	6.13
2590-14MGT-115	993.76	9207-0148	185	101.97	6.47
2800-14MGT-115	1066.53	9207-0153	200	110.24	7.00

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3150-14MGT-115	\$1178.05	9207-0158	225	124.02	7.87
3360-14MGT-115	1237.84	9207-0183	240	132.28	8.39
3500-14MGT-115	1278.48	9207-0163	250	137.80	8.99
3850-14MGT-115	1416.80	9207-0168	275	151.57	9.62
4326-14MGT-115	1574.70	9207-0173	309	170.31	10.80
4578-14MGT-115	1666.19	9207-0178	327	180.24	11.42
4956-14MGT-115	1803.66	9207-0188	354	195.12	12.33
5320-14MGT-115	1936.66	9207-0193	380	209.45	13.24
5740-14MGT-115	2089.23	9207-0198	410	225.98	14.29
6160-14MGT-115	2241.81	9207-0203	440	242.52	15.34
6860-14MGT-115	2496.94	9207-0208	490	270.08	17.08

14mm Pitch — 170mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
966-14MGT-170	\$745.20	9207-0104	69	38.03	3.56
1190-14MGT-170	830.33	9207-0109	85	46.85	4.39
1400-14MGT-170	913.95	9207-0114	100	55.12	5.16
1610-14MGT-170	999.30	9207-0119	115	63.39	5.95
1778-14MGT-170	1067.40	9207-0124	127	70.00	6.56
1890-14MGT-170	1125.68	9207-0129	135	74.41	6.97
2100-14MGT-170	1235.93	9207-0134	150	82.68	7.75
2310-14MGT-170	1319.12	9207-0139	165	90.94	8.53
2450-14MGT-170	1374.67	9207-0144	175	96.46	9.04
2590-14MGT-170	1445.73	9207-0149	185	101.97	9.55
2800-14MGT-170	1552.57	9207-0154	200	110.24	10.33

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3150-14MGT-170	\$1717.69	9207-0159	225	124.02	11.62
3360-14MGT-170	1805.35	9207-0184	240	132.28	12.39
3500-14MGT-170	1863.45	9207-0164	250	137.80	12.90
3850-14MGT-170	2060.93	9207-0169	275	151.57	14.20
4326-14MGT-170	2299.90	9207-0174	309	170.31	15.96
4578-14MGT-170	2388.63	9207-0179	327	180.24	16.90
4956-14MGT-170	2585.47	9207-0189	354	195.12	18.23
5320-14MGT-170	2776.35	9207-0194	380	209.45	19.57
5740-14MGT-170	2995.10	9207-0199	410	225.98	21.12
6160-14MGT-170	3213.64	9207-0204	440	242.52	22.67
6860-14MGT-170	3579.45	9207-0209	490	270.08	25.25

14mm Pitch PowerGrip GT2 ACHE Belts — 40, 55 and 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3150-14MGT-40F	\$437.71	9207-0589	225	124.01	2.73
3360-14MGT-40F	458.36	9207-0590	240	132.28	2.91
3500-14MGT-40F	472.63	9207-0591	250	137.79	3.03
3850-14MGT-40F	520.29	9207-0592	275	151.57	3.33
3150-14MGT-55F	589.02	9207-0593	225	124.01	3.77
3360-14MGT-55F	618.59	9207-0594	240	132.28	4.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
3500-14MGT-55F	\$637.97	9207-0595	250	137.79	4.19
3850-14MGT-55F	708.83	9207-0596	275	151.57	4.60
3150-14MGT-85F	876.94	9207-0597	225	124.01	5.82
3360-14MGT-85F	920.77	9207-0598	240	132.28	6.20
3500-14MGT-85F	950.14	9207-0599	250	137.79	6.46
3850-14MGT-85F	1051.86	9207-0600	275	151.57	7.10

Prices Subject To Change Without Notice



POWERGRIP GT2 BELTS



PowerGrip® HTD® Belts


PowerGrip HTD belts have a larger, more robust tooth profile for increased capacity, as compared to timing belts.

Markets/Applications

PowerGrip HTD belts are suitable for many applications including data storage, hand power tools, postage handling, food processors, office machines, centrifuges, money handling, medical diagnostic, sewing machines, ticket dispensers, robotics, vending machines and vacuum cleaners.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Thirty percent increase in horsepower ratings, as compared to traditional timing belts.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drives.



Recommended Sprockets

PowerGrip HTD Sprockets.

Notes

PowerGrip HTD part numbers are comprised of pitch, pitch length and width. For example, part number 900-3M-15 denotes a 900mm pitch length, 3mm pitch and 15mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip HTD belt lies within the tensile member.

Product No. Series 9293

3mm Pitch — 6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
87-3M-06	\$4.57	9293-2000	29	3.43	.01
102-3M-06	4.57	9293-2001	34	4.02	.01
105-3M-06	4.57	9293-2002	35	4.13	.01
111-3M-06	4.57	9293-2003	37	4.37	.01
123-3M-06	4.57	9293-2004	41	4.84	.01
144-3M-06	4.73	9293-2005	48	5.67	.01
147-3M-06	4.73	9293-2006	49	5.79	.01
150-3M-06	4.73	9293-0300	50	5.91	.01
156-3M-06	4.85	9293-2007	52	6.14	.01
159-3M-06	4.85	9293-0301	53	6.26	.01
165-3M-06	4.85	9293-2008	55	6.50	.01
168-3M-06	4.85	9293-0302	56	6.61	.01
174-3M-06	4.85	9293-2009	58	6.85	.01
177-3M-06	4.85	9293-0303	59	6.97	.01
180-3M-06	5.00	9293-2010	60	7.09	.01
183-3M-06	5.00	9293-2011	61	7.20	.01
189-3M-06	5.00	9293-0304	63	7.44	.01
195-3M-06	5.00	9293-2012	65	7.68	.01
201-3M-06	5.00	9293-0305	67	7.91	.01
204-3M-06	5.12	9293-2013	68	8.03	.01
207-3M-06	5.12	9293-2014	69	8.15	.01
213-3M-06	5.12	9293-0306	71	8.39	.01
216-3M-06	5.12	9293-2015	72	8.50	.01
222-3M-06	5.12	9293-2016	74	8.74	.01
225-3M-06	5.12	9293-0307	75	8.86	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
228-3M-06	\$5.12	9293-2017	76	8.98	.01
234-3M-06	5.25	9293-2018	78	9.21	.01
237-3M-06	5.25	9293-2019	79	9.33	.01
240-3M-06	5.25	9293-0308	80	9.45	.01
246-3M-06	5.25	9293-2020	82	9.69	.01
252-3M-06	5.25	9293-0309	84	9.92	.01
255-3M-06	5.45	9293-0310	85	10.04	.01
258-3M-06	5.45	9293-2021	86	10.16	.01
261-3M-06	5.45	9293-2022	87	10.28	.01
264-3M-06	5.45	9293-2023	88	10.39	.01
267-3M-06	5.45	9293-0311	89	10.51	.01
276-3M-06	5.45	9293-2024	92	10.87	.01
282-3M-06	5.59	9293-2025	94	11.10	.01
285-3M-06	5.59	9293-0312	95	11.22	.01
288-3M-06	5.59	9293-2026	96	11.34	.01
291-3M-06	5.59	9293-2027	97	11.46	.01
297-3M-06	5.59	9293-2028	99	11.69	.01
300-3M-06	5.59	9293-0313	100	11.81	.01
312-3M-06	5.71	9293-0314	104	12.28	.01
315-3M-06	5.71	9293-2029	105	12.40	.01
318-3M-06	5.71	9293-0315	106	12.52	.01
324-3M-06	5.71	9293-2030	108	12.76	.01
330-3M-06	5.71	9293-2031	110	12.99	.01
333-3M-06	5.86	9293-2032	111	13.11	.01
336-3M-06	5.86	9293-2033	112	13.23	.01

Prices Subject To Change Without Notice





PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

3mm Pitch — 6mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
339-3M-06	\$5.86	9293-0316	113	13.35	.01
345-3M-06	5.86	9293-2034	115	13.58	.01
357-3M-06	6.05	9293-0317	119	14.06	.01
360-3M-06	6.05	9293-2035	120	14.17	.01
363-3M-06	6.05	9293-0318	121	14.29	.01
366-3M-06	6.05	9293-2036	122	14.41	.01
369-3M-06	6.05	9293-2037	123	14.53	.01
381-3M-06	6.17	9293-2038	127	15.00	.01
384-3M-06	6.17	9293-0319	128	15.12	.02
387-3M-06	6.17	9293-2039	129	15.24	.02
390-3M-06	6.17	9293-0320	130	15.35	.02
396-3M-06	6.17	9293-2040	132	15.59	.02
399-3M-06	6.17	9293-0321	133	15.71	.02
405-3M-06	6.17	9293-2041	135	15.94	.02
411-3M-06	6.29	9293-2042	137	16.18	.02
417-3M-06	6.29	9293-2043	139	16.42	.02
420-3M-06	6.29	9293-0322	140	16.54	.02
426-3M-06	6.29	9293-2044	142	16.77	.02
432-3M-06	6.44	9293-2045	144	17.01	.02
435-3M-06	6.44	9293-2046	145	17.13	.02
438-3M-06	6.44	9293-2047	146	17.24	.02
444-3M-06	6.44	9293-2048	148	17.48	.02
447-3M-06	6.44	9293-0323	149	17.60	.02
459-3M-06	6.56	9293-2049	153	18.07	.02
468-3M-06	6.56	9293-2050	156	18.43	.02
471-3M-06	6.56	9293-2051	157	18.54	.02
474-3M-06	6.56	9293-0324	158	18.66	.02
480-3M-06	6.56	9293-2052	160	18.90	.02
486-3M-06	6.78	9293-0325	162	19.13	.02
489-3M-06	6.78	9293-2053	163	19.25	.02
492-3M-06	6.78	9293-2054	164	19.37	.02
501-3M-06	6.78	9293-0326	167	19.72	.02
510-3M-06	6.91	9293-2055	170	20.08	.02
513-3M-06	6.91	9293-0327	171	20.20	.02
519-3M-06	6.91	9293-2056	173	20.43	.02
525-3M-06	6.91	9293-2057	175	20.67	.02
528-3M-06	6.91	9293-2058	176	20.79	.02
531-3M-06	6.91	9293-0328	177	20.91	.02
537-3M-06	7.04	9293-2059	179	21.14	.02
558-3M-06	7.04	9293-2060	186	21.97	.02
564-3M-06	7.18	9293-0329	188	22.20	.02
570-3M-06	7.18	9293-2061	190	22.44	.02
576-3M-06	7.18	9293-2062	192	22.68	.02
585-3M-06	7.37	9293-2063	195	23.03	.02
591-3M-06	7.37	9293-2064	197	23.27	.02
597-3M-06	7.37	9293-0330	199	23.50	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
600-3M-06	\$7.37	9293-2065	200	23.62	.02
606-3M-06	7.37	9293-2066	202	23.86	.02
609-3M-06	7.37	9293-2067	203	23.98	.02
612-3M-06	7.52	9293-2068	204	24.09	.02
627-3M-06	7.52	9293-2069	209	24.69	.02
633-3M-06	7.52	9293-0331	211	24.92	.03
639-3M-06	7.64	9293-2070	213	25.16	.03
645-3M-06	7.64	9293-2071	215	25.39	.03
648-3M-06	7.64	9293-2072	216	25.51	.03
654-3M-06	7.64	9293-2073	218	25.75	.03
657-3M-06	7.64	9293-2074	219	25.87	.03
663-3M-06	7.77	9293-2075	221	26.10	.03
669-3M-06	7.77	9293-0332	223	26.34	.03
684-3M-06	7.77	9293-2076	228	26.93	.03
687-3M-06	7.90	9293-2077	229	27.05	.03
696-3M-06	7.90	9293-2078	232	27.40	.03
711-3M-06	7.90	9293-0333	237	27.99	.03
735-3M-06	8.09	9293-2079	245	28.94	.03
738-3M-06	8.16	9293-2080	246	29.06	.03
753-3M-06	8.16	9293-0334	251	29.65	.03
795-3M-06	8.52	9293-0335	265	31.30	.03
822-3M-06	8.69	9293-2081	274	32.36	.03
837-3M-06	8.69	9293-2082	279	32.95	.03
843-3M-06	8.78	9293-0336	281	33.19	.03
873-3M-06	8.96	9293-2083	291	34.37	.04
882-3M-06	8.96	9293-0337	294	34.72	.04
891-3M-06	9.10	9293-2084	297	35.08	.04
900-3M-06	9.10	9293-2085	300	35.43	.04
915-3M-06	9.31	9293-2086	305	36.02	.04
945-3M-06	9.36	9293-0338	315	37.20	.04
951-3M-06	9.36	9293-2087	317	37.44	.04
981-3M-06	9.49	9293-2088	327	38.62	.04
1002-3M-06	9.70	9293-0339	334	39.45	.04
1026-3M-06	9.84	9293-2089	342	40.39	.04
1035-3M-06	9.84	9293-2090	345	40.75	.04
1062-3M-06	9.97	9293-0340	354	41.81	.04
1125-3M-06	10.44	9293-0341	375	44.29	.05
1155-3M-06	10.56	9293-2091	385	45.47	.05
1191-3M-06	10.71	9293-0342	397	46.89	.05
1263-3M-06	11.09	9293-0343	421	49.72	.05
1500-3M-06	13.31	9293-2092	500	59.06	.05
1512-3M-06	13.31	9293-2093	504	59.53	.05
1587-3M-06	13.97	9293-2094	529	62.48	.07
1956-3M-06	17.11	9293-2095	652	77.01	.09
2004-3M-06	17.52	9293-2096	668	78.90	.10

POWERGRIP HTD BELTS

Prices Subject To Change Without Notice





PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

3mm Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
87-3M-09	\$6.00	9293-2200	29	3.43	.01
102-3M-09	6.00	9293-2201	34	4.02	.01
105-3M-09	6.00	9293-2202	35	4.13	.01
111-3M-09	6.00	9293-2203	37	4.37	.01
123-3M-09	6.00	9293-2204	41	4.84	.01
144-3M-09	6.17	9293-2205	48	5.67	.01
147-3M-09	6.17	9293-2206	49	5.79	.01
150-3M-09	6.17	9293-0344	50	5.91	.01
156-3M-09	6.38	9293-2207	52	6.14	.01
159-3M-09	6.38	9293-0345	53	6.26	.01
165-3M-09	6.38	9293-2208	55	6.50	.01
168-3M-09	6.38	9293-0346	56	6.61	.01
174-3M-09	6.38	9293-2209	58	6.85	.01
177-3M-09	6.38	9293-0347	59	6.97	.01
180-3M-09	6.65	9293-2210	60	7.09	.01
183-3M-09	6.65	9293-2211	61	7.20	.01
189-3M-09	6.65	9293-0348	63	7.44	.01
195-3M-09	6.65	9293-2212	65	7.68	.01
201-3M-09	6.65	9293-0349	67	7.91	.01
204-3M-09	6.84	9293-2213	68	8.03	.01
207-3M-09	6.84	9293-2214	69	8.15	.01
213-3M-09	6.84	9293-0350	71	8.39	.01
216-3M-09	6.84	9293-2215	72	8.50	.01
222-3M-09	6.84	9293-2216	74	8.74	.01
225-3M-09	6.84	9293-0351	75	8.86	.01
228-3M-09	6.84	9293-2217	76	8.98	.01
234-3M-09	7.04	9293-2218	78	9.21	.01
237-3M-09	7.04	9293-2219	79	9.33	.01
240-3M-09	7.04	9293-0352	80	9.45	.01
246-3M-09	7.04	9293-2220	82	9.69	.01
252-3M-09	7.04	9293-0353	84	9.92	.02
255-3M-09	7.25	9293-0354	85	10.04	.02
258-3M-09	7.25	9293-2221	86	10.16	.02
261-3M-09	7.25	9293-2222	87	10.28	.02
264-3M-09	7.25	9293-2223	88	10.39	.02
267-3M-09	7.25	9293-0355	89	10.51	.02
276-3M-09	7.25	9293-2224	92	10.87	.02
282-3M-09	7.52	9293-2225	94	11.10	.02
285-3M-09	7.52	9293-0356	95	11.22	.02
288-3M-09	7.52	9293-2226	96	11.34	.02
291-3M-09	7.52	9293-2227	97	11.46	.02
297-3M-09	7.52	9293-2228	99	11.69	.02
300-3M-09	7.52	9293-0357	100	11.81	.02
312-3M-09	7.64	9293-0358	104	12.28	.02
315-3M-09	7.64	9293-2229	105	12.40	.02
318-3M-09	7.64	9293-0359	106	12.52	.02
324-3M-09	7.64	9293-2230	108	12.76	.02
330-3M-09	7.64	9293-2231	110	12.99	.02
333-3M-09	7.90	9293-2232	111	13.11	.02
336-3M-09	7.90	9293-2233	112	13.23	.02
339-3M-09	7.90	9293-0360	113	13.35	.02
345-3M-09	7.90	9293-2234	115	13.58	.02
357-3M-09	8.10	9293-0361	119	14.06	.02
360-3M-09	8.10	9293-2235	120	14.17	.02
363-3M-09	8.10	9293-0362	121	14.29	.02
366-3M-09	8.10	9293-2236	122	14.41	.02
369-3M-09	8.10	9293-2237	123	14.53	.02
381-3M-09	8.31	9293-2238	127	15.00	.02
384-3M-09	8.31	9293-0363	128	15.12	.02
387-3M-09	8.31	9293-2239	129	15.24	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
390-3M-09	\$8.31	9293-0364	130	15.35	.02
396-3M-09	8.31	9293-2240	132	15.59	.02
399-3M-09	8.31	9293-0365	133	15.71	.02
405-3M-09	8.31	9293-2241	135	15.94	.03
411-3M-09	8.57	9293-2242	137	16.18	.03
417-3M-09	8.57	9293-2243	139	16.42	.03
420-3M-09	8.57	9293-0366	140	16.54	.03
426-3M-09	8.57	9293-2244	142	16.77	.03
432-3M-09	8.69	9293-2245	144	17.01	.03
435-3M-09	8.69	9293-2246	145	17.13	.03
438-3M-09	8.69	9293-2247	146	17.24	.03
444-3M-09	8.69	9293-2248	148	17.48	.03
447-3M-09	8.69	9293-0367	149	17.60	.03
459-3M-09	8.96	9293-2249	153	18.07	.03
468-3M-09	8.96	9293-2250	156	18.43	.03
471-3M-09	8.96	9293-2251	157	18.54	.03
474-3M-09	8.96	9293-0368	158	18.66	.03
480-3M-09	8.96	9293-2252	160	18.90	.03
486-3M-09	9.17	9293-0369	162	19.13	.03
489-3M-09	9.17	9293-2253	163	19.25	.03
492-3M-09	9.17	9293-2254	164	19.37	.03
501-3M-09	9.17	9293-0370	167	19.72	.03
510-3M-09	9.36	9293-2255	170	20.08	.03
513-3M-09	9.36	9293-0371	171	20.20	.03
519-3M-09	9.36	9293-2256	173	20.43	.03
525-3M-09	9.36	9293-2257	175	20.67	.03
528-3M-09	9.36	9293-2258	176	20.79	.03
531-3M-09	9.36	9293-0372	177	20.91	.03
537-3M-09	9.58	9293-2259	179	21.14	.03
558-3M-09	9.58	9293-2260	186	21.97	.03
564-3M-09	9.84	9293-0373	188	22.20	.03
570-3M-09	9.84	9293-2261	190	22.44	.03
576-3M-09	9.84	9293-2262	192	22.68	.03
585-3M-09	9.97	9293-2263	195	23.03	.03
591-3M-09	9.97	9293-2264	197	23.27	.03
597-3M-09	9.97	9293-0374	199	23.50	.04
600-3M-09	9.97	9293-2265	200	23.62	.04
606-3M-09	9.97	9293-2266	202	23.86	.04
609-3M-09	9.97	9293-2267	203	23.98	.04
612-3M-09	10.23	9293-2268	204	24.09	.04
627-3M-09	10.23	9293-2269	209	24.69	.04
633-3M-09	10.23	9293-0375	211	24.92	.04
639-3M-09	10.44	9293-2270	213	25.16	.04
645-3M-09	10.44	9293-2271	215	25.39	.04
648-3M-09	10.44	9293-2272	216	25.51	.04
654-3M-09	10.44	9293-2273	218	25.75	.04
657-3M-09	10.44	9293-2274	219	25.87	.04
663-3M-09	10.64	9293-2275	221	26.10	.04
669-3M-09	10.64	9293-0376	223	26.34	.04
684-3M-09	10.64	9293-2276	228	26.93	.04
687-3M-09	10.90	9293-2277	229	27.05	.04
696-3M-09	10.90	9293-2278	232	27.40	.04
711-3M-09	10.90	9293-0377	237	27.99	.04
735-3M-09	11.09	9293-2279	245	28.94	.04
738-3M-09	11.29	9293-2280	246	29.06	.04
753-3M-09	11.29	9293-0378	251	29.65	.05
795-3M-09	11.72	9293-0379	265	31.30	.05
822-3M-09	11.89	9293-2281	274	32.36	.05
837-3M-09	11.89	9293-2282	279	32.95	.05
843-3M-09	12.15	9293-0380	281	33.19	.05

Prices Subject To Change Without Notice





PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

3mm Pitch — 9mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
873-3M-09	\$12.30	9293-2283	291	34.37	.05
882-3M-09	12.30	9293-0381	294	34.72	.06
891-3M-09	12.56	9293-2284	297	35.08	.06
900-3M-09	12.56	9293-2285	300	35.43	.06
915-3M-09	12.82	9293-2286	305	36.02	.06
945-3M-09	12.95	9293-0382	315	37.20	.06
951-3M-09	12.95	9293-2287	317	37.44	.06
981-3M-09	13.21	9293-2288	327	38.62	.06
1002-3M-09	13.42	9293-0383	334	39.45	.06
1026-3M-09	13.63	9293-2289	342	40.39	.06
1035-3M-09	13.63	9293-2290	345	40.75	.06

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1062-3M-09	\$13.81	9293-0384	354	41.81	.07
1125-3M-09	14.48	9293-0385	375	44.29	.07
1155-3M-09	14.69	9293-2291	385	45.47	.07
1191-3M-09	14.86	9293-0386	397	46.89	.07
1263-3M-09	15.56	9293-0387	421	49.72	.08
1500-3M-09	18.57	9293-2292	500	59.06	.08
1512-3M-09	18.57	9293-2293	504	59.53	.08
1587-3M-09	19.47	9293-2294	529	62.48	.09
1956-3M-09	23.79	9293-2295	652	77.01	.13
2004-3M-09	24.36	9293-2296	668	78.90	.14

3mm Pitch — 15mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
87-3M-15	\$9.63	9293-2400	29	3.43	.01
102-3M-15	9.63	9293-2401	34	4.02	.01
105-3M-15	9.63	9293-2402	35	4.13	.01
111-3M-15	9.63	9293-2403	37	4.37	.01
123-3M-15	9.63	9293-2404	41	4.84	.01
144-3M-15	10.07	9293-2405	48	5.67	.01
147-3M-15	10.07	9293-2406	49	5.79	.01
150-3M-15	10.07	9293-0388	50	5.91	.02
156-3M-15	10.44	9293-2407	52	6.14	.02
159-3M-15	10.44	9293-0389	53	6.26	.02
165-3M-15	10.44	9293-2408	55	6.50	.02
168-3M-15	10.44	9293-0390	56	6.61	.02
174-3M-15	10.44	9293-2409	58	6.85	.02
177-3M-15	10.44	9293-0391	59	6.97	.02
180-3M-15	10.81	9293-2410	60	7.09	.02
183-3M-15	10.81	9293-2411	61	7.20	.02
189-3M-15	10.81	9293-0392	63	7.44	.02
195-3M-15	10.81	9293-2412	65	7.68	.02
201-3M-15	10.81	9293-0393	67	7.91	.02
204-3M-15	11.17	9293-2413	68	8.03	.02
207-3M-15	11.17	9293-2414	69	8.15	.02
213-3M-15	11.17	9293-0394	71	8.39	.02
216-3M-15	11.17	9293-2415	72	8.50	.02
222-3M-15	11.17	9293-2416	74	8.74	.02
225-3M-15	11.17	9293-0395	75	8.86	.02
228-3M-15	11.17	9293-2417	76	8.98	.02
234-3M-15	11.60	9293-2418	78	9.21	.02
237-3M-15	11.60	9293-2419	79	9.33	.02
240-3M-15	11.60	9293-0396	80	9.45	.02
246-3M-15	11.60	9293-2420	82	9.69	.02
252-3M-15	11.60	9293-0397	84	9.92	.03
255-3M-15	11.91	9293-0398	85	10.04	.03
258-3M-15	11.91	9293-2421	86	10.16	.03
261-3M-15	11.91	9293-2422	87	10.28	.03
264-3M-15	11.91	9293-2423	88	10.39	.03
267-3M-15	11.91	9293-0399	89	10.51	.03
276-3M-15	11.91	9293-2424	92	10.87	.03
282-3M-15	12.28	9293-2425	94	11.10	.03
285-3M-15	12.28	9293-0400	95	11.22	.03
288-3M-15	12.28	9293-2426	96	11.34	.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
291-3M-15	\$12.28	9293-2427	97	11.46	.03
297-3M-15	12.28	9293-2428	99	11.69	.03
300-3M-15	12.28	9293-0401	100	11.81	.03
312-3M-15	12.64	9293-0402	104	12.28	.03
315-3M-15	12.64	9293-2429	105	12.40	.03
318-3M-15	12.64	9293-0403	106	12.52	.03
324-3M-15	12.64	9293-2430	108	12.76	.03
330-3M-15	12.64	9293-2431	110	12.99	.03
333-3M-15	13.01	9293-2432	111	13.11	.03
336-3M-15	13.01	9293-2433	112	13.23	.03
339-3M-15	13.01	9293-0404	113	13.35	.03
345-3M-15	13.01	9293-2434	115	13.58	.03
357-3M-15	13.45	9293-0405	119	14.06	.04
360-3M-15	13.45	9293-2435	120	14.17	.04
363-3M-15	13.45	9293-0406	121	14.29	.04
366-3M-15	13.45	9293-2436	122	14.41	.04
369-3M-15	13.45	9293-2437	123	14.53	.04
381-3M-15	13.83	9293-2438	127	15.00	.04
384-3M-15	13.83	9293-0407	128	15.12	.04
387-3M-15	13.83	9293-2439	129	15.24	.04
390-3M-15	13.83	9293-0408	130	15.35	.04
396-3M-15	13.83	9293-2440	132	15.59	.04
399-3M-15	13.83	9293-0409	133	15.71	.04
405-3M-15	13.83	9293-2441	135	15.94	.04
411-3M-15	14.11	9293-2442	137	16.18	.04
417-3M-15	14.11	9293-2443	139	16.42	.04
420-3M-15	14.11	9293-0410	140	16.54	.04
426-3M-15	14.11	9293-2444	142	16.77	.04
432-3M-15	14.48	9293-2445	144	17.01	.04
435-3M-15	14.48	9293-2446	145	17.13	.04
438-3M-15	14.48	9293-2447	146	17.24	.04
444-3M-15	14.48	9293-2448	148	17.48	.04
447-3M-15	14.48	9293-0411	149	17.60	.05
459-3M-15	14.85	9293-2449	153	18.07	.05
468-3M-15	14.85	9293-2450	156	18.43	.05
471-3M-15	14.85	9293-2451	157	18.54	.05
474-3M-15	14.85	9293-0412	158	18.66	.05
480-3M-15	14.85	9293-2452	160	18.90	.05
486-3M-15	15.31	9293-0413	162	19.13	.05
489-3M-15	15.31	9293-2453	164	19.25	.05

POWERGRIP HTD BELTS

Prices Subject To Change Without Notice





PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

3mm Pitch — 15mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
492-3M-15	\$15.31	9293-2454	164	19.37	.05
501-3M-15	15.31	9293-0414	167	19.72	.05
510-3M-15	15.68	9293-2455	170	20.08	.05
513-3M-15	15.68	9293-0415	171	20.20	.05
519-3M-15	15.68	9293-2456	173	20.43	.05
525-3M-15	15.68	9293-2457	175	20.67	.05
528-3M-15	15.68	9293-2458	176	20.79	.05
531-3M-15	15.68	9293-0416	177	20.91	.05
537-3M-15	16.03	9293-2459	179	21.14	.05
558-3M-15	16.03	9293-2460	186	21.97	.05
564-3M-15	16.35	9293-0417	188	22.20	.06
570-3M-15	16.35	9293-2461	190	22.44	.06
576-3M-15	16.35	9293-2462	192	22.68	.06
585-3M-15	16.72	9293-2463	195	23.03	.06
591-3M-15	16.72	9293-2464	197	23.27	.06
597-3M-15	16.72	9293-0418	199	23.50	.06
600-3M-15	16.72	9293-2465	200	23.62	.06
606-3M-15	16.72	9293-2466	202	23.86	.06
609-3M-15	16.72	9293-2467	203	23.98	.06
612-3M-15	17.16	9293-2468	204	24.09	.06
627-3M-15	17.16	9293-2469	209	24.69	.06
633-3M-15	17.16	9293-0419	211	24.92	.06
639-3M-15	17.53	9293-2470	213	25.16	.06
645-3M-15	17.53	9293-2471	215	25.39	.06
648-3M-15	17.53	9293-2472	216	25.51	.06
654-3M-15	17.53	9293-2473	218	25.75	.06
657-3M-15	17.53	9293-2474	219	25.87	.06
663-3M-15	17.90	9293-2475	221	26.10	.06
669-3M-15	17.90	9293-0420	223	26.34	.07
684-3M-15	17.90	9293-2476	228	26.93	.07
687-3M-15	18.27	9293-2477	229	27.05	.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
696-3M-15	\$18.27	9293-2478	232	27.40	.07
711-3M-15	18.27	9293-0421	237	27.99	.07
735-3M-15	18.57	9293-2479	245	28.94	.07
738-3M-15	19.01	9293-2480	246	29.06	.07
753-3M-15	19.01	9293-0422	251	29.65	.08
795-3M-15	19.73	9293-0423	265	31.30	.08
822-3M-15	20.12	9293-2481	274	32.36	.08
837-3M-15	20.12	9293-2482	279	32.95	.08
843-3M-15	20.42	9293-0424	281	33.19	.09
873-3M-15	20.84	9293-2483	291	34.37	.09
882-3M-15	20.84	9293-0425	294	34.72	.10
891-3M-15	21.23	9293-2484	297	35.08	.10
900-3M-15	21.23	9293-2485	300	35.43	.10
915-3M-15	21.60	9293-2486	305	36.02	.10
945-3M-15	21.95	9293-0426	315	37.20	.10
951-3M-15	21.95	9293-2487	317	37.44	.10
981-3M-15	22.34	9293-2488	327	38.62	.10
1002-3M-15	22.71	9293-0427	334	39.45	.10
1026-3M-15	23.10	9293-2489	342	40.39	.11
1035-3M-15	23.10	9293-2490	345	40.75	.11
1062-3M-15	23.44	9293-0428	354	41.81	.11
1125-3M-15	24.64	9293-0429	375	44.29	.12
1155-3M-15	24.94	9293-2491	385	40.47	.12
1191-3M-15	25.29	9293-0430	397	46.89	.12
1263-3M-15	26.48	9293-0431	421	49.72	.13
1500-3M-15	31.69	9293-2492	500	59.06	.14
1512-3M-15	31.69	9293-2493	504	59.53	.15
1587-3M-15	33.24	9293-2494	529	62.48	.17
1956-3M-15	40.63	9293-2495	652	77.01	.19
2004-3M-15	41.59	9293-2496	668	78.90	.19

POWERGRIP HTD BELTS

Prices Subject To Change Without Notice





PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

5mm Pitch — 9mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
200-5M-09	\$8.78	9293-2600	40	7.87	.02
240-5M-09	9.10	9293-2601	48	9.45	.02
260-5M-09	9.45	9293-2602	52	10.24	.02
270-5M-09	9.45	9293-2603	54	10.63	.02
285-5M-09	9.75	9293-2604	57	11.22	.03
300-5M-09	9.75	9293-2605	60	11.81	.03
310-5M-09	10.07	9293-2606	62	12.20	.03
320-5M-09	10.07	9293-2607	64	12.60	.03
350-5M-09	10.43	9293-0500	70	13.78	.03
375-5M-09	10.74	9293-0501	75	14.76	.03
400-5M-09	11.08	9293-0502	80	15.75	.04
415-5M-09	11.32	9293-2608	83	16.34	.04
425-5M-09	11.32	9293-0503	85	16.73	.04
450-5M-09	11.66	9293-0504	90	17.72	.04
460-5M-09	12.00	9293-2609	92	18.11	.04
475-5M-09	12.00	9293-0505	95	18.70	.04
480-5M-09	12.00	9293-2610	96	18.90	.04
495-5M-09	12.34	9293-2611	99	19.49	.04
500-5M-09	12.34	9293-0506	100	19.69	.05
520-5M-09	12.61	9293-2612	104	20.47	.05
535-5M-09	12.92	9293-0507	107	21.06	.05
555-5M-09	12.92	9293-2613	111	21.85	.05
565-5M-09	13.28	9293-0508	113	22.24	.05
580-5M-09	13.28	9293-2614	116	22.83	.05
585-5M-09	13.53	9293-2615	117	23.03	.05
600-5M-09	13.53	9293-0509	120	23.62	.06
615-5M-09	13.86	9293-2616	123	24.21	.06
635-5M-09	14.15	9293-0510	127	25.00	.06
655-5M-09	14.15	9293-2617	131	25.79	.06
665-5M-09	14.55	9293-2618	133	26.18	.06
670-5M-09	14.55	9293-0511	134	26.38	.06
680-5M-09	14.55	9293-2619	136	26.77	.07
685-5M-09	14.55	9293-2620	137	26.97	.07
695-5M-09	14.82	9293-2621	139	27.36	.07
710-5M-09	14.82	9293-0512	142	27.95	.07
740-5M-09	15.41	9293-0513	148	29.13	.07
745-5M-09	15.41	9293-2622	149	29.33	.07
765-5M-09	15.75	9293-2623	153	30.12	.07
790-5M-09	16.06	9293-2624	158	31.10	.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
800-5M-09	\$16.06	9293-0514	160	31.50	.07
830-5M-09	16.38	9293-2625	166	32.68	.07
835-5M-09	16.38	9293-2626	167	32.87	.07
850-5M-09	16.67	9293-0515	170	33.46	.08
870-5M-09	17.00	9293-2627	174	34.25	.08
890-5M-09	17.34	9293-0516	178	35.04	.08
925-5M-09	17.67	9293-2628	185	36.42	.08
950-5M-09	17.92	9293-0517	190	37.40	.09
975-5M-09	18.27	9293-2629	195	38.39	.09
985-5M-09	18.27	9293-2630	197	38.78	.09
1000-5M-09	18.60	9293-0518	200	39.37	.09
1050-5M-09	19.21	9293-0519	210	41.34	.10
1115-5M-09	19.80	9293-2631	223	43.90	.10
1125-5M-09	20.14	9293-0520	225	44.29	.10
1195-5M-09	21.12	9293-0521	239	47.05	.11
1250-5M-09	21.66	9293-2632	250	49.21	.11
1270-5M-09	22.08	9293-0522	254	50.00	.12
1295-5M-09	22.08	9293-2633	259	50.98	.12
1375-5M-09	23.28	9293-2634	275	54.13	.12
1420-5M-09	23.28	9293-0523	284	55.91	.13
1575-5M-09	25.78	9293-2635	315	62.01	.13
1595-5M-09	25.78	9293-0524	319	62.80	.14
1635-5M-09	26.36	9293-2636	327	64.37	.15
1690-5M-09	27.05	9293-0525	338	66.54	.16
1720-5M-09	27.05	9293-2637	344	67.72	.16
1790-5M-09	28.29	9293-0526	358	70.47	.17
1800-5M-09	28.29	9293-2638	360	70.87	.17
1895-5M-09	29.56	9293-0527	379	74.61	.18
1945-5M-09	30.16	9293-2639	389	76.57	.18
1980-5M-09	30.16	9293-2640	396	77.95	.18
2000-5M-09	30.82	9293-0528	400	78.74	.19
2110-5M-09	32.12	9293-2641	422	83.07	.20
2250-5M-09	34.18	9293-0529	450	88.58	.21
2525-5M-09	38.34	9293-0530	505	99.40	.23
2760-5M-09	41.68	9293-2642	552	108.66	.28
3120-5M-09	47.12	9293-2643	624	122.83	.32
3170-5M-09	47.88	9293-2644	634	124.80	.34
3430-5M-09	51.81	9293-2645	686	135.04	.36
3800-5M-09	57.40	9293-2646	760	149.61	.40

POWERGRIP HTD BELTS

Prices Subject To Change Without Notice





PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

5mm Pitch — 15mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
200-5M-15	\$12.91	9293-2700	40	7.87	.03
240-5M-15	13.51	9293-2701	48	9.45	.04
260-5M-15	14.27	9293-2702	52	10.24	.04
270-5M-15	14.27	9293-2703	54	10.63	.04
285-5M-15	14.73	9293-2704	57	11.22	.04
300-5M-15	14.73	9293-2705	60	11.81	.04
310-5M-15	15.33	9293-2706	62	12.20	.05
320-5M-15	15.33	9293-2707	64	12.60	.05
350-5M-15	15.86	9293-0531	70	13.78	.05
375-5M-15	16.40	9293-0532	75	14.76	.06
400-5M-15	16.95	9293-0533	80	15.75	.06
415-5M-15	17.47	9293-2708	83	16.34	.06
425-5M-15	17.47	9293-0534	85	16.73	.06
450-5M-15	18.02	9293-0535	90	17.72	.07
460-5M-15	18.56	9293-2709	92	18.11	.07
475-5M-15	18.56	9293-0536	95	18.70	.07
480-5M-15	18.56	9293-2710	96	18.90	.07
495-5M-15	19.15	9293-2711	99	19.49	.07
500-5M-15	19.15	9293-0537	100	19.69	.08
520-5M-15	19.70	9293-2712	104	20.47	.08
535-5M-15	20.23	9293-0538	107	21.06	.08
555-5M-15	20.23	9293-2713	111	21.85	.08
565-5M-15	20.65	9293-0539	113	22.24	.09
580-5M-15	20.65	9293-2714	116	22.83	.09
585-5M-15	21.30	9293-2715	117	23.03	.09
600-5M-15	21.30	9293-0540	120	23.62	.09
615-5M-15	21.90	9293-2716	123	24.21	.09
635-5M-15	22.38	9293-0541	127	25.00	.10
655-5M-15	22.38	9293-2717	131	25.79	.10
665-5M-15	23.00	9293-2718	133	26.18	.10
670-5M-15	23.00	9293-0542	134	26.38	.10
680-5M-15	23.00	9293-2719	136	26.77	.10
685-5M-15	23.00	9293-2720	137	26.97	.10
695-5M-15	23.48	9293-2721	139	27.36	.10
710-5M-15	23.48	9293-0543	142	27.95	.11
740-5M-15	24.61	9293-0544	148	29.13	.11
745-5M-15	24.61	9293-2722	149	29.33	.11
765-5M-15	25.08	9293-2723	153	30.12	.11
790-5M-15	25.68	9293-2724	158	31.10	.11

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
800-5M-15	\$25.68	9293-0545	160	31.50	.12
830-5M-15	26.21	9293-2725	166	32.68	.12
835-5M-15	26.21	9293-2726	167	32.87	.12
850-5M-15	26.76	9293-0546	170	33.46	.13
870-5M-15	27.28	9293-2727	174	34.25	.13
890-5M-15	27.83	9293-0547	178	35.04	.14
925-5M-15	28.43	9293-2728	185	36.42	.14
950-5M-15	28.91	9293-0548	190	37.40	.15
975-5M-15	29.52	9293-2729	195	38.39	.15
985-5M-15	29.52	9293-2730	197	38.78	.15
1000-5M-15	30.05	9293-0549	200	39.37	.15
1050-5M-15	31.11	9293-0550	210	41.34	.16
1115-5M-15	32.20	9293-2731	223	43.90	.16
1125-5M-15	32.74	9293-0551	225	44.29	.17
1195-5M-15	34.35	9293-0552	239	47.05	.18
1250-5M-15	35.43	9293-2732	250	49.21	.19
1270-5M-15	36.03	9293-0553	254	50.00	.20
1295-5M-15	36.03	9293-2733	259	50.98	.20
1375-5M-15	38.18	9293-2734	275	54.13	.21
1420-5M-15	38.18	9293-0554	284	55.91	.22
1575-5M-15	42.56	9293-2735	315	62.01	.23
1595-5M-15	42.56	9293-0555	319	62.80	.24
1635-5M-15	43.70	9293-2736	327	64.37	.25
1690-5M-15	44.69	9293-0556	338	66.54	.26
1720-5M-15	44.69	9293-2737	344	67.72	.27
1790-5M-15	46.92	9293-0557	358	70.47	.28
1800-5M-15	46.92	9293-2738	360	70.87	.28
1895-5M-15	49.13	9293-0558	379	74.61	.29
1945-5M-15	50.23	9293-2739	389	76.57	.30
1980-5M-15	50.23	9293-2740	396	77.95	.31
2000-5M-15	51.02	9293-0559	400	78.74	.31
2110-5M-15	53.44	9293-2741	422	83.07	.33
2250-5M-15	56.74	9293-0560	450	88.58	.35
2525-5M-15	62.17	9293-0561	505	99.40	.39
2760-5M-15	69.90	9293-2742	552	108.66	.43
3120-5M-15	79.02	9293-2743	624	122.83	.49
3170-5M-15	80.29	9293-2744	634	124.80	.56
3430-5M-15	86.88	9293-2745	686	135.04	.59
3800-5M-15	96.25	9293-2746	760	149.61	.67

POWERGRIP HTD BELTS

Prices Subject To Change Without Notice





PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

5mm Pitch — 25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
200-5M-25	\$20.53	9293-2800	40	7.87	.06
240-5M-25	21.81	9293-2801	48	9.45	.06
260-5M-25	22.34	9293-2802	52	10.24	.07
270-5M-25	22.34	9293-2803	54	10.63	.07
285-5M-25	23.30	9293-2804	57	11.22	.07
300-5M-25	23.30	9293-2805	60	11.81	.08
310-5M-25	24.25	9293-2806	62	12.20	.08
320-5M-25	24.25	9293-2807	64	12.60	.08
350-5M-25	25.17	9293-0562	70	13.78	.09
375-5M-25	26.15	9293-0563	75	14.76	.10
400-5M-25	27.00	9293-0564	80	15.75	.10
415-5M-25	27.96	9293-2808	83	16.34	.10
425-5M-25	27.96	9293-0565	85	16.73	.11
450-5M-25	28.92	9293-0566	90	17.72	.11
460-5M-25	29.83	9293-2809	92	18.11	.11
475-5M-25	29.83	9293-0567	95	18.70	.12
480-5M-25	29.83	9293-2810	96	18.90	.12
495-5M-25	30.76	9293-2811	99	19.49	.12
500-5M-25	30.76	9293-0568	100	19.69	.13
520-5M-25	31.74	9293-2812	104	20.47	.13
535-5M-25	32.60	9293-0569	107	21.06	.14
555-5M-25	32.60	9293-2813	111	21.85	.14
565-5M-25	33.54	9293-0570	113	22.24	.14
580-5M-25	33.54	9293-2814	116	22.83	.14
585-5M-25	34.50	9293-2815	117	23.03	.15
600-5M-25	34.50	9293-0571	120	23.62	.15
615-5M-25	35.45	9293-2816	123	24.21	.16
635-5M-25	36.38	9293-0572	127	25.00	.16
655-5M-25	36.38	9293-2817	131	25.79	.16
665-5M-25	37.32	9293-2818	133	26.18	.16
670-5M-25	37.32	9293-0573	134	26.38	.17
680-5M-25	37.32	9293-2819	136	26.77	.17
685-5M-25	37.32	9293-2820	137	26.97	.17
695-5M-25	38.21	9293-2821	139	27.36	.17
710-5M-25	38.21	9293-0574	142	27.95	.18
740-5M-25	40.11	9293-0575	148	29.13	.19
745-5M-25	40.11	9293-2822	149	29.33	.19
765-5M-25	41.06	9293-2823	153	30.12	.19
790-5M-25	41.98	9293-2824	158	31.10	.20

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
800-5M-25	\$41.98	9293-0576	160	31.50	.20
830-5M-25	42.94	9293-2825	166	32.68	.21
835-5M-25	42.94	9293-2826	167	32.87	.21
850-5M-25	43.83	9293-0577	170	33.46	.22
870-5M-25	44.60	9293-2827	174	34.25	.22
890-5M-25	45.70	9293-0578	178	35.04	.23
925-5M-25	46.65	9293-2828	185	36.42	.23
950-5M-25	47.63	9293-0579	190	37.40	.24
975-5M-25	48.53	9293-2829	195	38.39	.24
985-5M-25	48.53	9293-2830	197	38.78	.24
1000-5M-25	49.44	9293-0580	200	39.37	.25
1050-5M-25	51.31	9293-0581	210	41.34	.27
1115-5M-25	53.21	9293-2831	223	43.90	.28
1125-5M-25	54.17	9293-0582	225	44.29	.29
1195-5M-25	56.91	9293-0583	239	47.05	.30
1250-5M-25	58.80	9293-2832	250	49.21	.31
1270-5M-25	59.79	9293-0584	254	50.00	.33
1295-5M-25	59.79	9293-2833	259	50.98	.34
1375-5M-25	63.46	9293-2834	275	54.13	.35
1420-5M-25	63.46	9293-0585	284	55.91	.36
1575-5M-25	70.95	9293-2835	315	62.01	.37
1595-5M-25	70.95	9293-0586	319	62.84	.38
1635-5M-25	72.78	9293-2836	327	64.37	.40
1690-5M-25	74.67	9293-0587	338	66.54	.43
1720-5M-25	74.67	9293-2837	344	67.72	.45
1790-5M-25	78.39	9293-0588	358	70.47	.46
1800-5M-25	78.39	9293-2838	360	70.87	.47
1895-5M-25	82.15	9293-0589	379	74.61	.49
1945-5M-25	84.00	9293-2839	389	76.57	.49
1980-5M-25	84.00	9293-2840	396	77.95	.50
2000-5M-25	85.88	9293-0590	400	78.74	.51
2110-5M-25	89.61	9293-2841	422	83.07	.55
2250-5M-25	95.21	9293-0591	450	88.58	.58
2525-5M-25	104.59	9293-0592	505	99.40	.65
2760-5M-25	117.21	9293-2842	552	108.66	.68
3120-5M-25	132.50	9293-2843	624	122.83	.74
3170-5M-25	134.62	9293-2844	634	124.80	.87
3430-5M-25	145.66	9293-2845	686	135.04	.92
3800-5M-25	161.37	9293-2846	760	149.61	1.08

POWERGRIP HTD BELTS

Prices Subject To Change Without Notice





PowerGrip® HTD® Belts

Product No. Series 9293 (continued)

20mm Pitch — 115mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2000-20M-115	\$1066.74	9293-0700	100	78.74	7.86
2500-20M-115	1254.01	9293-0702	125	98.43	10.91
3400-20M-115	1628.31	9293-0703	170	133.86	14.86
3800-20M-115	1782.17	9293-0704	190	149.61	16.62
4200-20M-115	2047.09	9293-0705	210	165.35	18.38
4600-20M-115	2206.28	9293-0706	230	181.10	20.13
5000-20M-115	2365.65	9293-0707	250	196.85	21.89
5200-20M-115	2455.65	9293-0708	260	204.72	22.76

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5400-20M-115	\$2555.46	9293-0709	270	212.60	23.64
5600-20M-115	2645.97	9293-0710	280	220.47	24.52
5800-20M-115	2744.43	9293-0711	290	228.35	25.40
6000-20M-115	2846.57	9293-0712	300	236.22	26.28
6200-20M-115	2933.17	9293-0712	310	244.09	27.15
6400-20M-115	3025.00	9293-0713	320	251.97	28.03
6600-20M-115	3122.56	9293-0714	330	259.84	28.91

20mm Pitch — 170mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2000-20M-170	\$1553.19	9293-0715	100	78.74	12.89
2500-20M-170	1823.66	9293-0717	125	98.43	16.13
3400-20M-170	2374.81	9293-0718	170	133.86	21.97
3800-20M-170	2679.33	9293-0719	190	149.61	24.57
4200-20M-170	2989.79	9293-0720	210	165.35	27.16
4600-20M-170	3190.24	9293-0721	230	181.10	29.76
5000-20M-170	3378.06	9293-0722	250	196.85	32.35
5200-20M-170	3520.18	9293-0723	260	204.72	33.65

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5400-20M-170	\$3663.51	9293-0724	270	212.60	34.95
5600-20M-170	3793.12	9293-0725	280	220.47	36.25
5800-20M-170	3934.38	9293-0726	290	228.35	37.54
6000-20M-170	4083.13	9293-0726	300	236.22	38.84
6200-20M-170	4204.85	9293-0727	310	244.09	40.14
6400-20M-170	4336.25	9293-0728	320	251.97	41.44
6600-20M-170	4476.16	9293-0729	330	259.84	42.73

20mm Pitch — 230mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2000-20M-230	\$2101.36	9293-0730	100	78.74	17.44
2500-20M-230	2467.37	9293-0732	125	98.43	21.83
3400-20M-230	3213.00	9293-0733	170	133.86	29.73
3800-20M-230	3624.98	9293-0734	190	149.61	33.24
4200-20M-230	4045.03	9293-0735	210	165.35	36.75
4600-20M-230	4316.35	9293-0736	230	181.10	40.26
5000-20M-230	4587.67	9293-0737	250	196.85	43.77
5200-20M-230	4762.59	9293-0738	260	204.72	45.53

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5400-20M-230	\$4956.43	9293-0739	270	212.60	47.28
5600-20M-230	5131.88	9293-0740	280	220.47	49.04
5800-20M-230	5323.09	9293-0741	290	228.35	50.79
6000-20M-230	5524.07	9293-0741	300	236.22	52.55
6200-20M-230	5688.88	9293-0742	310	244.09	54.31
6400-20M-230	5866.70	9293-0743	320	251.97	56.06
6600-20M-230	6055.95	9293-0744	330	259.84	57.82

20mm Pitch — 290mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2000-20M-290	\$2642.28	9293-0745	100	78.74	21.99
2500-20M-290	3110.85	9293-0747	125	98.43	27.52
3400-20M-290	4051.22	9293-0748	170	133.86	37.48
3800-20M-290	4570.63	9293-0749	190	149.61	41.91
4200-20M-290	5100.30	9293-0750	210	165.35	46.34
4600-20M-290	5442.25	9293-0751	230	181.10	50.76
5000-20M-290	5784.43	9293-0752	250	196.85	55.19
5200-20M-290	6005.00	9293-0753	260	204.72	57.40

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5400-20M-290	\$6249.50	9293-0754	270	212.60	59.62
5600-20M-290	6470.64	9293-0755	280	220.47	61.83
5800-20M-290	6711.59	9293-0756	290	228.35	64.05
6000-20M-290	6965.42	9293-0778	300	236.22	66.26
6200-20M-290	7172.93	9293-0757	310	244.09	68.47
6400-20M-290	7397.13	9293-0758	320	251.97	70.69
6600-20M-290	7635.76	9293-0759	330	259.84	72.90

20mm Pitch — 340mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
2000-20M-340	\$3106.40	9293-0760	100	78.74	25.78
2500-20M-340	3647.32	9293-0762	125	98.43	32.27
3400-20M-340	4749.60	9293-0763	170	133.86	43.94
3800-20M-340	5358.63	9293-0764	190	149.61	49.13
4200-20M-340	5979.56	9293-0765	210	165.35	54.33
4600-20M-340	6380.68	9293-0766	230	181.10	59.52
5000-20M-340	6781.80	9293-0767	250	196.85	64.71
5200-20M-340	7040.35	9293-0768	260	204.72	67.30

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
5400-20M-340	\$7326.99	9293-0769	270	212.60	69.90
5600-20M-340	7586.27	9293-0770	280	220.47	72.49
5800-20M-340	7868.77	9293-0771	290	228.35	75.09
6000-20M-340	8166.27	9293-0779	300	236.22	77.68
6200-20M-340	8409.69	9293-0772	310	244.09	80.28
6400-20M-340	8672.49	9293-0773	320	251.97	82.87
6600-20M-340	8952.33	9293-0774	330	259.84	85.47

Prices Subject To Change Without Notice





PowerGrip® Timing Belts


The trapezoidal tooth profile makes this belt well suited for use in positioning applications.

Markets/Applications

PowerGrip Timing Belts are suitable for office machines, machine tools, postage equipment, sewing machines, vending machines, agriculture, outdoor power equipment, food processing, HVAC, oil fields, wood, paper, sand and gravel applications.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drives.



Recommended Sprockets

PowerGrip Timing Pulleys

Notes

Gates PowerGrip Timing belts are measured by:

Length-The length of a PowerGrip Timing Belt is shown in the first part of the belt designation. The first number is the pitch length in tenths of an inch. A 300L075 has a 30.0" pitch length.

Pitch-The pitch is the distance from center to center of the teeth (in inches). It is shown in the second part of the belt designation by a letter or letters. Part number 300L075 has a .375" pitch. The letters correspond to pitches as follows:

MXL = Mini Extra Light = 0.080" pitch

H = Heavy = 0.500" pitch

XL = Extra Light = 0.200" pitch

XH = Extra Heavy = 0.875" pitch

L = Light = 0.375" pitch

XXH = Double Extra Heavy = 1.250" pitch

Width-The width is shown in the last part of the belt designation. Part number 300L075 is .75" wide.

Product No. Series 9257

2/25" Pitch (.080"/MXL) — 1/8" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
32MXL012	\$2.07	9257-0129	40	3.20	.01
34MXL012	2.07	9257-0130	42	3.36	.01
36MXL012	2.07	9257-0119	45	3.60	.01
38MXL012	2.07	9257-0131	47	3.76	.01
40MXL012	2.17	9257-0120	50	4.00	.01
43MXL012	2.17	9257-0132	54	4.32	.01
44MXL012	2.17	9257-0121	55	4.40	.01
45MXL012	2.17	9257-0133	56	4.48	.01
47MXL012	2.17	9257-0134	59	4.72	.01
48MXL012	2.17	9257-0122	60	4.80	.01
51MXL012	2.23	9257-0135	64	5.12	.01
52MXL012	2.23	9257-0136	65	5.20	.01
53MXL012	2.23	9257-0137	67	5.36	.01
54MXL012	2.23	9257-0138	68	5.44	.01
56MXL012	2.23	9257-0104	70	5.60	.01
57MXL012	2.23	9257-0139	71	5.68	.01
58MXL012	2.23	9257-0140	72	5.76	.01
59MXL012	2.23	9257-0141	74	5.92	.01
61MXL012	2.23	9257-0142	76	6.08	.01
62MXL012	2.23	9257-0143	77	6.16	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
63MXL012	\$2.23	9257-0144	79	6.32	.01
64MXL012	2.23	9257-0105	80	6.40	.01
66MXL012	2.23	9257-0145	83	6.64	.01
68MXL012	2.23	9257-0123	85	6.80	.01
69MXL012	2.23	9257-0146	87	6.96	.01
70MXL012	2.30	9257-0147	88	7.04	.01
72MXL012	2.30	9257-0106	90	7.20	.01
74MXL012	2.30	9257-0148	92	7.36	.01
75MXL012	2.30	9257-0149	94	7.52	.01
76MXL012	2.30	9257-0124	95	7.60	.01
80MXL012	2.38	9257-0107	100	8.00	.01
81MXL012	2.38	9257-0150	102	8.16	.01
82MXL012	2.38	9257-0151	103	8.24	.01
84MXL012	2.38	9257-0152	106	8.48	.01
85MXL012	2.38	9257-0153	107	8.56	.01
86MXL012	2.38	9257-0154	108	8.64	.01
87MXL012	2.38	9257-0155	109	8.72	.01
88MXL012	2.38	9257-0108	110	8.80	.01
90MXL012	2.42	9257-0156	112	8.96	.01
91MXL012	2.42	9257-0157	114	9.12	.01

POWERGRIP TIMING BELTS

Prices Subject To Change Without Notice





PowerGrip® Timing Belts

Product No. Series 9257 (continued)

2/25" Pitch (.080"/MXL) — 1/8" Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
96MXL012	\$2.42	9257-0100	120	9.60	.01
98MXL012	2.42	9257-0158	123	9.84	.01
100MXL012	2.48	9257-0159	125	10.00	.01
101MXL012	2.48	9257-0160	126	10.08	.01
104MXL012	2.48	9257-0109	130	10.40	.01
106MXL012	2.48	9257-0161	132	10.56	.01
112MXL012	2.48	9257-0110	140	11.20	.01
115MXL012	2.48	9257-0162	144	11.52	.01
120MXL012	2.57	9257-0111	150	12.00	.01
122MXL012	2.57	9257-0163	153	12.24	.01
124MXL012	2.57	9257-0164	155	12.40	.01
132MXL012	2.66	9257-0125	165	13.20	.01
133MXL012	2.66	9257-0165	166	13.28	.01
136MXL012	2.66	9257-0166	170	13.60	.01
140MXL012	2.68	9257-0112	175	14.00	.01
147MXL012	2.68	9257-0167	184	14.72	.01
152MXL012	2.81	9257-0126	190	15.20	.01
156MXL012	2.81	9257-0168	195	15.60	.01
160MXL012	2.83	9257-0113	200	16.00	.01
166MXL012	2.83	9257-0169	208	16.64	.01
168MXL012	2.85	9257-0127	210	16.80	.01
170MXL012	2.85	9257-0170	212	16.96	.01
177MXL012	2.85	9257-0171	221	17.68	.01
178MXL012	2.85	9257-0172	222	17.76	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
180MXL012	\$2.88	9257-0114	225	18.00	.01
184MXL012	2.88	9257-0173	230	18.40	.01
196MXL012	2.97	9257-0174	245	19.60	.01
198MXL012	2.97	9257-0175	248	19.84	.01
200MXL012	3.03	9257-0115	250	20.00	.01
208MXL012	3.03	9257-0116	260	20.80	.01
212MXL012	3.09	9257-0176	265	21.20	.01
224MXL012	3.09	9257-0177	280	22.40	.01
236MXL012	3.20	9257-0128	295	23.60	.01
240MXL012	3.24	9257-0117	300	24.00	.01
252MXL012	3.28	9257-0178	315	25.20	.01
278MXL012	3.38	9257-0179	347	27.76	.01
297MXL012	3.48	9257-0180	371	29.68	.01
298MXL012	3.48	9257-0181	372	29.76	.01
320MXL012	3.63	9257-0118	400	32.00	.01
330MXL012	3.69	9257-0182	412	32.96	.01
339MXL012	3.69	9257-0183	424	33.92	.01
347MXL012	3.79	9257-0184	434	34.72	.01
348MXL012	3.79	9257-0185	435	34.80	.01
390MXL012	4.04	9257-0186	487	38.96	.01
398MXL012	4.04	9257-0187	498	39.84	.01
480MXL012	4.60	9257-0188	600	48.00	.01
490MXL012	4.60	9257-0189	612	48.96	.01
518MXL012	4.69	9257-0190	648	51.84	.01

2/25" Pitch (.080"/MXL) — 3/16" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
32MXL019	\$2.59	9257-0229	40	3.20	.01
34MXL019	2.59	9257-0230	42	3.36	.01
36MXL019	2.59	9257-0219	45	3.60	.01
38MXL019	2.59	9257-0231	47	3.76	.01
40MXL019	2.63	9257-0220	50	4.00	.01
43MXL019	2.63	9257-0232	54	4.32	.01
44MXL019	2.63	9257-0221	55	4.40	.01
45MXL019	2.63	9257-0233	56	4.48	.01
47MXL019	2.63	9257-0234	59	4.72	.01
48MXL019	2.63	9257-0222	60	4.80	.01
51MXL019	2.68	9257-0235	64	5.12	.01
52MXL019	2.68	9257-0236	65	5.20	.01
53MXL019	2.68	9257-0237	67	5.36	.01
54MXL019	2.68	9257-0238	68	5.44	.01
56MXL019	2.68	9257-0204	70	5.60	.01
57MXL019	2.68	9257-0239	71	5.68	.01
58MXL019	2.68	9257-0240	72	5.76	.01
59MXL019	2.68	9257-0241	74	5.92	.01
61MXL019	2.81	9257-0242	76	6.08	.01
62MXL019	2.81	9257-0243	77	6.16	.01
63MXL019	2.81	9257-0244	79	6.32	.01
64MXL019	2.81	9257-0205	80	6.40	.01
66MXL019	2.81	9257-0245	83	6.64	.01
68MXL019	2.81	9257-0223	85	6.80	.01
69MXL019	2.81	9257-0246	87	6.96	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
70MXL019	\$2.90	9257-0247	88	7.04	.01
72MXL019	2.90	9257-0206	90	7.20	.01
74MXL019	2.90	9257-0248	92	7.36	.01
75MXL019	2.90	9257-0249	94	7.52	.01
76MXL019	2.90	9257-0224	95	7.60	.01
80MXL019	2.98	9257-0207	100	8.00	.01
81MXL019	2.98	9257-0250	102	8.16	.01
82MXL019	2.98	9257-0251	103	8.24	.01
84MXL019	2.98	9257-0252	106	8.48	.01
85MXL019	2.98	9257-0253	107	8.56	.01
86MXL019	2.98	9257-0254	108	8.64	.01
87MXL019	2.98	9257-0255	109	8.72	.01
88MXL019	2.98	9257-0208	110	8.80	.01
90MXL019	3.03	9257-0256	112	8.96	.01
91MXL019	3.03	9257-0257	114	9.12	.01
96MXL019	3.03	9257-0200	120	9.60	.01
98MXL019	3.03	9257-0258	123	9.84	.01
100MXL019	3.09	9257-0259	125	10.00	.01
101MXL019	3.09	9257-0260	126	10.08	.01
104MXL019	3.09	9257-0209	130	10.40	.01
106MXL019	3.09	9257-0261	132	10.56	.01
112MXL019	3.18	9257-0210	140	11.20	.01
115MXL019	3.18	9257-0262	144	11.52	.01
120MXL019	3.24	9257-0211	150	12.00	.01
122MXL019	3.24	9257-0263	153	12.24	.01

POWERGRIP TIMING BELTS

Prices Subject To Change Without Notice





PowerGrip® Timing Belts

Product No. Series 9257 (continued)

2/25" Pitch (.080"/MXL) — 3/16" Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
124MXL019	\$3.24	9257-0264	155	12.40	.01
132MXL019	3.31	9257-0225	165	13.20	.01
133MXL019	3.31	9257-0265	166	13.28	.01
136MXL019	3.31	9257-0266	170	13.60	.01
140MXL019	3.39	9257-0212	175	14.00	.01
147MXL019	3.39	9257-0267	184	14.72	.01
152MXL019	3.53	9257-0226	190	15.20	.01
156MXL019	3.53	9257-0268	195	15.60	.01
160MXL019	3.61	9257-0213	200	16.00	.01
166MXL019	3.61	9257-0269	208	16.64	.01
168MXL019	3.61	9257-0227	210	16.80	.01
170MXL019	3.63	9257-0270	212	16.96	.01
177MXL019	3.63	9257-0271	221	17.68	.01
178MXL019	3.63	9257-0272	222	17.76	.01
180MXL019	3.69	9257-0214	225	18.00	.01
184MXL019	3.69	9257-0273	230	18.40	.01
196MXL019	3.79	9257-0274	245	19.60	.01
198MXL019	3.79	9257-0275	248	19.84	.01
200MXL019	3.84	9257-0215	250	20.00	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
208MXL019	\$3.84	9257-0216	260	20.80	.01
212MXL019	3.89	9257-0276	265	21.20	.01
224MXL019	3.99	9257-0277	280	22.40	.01
236MXL019	4.11	9257-0228	295	23.60	.01
240MXL019	4.19	9257-0217	300	24.00	.01
252MXL019	4.24	9257-0278	315	25.20	.01
278MXL019	4.39	9257-0279	347	27.76	.01
297MXL019	4.49	9257-0280	371	29.68	.01
298MXL019	4.49	9257-0281	372	29.76	.01
320MXL019	4.80	9257-0218	400	32.00	.01
330MXL019	4.86	9257-0282	412	32.96	.01
339MXL019	4.86	9257-0283	424	33.92	.02
347MXL019	4.90	9257-0284	434	34.72	.02
348MXL019	4.90	9257-0285	435	34.80	.02
390MXL019	5.30	9257-0286	487	38.96	.02
398MXL019	5.30	9257-0287	498	39.84	.02
480MXL019	6.01	9257-0288	600	48.00	.02
490MXL019	6.06	9257-0289	612	48.96	.02
518MXL019	6.22	9257-0290	648	51.84	.02

2/25" Pitch (.080"/MXL) — 1/4" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
32MXL025	\$3.39	9257-0329	40	3.20	.01
34MXL025	3.39	9257-0330	42	3.36	.01
36MXL025	3.39	9257-0319	45	3.60	.01
38MXL025	3.39	9257-0331	47	3.76	.01
40MXL025	3.44	9257-0320	50	4.00	.01
43MXL025	3.44	9257-0332	54	4.32	.01
44MXL025	3.44	9257-0321	55	4.40	.01
45MXL025	3.44	9257-0333	56	4.48	.01
47MXL025	3.44	9257-0334	59	4.72	.01
48MXL025	3.44	9257-0322	60	4.80	.01
51MXL025	3.61	9257-0335	64	5.12	.01
52MXL025	3.61	9257-0336	65	5.20	.01
53MXL025	3.61	9257-0337	67	5.36	.01
54MXL025	3.61	9257-0338	68	5.44	.01
56MXL025	3.61	9257-0304	70	5.60	.01
57MXL025	3.61	9257-0339	71	5.68	.01
58MXL025	3.61	9257-0340	72	5.76	.01
59MXL025	3.61	9257-0341	74	5.92	.01
61MXL025	3.72	9257-0342	76	6.08	.01
62MXL025	3.72	9257-0343	77	6.16	.01
63MXL025	3.72	9257-0344	79	6.32	.01
64MXL025	3.72	9257-0305	80	6.40	.01
66MXL025	3.72	9257-0345	83	6.64	.01
68MXL025	3.72	9257-0323	85	6.80	.01
69MXL025	3.72	9257-0346	87	6.96	.01
70MXL025	3.81	9257-0347	88	7.04	.01
72MXL025	3.81	9257-0306	90	7.20	.01
74MXL025	3.81	9257-0348	92	7.36	.01
75MXL025	3.81	9257-0349	94	7.52	.01
76MXL025	3.81	9257-0324	95	7.60	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
80MXL025	\$3.89	9257-0307	100	8.00	.01
81MXL025	3.89	9257-0350	102	8.16	.01
82MXL025	3.89	9257-0351	103	8.24	.01
84MXL025	3.89	9257-0352	106	8.48	.01
85MXL025	3.89	9257-0353	107	8.56	.01
86MXL025	3.89	9257-0354	108	8.64	.01
87MXL025	3.89	9257-0355	109	8.72	.01
88MXL025	3.89	9257-0308	110	8.80	.01
90MXL025	4.00	9257-0356	112	8.96	.01
91MXL025	4.00	9257-0357	114	9.12	.01
96MXL025	4.00	9257-0300	120	9.60	.01
98MXL025	4.00	9257-0358	123	9.84	.01
100MXL025	4.15	9257-0359	125	10.00	.01
101MXL025	4.15	9257-0360	126	10.08	.01
104MXL025	4.15	9257-0309	130	10.40	.01
106MXL025	4.15	9257-0361	132	10.56	.01
112MXL025	4.24	9257-0310	140	11.20	.01
115MXL025	4.24	9257-0362	144	11.52	.01
120MXL025	4.35	9257-0311	150	12.00	.01
122MXL025	4.35	9257-0363	153	12.24	.01
124MXL025	4.35	9257-0364	155	12.40	.01
132MXL025	4.49	9257-0325	165	13.20	.01
133MXL025	4.49	9257-0365	166	13.28	.01
136MXL025	4.49	9257-0366	170	13.60	.01
140MXL025	4.60	9257-0312	175	14.00	.01
147MXL025	4.60	9257-0367	184	14.72	.01
152MXL025	4.74	9257-0326	190	15.20	.01
156MXL025	4.74	9257-0368	195	15.60	.01
160MXL025	4.83	9257-0313	200	16.00	.01
166MXL025	4.83	9257-0369	208	16.64	.01

POWERGRIP TIMING BELTS

Prices Subject To Change Without Notice





PowerGrip® Timing Belts

Product No. Series 9257 (continued)

2/25" Pitch (.080"/MXL) — 1/4" Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
168MXL025	\$4.83	9257-0327	210	16.80	.01
170MXL025	4.90	9257-0370	212	16.96	.01
177MXL025	4.90	9257-0371	221	17.68	.01
178MXL025	4.90	9257-0372	222	17.76	.01
180MXL025	5.00	9257-0314	225	18.00	.01
184MXL025	5.00	9257-0373	230	18.40	.01
196MXL025	5.15	9257-0374	245	19.60	.01
198MXL025	5.15	9257-0375	248	19.84	.01
200MXL025	5.25	9257-0315	250	20.00	.01
208MXL025	5.25	9257-0316	260	20.80	.01
212MXL025	5.36	9257-0376	265	21.20	.01
224MXL025	5.45	9257-0377	280	22.40	.01
236MXL025	5.66	9257-0328	295	23.60	.01
240MXL025	5.71	9257-0317	300	24.00	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
252MXL025	\$5.81	9257-0378	315	25.20	.01
278MXL025	6.01	9257-0379	347	27.76	.01
297MXL025	6.27	9257-0380	371	29.68	.01
298MXL025	6.27	9257-0381	372	29.76	.01
320MXL025	6.62	9257-0318	400	32.00	.02
330MXL025	6.73	9257-0382	412	32.96	.02
339MXL025	6.73	9257-0383	424	33.92	.02
347MXL025	6.87	9257-0384	434	34.72	.02
348MXL025	6.87	9257-0385	435	34.80	.02
390MXL025	7.44	9257-0386	487	38.96	.02
398MXL025	7.44	9257-0387	498	39.84	.02
480MXL025	8.45	9257-0388	600	48.00	.02
490MXL025	8.62	9257-0389	612	48.96	.02
518MXL025	8.77	9257-0390	648	51.84	.02

1/5" Pitch (.200"/XL) — 1/4" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
42XL025	\$3.44	9257-1141	21	4.20	.01
50XL025	3.61	9257-1121	25	5.00	.01
54XL025	3.61	9257-1142	27	5.40	.01
56XL025	3.61	9257-1143	28	5.60	.01
58XL025	3.61	9257-1144	29	5.80	.01
60XL025	3.72	9257-1100	30	6.00	.01
62XL025	3.72	9257-1145	31	6.20	.01
64XL025	3.72	9257-1146	32	6.40	.01
66XL025	3.72	9257-1147	33	6.60	.01
68XL025	3.72	9257-1148	34	6.80	.01
70XL025	3.81	9257-1101	35	7.00	.01
72XL025	3.81	9257-1149	36	7.20	.01
74XL025	3.81	9257-1150	37	7.40	.01
76XL025	3.81	9257-1151	38	7.60	.01
78XL025	3.81	9257-1152	39	7.80	.01
80XL025	3.89	9257-1102	40	8.00	.01
82XL025	3.89	9257-1153	41	8.20	.01
84XL025	3.89	9257-1154	42	8.40	.01
86XL025	3.89	9257-1155	43	8.60	.01
88XL025	3.89	9257-1156	44	8.80	.01
90XL025	4.00	9257-1103	45	9.00	.01
92XL025	4.00	9257-1157	46	9.20	.01
94XL025	4.00	9257-1158	47	9.40	.01
96XL025	4.00	9257-1159	48	9.60	.01
98XL025	4.00	9257-1160	49	9.80	.01
100XL025	4.15	9257-1104	50	10.00	.01
102XL025	4.15	9257-1161	51	10.20	.01
106XL025	4.15	9257-1162	53	10.60	.01
108XL025	4.15	9257-1163	54	10.80	.01
110XL025	4.24	9257-1105	55	11.00	.01
112XL025	4.24	9257-1164	56	11.20	.01
114XL025	4.24	9257-1165	57	11.40	.01
116XL025	4.24	9257-1166	58	11.60	.01
120XL025	4.35	9257-1106	60	12.00	.01
122XL025	4.35	9257-1167	61	12.20	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
124XL025	\$4.35	9257-1168	62	12.40	.01
126XL025	4.35	9257-1169	63	12.60	.01
128XL025	4.35	9257-1170	64	12.80	.01
130XL025	4.49	9257-1107	65	13.00	.01
132XL025	4.49	9257-1171	66	13.20	.01
134XL025	4.49	9257-1172	67	13.40	.01
136XL025	4.49	9257-1173	68	13.60	.01
138XL025	4.49	9257-1174	69	13.80	.01
140XL025	4.60	9257-1108	70	14.00	.01
142XL025	4.60	9257-1175	71	14.20	.01
144XL025	4.60	9257-1176	72	14.40	.01
146XL025	4.60	9257-1177	73	14.60	.01
148XL025	4.60	9257-1178	74	14.80	.01
150XL025	4.74	9257-1109	75	15.00	.01
152XL025	4.74	9257-1179	76	15.20	.01
154XL025	4.74	9257-1180	77	15.40	.01
156XL025	4.74	9257-1181	78	15.60	.01
158XL025	4.74	9257-1182	79	15.80	.01
160XL025	4.83	9257-1110	80	16.00	.01
162XL025	4.83	9257-1183	81	16.20	.01
164XL025	4.83	9257-1184	82	16.40	.01
166XL025	4.83	9257-1185	83	16.60	.01
168XL025	4.83	9257-1186	84	16.80	.01
170XL025	4.90	9257-1111	85	17.00	.02
172XL025	4.90	9257-1187	86	17.20	.02
174XL025	4.90	9257-1188	87	17.40	.02
176XL025	4.90	9257-1189	88	17.60	.02
178XL025	4.90	9257-1190	89	17.80	.02
180XL025	5.00	9257-1112	90	18.00	.02
182XL025	5.00	9257-1191	91	18.20	.02
184XL025	5.00	9257-1192	92	18.40	.02
186XL025	5.00	9257-1193	93	18.60	.02
188XL025	5.00	9257-1194	94	18.80	.02
190XL025	5.15	9257-1113	95	19.00	.02
192XL025	5.15	9257-1195	96	19.20	.02

Prices Subject To Change Without Notice



POWERGRIP TIMING BELTS



PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/5" Pitch (.200"/XL) — 1/4" Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
194XL025	\$5.15	9257-1196	97	19.40	.02
200XL025	5.25	9257-1114	100	20.00	.02
202XL025	5.25	9257-1197	101	20.20	.02
204XL025	5.25	9257-1198	102	20.40	.02
206XL025	5.25	9257-1199	103	20.60	.02
210XL025	5.36	9257-1115	105	21.00	.02
212XL025	5.36	9257-8100	106	21.20	.02
214XL025	5.36	9257-8101	107	21.40	.02
218XL025	5.36	9257-8102	109	21.80	.02
220XL025	5.45	9257-1116	110	22.00	.02
222XL025	5.45	9257-8103	111	22.20	.02
226XL025	5.45	9257-8104	113	22.60	.02
228XL025	5.45	9257-8105	114	22.80	.02
230XL025	5.66	9257-1117	115	23.00	.02
232XL025	5.66	9257-8106	116	23.20	.02
234XL025	5.66	9257-8107	117	23.40	.02
236XL025	5.66	9257-8108	118	23.60	.02
240XL025	5.71	9257-1118	120	24.00	.02
244XL025	5.71	9257-8109	122	24.40	.02
246XL025	5.71	9257-8110	123	24.60	.02
250XL025	5.81	9257-1119	125	25.00	.02
254XL025	5.81	9257-8111	127	25.40	.02
258XL025	5.81	9257-8112	129	25.80	.02
260XL025	5.91	9257-1120	130	26.00	.02
262XL025	5.91	9257-8113	131	26.20	.02
264XL025	5.91	9257-8114	132	26.40	.02
266XL025	5.91	9257-8115	133	26.60	.02
268XL025	5.91	9257-8116	134	26.80	.02
274XL025	6.01	9257-8117	137	27.40	.02
280XL025	6.21	9257-1122	140	28.00	.03
286XL025	6.21	9257-8118	143	28.60	.03
290XL025	6.27	9257-1123	145	29.00	.03
296XL025	6.27	9257-8119	148	29.60	.03
300XL025	6.42	9257-1124	150	30.00	.03
306XL025	6.42	9257-8120	153	30.60	.03
310XL025	6.51	9257-1125	155	31.00	.03
316XL025	6.51	9257-8121	158	31.60	.03
320XL025	6.62	9257-8122	160	32.00	.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
322XL025	\$6.62	9257-8123	161	32.20	.03
330XL025	6.73	9257-1126	165	33.00	.04
338XL025	6.73	9257-8124	169	33.80	.04
340XL025	6.87	9257-1127	170	34.00	.04
344XL025	6.87	9257-8125	172	34.40	.04
348XL025	6.87	9257-8126	174	34.80	.04
350XL025	6.99	9257-1128	175	35.00	.04
362XL025	7.07	9257-8127	181	36.20	.04
370XL025	7.19	9257-1129	185	37.00	.04
380XL025	7.29	9257-1130	190	38.00	.04
384XL025	7.29	9257-8128	192	38.40	.04
390XL025	7.44	9257-1131	195	39.00	.04
400XL025	7.54	9257-1132	200	40.00	.04
412XL025	7.58	9257-8129	206	41.20	.04
420XL025	7.75	9257-1133	210	42.00	.05
424XL025	7.75	9257-8130	212	42.40	.05
432XL025	7.83	9257-8131	216	43.20	.05
438XL025	7.83	9257-8132	219	43.80	.05
444XL025	7.97	9257-8133	222	44.40	.05
450XL025	8.11	9257-1134	225	45.00	.05
454XL025	8.11	9257-8134	227	45.40	.05
460XL025	8.20	9257-1135	230	46.00	.05
468XL025	8.20	9257-8135	234	46.80	.05
480XL025	8.45	9257-1136	240	48.00	.05
492XL025	8.43	9257-8136	246	49.20	.05
498XL025	8.43	9257-8137	249	49.80	.05
500XL025	8.67	9257-1137	250	50.00	.06
506XL025	8.67	9257-8138	253	50.60	.06
524XL025	8.94	9257-8139	262	52.40	.06
570XL025	9.89	9257-1138	285	57.00	.07
580XL025	9.95	9257-8140	290	58.00	.07
592XL025	10.13	9257-8141	296	59.20	.07
612XL025	10.48	9257-8142	306	61.20	.07
630XL025	10.90	9257-1139	315	63.00	.07
672XL025	11.52	9257-8143	336	67.20	.08
690XL025	11.67	9257-8144	345	69.00	.08
770XL025	13.35	9257-1140	385	77.00	.09
850XL025	14.59	9257-8145	425	85.00	.09

POWERGRIP TIMING BELTS

Prices Subject To Change Without Notice





PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/5" Pitch (.200"/XL) — 3/8" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
42XL037	\$4.53	9257-1341	21	4.20	.01
50XL037	4.74	9257-1321	25	5.00	.01
54XL037	4.74	9257-1342	27	5.40	.01
56XL037	4.74	9257-1343	28	5.60	.01
58XL037	4.74	9257-1344	29	5.80	.01
60XL037	4.85	9257-1300	30	6.00	.01
62XL037	4.85	9257-1345	31	6.20	.01
64XL037	4.85	9257-1346	32	6.40	.01
66XL037	4.85	9257-1347	33	6.60	.01
68XL037	4.85	9257-1348	34	6.80	.01
70XL037	5.06	9257-1301	35	7.00	.01
72XL037	5.06	9257-1349	36	7.20	.01
74XL037	5.06	9257-1350	37	7.40	.01
76XL037	5.06	9257-1351	38	7.60	.01
78XL037	5.06	9257-1352	39	7.80	.01
80XL037	5.21	9257-1302	40	8.00	.01
82XL037	5.21	9257-1353	41	8.20	.01
84XL037	5.21	9257-1354	42	8.40	.01
86XL037	5.21	9257-1355	43	8.60	.01
88XL037	5.21	9257-1356	44	8.80	.01
90XL037	5.36	9257-1303	45	9.00	.01
92XL037	5.36	9257-1357	46	9.20	.01
94XL037	5.36	9257-1358	47	9.40	.01
96XL037	5.36	9257-1359	48	9.60	.01
98XL037	5.36	9257-1360	49	9.80	.01
100XL037	5.51	9257-1304	50	10.00	.01
102XL037	5.51	9257-1361	51	10.20	.01
106XL037	5.51	9257-1362	53	10.60	.01
108XL037	5.51	9257-1363	54	10.80	.01
110XL037	5.71	9257-1305	55	11.00	.02
112XL037	5.71	9257-1364	56	11.20	.02
114XL037	5.71	9257-1365	57	11.40	.02
116XL037	5.71	9257-1366	58	11.60	.02
120XL037	5.81	9257-1306	60	12.00	.02
122XL037	5.81	9257-1367	61	12.20	.02
124XL037	5.81	9257-1368	62	12.40	.02
126XL037	5.81	9257-1369	63	12.60	.02
128XL037	5.81	9257-1370	64	12.80	.02
130XL037	6.01	9257-1307	65	13.00	.02
132XL037	6.01	9257-1371	66	13.20	.02
134XL037	6.01	9257-1372	67	13.40	.02
136XL037	6.01	9257-1373	68	13.60	.02
138XL037	6.01	9257-1374	69	13.80	.02
140XL037	6.16	9257-1308	70	14.00	.02
142XL037	6.16	9257-1375	71	14.20	.02
144XL037	6.16	9257-1376	72	14.40	.02
146XL037	6.16	9257-1377	73	14.60	.02
148XL037	6.16	9257-1378	74	14.80	.02
150XL037	6.31	9257-1309	75	15.00	.02
152XL037	6.31	9257-1379	76	15.20	.02
154XL037	6.31	9257-1380	77	15.40	.02
156XL037	6.31	9257-1381	78	15.60	.02
158XL037	6.31	9257-1382	79	15.80	.02
160XL037	6.51	9257-1310	80	16.00	.02
162XL037	6.51	9257-1383	81	16.20	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
164XL037	\$6.51	9257-1384	82	16.40	.02
166XL037	6.51	9257-1385	83	16.60	.02
168XL037	6.51	9257-1386	84	16.80	.02
170XL037	6.62	9257-1311	85	17.00	.02
172XL037	6.62	9257-1387	86	17.20	.02
174XL037	6.62	9257-1388	87	17.40	.02
176XL037	6.62	9257-1389	88	17.60	.02
178XL037	6.62	9257-1390	89	17.80	.02
180XL037	6.82	9257-1312	90	18.00	.02
182XL037	6.82	9257-1391	91	18.20	.02
184XL037	6.82	9257-1392	92	18.40	.02
186XL037	6.82	9257-1393	93	18.60	.02
188XL037	6.82	9257-1394	94	18.80	.02
190XL037	6.98	9257-1313	95	19.00	.02
192XL037	6.98	9257-1395	96	19.20	.02
194XL037	6.98	9257-1396	97	19.40	.02
200XL037	7.13	9257-1314	100	20.00	.02
202XL037	7.13	9257-1397	101	20.20	.02
204XL037	7.13	9257-1398	102	20.40	.02
206XL037	7.13	9257-1399	103	20.60	.03
210XL037	7.28	9257-1315	105	21.00	.03
212XL037	7.28	9257-8300	106	21.20	.03
214XL037	7.28	9257-8301	107	21.40	.03
218XL037	7.28	9257-8302	109	21.80	.03
220XL037	7.48	9257-1316	110	22.00	.03
222XL037	7.48	9257-8303	111	22.20	.03
226XL037	7.48	9257-8304	113	22.60	.03
228XL037	7.48	9257-8305	114	22.80	.03
230XL037	7.58	9257-1317	115	23.00	.03
232XL037	7.58	9257-8306	116	23.20	.03
234XL037	7.58	9257-8307	117	23.40	.03
236XL037	7.58	9257-8308	118	23.60	.03
240XL037	7.78	9257-1318	120	24.00	.03
244XL037	7.78	9257-8309	122	24.40	.03
246XL037	7.78	9257-8310	123	24.60	.03
250XL037	7.93	9257-1319	125	25.00	.03
254XL037	7.93	9257-8311	127	25.40	.03
258XL037	7.93	9257-8312	129	25.80	.03
260XL037	8.09	9257-1320	130	26.00	.03
262XL037	8.08	9257-8313	131	26.20	.03
264XL037	8.08	9257-8314	132	26.40	.03
266XL037	8.08	9257-8315	133	26.60	.03
268XL037	8.08	9257-8316	134	26.80	.03
274XL037	8.28	9257-8317	137	27.40	.04
280XL037	8.52	9257-1322	140	28.00	.04
286XL037	8.52	9257-8318	143	28.60	.04
290XL037	8.67	9257-1323	145	29.00	.05
296XL037	8.67	9257-8319	148	29.60	.05
300XL037	8.82	9257-1324	150	30.00	.05
306XL037	8.82	9257-8320	153	30.60	.05
310XL037	8.97	9257-1325	155	31.00	.05
316XL037	8.97	9257-8321	158	31.60	.05
320XL037	9.04	9257-8322	160	32.00	.05
322XL037	9.04	9257-8323	161	32.20	.05
330XL037	9.32	9257-1326	165	33.00	.05

POWERGRIP TIMING BELTS

Prices Subject To Change Without Notice





PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/5" Pitch (.200"/XL) — 3/8" Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
338XL037	\$9.32	9257-8324	169	33.80	.05
340XL037	9.42	9257-1327	170	34.00	.05
344XL037	9.42	9257-8325	172	34.40	.05
348XL037	9.42	9257-8326	174	34.80	.05
350XL037	9.62	9257-1328	175	35.00	.05
362XL037	9.75	9257-8327	181	36.20	.05
370XL037	9.93	9257-1329	185	37.00	.05
380XL037	10.14	9257-1330	190	38.00	.05
384XL037	10.14	9257-8328	192	38.40	.05
390XL037	10.29	9257-1331	195	39.00	.05
400XL037	10.45	9257-1332	200	40.00	.05
412XL037	10.51	9257-8329	206	41.20	.05
420XL037	10.80	9257-1333	210	42.00	.06
424XL037	10.80	9257-8330	212	42.40	.06
432XL037	10.80	9257-8331	216	43.20	.06
438XL037	10.80	9257-8332	219	43.80	.06
444XL037	11.02	9257-8333	222	44.40	.06
450XL037	11.25	9257-1334	225	45.00	.06

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
454XL037	\$11.25	9257-8334	227	45.40	.06
460XL037	11.41	9257-1335	230	46.00	.06
468XL037	11.41	9257-8335	234	46.80	.06
480XL037	11.71	9257-1336	240	48.00	.06
492XL037	11.82	9257-8336	246	49.20	.06
498XL037	11.82	9257-8337	249	49.80	.06
500XL037	12.08	9257-1337	250	50.00	.07
506XL037	12.08	9257-8338	253	50.60	.07
524XL037	12.45	9257-8339	262	52.40	.07
570XL037	13.76	9257-1338	285	57.00	.07
580XL037	13.89	9257-8340	290	58.00	.07
592XL037	14.12	9257-8341	296	59.20	.07
612XL037	14.59	9257-8342	306	61.20	.07
630XL037	15.20	9257-1339	315	63.00	.08
672XL037	16.04	9257-8343	336	67.20	.08
690XL037	16.29	9257-8344	345	69.00	.08
770XL037	18.59	9257-1340	385	77.00	.09
850XL037	20.36	9257-8345	425	85.00	.09

3/8" Pitch (.375"/L) — 1/2" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
124L050	\$9.70	9257-2100	33	12.38	.03
135L050	10.14	9257-2120	36	13.50	.04
150L050	10.71	9257-2101	40	15.00	.04
154L050	10.71	9257-2127	41	15.38	.04
158L050	10.71	9257-2128	42	15.75	.04
165L050	11.10	9257-2121	44	16.50	.04
173L050	11.37	9257-2129	46	17.25	.05
176L050	11.37	9257-7133	47	17.63	.05
187L050	11.67	9257-2102	50	18.75	.05
195L050	12.13	9257-2122	52	19.50	.05
199L050	12.13	9257-7134	53	19.88	.05
203L050	12.38	9257-7135	54	20.25	.05
210L050	12.69	9257-2103	56	21.00	.05
218L050	12.69	9257-7136	58	21.75	.05
225L050	13.04	9257-2104	60	22.50	.06
240L050	13.70	9257-2105	64	24.00	.06
248L050	13.70	9257-7137	66	24.75	.06
255L050	13.99	9257-2106	68	25.50	.06
263L050	14.34	9257-7138	70	26.25	.06
270L050	14.66	9257-2107	72	27.00	.07
285L050	15.01	9257-2108	76	28.50	.08
300L050	15.66	9257-2109	80	30.00	.08
315L050	16.09	9257-2123	84	31.50	.09

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
322L050	\$16.32	9257-2110	86	32.25	.09
345L050	16.97	9257-2111	92	34.50	.09
367L050	17.58	9257-2112	98	36.75	.09
375L050	17.93	9257-7139	100	37.50	.09
390L050	18.59	9257-2113	104	39.00	.10
420L050	19.55	9257-2114	112	42.00	.11
446L050	20.21	9257-7140	119	44.63	.11
450L050	20.56	9257-2115	120	45.00	.12
480L050	21.58	9257-2116	128	48.00	.13
510L050	22.23	9257-2117	136	51.00	.14
540L050	23.54	9257-2118	144	54.00	.15
566L050	24.19	9257-7141	151	56.63	.15
570L050	24.19	9257-7142	152	57.00	.15
581L050	24.85	9257-7143	155	58.13	.15
600L050	25.51	9257-2119	160	60.00	.16
630L050	26.17	9257-7144	168	63.00	.16
660L050	27.70	9257-2124	176	66.00	.18
720L050	29.45	9257-7145	192	72.00	.18
731L050	29.45	9257-7146	195	73.13	.18
817L050	32.39	9257-2125	218	81.75	.22
900L050	35.65	9257-2126	240	90.00	.22
915L050	35.65	9257-7147	244	91.50	.22
945L050	36.68	9257-7148	252	94.50	.23

POWERGRIP TIMING BELTS

Prices Subject To Change Without Notice





PowerGrip® Timing Belts

Product No. Series 9257 (continued)

3/8" Pitch (.375"/L) — 3/4" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
124L075	\$13.79	9257-2200	33	12.38	.05
135L075	14.36	9257-2220	36	13.50	.05
150L075	15.31	9257-2201	40	15.00	.06
154L075	15.31	9257-2227	41	15.38	.06
158L075	15.31	9257-2228	42	15.75	.06
165L075	15.94	9257-2221	44	16.50	.06
173L075	16.32	9257-2229	46	17.25	.06
176L075	16.32	9257-7233	47	17.63	.07
187L075	16.82	9257-2202	50	18.75	.07
195L075	17.48	9257-2222	52	19.50	.08
199L075	17.48	9257-7234	53	19.88	.08
203L075	17.83	9257-7235	54	20.25	.08
210L075	18.34	9257-2203	56	21.00	.09
218L075	18.34	9257-7236	58	21.75	.09
225L075	18.85	9257-2204	60	22.50	.09
240L075	19.85	9257-2205	64	24.00	.10
248L075	19.85	9257-7237	66	24.75	.10
255L075	20.36	9257-2206	68	25.50	.10
263L075	20.91	9257-7238	70	26.25	.10
270L075	21.38	9257-2207	72	27.00	.11
285L075	21.93	9257-2208	76	28.50	.12
300L075	22.89	9257-2209	80	30.00	.12
315L075	23.64	9257-2223	84	31.50	.13

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
322L075	\$23.95	9257-2210	86	32.25	.13
345L075	24.95	9257-2211	92	34.50	.14
367L075	25.97	9257-2212	98	36.75	.15
375L075	26.46	9257-7239	100	37.50	.15
390L075	27.48	9257-2213	104	39.00	.16
420L075	29.00	9257-2214	112	42.00	.17
446L075	30.06	9257-7240	119	44.63	.17
450L075	30.57	9257-2215	120	45.00	.18
480L075	32.08	9257-2216	128	48.00	.20
510L075	33.10	9257-2217	136	51.00	.21
540L075	35.11	9257-2218	144	54.00	.22
566L075	36.12	9257-7241	151	56.63	.22
570L075	36.12	9257-7242	152	57.00	.23
581L075	37.19	9257-7243	155	58.13	.24
600L075	38.20	9257-2219	160	60.00	.24
630L075	39.21	9257-7244	168	63.00	.26
660L075	41.56	9257-2224	176	66.00	.27
720L075	44.30	9257-7245	192	72.00	.29
731L075	44.30	9257-7246	195	73.13	.31
817L075	48.73	9257-2225	218	81.75	.34
900L075	53.87	9257-2226	240	90.00	.39
915L075	53.87	9257-7247	244	91.50	.41
945L075	55.47	9257-7248	252	94.50	.45

3/8" Pitch (.375"/L) — 1" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
124L100	\$17.68	9257-2300	33	12.38	.07
135L100	18.51	9257-2320	36	13.50	.07
150L100	19.70	9257-2301	40	15.00	.08
154L100	19.70	9257-2327	41	15.38	.08
158L100	19.70	9257-2328	42	15.75	.08
165L100	20.55	9257-2321	44	16.50	.09
173L100	21.09	9257-2329	46	17.25	.09
176L100	21.09	9257-7333	47	17.63	.09
187L100	21.77	9257-2302	50	18.75	.10
195L100	22.64	9257-2322	52	19.50	.11
199L100	22.64	9257-7334	53	19.88	.11
203L100	23.17	9257-7335	54	20.25	.11
210L100	23.80	9257-2303	56	21.00	.11
218L100	23.80	9257-7336	58	21.75	.11
225L100	24.48	9257-2304	60	22.50	.12
240L100	25.87	9257-2305	64	24.00	.13
248L100	25.87	9257-7337	66	24.75	.13
255L100	26.55	9257-2306	68	25.50	.14
263L100	27.22	9257-7338	70	26.25	.14
270L100	27.89	9257-2307	72	27.00	.15
285L100	28.58	9257-2308	76	28.50	.15
300L100	29.96	9257-2309	80	30.00	.16
315L100	30.88	9257-2323	84	31.50	.17

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
322L100	\$31.33	9257-2310	86	32.25	.17
345L100	32.67	9257-2311	92	34.50	.19
367L100	34.03	9257-2312	98	36.75	.20
375L100	34.73	9257-7339	100	37.50	.20
390L100	36.05	9257-2313	104	39.00	.21
420L100	38.12	9257-2314	112	42.00	.23
446L100	39.50	9257-7340	119	44.63	.23
450L100	40.15	9257-2315	120	45.00	.24
480L100	42.22	9257-2316	128	48.00	.26
510L100	43.61	9257-2317	136	51.00	.28
540L100	46.31	9257-2318	144	54.00	.29
566L100	47.68	9257-7341	151	56.63	.29
570L100	47.68	9257-7342	152	57.00	.30
581L100	49.00	9257-7343	155	58.13	.31
600L100	50.40	9257-2319	160	60.00	.32
630L100	51.75	9257-7344	168	63.00	.34
660L100	54.92	9257-2324	176	66.00	.36
720L100	58.57	9257-7345	192	72.00	.39
731L100	58.57	9257-7346	195	73.13	.41
817L100	64.54	9257-2325	218	81.75	.45
900L100	71.39	9257-2326	240	90.00	.52
915L100	71.39	9257-7347	244	91.50	.59
945L100	73.53	9257-7348	252	94.50	.64

POWERGRIP TIMING BELTS

Prices Subject To Change Without Notice





PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/2" Pitch (.500"/H) — 3/4" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
210H075	\$19.15	9257-3125	42	21.00	.10
220H075	19.65	9257-3126	44	22.00	.10
225H075	19.65	9257-3145	45	22.50	.10
230H075	20.22	9257-3127	46	23.00	.11
240H075	20.56	9257-3100	48	24.00	.11
270H075	22.14	9257-3101	54	27.00	.12
300H075	23.70	9257-3102	60	30.00	.14
310H075	24.25	9257-3146	62	31.00	.14
315H075	24.25	9257-3147	63	31.50	.15
320H075	24.95	9257-3128	64	32.00	.15
330H075	25.32	9257-3103	66	33.00	.15
340H075	26.03	9257-3129	68	34.00	.16
350H075	26.59	9257-3130	70	35.00	.16
360H075	26.88	9257-3104	72	36.00	.17
370H075	27.60	9257-3131	74	37.00	.17
390H075	28.45	9257-3105	78	39.00	.18
400H075	29.23	9257-3132	80	40.00	.18
410H075	29.74	9257-3133	82	41.00	.19
415H075	29.74	9257-3148	83	41.50	.19
420H075	30.01	9257-3106	84	42.00	.19
445H075	31.07	9257-3149	89	44.50	.20
450H075	31.63	9257-3107	90	45.00	.21
455H075	31.63	9257-8150	91	45.50	.21
465H075	32.20	9257-8151	93	46.50	.21
480H075	33.19	9257-3108	96	48.00	.22
490H075	33.97	9257-3134	98	49.00	.23
495H075	33.97	9257-8152	99	49.50	.23
510H075	34.25	9257-3109	102	51.00	.23
525H075	35.31	9257-8153	105	52.50	.24
540H075	36.32	9257-3110	108	54.00	.25
555H075	36.32	9257-8154	111	55.50	.26
560H075	37.38	9257-3135	112	56.00	.26
570H075	37.38	9257-3111	114	57.00	.26
585H075	38.45	9257-3136	117	58.50	.27
600H075	39.51	9257-3112	120	60.00	.28
605H075	39.51	9257-8155	121	60.50	.28

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
630H075	\$40.58	9257-3113	126	63.00	.29
645H075	41.64	9257-3137	129	64.50	.30
655H075	41.64	9257-8156	131	65.50	.31
660H075	42.64	9257-3114	132	66.00	.31
670H075	42.64	9257-8157	134	67.00	.34
700H075	44.77	9257-3115	140	70.00	.34
730H075	45.83	9257-3138	146	73.00	.34
750H075	46.89	9257-3116	150	75.00	.35
775H075	47.93	9257-8158	155	77.50	.36
780H075	48.96	9257-3139	156	78.00	.36
800H075	50.03	9257-3117	160	80.00	.37
810H075	50.03	9257-8159	162	81.00	.37
820H075	51.09	9257-3140	164	82.00	.38
840H075	52.15	9257-3141	168	84.00	.39
850H075	52.15	9257-3118	170	85.00	.39
900H075	55.28	9257-3119	180	90.00	.42
950H075	57.39	9257-8160	190	95.00	.44
960H075	58.46	9257-3142	192	96.00	.45
1000H075	60.58	9257-3120	200	100.00	.47
1100H075	65.83	9257-3121	220	110.00	.55
1140H075	65.83	9257-3143	228	114.00	.55
1180H075	68.45	9257-8161	236	118.00	.55
1250H075	73.77	9257-3122	250	125.00	.58
1325H075	76.38	9257-8162	265	132.50	.60
1350H075	79.00	9257-8163	270	135.00	.61
1365H075	79.00	9257-8164	273	136.50	.62
1400H075	81.65	9257-3123	280	140.00	.65
1510H075	86.89	9257-8165	302	151.00	.69
1550H075	89.53	9257-3144	310	155.00	.72
1645H075	92.14	9257-8166	329	164.50	.78
1680H075	94.77	9257-8167	336	168.00	.81
1700H075	97.46	9257-3124	340	170.00	.86
2090H075	119.25	9257-8168	418	209.00	.95
2100H075	119.82	9257-8169	420	210.00	1.06
2120H075	120.96	9257-8170	424	212.00	1.10
2330H075	132.94	9257-8171	466	233.00	1.14

POWERGRIP TIMING BELTS

Prices Subject To Change Without Notice





PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/2" Pitch (.500"/H) — 1" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
210H100	\$24.41	9257-3225	42	21.00	.13
220H100	25.11	9257-3226	44	22.00	.13
225H100	25.11	9257-3245	45	22.50	.14
230H100	25.82	9257-3227	46	23.00	.14
240H100	26.53	9257-3200	48	24.00	.15
270H100	28.60	9257-3201	54	27.00	.17
300H100	30.72	9257-3202	60	30.00	.18
310H100	31.42	9257-3246	62	31.00	.19
315H100	31.42	9257-3247	63	31.50	.20
320H100	32.13	9257-3228	64	32.00	.20
330H100	32.79	9257-3203	66	33.00	.20
340H100	33.49	9257-3229	68	34.00	.21
350H100	34.20	9257-3230	70	35.00	.21
360H100	34.92	9257-3204	72	36.00	.22
370H100	35.63	9257-3231	74	37.00	.23
390H100	36.99	9257-3205	78	39.00	.24
400H100	37.69	9257-3232	80	40.00	.25
410H100	38.40	9257-3233	82	41.00	.25
415H100	38.40	9257-3248	83	41.50	.26
420H100	39.11	9257-3206	84	42.00	.26
445H100	40.51	9257-3249	89	44.50	.28
450H100	41.18	9257-3207	90	45.00	.28
455H100	41.18	9257-8250	91	45.50	.28
465H100	41.87	9257-8251	93	46.50	.29
480H100	43.30	9257-3208	96	48.00	.29
490H100	44.00	9257-3234	98	49.00	.30
495H100	44.00	9257-8252	99	49.50	.30
510H100	44.71	9257-3209	102	51.00	.31
525H100	46.07	9257-8253	105	52.50	.32
540H100	47.50	9257-3210	108	54.00	.33
555H100	47.50	9257-8254	111	55.50	.34
560H100	48.91	9257-3235	112	56.00	.34
570H100	48.91	9257-3211	114	57.00	.35
585H100	50.27	9257-3236	117	58.50	.36
600H100	51.69	9257-3212	120	60.00	.37
605H100	51.69	9257-8255	121	60.50	.37

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
630H100	\$53.10	9257-3213	126	63.00	.39
645H100	54.49	9257-3237	129	64.50	.40
655H100	54.49	9257-8256	131	65.50	.41
660H100	55.89	9257-3214	132	66.00	.41
670H100	55.89	9257-8257	134	67.00	.43
700H100	58.66	9257-3215	140	70.00	.45
730H100	60.08	9257-3238	146	73.00	.46
750H100	61.49	9257-3216	150	75.00	.46
775H100	62.84	9257-8258	155	77.50	.48
780H100	64.27	9257-3239	156	78.00	.48
800H100	65.68	9257-3217	160	80.00	.52
810H100	65.68	9257-8259	162	81.00	.52
820H100	66.79	9257-3240	164	82.00	.52
840H100	67.91	9257-3241	168	84.00	.52
850H100	68.47	9257-3218	170	85.00	.53
900H100	72.66	9257-3219	180	90.00	.56
950H100	75.42	9257-8260	190	95.00	.59
960H100	76.86	9257-3242	192	96.00	.59
1000H100	79.63	9257-3220	200	100.00	.64
1100H100	86.61	9257-3221	220	110.00	.73
1140H100	89.40	9257-3243	228	114.00	.74
1180H100	90.07	9257-8261	236	118.00	.75
1250H100	97.11	9257-3222	250	125.00	.78
1325H100	100.58	9257-8262	265	132.50	.80
1350H100	104.06	9257-8263	270	135.00	.83
1365H100	104.06	9257-8264	273	136.50	.85
1400H100	107.56	9257-3223	280	140.00	.87
1510H100	114.57	9257-8265	302	151.00	.92
1550H100	118.07	9257-3244	310	155.00	.96
1645H100	121.55	9257-8266	329	164.50	1.01
1680H100	125.03	9257-8267	336	168.00	1.04
1700H100	128.53	9257-3224	340	170.00	1.12
2090H100	157.38	9257-8268	418	209.00	1.31
2100H100	158.13	9257-8269	420	210.00	1.44
2120H100	159.64	9257-8270	424	212.00	1.48
2330H100	175.44	9257-8271	466	233.00	1.52

POWERGRIP TIMING BELTS

Prices Subject To Change Without Notice





PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/2" Pitch (.500"/H) — 1-1/2" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
210H150	\$35.22	9257-3325	42	21.00	.19
220H150	36.28	9257-3326	44	22.00	.20
225H150	36.28	9257-3345	45	22.50	.21
230H150	37.34	9257-3327	46	23.00	.21
240H150	38.35	9257-3300	48	24.00	.22
270H150	41.53	9257-3301	54	27.00	.25
300H150	44.67	9257-3302	60	30.00	.28
310H150	45.66	9257-3346	62	31.00	.28
315H150	45.66	9257-3347	63	31.50	.29
320H150	46.74	9257-3328	64	32.00	.29
330H150	47.80	9257-3303	66	33.00	.30
340H150	48.86	9257-3329	68	34.00	.31
350H150	49.87	9257-3330	70	35.00	.32
360H150	50.93	9257-3304	72	36.00	.33
370H150	51.99	9257-3331	74	37.00	.34
390H150	54.07	9257-3305	78	39.00	.36
400H150	55.13	9257-3332	80	40.00	.37
410H150	56.19	9257-3333	82	41.00	.38
415H150	56.19	9257-3348	83	41.50	.39
420H150	57.19	9257-3306	84	42.00	.39
445H150	59.30	9257-3349	89	44.50	.40
450H150	60.32	9257-3307	90	45.00	.41
455H150	60.32	9257-8350	91	45.50	.42
465H150	61.38	9257-8351	93	46.50	.43
480H150	63.46	9257-3308	96	48.00	.44
490H150	64.52	9257-3334	98	49.00	.45
495H150	64.52	9257-8352	99	49.50	.46
510H150	65.58	9257-3309	102	51.00	.47
525H150	67.64	9257-8353	105	52.50	.48
540H150	69.77	9257-3310	108	54.00	.50
555H150	69.77	9257-8354	111	55.50	.51
560H150	71.85	9257-3335	112	56.00	.51
570H150	71.85	9257-3311	114	57.00	.52
585H150	73.97	9257-3336	117	58.50	.54
600H150	76.04	9257-3312	120	60.00	.55
605H150	76.04	9257-8355	121	60.50	.56

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
630H150	\$78.11	9257-3313	126	63.00	.60
645H150	80.23	9257-3337	129	64.50	.60
655H150	80.23	9257-8356	131	65.50	.62
660H150	82.31	9257-3314	132	66.00	.63
670H150	82.31	9257-8357	134	67.00	.65
700H150	86.50	9257-3315	140	70.00	.70
730H150	88.57	9257-3338	146	73.00	.70
750H150	90.70	9257-3316	150	75.00	.72
775H150	92.75	9257-8358	155	77.50	.72
780H150	94.87	9257-3339	156	78.00	.72
800H150	97.40	9257-3317	160	80.00	.73
810H150	97.40	9257-8359	162	81.00	.74
820H150	99.07	9257-3340	164	82.00	.76
840H150	101.16	9257-3341	168	84.00	.78
850H150	101.16	9257-3318	170	85.00	.82
900H150	107.41	9257-3319	180	90.00	.84
950H150	111.58	9257-8360	190	95.00	.88
960H150	113.68	9257-3342	192	96.00	.89
1000H150	117.87	9257-3320	200	100.00	1.06
1100H150	132.53	9257-3321	220	110.00	1.10
1140H150	132.53	9257-3343	228	114.00	1.12
1180H150	133.56	9257-8361	236	118.00	1.14
1250H150	144.05	9257-3322	250	125.00	1.16
1325H150	149.22	9257-8362	265	132.50	1.48
1350H150	154.48	9257-8363	270	135.00	1.52
1365H150	154.48	9257-8364	273	136.50	1.55
1400H150	159.71	9257-3323	280	140.00	1.67
1510H150	170.14	9257-8365	302	151.00	1.70
1550H150	175.43	9257-3344	310	155.00	1.74
1645H150	180.59	9257-8366	329	164.50	1.80
1680H150	185.84	9257-8367	336	168.00	1.83
1700H150	191.08	9257-3324	340	170.00	1.86
2090H150	233.96	9257-8368	418	209.00	1.90
2100H150	235.08	9257-8369	420	210.00	2.31
2120H150	237.32	9257-8370	424	212.00	2.32
2330H150	260.83	9257-8371	466	233.00	2.38

POWERGRIP TIMING BELTS

Prices Subject To Change Without Notice





PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/2" Pitch (.500"/H) — 2" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
210H200	\$46.03	9257-3425	42	21.00	.26
220H200	47.44	9257-3426	44	22.00	.27
225H200	47.44	9257-3445	45	22.50	.27
230H200	48.80	9257-3427	46	23.00	.28
240H200	50.22	9257-3400	48	24.00	.29
270H200	54.37	9257-3401	54	27.00	.33
300H200	58.56	9257-3402	60	30.00	.37
310H200	59.96	9257-3446	62	31.00	.38
315H200	59.96	9257-3447	63	31.50	.39
320H200	61.34	9257-3428	64	32.00	.39
330H200	62.75	9257-3403	66	33.00	.40
340H200	64.12	9257-3429	68	34.00	.42
350H200	65.53	9257-3430	70	35.00	.43
360H200	66.94	9257-3404	72	36.00	.44
370H200	68.32	9257-3431	74	37.00	.46
390H200	71.09	9257-3405	78	39.00	.48
400H200	72.51	9257-3432	80	40.00	.49
410H200	73.87	9257-3433	82	41.00	.50
415H200	73.87	9257-3448	83	41.50	.50
420H200	75.28	9257-3406	84	42.00	.51
445H200	78.05	9257-3449	89	44.50	.54
450H200	79.48	9257-3407	90	45.00	.55
455H200	79.48	9257-8450	91	45.50	.56
465H200	80.83	9257-8451	93	46.50	.58
480H200	83.62	9257-3408	96	48.00	.59
490H200	85.03	9257-3434	98	49.00	.60
495H200	85.03	9257-8452	99	49.50	.61
510H200	86.45	9257-3409	102	51.00	.63
525H200	89.22	9257-8453	105	52.50	.64
540H200	92.01	9257-3410	108	54.00	.66
555H200	92.01	9257-8454	111	55.50	.68
560H200	94.78	9257-3435	112	56.00	.69
570H200	94.78	9257-3411	114	57.00	.70
585H200	97.57	9257-3436	117	58.50	.72
600H200	100.34	9257-3412	120	60.00	.74
605H200	100.34	9257-8455	121	60.50	.75

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
630H200	\$103.13	9257-3413	126	63.00	.78
645H200	105.90	9257-3437	129	64.50	.80
655H200	105.90	9257-8456	131	65.50	.81
660H200	108.73	9257-3414	132	66.00	.82
670H200	108.73	9257-8457	134	67.00	.86
700H200	114.29	9257-3415	140	70.00	.90
730H200	117.07	9257-3438	146	73.00	.91
750H200	119.84	9257-3416	150	75.00	.93
775H200	122.60	9257-8458	155	77.50	.96
780H200	125.40	9257-3439	156	78.00	.97
800H200	128.23	9257-3417	160	80.00	1.01
810H200	128.23	9257-8459	162	81.00	1.02
820H200	130.46	9257-3440	164	82.00	1.02
840H200	133.79	9257-3441	168	84.00	1.04
850H200	133.79	9257-3418	170	85.00	1.05
900H200	142.13	9257-3419	180	90.00	1.12
950H200	147.70	9257-8460	190	95.00	1.17
960H200	150.52	9257-3442	192	96.00	1.19
1000H200	156.08	9257-3420	200	100.00	1.27
1100H200	170.02	9257-3421	220	110.00	1.46
1140H200	170.02	9257-3443	228	114.00	1.48
1180H200	176.96	9257-8461	236	118.00	1.51
1250H200	190.89	9257-3422	250	125.00	1.56
1325H200	197.83	9257-8462	265	132.50	1.64
1350H200	204.79	9257-8463	270	135.00	1.69
1365H200	204.79	9257-8464	273	136.50	1.71
1400H200	211.81	9257-3423	280	140.00	1.75
1510H200	225.65	9257-8465	302	151.00	1.84
1550H200	232.67	9257-3444	310	155.00	1.92
1645H200	239.60	9257-8466	329	164.50	2.09
1680H200	246.57	9257-8467	336	168.00	2.17
1700H200	253.59	9257-3424	340	170.00	2.24
2090H200	310.57	9257-8468	418	209.00	3.21
2100H200	312.06	9257-8469	420	210.00	3.23
2120H200	315.03	9257-8470	424	212.00	3.28
2330H200	346.24	9257-8471	466	233.00	3.80

POWERGRIP TIMING BELTS

Prices Subject To Change Without Notice





PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1/2" Pitch (.500"/H) — 3" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
210H300	\$67.65	9257-3525	42	21.00	.38
220H300	69.77	9257-3526	44	22.00	.40
225H300	69.77	9257-3545	45	22.50	.41
230H300	71.85	9257-3527	46	23.00	.42
240H300	73.92	9257-3500	48	24.00	.44
270H300	80.19	9257-3501	54	27.00	.50
300H300	86.45	9257-3502	60	30.00	.55
310H300	88.50	9257-3546	62	31.00	.56
315H300	88.50	9257-3547	63	31.50	.58
320H300	90.64	9257-3528	64	32.00	.59
330H300	92.71	9257-3503	66	33.00	.61
340H300	94.78	9257-3529	68	34.00	.62
350H300	96.86	9257-3530	70	35.00	.64
360H300	98.98	9257-3504	72	36.00	.66
370H300	101.05	9257-3531	74	37.00	.69
390H300	105.25	9257-3505	78	39.00	.72
400H300	107.32	9257-3532	80	40.00	.74
410H300	109.39	9257-3533	82	41.00	.75
415H300	109.39	9257-3548	83	41.50	.76
420H300	111.51	9257-3506	84	42.00	.77
445H300	115.63	9257-3549	89	44.50	.81
450H300	117.72	9257-3507	90	45.00	.83
455H300	117.72	9257-8550	91	45.50	.84
465H300	119.82	9257-8551	93	46.50	.86
480H300	123.99	9257-3508	96	48.00	.88
490H300	126.11	9257-3534	98	49.00	.90
495H300	126.11	9257-8552	99	49.50	.92
510H300	128.18	9257-3509	102	51.00	.94
525H300	132.35	9257-8553	105	52.50	.97
540H300	136.51	9257-3510	108	54.00	.99
555H300	136.51	9257-8554	111	55.50	1.01
560H300	140.71	9257-3535	112	56.00	1.03
570H300	140.71	9257-3511	114	57.00	1.05
585H300	144.86	9257-3536	117	58.50	1.09
600H300	149.05	9257-3512	120	60.00	1.10
605H300	149.05	9257-8555	121	60.50	1.14

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
630H300	\$153.24	9257-3513	126	63.00	1.18
645H300	157.39	9257-3537	129	64.50	1.20
655H300	157.39	9257-8556	131	65.50	1.31
660H300	161.59	9257-3514	132	66.00	1.37
670H300	161.59	9257-8557	134	67.00	1.40
700H300	169.92	9257-3515	140	70.00	1.45
730H300	174.11	9257-3538	146	73.00	1.49
750H300	178.26	9257-3516	150	75.00	1.50
775H300	182.40	9257-8558	155	77.50	1.51
780H300	186.59	9257-3539	156	78.00	1.52
800H300	190.78	9257-3517	160	80.00	1.53
810H300	190.78	9257-8559	162	81.00	1.54
820H300	194.97	9257-3540	164	82.00	1.55
840H300	199.12	9257-3541	168	84.00	1.74
850H300	199.12	9257-3518	170	85.00	1.83
900H300	211.66	9257-3519	180	90.00	1.84
950H300	219.94	9257-8560	190	95.00	2.01
960H300	224.18	9257-3542	192	96.00	2.09
1000H300	232.52	9257-3520	200	100.00	2.23
1100H300	253.39	9257-3521	220	110.00	2.57
1140H300	253.39	9257-3543	228	114.00	2.85
1180H300	263.79	9257-8561	236	118.00	2.89
1250H300	284.71	9257-3522	250	125.00	2.92
1325H300	295.07	9257-8562	265	132.50	3.09
1350H300	305.52	9257-8563	270	135.00	3.15
1365H300	305.52	9257-8564	273	136.50	3.19
1400H300	315.98	9257-3523	280	140.00	3.27
1510H300	336.79	9257-8565	302	151.00	4.10
1550H300	347.31	9257-3544	310	155.00	4.21
1645H300	357.65	9257-8566	329	164.50	4.47
1680H300	368.11	9257-8567	336	168.00	4.57
1700H300	378.59	9257-3524	340	170.00	4.63
2090H300	463.74	9257-8568	418	209.00	5.69
2100H300	465.96	9257-8569	420	210.00	5.72
2120H300	470.39	9257-8570	424	212.00	5.77
2330H300	516.99	9257-8571	466	233.00	6.34

POWERGRIP TIMING BELTS

Prices Subject To Change Without Notice





PowerGrip® Timing Belts

Product No. Series 9257 (continued)

7/8" Pitch (.875"/XH) — 2" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
507XH200	\$206.90	9257-4100	58	50.75	2.05
560XH200	221.35	9257-4101	64	56.00	2.27
630XH200	235.81	9257-4102	72	63.00	2.55
700XH200	255.05	9257-4103	80	70.00	2.84
770XH200	269.50	9257-4104	88	77.00	3.12
840XH200	288.80	9257-4105	96	84.00	3.41

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
980XH200	\$322.51	9257-4106	112	98.00	3.98
1120XH200	351.41	9257-4107	128	112.00	4.55
1260XH200	387.53	9257-4108	144	126.00	5.13
1400XH200	423.65	9257-4109	160	140.00	5.69
1540XH200	447.76	9257-4110	176	154.00	6.14
1750XH200	507.93	9257-4111	200	175.00	7.13

7/8" Pitch (.875"/XH) — 3" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
507XH300	\$291.18	9257-4200	58	50.75	3.08
560XH300	312.20	9257-4201	64	56.00	3.40
630XH300	333.21	9257-4202	72	63.00	3.83
700XH300	361.25	9257-4203	80	70.00	4.26
770XH300	382.27	9257-4204	88	77.00	4.69
840XH300	410.35	9257-4205	96	84.00	5.11

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
980XH300	\$459.32	9257-4206	112	98.00	5.97
1120XH300	501.37	9257-4207	128	112.00	6.82
1260XH300	553.91	9257-4208	144	126.00	7.70
1400XH300	606.45	9257-4209	160	140.00	8.54
1540XH300	641.47	9257-4210	176	154.00	8.68
1750XH300	729.08	9257-4211	200	175.00	10.70

7/8" Pitch (.875"/XH) — 4" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
507XH400	\$375.50	9257-4300	58	50.75	4.11
560XH400	403.09	9257-4301	64	56.00	4.54
630XH400	430.68	9257-4302	72	63.00	5.11
700XH400	467.47	9257-4303	80	70.00	5.68
770XH400	495.04	9257-4304	88	77.00	6.25
840XH400	531.83	9257-4305	96	84.00	6.82

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
980XH400	\$596.20	9257-4306	112	98.00	7.96
1120XH400	651.37	9257-4307	128	112.00	9.10
1260XH400	720.34	9257-4308	144	126.00	10.27
1400XH400	789.31	9257-4309	160	140.00	10.69
1540XH400	835.29	9257-4310	176	154.00	11.10
1750XH400	950.23	9257-4311	200	175.00	14.26

1 1/4" Pitch (1.250"/XXH) — 2" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
700XXH200	\$306.21	9257-5100	56	70.00	3.51
800XXH200	335.18	9257-5101	64	80.00	4.02
900XXH200	364.21	9257-5102	72	90.00	4.52
1000XXH200	393.25	9257-5103	80	100.00	5.18

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1200XXH200	\$444.68	9257-5104	96	120.00	6.03
1400XXH200	502.73	9257-5105	112	140.00	7.04
1600XXH200	560.74	9257-5106	128	160.00	8.05
1800XXH200	623.99	9257-5107	144	180.00	9.06

1 1/4" Pitch (1.250"/XXH) — 3" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
700XXH300	\$433.44	9257-5200	56	70.00	5.27
800XXH300	475.47	9257-5201	64	80.00	6.02
900XXH300	517.50	9257-5202	72	90.00	6.78
1000XXH300	559.55	9257-5203	80	100.00	8.51

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1200XXH300	\$643.62	9257-5204	96	120.00	9.05
1400XXH300	727.69	9257-5205	112	140.00	10.56
1600XXH300	811.77	9257-5206	128	160.00	12.07
1800XXH300	895.84	9257-5207	144	180.00	13.59

Prices Subject To Change Without Notice





PowerGrip® Timing Belts

Product No. Series 9257 (continued)

1 1/4" Pitch (1.250"/XXH) — 4" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
700XXH400	\$560.55	9257-5300	56	70.00	7.02
800XXH400	615.25	9257-5301	64	80.00	8.03
900XXH400	669.97	9257-5302	72	90.00	9.04
1000XXH400	724.69	9257-5303	80	100.00	10.04

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1200XXH400	\$834.17	9257-5304	96	120.00	12.06
1400XXH400	943.62	9257-5305	112	140.00	14.08
1600XXH400	1053.10	9257-5306	128	160.00	16.10
1800XXH400	1167.84	9257-5307	144	180.00	18.12

1 1/4" Pitch (1.250"/XXH) — 5" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
700XXH500	\$688.36	9257-5400	56	70.00	8.78
800XXH500	756.67	9257-5401	64	80.00	10.04
900XXH500	824.98	9257-5402	72	90.00	11.30
1000XXH500	893.29	9257-5403	80	100.00	12.56

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
1200XXH500	\$1029.91	9257-5404	96	120.00	15.08
1400XXH500	1166.54	9257-5405	112	140.00	17.60
1600XXH500	1303.16	9257-5406	128	160.00	20.12
1800XXH500	1439.78	9257-5407	144	180.00	22.64

POWERGRIP TIMING BELTS

Prices Subject To Change Without Notice





Cotton Cleaner Belts

Now with KEVLAR® tensile cord!


Cotton Cleaner belts have a trapezoidal tooth profile and now KEVLAR tensile cords.

Markets/Applications

Cotton Cleaner belts are specifically designed for use on Cotton Gin and inclined cleaner machines.

Features/Advantages

- KEVLAR tensile cords for increased shock resistance.
- Long service life in harsh environments.



Recommended Pulleys—Contact the Gates Made-To-Order Metals Team.

Product No. Series 9259

1" Pitch

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (in.)	Wt. Ea. (Lbs.)
61CCB142K	\$183.38	9259-3831	60	61.07	2.26
63CCB165K	187.14	9259-3832	63	63.00	2.32
64CCB170K	187.14	9259-3833	64	63.95	2.36
65CCB175K	190.89	9259-3834	65	64.95	2.40

Note: Steel tensile cord available as a made to order product. Lead time and minimum order quantities apply. Contact Customer Service for availability.

PowerGrip® GT® 2 Twin Power® Belts—3MR and 5MR


Twin Power belts have teeth on both sides to provide synchronization from both driving surfaces.

Markets/Applications

PowerGrip GT2 Twin Power belts are ideal for many applications including data storage, machine tool, hand power tools, postage handling, medical diagnostic, sewing machines, ticket dispensers, robotics, vending machines and vacuum cleaners.

Features/Advantages

- Gates Twin Power belts have **nylon facing** on both tooth surfaces providing equal load carrying capabilities on either side of belt.
- Belt capacity is equal to standard single-sided PowerGrip belts.
- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on the drive.



Recommended Sprockets

PowerGrip GT2 Sprockets-3MR
5M Sprockets-PowerGrip GT2 and Poly Chain GT

Notes

PowerGrip GT2 Twin Power belts in standard widths are Standard/Non-Stock. Minimum order quantities are not required on standard widths.

3MR GT2 Standard Belt Widths		
Belt Width Code	Belt Width (mm)	Belt Width (In.)
06	6	0.236
09	9	0.354
15	15	0.591

5MR GT2 Standard Belt Widths		
Belt Width Code	Belt Width (mm)	Belt Width (In.)
09	9	0.354
15	15	0.591
25	25	0.984

3MR Aluminum Barstock can be used with 3MR PowerGrip GT2 Twin Power Belts.

PowerGrip GT2 Twin Power part numbers are comprised of pitch, pitch length and width. For example, TP3MR-426-06 denotes "TP" for Twin Power, 3mm pitch, 426mm pitch length and 6mm width.

Belt **pitch** is the distance in millimeter between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT2 Twin Power belt lies within the tensile member.

Product No. Series 9232

3MR — Twin Power Belts

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. of Teeth
TP3MR-381	381	15.00	127
TP3MR-396	396	15.59	132
TP3MR-399	399	15.71	133
TP3MR-405	405	15.94	135
TP3MR-411	411	16.18	137
TP3MR-420	420	16.54	140
TP3MR-426	426	16.77	142
TP3MR-432	432	17.01	144
TP3MR-435	435	17.13	145
TP3MR-447	447	17.60	149
TP3MR-465	465	18.31	155
TP3MR-468	468	18.43	156
TP3MR-471	471	18.54	157
TP3MR-474	474	18.66	158
TP3MR-480	480	18.90	160
TP3MR-486	486	19.13	162
TP3MR-489	489	19.25	163

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. of Teeth
TP3MR-492	492	19.37	164
TP3MR-501	501	19.72	167
TP3MR-510	510	20.08	170
TP3MR-513	513	20.20	171
TP3MR-519	519	20.43	173
TP3MR-525	525	20.67	175
TP3MR-528	528	20.79	176
TP3MR-531	531	20.91	177
TP3MR-537	537	21.14	179
TP3MR-552	552	21.73	184
TP3MR-558	558	21.97	186
TP3MR-564	564	22.20	188
TP3MR-570	570	22.44	190
TP3MR-576	576	22.68	192
TP3MR-585	585	23.03	195
TP3MR-591	591	23.27	197
TP3MR-597	597	23.50	199

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. of Teeth
TP3MR-600	600	23.62	200
TP3MR-606	606	23.86	202
TP3MR-609	609	23.98	203
TP3MR-612	612	24.09	204
TP3MR-627	627	24.69	209
TP3MR-633	633	24.92	211
TP3MR-639	639	25.16	213
TP3MR-645	645	25.39	215
TP3MR-648	648	25.51	216
TP3MR-654	654	25.75	218
TP3MR-657	657	25.87	219
TP3MR-663	663	26.10	221
TP3MR-669	669	26.34	223
TP3MR-684	684	26.93	228
TP3MR-687	687	27.05	229

TWIN POWER BELTS

Prices Subject To Change Without Notice



PowerGrip® GT® 2 Twin Power® Belts – 3MR and 5MR

Product No. Series 9232 (continued)

3MR — Twin Power Belts (continued)

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. of Teeth
TP3MR-696	696	27.40	232
TP3MR-711	711	27.99	237
TP3MR-735	735	28.94	245
TP3MR-738	738	29.06	246
TP3MR-750	750	29.53	250
TP3MR-753	753	29.65	251
TP3MR-786	786	30.94	262
TP3MR-795	795	31.30	265
TP3MR-822	822	32.36	274
TP3MR-837	837	32.95	279
TP3MR-840	840	33.07	280
TP3MR-843	843	33.19	281
TP3MR-873	873	34.37	291
TP3MR-882	882	34.72	294
TP3MR-891	891	35.08	297
TP3MR-900	900	35.43	300
TP3MR-915	915	36.02	305
TP3MR-945	945	37.20	315
TP3MR-951	951	37.44	317
TP3MR-981	981	38.62	327

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. of Teeth
TP3MR-1002	1002	39.45	334
TP3MR-1026	1026	40.39	342
TP3MR-1035	1035	40.75	345
TP3MR-1050	1050	41.34	350
TP3MR-1056	1056	41.57	352
TP3MR-1062	1062	41.81	354
TP3MR-1080	1080	42.52	360
TP3MR-1125	1125	44.29	375
TP3MR-1155	1155	45.47	385
TP3MR-1191	1191	46.89	397
TP3MR-1263	1263	49.72	421
TP3MR-1335	1335	52.56	445
TP3MR-1500	1500	59.06	500
TP3MR-1512	1512	59.53	504
TP3MR-1536	1536	60.47	512
TP3MR-1587	1587	62.48	529
TP3MR-1956	1956	77.01	652
TP3MR-2004	2004	78.90	668
TP3MR-2061	2061	81.14	687

5MR — Twin Power Belts

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. of Teeth
TP5MR-400	400	15.75	80
TP5MR-425	425	16.73	85
TP5MR-450	450	17.72	90
TP5MR-500	500	19.69	100
TP5MR-535	535	21.06	107
TP5MR-565	565	22.24	113
TP5MR-575	575	22.64	115
TP5MR-580	580	22.83	116
TP5MR-600	600	23.62	120
TP5MR-625	625	24.61	125
TP5MR-650	650	25.69	130
TP5MR-700	700	27.56	140
TP5MR-710	710	27.95	142
TP5MR-740	740	29.13	148
TP5MR-745	745	29.33	149
TP5MR-750	750	29.53	150
TP5MR-765	765	30.12	153
TP5MR-790	790	31.10	158
TP5MR-800	800	31.50	160
TP5MR-815	815	32.09	163
TP5MR-830	830	32.68	166
TP5MR-835	835	32.87	167

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. of Teeth
TP5MR-850	850	33.46	170
TP5MR-870	870	34.25	174
TP5MR-890	890	35.04	178
TP5MR-900	900	35.43	180
TP5MR-925	925	36.42	185
TP5MR-950	950	37.40	190
TP5MR-975	975	38.39	195
TP5MR-985	985	38.78	197
TP5MR-1000	1000	39.37	200
TP5MR-1050	1050	41.34	210
TP5MR-1115	1115	43.91	223
TP5MR-1125	1125	44.29	225
TP5MR-1150	1150	45.28	230
TP5MR-1195	1195	47.05	239
TP5MR-1250	1250	49.21	250
TP5MR-1270	1270	50.00	254
TP5MR-1295	1295	50.98	259
TP5MR-1300	1300	51.18	260
TP5MR-1375	1375	54.13	275
TP5MR-1420	1420	55.91	284
TP5MR-1450	1450	57.09	290
TP5MR-1575	1575	62.01	315

Part No.	Pitch Length (mm)	Pitch Length (In.)	No. of Teeth
TP5MR-1595	1595	62.80	319
TP5MR-1635	1635	64.37	327
TP5MR-1690	1690	66.54	338
TP5MR-1790	1790	70.47	358
TP5MR-1800	1800	70.87	360
TP5MR-1895	1895	74.61	379
TP5MR-1945	1945	76.57	389
TP5MR-2000	2000	78.74	400
TP5MR-2110	2110	83.07	422
TP5MR-2250	2250	88.58	450
TP5MR-2525	2525	99.41	505
TP5MR-2760	2760	108.66	552
TP5MR-3120	3120	122.83	624
TP5MR-3170	3170	124.80	634
TP5MR-3200	3200	125.98	640
TP5MR-3430	3430	135.04	686
TP5MR-3800	3800	149.61	760

TWIN POWER BELTS

Prices Subject To Change Without Notice





PowerGrip® GT®2 Twin Power® Belts


Twin Power belts have teeth on both sides to provide synchronization from both driving surfaces.

Markets/Applications

PowerGrip GT2 Twin Power belts are ideal for serpentine applications requiring rotation reversal or synchronization of driven shafts. Ideal for use in industries such as textile, paper, packaging and printing.

Features/Advantages

- Gates Twin Power belts have **nylon facing** on both tooth surfaces providing equal load carrying capabilities on either side of belt.
- Belt capacity is equal to standard single-sided PowerGrip GT2 belts.
- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grease, grime, oil and moisture.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drive.



Recommended Sprockets

PowerGrip GT2 Sprockets

Notes

If you currently use PowerGrip HTD® Twin Power Belts, consider PowerGrip GT2 Twin Power belts at reduced widths to lower your costs.

PowerGrip GT2 Twin Power part numbers are comprised of pitch, pitch length and width. For example, part number TP4400-8MGT-30 denotes "TP" for Twin Power, 4400mm pitch length, 8mm pitch and 30mm width.

Belt **pitch** is the distance in millimeters between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip GT2 Twin Power belt lies within the tensile member.

Product No. Series 9232

8mm Pitch — 20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP560-8MGT-20	\$73.43	9232-0005	70	22.05	.32
TP600-8MGT-20	77.15	9232-0009	75	23.62	.34
TP640-8MGT-20	79.25	9232-0013	80	25.20	.36
TP720-8MGT-20	85.13	9232-0017	90	28.35	.40
TP800-8MGT-20	95.55	9232-0021	100	31.50	.44
TP840-8MGT-20	98.87	9232-1025	105	33.08	.47
TP880-8MGT-20	102.43	9232-0025	110	34.65	.50
TP920-8MGT-20	104.69	9232-1001	115	36.23	.52
TP960-8MGT-20	110.57	9232-0029	120	37.80	.54
TP1040-8MGT-20	116.39	9232-0033	130	40.95	.59
TP1064-8MGT-20	119.08	9232-1005	133	41.89	.60
TP1120-8MGT-20	122.77	9232-0037	140	44.10	.63
TP1160-8MGT-20	122.84	9232-2049	146	45.83	.66
TP1200-8MGT-20	122.90	9232-0041	150	47.25	.68
TP1224-8MGT-20	128.59	9232-1029	153	48.20	.69

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP1280-8MGT-20	\$128.73	9232-0045	160	50.40	.72
TP1440-8MGT-20	140.47	9232-0049	180	56.70	.80
TP1512-8MGT-20	144.68	9232-1013	189	59.53	.84
TP1600-8MGT-20	152.68	9232-0053	200	63.00	.90
TP1760-8MGT-20	164.37	9232-0057	220	69.30	.98
TP1800-8MGT-20	168.15	9232-0061	225	70.88	1.00
TP2000-8MGT-20	184.11	9232-0065	250	78.75	1.12
TP2200-8MGT-20	215.26	9232-1033	275	86.63	1.24
TP2400-8MGT-20	215.49	9232-0069	300	94.50	1.34
TP2600-8MGT-20	233.04	9232-0077	325	102.38	1.45
TP2800-8MGT-20	247.42	9232-0073	350	110.25	1.56
TP3048-8MGT-20	267.07	9232-0081	381	120.02	1.70
TP3280-8MGT-20	285.19	9232-0085	410	129.15	1.84
TP3600-8MGT-20	315.52	9232-0089	450	141.75	2.02
TP4400-8MGT-20	376.68	9232-0093	550	173.25	2.46

TWIN POWER BELTS

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Twin Power® Belts

Product No. Series 9232 (continued)

8mm Pitch — 30mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP560-8MGT-30	\$104.80	9232-0006	70	22.05	.46
TP600-8MGT-30	110.68	9232-0010	75	23.62	.50
TP640-8MGT-30	113.33	9232-0014	80	25.20	.54
TP720-8MGT-30	121.80	9232-0018	90	28.35	.60
TP800-8MGT-30	134.05	9232-0022	100	31.50	.66
TP840-8MGT-30	141.19	9232-1026	105	33.08	.70
TP880-8MGT-30	145.43	9232-0026	110	34.65	.73
TP920-8MGT-30	149.61	9232-1002	115	36.23	.77
TP960-8MGT-30	154.06	9232-0030	120	37.80	.80
TP1040-8MGT-30	163.31	9232-0034	130	40.95	.87
TP1064-8MGT-30	167.08	9232-1006	133	41.89	.88
TP1120-8MGT-30	171.95	9232-0038	140	44.10	.93
TP1160-8MGT-30	174.82	9232-1010	146	45.83	.96
TP1200-8MGT-30	177.68	9232-0042	150	47.25	1.00
TP1224-8MGT-30	183.60	9232-1030	153	48.20	1.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP1280-8MGT-30	\$186.21	9232-0046	160	50.40	1.06
TP1440-8MGT-30	203.78	9232-0050	180	56.70	1.20
TP1512-8MGT-30	209.44	9232-1014	189	59.53	1.26
TP1600-8MGT-30	221.34	9232-0054	200	63.00	1.34
TP1760-8MGT-30	238.86	9232-0058	220	69.30	1.46
TP1800-8MGT-30	244.17	9232-0062	225	70.88	1.50
TP2000-8MGT-30	267.63	9232-0066	250	78.75	1.66
TP2200-8MGT-30	296.88	9232-1034	275	86.63	1.83
TP2400-8MGT-30	314.45	9232-0070	300	94.50	2.00
TP2600-8MGT-30	338.40	9232-0078	325	102.38	2.18
TP2800-8MGT-30	360.71	9232-0074	350	110.25	2.34
TP3048-8MGT-30	389.99	9232-0082	381	120.02	2.54
TP3280-8MGT-30	404.91	9232-0086	410	129.15	2.74
TP3600-8MGT-30	448.51	9232-0090	450	141.75	3.02
TP4400-8MGT-30	536.30	9232-0094	550	173.25	3.68

Product No. Series 9232

8mm Pitch — 50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP560-8MGT-50	\$167.58	9232-0007	70	22.05	.78
TP600-8MGT-50	177.18	9232-0011	75	23.62	.84
TP640-8MGT-50	181.95	9232-0015	80	25.20	.85
TP720-8MGT-50	196.83	9232-0019	90	28.35	1.00
TP800-8MGT-50	216.53	9232-0023	100	31.50	1.12
TP840-8MGT-50	230.07	9232-1027	105	33.08	1.18
TP880-8MGT-50	236.00	9232-0027	110	34.65	1.23
TP920-8MGT-50	243.28	9232-1003	115	36.23	1.29
TP960-8MGT-50	251.17	9232-0031	120	37.80	1.34
TP1040-8MGT-50	265.84	9232-0035	130	40.95	1.46
TP1064-8MGT-50	271.97	9232-1007	133	41.89	1.50
TP1120-8MGT-50	281.03	9232-0039	140	44.10	1.59
TP1160-8MGT-50	285.78	9232-1011	146	45.83	1.60
TP1200-8MGT-50	290.52	9232-0043	150	47.25	1.68
TP1224-8MGT-50	300.84	9232-1031	153	48.20	1.71

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP1280-8MGT-50	\$305.38	9232-0047	160	50.40	1.78
TP1440-8MGT-50	334.66	9232-0051	180	56.70	2.02
TP1512-8MGT-50	354.25	9232-1015	189	59.53	2.10
TP1600-8MGT-50	364.43	9232-0055	200	63.00	2.22
TP1760-8MGT-50	393.71	9232-0059	220	69.30	2.46
TP1800-8MGT-50	403.79	9232-0063	225	70.88	2.50
TP2000-8MGT-50	443.22	9232-0067	250	78.75	2.78
TP2200-8MGT-50	493.06	9232-1035	275	86.63	3.08
TP2400-8MGT-50	521.94	9232-0071	300	94.50	3.34
TP2600-8MGT-50	567.67	9232-0079	325	102.38	3.62
TP2800-8MGT-50	600.63	9232-0075	350	110.25	3.90
TP3048-8MGT-50	645.38	9232-0083	381	120.02	4.21
TP3280-8MGT-50	687.39	9232-0087	410	129.15	4.58
TP3600-8MGT-50	762.42	9232-0091	450	141.75	5.02
TP4400-8MGT-50	913.01	9232-0095	550	173.25	6.14

Product No. Series 9232

8mm Pitch — 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP560-8MGT-85	\$278.78	9232-0008	70	22.05	1.32
TP600-8MGT-85	295.53	9232-0012	75	23.62	1.42
TP640-8MGT-85	303.78	9232-0016	80	25.20	1.52
TP720-8MGT-85	328.80	9232-0020	90	28.35	1.70
TP800-8MGT-85	362.33	9232-0024	100	31.50	1.90
TP840-8MGT-85	383.77	9232-1028	105	33.08	1.98
TP880-8MGT-85	394.96	9232-0028	110	34.65	2.08
TP920-8MGT-85	410.25	9232-1004	115	36.23	2.17
TP960-8MGT-85	420.45	9232-1008	120	37.80	2.27
TP1040-8MGT-85	445.93	9232-0036	130	40.95	2.46
TP1064-8MGT-85	456.22	9232-2048	133	41.89	2.50
TP1120-8MGT-85	471.42	9232-0040	140	44.10	2.65
TP1160-8MGT-85	479.40	9232-1012	146	45.83	2.76
TP1200-8MGT-85	487.37	9232-0044	150	47.25	2.84
TP1224-8MGT-85	503.51	9232-1032	153	48.20	2.89

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP1280-8MGT-85	\$512.34	9232-0048	160	50.40	3.04
TP1440-8MGT-85	562.38	9232-0052	180	56.70	3.42
TP1512-8MGT-85	579.20	9232-1016	189	59.53	3.56
TP1600-8MGT-85	612.90	9232-0056	200	63.00	3.80
TP1760-8MGT-85	662.39	9232-0060	220	69.30	4.16
TP1800-8MGT-85	679.41	9232-0064	225	70.88	4.26
TP2000-8MGT-85	745.89	9232-0068	250	78.75	4.74
TP2200-8MGT-85	828.28	9232-1036	275	86.63	5.20
TP2400-8MGT-85	879.47	9232-0072	300	94.50	5.68
TP2600-8MGT-85	949.13	9232-0080	325	102.38	6.18
TP2800-8MGT-85	1010.45	9232-0076	350	110.25	6.64
TP3048-8MGT-85	1097.07	9232-0084	381	120.02	7.24
TP3280-8MGT-85	1181.13	9232-0088	410	129.15	7.78
TP3600-8MGT-85	1310.91	9232-0092	450	141.75	8.54
TP4400-8MGT-85	1571.10	9232-0096	550	173.25	10.44

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Twin Power® Belts

Product No. Series 9232 (continued)

14mm Pitch — 40mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP966-14MGT-40	\$525.65	9232-0100	69	38.03	1.68
TP1190-14MGT-40	578.06	9232-0105	85	46.85	2.07
TP1400-14MGT-40	628.79	9232-0110	100	55.12	2.43
TP1610-14MGT-40	656.46	9232-0115	115	63.38	2.80
TP1778-14MGT-40	700.62	9232-0120	127	70.00	3.08
TP1890-14MGT-40	735.75	9232-0125	135	74.41	3.28
TP2100-14MGT-40	801.71	9232-0130	150	82.67	3.64
TP2310-14MGT-40	853.85	9232-0135	165	90.94	4.00
TP2450-14MGT-40	888.98	9232-0140	175	96.45	4.26
TP2590-14MGT-40	932.02	9232-0145	185	101.96	4.50
TP2800-14MGT-40	996.91	9232-0150	200	110.23	4.86

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP3150-14MGT-40	\$1094.27	9232-0155	225	124.01	5.46
TP3360-14MGT-40	1145.89	9232-0180	240	132.28	5.82
TP3500-14MGT-40	1181.58	9232-0160	250	137.79	6.06
TP3850-14MGT-40	1300.72	9232-0165	275	151.57	6.66
TP4326-14MGT-40	1444.89	9232-0170	309	170.31	7.48
TP4578-14MGT-40	1526.83	9232-0175	327	180.23	7.92
TP4956-14MGT-40	1652.88	9232-0185	354	195.12	11.80
TP5320-14MGT-40	1774.73	9232-0190	380	209.45	12.66
TP5740-14MGT-40	1914.63	9232-0195	410	225.98	13.66
TP6160-14MGT-40	2054.05	9232-0200	440	242.52	14.66
TP6860-14MGT-40	2288.13	9232-0205	490	270.08	16.32

14mm Pitch — 55mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP966-14MGT-55	\$704.39	9232-0101	69	38.03	2.30
TP1190-14MGT-55	778.15	9232-0106	85	46.85	2.84
TP1400-14MGT-55	850.20	9232-0111	100	55.12	3.34
TP1610-14MGT-55	875.12	9232-0116	115	63.38	3.84
TP1778-14MGT-55	932.58	9232-0121	127	70.00	4.26
TP1890-14MGT-55	980.95	9232-0126	135	74.41	4.52
TP2100-14MGT-55	1071.95	9232-0131	150	82.67	5.02
TP2310-14MGT-55	1141.66	9232-0136	165	90.94	5.52
TP2450-14MGT-55	1188.45	9232-0141	175	96.45	5.86
TP2590-14MGT-55	1248.54	9232-0146	185	101.96	6.20
TP2800-14MGT-55	1338.49	9232-0151	200	110.23	6.68

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP3150-14MGT-55	\$1472.54	9232-0156	225	124.01	7.54
TP3360-14MGT-55	1546.47	9232-0181	240	132.28	8.04
TP3500-14MGT-55	1594.91	9232-0161	250	137.79	8.38
TP3850-14MGT-55	1772.08	9232-0166	275	151.57	9.20
TP4326-14MGT-55	1953.47	9232-0171	309	170.31	10.34
TP4578-14MGT-55	2071.53	9232-0176	327	180.23	10.96
TP4956-14MGT-55	2242.32	9232-0186	354	195.12	11.80
TP5320-14MGT-55	2407.80	9232-0191	380	209.45	12.66
TP5740-14MGT-55	2597.73	9232-0196	410	225.98	13.66
TP6160-14MGT-55	2787.10	9232-0201	440	242.52	14.66
TP6860-14MGT-55	3104.18	9232-0206	490	270.08	16.32

14mm Pitch — 85mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP966-14MGT-85	\$1025.34	9232-0102	69	38.03	3.56
TP1190-14MGT-85	1137.96	9232-0107	85	46.85	4.39
TP1400-14MGT-85	1248.80	9232-0112	100	55.12	5.16
TP1610-14MGT-85	1287.39	9232-0117	115	63.38	5.94
TP1778-14MGT-85	1373.10	9232-0122	127	70.00	6.56
TP1890-14MGT-85	1447.02	9232-0127	135	74.41	6.98
TP2100-14MGT-85	1585.87	9232-0132	150	82.67	7.76
TP2310-14MGT-85	1691.72	9232-0137	165	90.94	8.52
TP2450-14MGT-85	1761.95	9232-0142	175	96.45	9.04
TP2590-14MGT-85	1851.87	9232-0147	185	101.96	9.56
TP2800-14MGT-85	1986.99	9232-0152	200	110.23	10.34

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP3150-14MGT-85	\$2192.35	9232-0157	225	124.01	11.64
TP3360-14MGT-85	2301.91	9232-0182	240	132.28	12.40
TP3500-14MGT-85	2375.34	9232-0162	250	137.79	12.92
TP3850-14MGT-85	2629.64	9232-0167	275	151.57	14.20
TP4326-14MGT-85	2922.72	9232-0172	309	170.31	16.00
TP4578-14MGT-85	3084.47	9232-0177	327	180.23	16.90
TP4956-14MGT-85	3302.10	9232-0187	354	195.12	18.22
TP5320-14MGT-85	3585.05	9232-0192	380	209.45	18.56
TP5740-14MGT-85	3867.58	9232-0197	410	225.98	21.10
TP6160-14MGT-85	4150.08	9232-0202	440	242.52	22.64
TP6860-14MGT-85	4622.43	9232-0207	490	270.08	25.22

Prices Subject To Change Without Notice





PowerGrip® GT® 2 Twin Power® Belts

Product No. Series 9232 (continued)

14mm Pitch — 115mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (in.)	Wt. Ea. (Lbs.)
TP966-14MGT-115	\$1363.19	9232-0103	69	38.03	4.82
TP1190-14MGT-115	1518.01	9232-0108	85	46.85	5.94
TP1400-14MGT-115	1667.77	9232-0113	100	55.12	6.99
TP1610-14MGT-115	1721.53	9232-0118	115	63.38	8.04
TP1778-14MGT-115	1838.58	9232-0123	127	70.00	8.90
TP1890-14MGT-115	1938.53	9232-0128	135	74.41	9.46
TP2100-14MGT-115	2126.35	9232-0133	150	82.67	10.50
TP2310-14MGT-115	2268.39	9232-0138	165	90.94	11.54
TP2450-14MGT-115	2363.07	9232-0143	175	96.45	12.26

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (in.)	Wt. Ea. (Lbs.)
TP2590-14MGT-115	\$2484.39	9232-0148	185	101.96	12.94
TP2800-14MGT-115	2666.32	9232-0153	200	110.23	14.00
TP3150-14MGT-115	2945.11	9232-0158	225	124.01	15.74
TP3360-14MGT-115	3094.59	9232-0183	240	132.28	16.78
TP3500-14MGT-115	3196.20	9232-0163	250	137.79	17.50
TP3850-14MGT-115	3541.99	9232-0168	275	151.57	19.24
TP4326-14MGT-115	3936.73	9232-0173	309	170.31	21.60
TP4578-14MGT-115	4165.46	9232-0178	327	180.23	22.84

14mm Pitch — 170mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (in.)	Wt. Ea. (Lbs.)
TP966-14MGT-170	\$2012.04	9232-0104	69	38.03	7.13
TP1190-14MGT-170	2241.90	9232-0109	85	46.85	8.79
TP1400-14MGT-170	2467.67	9232-0114	100	55.12	10.34
TP1610-14MGT-170	2498.24	9232-0119	115	63.38	11.90
TP1778-14MGT-170	2668.49	9232-0124	127	70.00	13.12
TP1890-14MGT-170	2814.20	9232-0129	135	74.41	13.94
TP2100-14MGT-170	3089.82	9232-0134	150	82.67	15.50
TP2310-14MGT-170	3297.78	9232-0139	165	90.94	17.06
TP2450-14MGT-170	3436.65	9232-0144	175	96.45	18.08

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (in.)	Wt. Ea. (Lbs.)
TP2590-14MGT-170	\$3614.32	9232-0149	185	101.96	19.10
TP2800-14MGT-170	3881.40	9232-0154	200	110.23	20.66
TP3150-14MGT-170	4294.21	9232-0159	225	124.01	23.24
TP3360-14MGT-170	4513.36	9232-0184	240	132.28	24.78
TP3500-14MGT-170	4658.61	9232-0164	250	137.79	25.80
TP3850-14MGT-170	5152.31	9232-0169	275	151.57	28.40
TP4326-14MGT-170	5749.73	9232-0174	309	170.31	31.92
TP4578-14MGT-170	5971.56	9232-0179	327	180.23	33.80




PowerGrip® HTD® Twin Power® Belts

Twin Power belts have teeth on both sides to provide synchronization from both driving surfaces.

Markets/Applications

PowerGrip HTD Twin Power belts are suitable for many applications including data storage, hand power tools, postage handling, food processors, office machines, centrifuges, money handling, medical diagnostic, sewing machines, ticket dispensers, robotics, vending machines and vacuum cleaners.



Features/Advantages

- Gates Twin Power belts have **nylon facing** on both tooth surfaces providing equal load carrying capabilities on either side of the belt.
- Belt capacity is equal to standard single-sided PowerGrip HTD belts.
- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Quieter than roller chain drives and eliminates lubrication and re-tensioning to reduce maintenance and labor.

Recommended Sprockets

PowerGrip HTD Sprockets

Notes

PowerGrip HTD Twin Power belts in standard widths are Standard/Non-Stock. Minimum order quantities are not required on standard widths.

3M HTD Standard Belt Widths		
Belt Width Code	Belt Width (mm)	Belt Width (In.)
06	6	0.236
09	9	0.354
15	15	0.591

5M HTD Standard Belt Widths		
Belt Width Code	Belt Width (mm)	Belt Width (In.)
09	9	0.354
15	15	0.591
25	25	0.984

PowerGrip HTD Twin Power part numbers are comprised of pitch, pitch length and width. For example, TP444-3M-09 denotes "TP" for Twin Power, 444mm pitch, 3mm pitch length and 9mm width.

Belt **pitch** is the distance in millimeter between two adjacent tooth centers as measured on the pitch line of the belt. Belt **pitch length** is the total length (circumference) in millimeters as measured along the pitch line. The theoretical pitch line of a PowerGrip HTD Twin Power belt lies within the tensile member.

Product No. Series 9252

3mm Pitch

Part No.	No. of Teeth	PitchLength (In.)
TP381-3M	127	15.00
TP396-3M	132	15.59
TP399-3M	133	15.71
TP405-3M	135	15.94
TP411-3M	137	16.18
TP417-3M	139	16.42
TP420-3M	140	16.54
TP426-3M	142	16.77
TP432-3M	144	17.01
TP435-3M	145	17.13
TP438-3M	146	17.24
TP447-3M	149	17.60
TP468-3M	156	18.43
TP471-3M	157	18.54
TP474-3M	158	18.66

Part No.	No. of Teeth	PitchLength (In.)
TP480-3M	160	18.90
TP486-3M	162	19.13
TP489-3M	163	19.25
TP492-3M	164	19.37
TP501-3M	167	19.72
TP510-3M	170	20.08
TP513-3M	171	20.20
TP525-3M	175	20.67
TP528-3M	176	20.79
TP531-3M	177	20.91
TP537-3M	179	21.14
TP558-3M	186	21.97
TP564-3M	188	22.20
TP570-3M	190	22.44
TP576-3M	192	22.68

Part No.	No. of Teeth	PitchLength (In.)
TP585-3M	195	23.03
TP591-3M	197	23.27
TP597-3M	199	23.50
TP600-3M	200	23.62
TP606-3M	202	23.86
TP609-3M	203	23.98
TP612-3M	204	24.09
TP627-3M	209	24.69
TP633-3M	211	24.92
TP639-3M	213	25.16

TWIN POWER BELTS

Prices Subject To Change Without Notice





PowerGrip® HTD® Twin Power® Belts

Product No. Series 9252 (continued)

3mm Pitch (continued)

Part No.	No. of Teeth	PitchLength (In.)
TP645-3M	215	25.39
TP648-3M	216	25.51
TP654-3M	218	25.75
TP657-3M	219	25.87
TP663-3M	221	26.10
TP669-3M	223	26.34
TP684-3M	228	26.93
TP687-3M	229	27.05
TP696-3M	232	27.40
TP711-3M	237	27.99
TP735-3M	245	28.94
TP738-3M	246	29.06
TP753-3M	251	29.65

Part No.	No. of Teeth	PitchLength (In.)
TP795-3M	265	31.30
TP822-3M	274	32.36
TP837-3M	279	32.95
TP843-3M	281	33.19
TP873-3M	291	34.37
TP882-3M	294	34.72
TP891-3M	297	35.08
TP900-3M	300	35.43
TP915-3M	305	36.02
TP945-3M	315	37.20
TP951-3M	317	37.44
TP981-3M	327	38.62
TP1002-3M	334	39.45

Part No.	No. of Teeth	PitchLength (In.)
TP1026-3M	342	40.39
TP1035-3M	345	40.75
TP1062-3M	354	41.81
TP1125-3M	375	44.29
TP1155-3M	385	45.47
TP1191-3M	397	46.89
TP1263-3M	421	49.72
TP1500-3M	500	59.06
TP1512-3M	504	59.53
TP1587-3M	529	62.48
TP1956-3M	652	77.01
TP2004-3M	668	78.90

5mm Pitch

Part No.	No. of Teeth	PitchLength (In.)
TP400-5M	80	15.75
TP415-5M	83	16.34
TP425-5M	85	16.73
TP450-5M	90	17.72
TP460-5M	92	18.11
TP475-5M	95	18.70
TP480-5M	96	18.90
TP495-5M	99	19.49
TP500-5M	100	19.69
TP520-5M	104	20.47
TP535-5M	107	21.06
TP555-5M	111	21.85
TP565-5M	113	22.24
TP580-5M	116	22.83
TP585-5M	117	23.03
TP600-5M	120	23.62
TP615-5M	123	24.21
TP635-5M	127	25.00
TP655-5M	131	25.79
TP665-5M	133	26.18
TP670-5M	134	26.38
TP680-5M	136	26.77
TP685-5M	137	26.97

Part No.	No. of Teeth	PitchLength (In.)
TP695-5M	139	27.36
TP710-5M	142	27.95
TP740-5M	148	29.13
TP745-5M	149	29.33
TP765-5M	153	30.12
TP790-5M	158	31.10
TP800-5M	160	31.50
TP830-5M	166	32.68
TP835-5M	167	32.87
TP850-5M	170	33.46
TP870-5M	174	34.25
TP890-5M	178	35.04
TP925-5M	185	36.42
TP950-5M	190	37.40
TP975-5M	195	38.39
TP985-5M	197	38.78
TP1000-5M	200	39.37
TP1050-5M	210	41.34
TP1115-5M	223	43.90
TP1125-5M	225	44.29
TP1195-5M	239	47.05
TP1250-5M	250	49.21
TP1270-5M	254	50.00

Part No.	No. of Teeth	PitchLength (In.)
TP1295-5M	259	50.98
TP1375-5M	275	54.13
TP1420-5M	284	55.91
TP1575-5M	315	62.01
TP1595-5M	319	62.80
TP1635-5M	327	64.37
TP1690-5M	338	66.54
TP1790-5M	358	70.47
TP1800-5M	360	70.87
TP1895-5M	379	74.61
TP1945-5M	389	76.57
TP1980-5M	396	77.95
TP2000-5M	400	78.74
TP2110-5M	422	83.07
TP2250-5M	450	88.58
TP2525-5M	505	99.41
TP2760-5M	552	108.66
TP3120-5M	624	122.83
TP3170-5M	634	124.80
TP3430-5M	686	135.04
TP3800-5M	760	149.61



PowerGrip® Twin Power® Timing Belts


Twin Power belts have teeth on both sides to provide synchronization from both driving surfaces.

Markets/Applications

PowerGrip Twin Power Timing Belts are suitable for all industrial serpentine applications requiring rotation reversal in some driven shafts.

Features/Advantages

- Gates Twin Power belts have **nylon facing** on both tooth surfaces providing equal load carrying capabilities on either side of the belt.
- Belt capacity is equal to standard single-sided PowerGrip Timing belts.
- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grime, grease, oil and moisture.
- Quieter than roller chain drives and eliminates lubrication and re-tensioning to reduce maintenance and labor.



Recommended Pulleys

PowerGrip Timing Pulleys

Notes

Gates PowerGrip Twin Power Timing belt part numbers are comprised of pitch length, pitch and width. TP—denotes Twin Power.

Length—The length is shown in the first part of the belt designation. The first number is the pitch length in tenths of an inch. A TP300L075 has a 30.0" pitch length.

Pitch—The pitch of a PowerGrip Twin Power Timing Belt is the distance from center to center of the teeth (in inches). It is shown in the second part of the belt designation by a letter or letters. Part number TP300L075 has a .375" pitch. The letters correspond to pitches as follows:

XL = Extra Light = 0.200" pitch

L = Light = 0.375" pitch

H = Heavy = 0.500" pitch

Width—The width is shown in the last part of the belt designation. Part number TP300L075 is .75" wide.

Product No. Series 9246

1/5" Pitch (.200"/XL) — 1/4" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP126XL025	\$10.88	9246-1169	63	12.60	.01
TP128XL025	10.88	9246-1170	64	12.80	.01
TP130XL025	11.23	9246-1107	65	13.00	.01
TP132XL025	11.23	9246-1171	66	13.20	.01
TP134XL025	11.23	9246-1172	67	13.40	.01
TP136XL025	11.23	9246-1173	68	13.60	.01
TP138XL025	11.23	9246-1174	69	13.80	.01
TP140XL025	12.65	9246-1108	70	14.00	.01
TP142XL025	12.65	9246-1175	71	14.20	.01
TP144XL025	12.65	9246-1176	72	14.40	.01
TP146XL025	12.65	9246-1177	73	14.60	.01
TP148XL025	12.65	9246-1178	74	14.80	.01
TP150XL025	12.95	9246-1109	75	15.00	.01
TP152XL025	12.95	9246-1179	76	15.20	.01
TP156XL025	12.95	9246-1181	78	15.60	.01
TP158XL025	12.95	9246-1182	79	15.80	.01
TP160XL025	13.23	9246-1110	80	16.00	.01
TP162XL025	13.23	9246-1183	81	16.20	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP166XL025	\$13.23	9246-1185	83	16.60	.01
TP168XL025	13.23	9246-1186	84	16.80	.01
TP170XL025	13.51	9246-1111	85	17.00	.02
TP172XL025	13.51	9246-1187	86	17.20	.02
TP174XL025	13.51	9246-1188	87	17.40	.02
TP176XL025	13.51	9246-1189	88	17.60	.02
TP178XL025	13.51	9246-1190	89	17.80	.02
TP180XL025	13.79	9246-1112	90	18.00	.03
TP182XL025	13.79	9246-1191	91	18.20	.03
TP184XL025	13.79	9246-1192	92	18.40	.03
TP186XL025	13.79	9246-1193	93	18.60	.03
TP188XL025	13.79	9246-1194	94	18.80	.03
TP190XL025	14.21	9246-1113	95	19.00	.03
TP192XL025	14.21	9246-1195	96	19.20	.03
TP200XL025	14.49	9246-1114	100	20.00	.03
TP202XL025	14.49	9246-1197	101	20.20	.03
TP204XL025	14.49	9246-1198	102	20.40	.03
TP206XL025	14.49	9246-1199	103	20.60	.03

TWIN POWER BELTS

Prices Subject To Change Without Notice





PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

1/5" Pitch (.200"/XL) — 1/4" Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (in.)	Wt. Ea. (Lbs.)
TP210XL025	\$14.77	9246-1115	105	21.00	.03
TP212XL025	14.77	9246-8100	106	21.20	.03
TP214XL025	14.77	9246-8101	107	21.40	.03
TP218XL025	14.77	9246-8102	109	21.80	.03
TP220XL025	15.05	9246-1116	110	22.00	.03
TP222XL025	15.05	9246-8103	111	22.20	.03
TP226XL025	15.05	9246-8104	113	22.60	.03
TP228XL025	15.05	9246-8105	114	22.80	.03
TP230XL025	15.46	9246-1117	115	23.00	.03
TP232XL025	15.46	9246-8106	116	23.20	.03
TP234XL025	15.46	9246-8107	117	23.40	.03
TP236XL025	15.46	9246-8108	118	23.60	.03
TP240XL025	15.74	9246-1118	120	24.00	.03
TP244XL025	15.74	9246-8109	122	24.40	.03
TP246XL025	15.74	9246-8110	123	24.60	.03
TP250XL025	16.02	9246-1119	125	25.00	.03
TP254XL025	16.02	9246-8111	127	25.40	.03
TP258XL025	16.02	9246-8112	129	25.80	.03
TP260XL025	16.30	9246-1120	130	26.00	.03
TP262XL025	16.30	9246-8113	131	26.20	.03
TP264XL025	16.30	9246-8114	132	26.40	.03
TP266XL025	16.30	9246-8115	133	26.60	.03
TP268XL025	16.30	9246-8116	134	26.80	.03
TP270XL025	16.53	9246-8148	135	27.00	.03
TP274XL025	16.53	9246-8117	137	27.40	.03
TP280XL025	17.00	9246-1122	140	28.00	.03
TP286XL025	17.00	9246-8118	143	28.60	.03
TP290XL025	17.14	9246-1123	145	29.00	.04
TP296XL025	17.14	9246-8119	148	29.60	.04
TP300XL025	17.56	9246-1124	150	30.00	.04
TP306XL025	17.56	9246-8120	153	30.60	.04
TP310XL025	17.84	9246-1125	155	31.00	.04
TP316XL025	17.84	9246-8121	158	31.60	.04
TP320XL025	18.06	9246-8122	160	32.00	.04
TP322XL025	18.06	9246-8123	161	32.20	.04
TP330XL025	18.40	9246-1126	165	33.00	.04
TP338XL025	18.40	9246-8124	169	33.80	.04

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (in.)	Wt. Ea. (Lbs.)
TP340XL025	\$18.81	9246-1128	170	34.00	.05
TP344XL025	18.81	9246-8125	172	34.40	.05
TP348XL025	18.81	9246-8126	174	34.80	.05
TP350XL025	18.81	9246-1127	175	35.00	.05
TP352XL025	19.36	9246-8146	176	35.20	.05
TP362XL025	19.92	9246-8127	181	36.20	.05
TP370XL025	20.47	9246-1129	185	37.00	.05
TP380XL025	21.02	9246-1130	190	38.00	.05
TP384XL025	21.02	9246-8128	192	38.40	.05
TP390XL025	21.58	9246-1131	195	39.00	.05
TP400XL025	22.13	9246-1132	200	40.00	.06
TP412XL025	22.68	9246-8129	206	41.20	.06
TP420XL025	23.24	9246-1133	210	42.00	.06
TP424XL025	23.24	9246-8130	212	42.40	.06
TP432XL025	23.79	9246-8131	216	43.20	.06
TP438XL025	23.79	9246-8132	219	43.80	.06
TP444XL025	24.34	9246-8133	222	44.40	.06
TP450XL025	25.60	9246-1134	225	45.00	.06
TP454XL025	25.36	9246-8134	227	45.40	.07
TP460XL025	25.92	9246-1135	230	46.00	.07
TP468XL025	25.92	9246-8135	234	46.80	.07
TP480XL025	27.07	9246-1136	240	48.00	.08
TP492XL025	27.61	9246-8136	246	49.20	.08
TP498XL025	27.61	9246-8137	249	49.80	.08
TP500XL025	28.17	9246-1137	250	50.00	.08
TP506XL025	28.17	9246-8138	253	50.60	.08
TP524XL025	29.30	9246-8139	262	52.40	.08
TP570XL025	32.12	9246-1138	285	57.00	.08
TP580XL025	32.68	9246-8140	290	58.00	.09
TP592XL025	33.25	9246-8141	296	59.20	.09
TP612XL025	34.37	9246-8142	306	61.20	.09
TP630XL025	35.50	9246-1139	315	63.00	.09
TP672XL025	37.76	9246-8143	336	67.20	.10
TP690XL025	38.88	9246-8147	345	69.00	.10
TP770XL025	43.39	9246-1140	385	77.00	.12
TP850XL025	47.90	9246-8145	425	85.00	.14





PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

1/5" Pitch (.200"/XL) — 3/8" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP126XL037	\$13.87	9246-1369	63	12.60	.02
TP128XL037	13.87	9246-1370	64	12.80	.02
TP130XL037	15.02	9246-1307	65	13.00	.02
TP132XL037	15.03	9246-1371	66	13.20	.02
TP134XL037	15.03	9246-1372	67	13.40	.02
TP136XL037	15.03	9246-1373	68	13.60	.02
TP138XL037	15.03	9246-1374	69	13.80	.02
TP140XL037	16.94	9246-1308	70	14.00	.02
TP142XL037	16.94	9246-1375	71	14.20	.02
TP144XL037	16.94	9246-1376	72	14.40	.02
TP146XL037	16.94	9246-1377	73	14.60	.02
TP148XL037	16.94	9246-1378	74	14.80	.02
TP150XL037	17.42	9246-1309	75	15.00	.02
TP152XL037	17.42	9246-1379	76	15.20	.02
TP156XL037	17.42	9246-1381	78	15.60	.02
TP158XL037	17.42	9246-1382	79	15.80	.02
TP160XL037	17.98	9246-1310	80	16.00	.02
TP162XL037	17.98	9246-1383	81	16.20	.02
TP166XL037	17.98	9246-1385	83	16.60	.02
TP168XL037	17.98	9246-1386	84	16.80	.02
TP170XL037	18.26	9246-1311	85	17.00	.03
TP172XL037	18.26	9246-1387	86	17.20	.03
TP174XL037	18.26	9246-1388	87	17.40	.03
TP176XL037	18.26	9246-1389	88	17.60	.03
TP178XL037	18.26	9246-1390	89	17.80	.03
TP180XL037	18.81	9246-1312	90	18.00	.03
TP182XL037	18.81	9246-1391	91	18.20	.03
TP184XL037	18.81	9246-1392	92	18.40	.03
TP186XL037	18.81	9246-1393	93	18.60	.03
TP188XL037	18.81	9246-1394	94	18.80	.04
TP190XL037	19.22	9246-1313	95	19.00	.04
TP192XL037	19.22	9246-1395	96	19.20	.04
TP200XL037	19.64	9246-1314	100	20.00	.04
TP202XL037	19.64	9246-1397	101	20.20	.04
TP204XL037	19.64	9246-1398	102	20.40	.04
TP206XL037	19.64	9246-1399	103	20.60	.04
TP210XL037	20.06	9246-1315	105	21.00	.04
TP212XL037	20.06	9246-8300	106	21.20	.04
TP214XL037	20.06	9246-8301	107	21.40	.04
TP218XL037	20.06	9246-8302	109	21.80	.04
TP220XL037	20.62	9246-1316	110	22.00	.04
TP222XL037	20.62	9246-8303	111	22.20	.04
TP226XL037	20.62	9246-8304	113	22.60	.04
TP228XL037	20.62	9246-8305	114	22.80	.04
TP230XL037	20.90	9246-1317	115	23.00	.04
TP232XL037	20.90	9246-8306	116	23.20	.04
TP234XL037	20.90	9246-8307	117	23.40	.05
TP236XL037	20.90	9246-8308	118	23.60	.05
TP240XL037	21.46	9246-1318	120	24.00	.05
TP244XL037	21.46	9246-8309	122	24.40	.05
TP246XL037	21.46	9246-8310	123	24.60	.05
TP250XL037	21.88	9246-1319	125	25.00	.05
TP254XL037	21.88	9246-8311	127	25.40	.05
TP258XL037	21.88	9246-8312	129	25.80	.05
TP260XL037	22.29	9246-1320	130	26.00	.05

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP262XL037	\$22.29	9246-8313	131	26.20	.05
TP264XL037	22.29	9246-8314	132	26.40	.05
TP266XL037	22.29	9246-8315	133	26.60	.05
TP268XL037	22.29	9246-8316	134	26.80	.05
TP270XL037	22.77	9246-8348	135	27.00	.05
TP274XL037	22.77	9246-8317	137	27.40	.05
TP280XL037	23.27	9246-1322	140	28.00	.05
TP286XL037	23.27	9246-8318	143	28.60	.05
TP290XL037	23.68	9246-1323	145	29.00	.06
TP296XL037	23.68	9246-8319	148	29.60	.06
TP300XL037	24.10	9246-1324	150	30.00	.06
TP306XL037	24.10	9246-8320	153	30.60	.06
TP310XL037	24.52	9246-1325	155	31.00	.06
TP316XL037	24.52	9246-8321	158	31.60	.06
TP320XL037	25.01	9246-8322	160	32.00	.06
TP322XL037	25.01	9246-8323	161	32.20	.06
TP330XL037	25.50	9246-1326	165	33.00	.06
TP338XL037	25.50	9246-8324	169	33.80	.06
TP340XL037	25.77	9246-1328	170	34.00	.06
TP344XL037	25.77	9246-8325	172	34.40	.06
TP348XL037	25.77	9246-8326	174	34.80	.06
TP350XL037	25.77	9246-1327	175	35.00	.06
TP352XL037	26.53	9246-8346	176	35.20	.06
TP362XL037	27.29	9246-8327	181	36.20	.06
TP370XL037	28.04	9246-1329	185	37.00	.07
TP380XL037	28.80	9246-1330	190	38.00	.07
TP384XL037	28.80	9246-8328	192	38.40	.07
TP390XL037	29.56	9246-1331	195	39.00	.07
TP400XL037	30.32	9246-1332	200	40.00	.08
TP412XL037	31.08	9246-8329	206	41.20	.08
TP420XL037	31.84	9246-1333	210	42.00	.08
TP424XL037	31.84	9246-8330	212	42.40	.08
TP432XL037	32.60	9246-8331	216	43.20	.08
TP438XL037	32.60	9246-8332	219	43.80	.08
TP444XL037	33.36	9246-8333	222	44.40	.09
TP450XL037	34.12	9246-1334	225	45.00	.09
TP454XL037	34.12	9246-8334	227	45.40	.09
TP460XL037	34.88	9246-1335	230	46.00	.09
TP468XL037	34.88	9246-8335	234	46.80	.09
TP480XL037	36.40	9246-1336	240	48.00	.09
TP492XL037	37.16	9246-8336	246	49.20	.10
TP498XL037	37.16	9246-8337	249	49.80	.10
TP500XL037	37.92	9246-1337	250	50.00	.10
TP506XL037	37.92	9246-8338	253	50.60	.10
TP524XL037	39.44	9246-8339	262	52.40	.11
TP570XL037	43.23	9246-1338	285	57.00	.11
TP580XL037	43.99	9246-8340	290	58.00	.12
TP592XL037	44.75	9246-8341	296	59.20	.12
TP612XL037	46.27	9246-8342	306	61.20	.12
TP630XL037	47.79	9246-1339	315	63.00	.13
TP672XL037	50.82	9246-8343	336	67.20	.13
TP690XL037	52.34	9246-8347	345	69.00	.14
TP770XL037	58.41	9246-1340	385	77.00	.15
TP850XL037	64.48	9246-8345	425	85.00	.17

TWIN POWER BELTS

Prices Subject To Change Without Notice





PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

3/8" Pitch (.375"/L) — 1/2" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP150L050	\$29.53	9246-2101	40	15.00	.06
TP154L050	29.53	9246-2127	41	15.38	.06
TP158L050	29.53	9246-2128	42	15.75	.06
TP165L050	30.53	9246-2121	44	16.50	.06
TP173L050	31.36	9246-2129	46	17.25	.06
TP176L050	31.36	9246-7133	47	17.63	.06
TP187L050	32.19	9246-2102	50	18.75	.06
TP195L050	33.36	9246-2122	52	19.50	.07
TP199L050	33.36	9246-7134	53	19.88	.07
TP210L050	34.97	9246-2103	56	21.00	.07
TP218L050	34.97	9246-7136	58	21.75	.07
TP225L050	35.95	9246-2104	60	22.50	.07
TP240L050	37.76	9246-2105	64	24.00	.08
TP248L050	37.76	9246-7137	66	24.75	.08
TP255L050	38.60	9246-2106	68	25.50	.08
TP263L050	39.50	9246-7138	70	26.25	.09
TP270L050	40.40	9246-2107	72	27.00	.09
TP285L050	41.38	9246-2108	76	28.50	.09
TP300L050	43.19	9246-2109	80	30.00	.10

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP315L050	\$44.10	9246-2123	84	31.50	.10
TP322L050	45.00	9246-2110	86	32.25	.10
TP345L050	46.81	9246-2111	92	34.50	.11
TP367L050	48.49	9246-2112	98	36.75	.12
TP375L050	49.88	9246-7139	100	37.50	.12
TP390L050	51.27	9246-2113	104	39.00	.13
TP420L050	53.92	9246-2114	112	42.00	.14
TP446L050	55.44	9246-7140	119	44.63	.15
TP450L050	56.70	9246-2115	120	45.00	.15
TP480L050	59.50	9246-2116	128	48.00	.16
TP510L050	61.30	9246-2117	136	51.00	.17
TP540L050	64.09	9246-2118	144	54.00	.18
TP566L050	66.46	9246-7141	151	56.63	.19
TP600L050	70.35	9246-2119	160	60.00	.20
TP660L050	75.79	9246-2120	176	66.00	.22
TP720L050	82.68	9246-7145	192	72.00	.24
TP817L050	89.07	9246-2125	218	81.75	.27
TP900L050	89.13	9246-2126	240	90.00	.30
TP945L050	103.34	9246-7148	252	94.50	.33

3/8" Pitch (.375"/L) — 3/4" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP150L075	\$42.22	9246-2201	40	15.00	.08
TP154L075	42.22	9246-2227	41	15.38	.08
TP158L075	42.22	9246-2228	42	15.75	.08
TP165L075	43.84	9246-2221	44	16.50	.08
TP173L075	45.12	9246-2229	46	17.25	.08
TP176L075	45.12	9246-7223	47	17.63	.08
TP187L075	46.39	9246-2202	50	18.75	.08
TP195L075	48.07	9246-2222	52	19.50	.10
TP199L075	48.07	9246-7234	53	19.88	.10
TP210L075	50.57	9246-2203	56	21.00	.10
TP218L075	50.57	9246-7236	58	21.75	.10
TP225L075	51.97	9246-2204	60	22.50	.10
TP240L075	54.76	9246-2205	64	24.00	.12
TP248L075	54.76	9246-7237	66	24.75	.12
TP255L075	56.15	9246-2206	68	25.50	.12
TP263L075	57.55	9246-7238	70	26.25	.13
TP270L075	58.94	9246-2207	72	27.00	.13
TP285L075	60.46	9246-2208	76	28.50	.13
TP300L075	63.12	9246-2209	80	30.00	.14

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP315L075	\$64.58	9246-2223	84	31.50	.15
TP322L075	66.04	9246-2210	86	32.25	.16
TP345L075	68.83	9246-2211	92	34.50	.17
TP367L075	71.61	9246-2212	98	36.75	.17
TP375L075	73.70	9246-7239	100	37.50	.17
TP390L075	75.79	9246-2213	104	39.00	.18
TP420L075	79.98	9246-2214	112	42.00	.20
TP446L075	82.42	9246-7240	119	44.63	.20
TP450L075	84.29	9246-2215	120	45.00	.21
TP480L075	88.47	9246-2216	128	48.00	.22
TP510L075	91.25	9246-2217	136	51.00	.26
TP540L075	96.83	9246-2218	144	54.00	.26
TP566L075	100.42	9246-7241	151	56.63	.27
TP600L075	105.33	9246-2219	160	60.00	.30
TP660L075	113.69	9246-2220	176	66.00	.33
TP720L075	124.03	9246-7245	192	72.00	.36
TP817L075	134.01	9246-2225	218	81.75	.41
TP900L075	148.90	9246-2226	240	90.00	.45
TP945L075	155.51	9246-7248	252	94.50	.47

TWIN POWER BELTS

Prices Subject To Change Without Notice





PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

3/8" Pitch (.375"/L) — 1" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP150L100	\$54.34	9246-2301	40	15.00	.11
TP154L100	54.34	9246-2327	41	15.38	.11
TP158L100	54.34	9246-2328	42	15.75	.11
TP165L100	56.51	9246-2321	44	16.50	.12
TP173L100	58.28	9246-2329	46	17.25	.12
TP176L100	58.28	9246-7333	47	17.63	.12
TP187L100	60.04	9246-2302	50	18.75	.12
TP195L100	62.26	9246-2322	52	19.50	.13
TP199L100	62.26	9246-7334	53	19.88	.13
TP210L100	65.62	9246-2303	56	21.00	.13
TP218L100	65.62	9246-7336	58	21.75	.13
TP225L100	67.51	9246-2304	60	22.50	.14
TP240L100	71.33	9246-2305	64	24.00	.16
TP248L100	71.33	9246-7337	66	24.75	.17
TP255L100	73.23	9246-2306	68	25.50	.17
TP263L100	75.07	9246-7338	70	26.25	.17
TP270L100	76.91	9246-2307	72	27.00	.17
TP285L100	78.80	9246-2308	76	28.50	.18
TP300L100	82.62	9246-2309	80	30.00	.20

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP315L100	\$84.50	9246-2323	84	31.50	.21
TP322L100	86.38	9246-2310	86	32.25	.21
TP345L100	90.09	9246-2311	92	34.50	.22
TP367L100	93.85	9246-2312	98	36.75	.23
TP375L100	96.64	9246-7339	100	37.50	.24
TP390L100	99.42	9246-2313	104	39.00	.25
TP420L100	105.14	9246-2314	112	42.00	.27
TP446L100	107.93	9246-7340	119	44.63	.28
TP450L100	110.71	9246-2315	120	45.00	.29
TP480L100	116.42	9246-2316	128	48.00	.31
TP510L100	120.24	9246-2317	136	51.00	.34
TP540L100	127.71	9246-2318	144	54.00	.34
TP566L100	131.02	9246-7341	151	56.63	.36
TP600L100	139.00	9246-2319	160	60.00	.40
TP660L100	150.27	9246-2320	176	66.00	.44
TP720L100	163.88	9246-7345	192	72.00	.48
TP817L100	177.49	9246-2325	218	81.75	.55
TP900L100	197.21	9246-2326	240	90.00	.61
TP945L100	205.97	9246-7348	252	94.50	.65

1/2" Pitch (.500"/H) — 3/4" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP210H075	\$49.61	9246-3125	42	21.00	.15
TP220H075	51.97	9246-3126	44	22.00	.16
TP225H075	51.97	9246-3145	45	22.50	.17
TP230H075	54.33	9246-3127	46	23.00	.17
TP240H075	56.70	9246-3100	48	24.00	.18
TP270H075	61.02	9246-3101	54	27.00	.20
TP300H075	65.34	9246-3102	60	30.00	.22
TP310H075	67.52	9246-3103	62	31.00	.23
TP315H075	67.52	9246-3147	63	31.50	.23
TP320H075	68.67	9246-3128	64	32.00	.24
TP330H075	69.81	9246-3124	66	33.00	.24
TP340H075	71.47	9246-3129	68	34.00	.25
TP350H075	73.12	9246-3130	70	35.00	.25
TP360H075	74.12	9246-3104	72	36.00	.26
TP370H075	76.16	9246-3131	74	37.00	.27
TP390H075	78.44	9246-3105	78	39.00	.29
TP400H075	80.38	9246-3132	80	40.00	.30
TP410H075	81.57	9246-3133	82	41.00	.30
TP415H075	81.57	9246-3148	83	41.50	.31
TP420H075	82.76	9246-3106	84	42.00	.31
TP445H075	85.28	9246-3149	89	44.50	.31
TP450H075	87.22	9246-3107	90	45.00	.32
TP455H075	87.22	9246-8150	91	45.50	.32
TP465H075	88.41	9246-8151	93	46.50	.33
TP480H075	91.53	9246-3108	96	48.00	.33

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP490H075	\$93.44	9246-3134	98	49.00	.34
TP495H075	93.44	9246-8152	99	49.50	.34
TP510H075	94.46	9246-3109	102	51.00	.35
TP525H075	96.31	9246-8153	105	52.50	.36
TP540H075	100.18	9246-3110	108	54.00	.37
TP555H075	102.04	9246-8154	111	55.50	.38
TP560H075	102.57	9246-3135	112	56.00	.39
TP570H075	103.10	9246-3111	114	57.00	.42
TP585H075	104.91	9246-3136	117	58.50	.42
TP600H075	108.95	9246-3112	120	60.00	.43
TP605H075	108.95	9246-8155	121	60.50	.43
TP630H075	111.87	9246-3113	126	63.00	.44
TP645H075	113.65	9246-3137	129	64.50	.44
TP655H075	115.82	9246-8156	131	65.50	.45
TP660H075	117.60	9246-3114	132	66.00	.48
TP700H075	123.44	9246-3115	140	70.00	.51
TP730H075	128.73	9246-3138	146	73.00	.54
TP750H075	129.29	9246-3116	150	75.00	.55
TP775H075	132.74	9246-8158	155	77.50	.55
TP780H075	134.49	9246-3139	156	78.00	.57
TP800H075	137.94	9246-3117	160	80.00	.59
TP820H075	141.39	9246-3140	164	82.00	.60
TP840H075	142.09	9246-3141	168	84.00	.61
TP850H075	143.78	9246-3118	170	85.00	.62
TP900H075	152.43	9246-3119	180	90.00	.66

TWIN POWER BELTS

Prices Subject To Change Without Notice





PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

1/2" Pitch (.500"/H) — 3/4" Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (in.)	Wt. Ea. (Lbs.)
TP960H075	\$161.42	9246-3142	192	96.00	.70
TP1000H075	167.05	9246-3120	200	100.00	.73
TP1100H075	181.54	9246-3121	220	110.00	.81
TP1140H075	188.14	9246-3143	228	114.00	.83
TP1180H075	194.74	9246-8161	236	118.00	.86
TP1250H075	203.42	9246-3122	250	125.00	.91
TP1400H075	225.15	9246-3123	280	140.00	1.02
TP1510H075	242.84	9246-8165	302	151.00	1.09

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (in.)	Wt. Ea. (Lbs.)
TP1550H075	\$249.27	9246-3144	310	155.00	1.13
TP1645H075	259.35	9246-8166	329	164.50	1.18
TP1680H075	264.87	9246-8167	336	168.00	1.21
TP1700H075	268.02	9246-3146	340	170.00	1.23
TP2090H075	329.51	9246-8168	418	209.00	1.52
TP2100H075	331.09	9246-8169	420	210.00	1.53
TP2120H075	334.24	9246-8170	424	212.00	1.54
TP2330H075	367.35	9246-8171	466	233.00	1.68

1/2" Pitch (.500"/H) — 1" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (in.)	Wt. Ea. (Lbs.)
TP210H100	\$64.01	9246-3225	42	21.00	.22
TP220H100	67.06	9246-3226	44	22.00	.23
TP225H100	67.06	9246-3245	45	22.50	.24
TP230H100	70.11	9246-3227	46	23.00	.25
TP240H100	73.15	9246-3200	48	24.00	.25
TP270H100	78.86	9246-3201	54	27.00	.27
TP300H100	84.71	9246-3202	60	30.00	.30
TP315H100	87.57	9246-3247	63	31.50	.31
TP320H100	89.00	9246-3228	64	32.00	.32
TP330H100	90.43	9246-3224	66	33.00	.33
TP340H100	92.24	9246-3229	68	34.00	.34
TP350H100	94.05	9246-3230	70	35.00	.34
TP360H100	96.28	9246-3204	72	36.00	.36
TP370H100	98.95	9246-3231	74	37.00	.37
TP390H100	101.98	9246-3205	78	39.00	.39
TP400H100	103.65	9246-3232	80	40.00	.40
TP410H100	105.75	9246-3233	82	41.00	.41
TP415H100	105.75	9246-3248	83	41.50	.42
TP420H100	107.84	9246-3206	84	42.00	.42
TP445H100	112.98	9246-3249	89	44.50	.45
TP450H100	113.55	9246-3207	90	45.00	.46
TP455H100	113.55	9246-8250	91	45.50	.46
TP465H100	115.22	9246-8251	93	46.50	.47
TP480H100	119.40	9246-3208	96	48.00	.48
TP490H100	121.89	9246-3234	98	49.00	.50
TP495H100	121.89	9246-8252	99	49.50	.50
TP510H100	123.30	9246-3209	102	51.00	.51
TP525H100	125.72	9246-8253	105	52.50	.52
TP540H100	130.97	9246-3210	108	54.00	.53
TP555H100	131.74	9246-8254	111	55.50	.55
TP560H100	132.50	9246-3235	112	56.00	.56
TP570H100	134.87	9246-3211	114	57.00	.57
TP585H100	137.24	9246-3236	117	58.50	.59

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (in.)	Wt. Ea. (Lbs.)
TP600H100	\$142.53	9246-3212	120	60.00	.60
TP605H100	142.53	9246-8255	121	60.50	.61
TP630H100	146.43	9246-3213	126	63.00	.62
TP645H100	148.75	9246-3237	129	64.50	.64
TP655H100	151.42	9246-8256	131	65.50	.65
TP660H100	154.09	9246-3214	132	66.00	.66
TP700H100	161.76	9246-3215	140	70.00	.70
TP730H100	165.05	9246-3238	146	73.00	.73
TP750H100	169.57	9246-3216	150	75.00	.75
TP775H100	174.09	9246-8258	155	77.50	.77
TP780H100	176.35	9246-3239	156	78.00	.78
TP800H100	181.12	9246-3217	160	80.00	.79
TP820H100	185.62	9246-3240	164	82.00	.82
TP840H100	186.86	9246-3241	168	84.00	.84
TP850H100	188.09	9246-3218	170	85.00	.85
TP900H100	200.36	9246-3219	180	90.00	.90
TP960H100	212.18	9246-3242	192	96.00	.96
TP1000H100	219.58	9246-3220	200	100.00	1.00
TP1100H100	238.80	9246-3221	220	110.00	1.09
TP1140H100	247.48	9246-3243	228	114.00	1.10
TP1180H100	256.16	9246-8261	236	118.00	1.12
TP1250H100	276.14	9246-3222	250	125.00	1.25
TP1400H100	296.62	9246-3223	280	140.00	1.39
TP1510H100	316.65	9246-8265	302	151.00	1.50
TP1550H100	325.04	9246-3244	310	155.00	1.54
TP1645H100	343.91	9246-8266	329	164.50	1.63
TP1680H100	352.30	9246-8267	336	168.00	1.67
TP1700H100	353.46	9246-3246	340	170.00	1.69
TP2090H100	434.55	9246-8268	418	209.00	2.08
TP2100H100	436.63	9246-8269	420	210.00	2.09
TP2120H100	440.79	9246-8270	424	212.00	2.11
TP2330H100	484.45	9246-8271	466	233.00	2.32

TWIN POWER BELTS

Prices Subject To Change Without Notice





PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

1/2" Pitch (.500"/H) — 1 1/2" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP210H150	\$92.53	9246-3325	42	21.00	.33
TP220H150	96.94	9246-3326	44	22.00	.35
TP225H150	96.94	9246-3345	45	22.50	.36
TP230H150	101.35	9246-3327	46	23.00	.37
TP240H150	105.75	9246-3300	48	24.00	.38
TP270H150	114.53	9246-3301	54	27.00	.40
TP300H150	123.16	9246-3302	60	30.00	.46
TP310H150	127.27	9246-3303	62	31.00	.48
TP315H150	127.27	9246-3347	63	31.50	.49
TP320H150	129.54	9246-3328	64	32.00	.50
TP330H150	131.81	9246-3324	66	33.00	.52
TP340H150	134.48	9246-3329	68	34.00	.54
TP350H150	137.14	9246-3330	70	35.00	.56
TP360H150	140.44	9246-3304	72	36.00	.59
TP370H150	144.34	9246-3331	74	37.00	.59
TP390H150	149.07	9246-3305	78	39.00	.59
TP400H150	151.61	9246-3332	80	40.00	.61
TP410H150	154.67	9246-3333	82	41.00	.62
TP415H150	154.67	9246-3348	83	41.50	.63
TP420H150	157.72	9246-3306	84	42.00	.64
TP445H150	162.65	9246-3349	89	44.50	.67
TP450H150	166.35	9246-3307	90	45.00	.68
TP455H150	166.35	9246-8350	91	45.50	.69
TP465H150	168.83	9246-8351	93	46.50	.71
TP480H150	174.99	9246-3308	96	48.00	.73
TP490H150	178.64	9246-3334	98	49.00	.74
TP495H150	178.64	9246-8352	99	49.50	.75
TP510H150	180.84	9246-3309	102	51.00	.77
TP525H150	184.39	9246-8353	105	52.50	.80
TP540H150	192.41	9246-3310	108	54.00	.82
TP555H150	193.53	9246-8354	111	55.50	.84
TP560H150	194.64	9246-3335	112	56.00	.85
TP570H150	198.12	9246-3311	114	57.00	.86

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP585H150	\$202.70	9246-3336	117	58.50	.89
TP600H150	209.69	9246-3312	120	60.00	.91
TP605H150	209.69	9246-8355	121	60.50	.92
TP630H150	215.40	9246-3313	126	63.00	.95
TP645H150	218.82	9246-3337	129	64.50	.97
TP655H150	222.24	9246-8356	131	65.50	.99
TP660H150	226.97	9246-3314	132	66.00	1.00
TP700H150	238.52	9246-3315	140	70.00	1.05
TP730H150	243.42	9246-3338	146	73.00	1.09
TP750H150	250.09	9246-3316	150	75.00	1.13
TP775H150	256.68	9246-8358	155	77.50	1.17
TP780H150	260.01	9246-3339	156	78.00	1.18
TP800H150	261.66	9246-3317	160	80.00	1.21
TP820H150	268.66	9246-3340	164	82.00	1.25
TP840H150	275.66	9246-3341	168	84.00	1.27
TP850H150	278.94	9246-3318	170	85.00	1.29
TP900H150	296.21	9246-3319	180	90.00	1.35
TP960H150	313.90	9246-3342	192	96.00	1.45
TP1000H150	325.05	9246-3320	200	100.00	1.51
TP1100H150	353.89	9246-3321	220	110.00	1.65
TP1140H150	366.76	9246-3343	228	114.00	1.71
TP1180H150	379.63	9246-8361	236	118.00	1.77
TP1250H150	397.22	9246-3322	250	125.00	1.89
TP1400H150	440.40	9246-3323	280	140.00	2.11
TP1510H150	470.48	9246-8365	302	151.00	2.28
TP1550H150	482.94	9246-3344	310	155.00	2.34
TP1645H150	506.93	9246-8366	329	164.50	2.48
TP1680H150	519.29	9246-8367	336	168.00	2.53
TP1700H150	525.47	9246-3346	340	170.00	2.56
TP2090H150	646.02	9246-8368	418	209.00	3.15
TP2100H150	649.11	9246-8369	420	210.00	3.17
TP2120H150	655.29	9246-8370	424	212.00	3.20
TP2330H150	720.20	9246-8371	466	233.00	3.52

Prices Subject To Change Without Notice





PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

1/2" Pitch (.500"/H) — 2" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP210H200	\$121.19	9246-3425	42	21.00	.43
TP220H200	126.96	9246-3426	44	22.00	.45
TP225H200	126.96	9246-3445	45	22.50	.46
TP230H200	132.73	9246-3427	46	23.00	.47
TP240H200	138.50	9246-3400	48	24.00	.49
TP270H200	149.91	9246-3401	54	27.00	.57
TP300H200	161.48	9246-3402	60	30.00	.61
TP310H200	166.86	9246-3403	62	31.00	.63
TP315H200	166.86	9246-3447	63	31.50	.64
TP320H200	169.96	9246-3428	64	32.00	.66
TP330H200	173.05	9246-3424	66	33.00	.68
TP340H200	176.63	9246-3429	68	34.00	.69
TP350H200	180.21	9246-3430	70	35.00	.70
TP360H200	184.61	9246-3404	72	36.00	.73
TP370H200	189.74	9246-3431	74	37.00	.75
TP390H200	196.03	9246-3405	78	39.00	.79
TP400H200	199.40	9246-3432	80	40.00	.80
TP410H200	203.50	9246-3433	82	41.00	.83
TP415H200	203.50	9246-3448	83	41.50	.84
TP420H200	207.59	9246-3406	84	42.00	.85
TP445H200	214.29	9246-3449	89	44.50	.90
TP450H200	219.16	9246-3407	90	45.00	.91
TP455H200	219.16	9246-8450	91	45.50	.92
TP465H200	222.46	9246-8451	93	46.50	.94
TP480H200	230.59	9246-3408	96	48.00	.98
TP490H200	234.49	9246-3434	98	49.00	.99
TP495H200	234.49	9246-8452	99	49.50	1.00
TP510H200	238.38	9246-3409	102	51.00	1.03
TP525H200	243.05	9246-8453	105	52.50	1.06
TP540H200	253.71	9246-3410	108	54.00	1.09
TP555H200	257.55	9246-8454	111	55.50	1.12
TP560H200	259.47	9246-3435	112	56.00	1.13
TP570H200	261.38	9246-3411	114	57.00	1.16

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP585H200	\$269.04	9246-3436	117	58.50	1.18
TP600H200	276.70	9246-3412	120	60.00	1.21
TP605H200	276.70	9246-8455	121	60.50	1.22
TP630H200	284.36	9246-3413	126	63.00	1.27
TP645H200	288.87	9246-3437	129	64.50	1.29
TP655H200	294.36	9246-8456	131	65.50	1.32
TP660H200	299.84	9246-3414	132	66.00	1.33
TP700H200	315.16	9246-3415	140	70.00	1.42
TP730H200	322.83	9246-3438	146	73.00	1.47
TP750H200	330.49	9246-3416	150	75.00	1.51
TP775H200	342.05	9246-8458	155	77.50	1.56
TP780H200	346.49	9246-3439	156	78.00	1.57
TP800H200	353.61	9246-3417	160	80.00	1.61
TP820H200	361.27	9246-3440	164	82.00	1.65
TP840H200	364.59	9246-3441	168	84.00	1.69
TP850H200	368.93	9246-3418	170	85.00	1.72
TP900H200	391.93	9246-3419	180	90.00	1.82
TP960H200	415.48	9246-3442	192	96.00	1.94
TP1000H200	430.37	9246-3420	200	100.00	2.02
TP1100H200	468.83	9246-3421	220	110.00	2.22
TP1140H200	483.22	9246-3443	228	114.00	2.30
TP1180H200	497.60	9246-8461	236	118.00	2.38
TP1250H200	526.37	9246-3422	250	125.00	2.52
TP1400H200	584.06	9246-3423	280	140.00	2.82
TP1510H200	624.19	9246-8465	302	151.00	3.04
TP1550H200	640.72	9246-3444	310	155.00	3.12
TP1645H200	677.92	9246-8466	329	164.50	3.31
TP1680H200	694.45	9246-8467	336	168.00	3.38
TP1700H200	697.37	9246-3446	340	170.00	3.42
TP2090H200	857.35	9246-8468	418	209.00	4.20
TP2100H200	861.45	9246-8469	420	210.00	4.22
TP2120H200	869.65	9246-8470	424	212.00	4.26
TP2330H200	955.79	9246-8471	466	233.00	4.68





PowerGrip® Twin Power® Timing Belts

Product No. Series 9246 (continued)

1/2" Pitch (.500"/H) — 3" Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP210H300	\$178.36	9246-3525	42	21.00	.66
TP220H300	186.85	9246-3526	44	22.00	.69
TP225H300	186.85	9246-3545	45	22.50	.71
TP230H300	195.34	9246-3527	46	23.00	.73
TP240H300	203.84	9246-3500	48	24.00	.75
TP270H300	221.11	9246-3501	54	27.00	.82
TP300H300	238.38	9246-3502	60	30.00	.91
TP310H300	244.04	9246-3503	62	31.00	.94
TP315H300	244.04	9246-3547	63	31.50	.95
TP320H300	249.70	9246-3528	64	32.00	.96
TP330H300	255.66	9246-3524	66	33.00	.98
TP340H300	261.02	9246-3529	68	34.00	1.01
TP350H300	266.37	9246-3530	70	35.00	1.04
TP360H300	272.94	9246-3504	72	36.00	1.09
TP370H300	280.52	9246-3531	74	37.00	1.14
TP390H300	290.21	9246-3505	78	39.00	1.18
TP400H300	295.13	9246-3532	80	40.00	1.23
TP410H300	301.31	9246-3533	82	41.00	1.25
TP415H300	301.31	9246-3548	83	41.50	1.26
TP420H300	307.49	9246-3506	84	42.00	1.27
TP445H300	319.69	9246-3549	89	44.50	1.36
TP450H300	324.63	9246-3507	90	45.00	1.37
TP455H300	324.63	9246-8550	91	45.50	1.39
TP465H300	329.68	9246-8551	93	46.50	1.42
TP480H300	341.90	9246-3508	96	48.00	1.46
TP490H300	347.69	9246-3534	98	49.00	1.48
TP495H300	347.69	9246-8552	99	49.50	1.49
TP510H300	353.47	9246-3509	102	51.00	1.55
TP525H300	364.97	9246-8553	105	52.50	1.60
TP540H300	376.46	9246-3510	108	54.00	1.64
TP555H300	382.22	9246-8554	111	55.50	1.68
TP560H300	385.13	9246-3535	112	56.00	1.70
TP570H300	388.03	9246-3511	114	57.00	1.73

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (In.)	Wt. Ea. (Lbs.)
TP585H300	\$399.52	9246-3536	117	58.50	1.77
TP600H300	411.01	9246-3512	120	60.00	1.82
TP605H300	411.01	9246-8555	121	60.50	1.84
TP630H300	422.58	9246-3513	126	63.00	1.91
TP645H300	429.29	9246-3537	129	64.50	1.95
TP655H300	438.82	9246-8556	131	65.50	1.97
TP660H300	445.57	9246-3514	132	66.00	2.00
TP700H300	468.55	9246-3515	140	70.00	2.13
TP730H300	480.05	9246-3538	146	73.00	2.23
TP750H300	491.55	9246-3516	150	75.00	2.28
TP775H300	504.66	9246-8558	155	77.50	2.36
TP780H300	512.94	9246-3539	156	78.00	2.38
TP800H300	526.09	9246-3517	160	80.00	2.43
TP820H300	539.25	9246-3540	164	82.00	2.49
TP840H300	542.63	9246-3541	168	84.00	2.54
TP850H300	549.09	9246-3518	170	85.00	2.59
TP900H300	583.64	9246-3519	180	90.00	2.73
TP960H300	618.86	9246-3542	192	96.00	2.94
TP1000H300	641.18	9246-3520	200	100.00	3.06
TP1100H300	698.72	9246-3521	220	110.00	3.34
TP1140H300	724.13	9246-3543	228	114.00	3.45
TP1180H300	749.54	9246-8561	236	118.00	3.63
TP1250H300	785.11	9246-3522	250	125.00	3.80
TP1400H300	871.35	9246-3523	280	140.00	4.25
TP1510H300	931.56	9246-8565	302	151.00	4.59
TP1550H300	956.24	9246-3544	310	155.00	4.71
TP1645H300	1011.76	9246-8566	329	164.50	5.00
TP1680H300	1036.44	9246-8567	336	168.00	5.11
TP1700H300	1041.12	9246-3546	340	170.00	5.16
TP2090H300	1279.97	9246-8568	418	209.00	6.34
TP2100H300	1286.09	9246-8569	420	210.00	6.37
TP2120H300	1298.34	9246-8570	424	212.00	6.43
TP2330H300	1426.95	9246-8571	466	233.00	7.07

Prices Subject To Change Without Notice





Long-Length Poly Chain® GT®2 Belting


An innovative construction combined with the Gates tooth profile makes Poly Chain GT2 belting Gates most powerful synchronous belting. Compact and lightweight, Poly Chain GT2 belt drives deliver more power in less space.

Markets/Applications

Long length Poly Chain GT2 belting is a cost effective, low maintenance drive alternative that is well suited for linear movement, positioning and conveying applications.

Features/Advantages

- Gates **patented curvilinear tooth profile** provides excellent positioning characteristics, noise reduction, high shear strength, and improved load carrying capacity.
- Robust **aramid tensile cord** combines minimal stretch with extraordinary strength and load carrying capacity, while absorbing shock and surge loads.
- Durable **polyurethane construction** resists chemicals, oil, pollutants, and abrasion.
- **Nylon tooth facing** reduces friction and eliminates the need for lubrication.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor as compared to roller chain drives.
- Fully operational in temperature extremes of -65° F to +185° F (-54° C to +85° C).



Recommended Sprockets

Poly Chain GT2 Sprockets.

Notes

Minimum order length for Poly Chain GT2 belting is 50 feet, ordered in 50 foot increments thereafter. Continuous lengths, if needed, must be specified when ordering, and must be ordered in increments of the minimum order quantity. Continuous lengths may require lead times.

Poly Chain GT2 belting can be used on existing drives as replacement for Poly Chain GT belting.

Minimum order quantities may vary for non-standard widths. Check with Customer Service.

Product No. Series 9305

Long-Length Poly Chain GT2 Belting

8mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL8MGT012	\$17.35	9305-1000	12	.05	50 ft.	900 ft.
LL8MGT021	31.29	9305-1100	21	.06	50 ft.	504 ft.
LL8MGT036	54.93	9305-1200	36	.11	50 ft.	298 ft.

14mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL14MGT020	\$35.65	9305-1300	20	.10	50 ft.	522 ft.
LL14MGT037	68.18	9305-1400	37	.17	50 ft.	298 ft.



Long-Length PowerGrip® GT®2 Belting


Long length PowerGrip GT2 belting is a cost effective, low maintenance drive alternative.

Markets/Applications

Well suited for linear movement, positioning and conveying applications.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation. Steel tensile cord is available in some belt types for added length stability.
- **Neoprene body** provides protection against grime, grease, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- The PowerGrip GT2 **belt tooth** is designed for use with a specific sprocket groove profile. The sprocket groove-belt tooth combination increases capacity, while improving registration.
- PowerGrip GT2 tooth profile has more tooth ratchet resistance than HTD®.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor as compared to roller chain drives. PowerGrip GT2 belt/sprocket combinations match or exceed the positional accuracy of PowerGrip Timing belt/pulley systems.
- Fully operational in temperature extremes of -65° F to +185° F (-54° C to +85° C).



Recommended Sprockets

PowerGrip GT2 Sprockets

Notes

Minimum order lengths for fiberglass tensile cord belting is 50 feet, ordered in 50 foot increments thereafter.

Minimum order lengths for steel tensile cord belting is 98 feet, ordered in 98 foot increments thereafter.

Continuous lengths, if needed, must be specified when ordering, and must be ordered in increments of the minimum quantity (unless ordering the maximum continuous length).

Minimum order quantities may vary for non-standard widths. Continuous lengths may require lead times. Check with Customer Service.

Product No. Series 9396

Long-Length PowerGrip GT2 Belting

2mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL2MR04	\$1.86	9396-0033	4	.01	50 ft.	300 ft.
LL2MR06	3.44	9396-0009	6	.01	50 ft.	300 ft.
LL2MR09	3.52	9396-0052	9	.02	50 ft.	300 ft.

5mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL5MR09	\$5.58	9396-0020	9	.03	50 ft.	360 ft.
LL5MR15	9.00	9396-0025	15	.05	50 ft.	230 ft.

3mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL3MR06	\$3.53	9396-0002	6	.02	50 ft.	600 ft.
LL3MR09	5.08	9396-0012	9	.02	50 ft.	385 ft.
LL3MR15	8.19	9396-0021	15	.04	50 ft.	240 ft.

8mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL8MR20	\$12.23	9396-0029	20	.08	50 ft.	300 ft.
LL8MR30	18.35	9396-0030	30	.13	50 ft.	300 ft.
LL8MR50	30.58	9396-0031	50	.21	50 ft.	300 ft.
LL8MR85	51.98	9396-0032	85	.36	50 ft.	300 ft.

Long-Length PowerGrip GT2 Belting—Steel Tensile

5mm Pitch Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL5MR15ST	\$12.69	9396-10043	15	.18	98 ft.	392 ft.
LL5MR25ST	19.97	9396-40417	25	.23	98 ft.	392 ft.

8mm Pitch Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL8MR20 ST	\$28.02	9396-10049	20	.29	98 ft.	392 ft.
LL8MR30 ST	33.76	9396-10050	30	.37	98 ft.	392 ft.
LL8MR50 ST	55.05	9396-40433	50	.53	98 ft.	392 ft.

Prices Subject To Change Without Notice





Long-Length PowerGrip® HTD® Belting


PowerGrip HTD belting has a larger, more robust tooth profile for increased capacity, as compared to timing belts.

Markets/Applications

Long length PowerGrip HTD belting is a cost effective, low maintenance drive alternative that is well suited for linear movement, positioning and conveying applications.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation. Steel tensile cord is available in some belt types for added length stability.
- **Neoprene body** provides protection against grease, grime, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life. Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drives.



Recommended Sprockets

PowerGrip HTD Sprockets

Notes

Minimum order lengths for fiberglass tensile cord belting is 50 feet, ordered in 50 foot increments thereafter.

Minimum order lengths for steel tensile cord belting and 14mm HTD is 98 feet, ordered in 98 foot increments thereafter.

Continuous lengths, if needed, must be specified when ordering, and must be ordered in increments of the minimum order quantity (unless ordering the maximum continuous length).

Continuous lengths may require lead time.

Minimum order quantities may vary for non-standard widths. Check with Customer Service.

Product No. Series 9308

Long-Length PowerGrip HTD Belting

3mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL3M06	\$2.50	9308-0044	6	.01	50 ft.	300 ft.
LL3M09	3.36	9308-0003	9	.01	50 ft.	300 ft.
LL3M15	5.60	9308-0084	15	.01	50 ft.	185 ft.

14mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL14M40	\$65.31	9308-10009	40	.26	98 ft.	392 ft.
LL14M55	85.61	9308-10020	55	.35	98 ft.	392 ft.
LL14M85	119.37	9308-10057	85	.55	98 ft.	392 ft.

5mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL5M09	\$3.71	9308-0045	9	.01	50 ft.	300 ft.
LL5M15	8.60	9308-0033	15	.01	50 ft.	185 ft.
LL5M25	14.34	9308-0025	25	.05	50 ft.	100 ft.

Long-Length PowerGrip HTD Belting-Steel Tensile 14mm Pitch Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL14M40ST	\$71.38	9308-10016	40	.76	98 ft.	392 ft.
LL14M55ST	97.85	9308-10051	55	1.02	98 ft.	392 ft.
LL14M85ST	161.07	9308-10084	85	1.51	98 ft.	392 ft.

8mm Pitch

Part No.	Sugg. List Price/Ft.	Product No.	Width (mm)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL8M20	\$10.32	9308-0001	20	.08	50 ft.	300 ft.
LL8M30	15.53	9308-0004	30	.13	50 ft.	300 ft.
LL8M50	25.87	9308-0005	50	.21	50 ft.	300 ft.
LL8M85	43.99	9308-0006	85	.36	50 ft.	300 ft.



Long-Length PowerGrip® Timing Belting


The trapezoidal tooth profile makes this belting well suited for use in positioning applications.

Markets/Applications

Long length PowerGrip Timing belting is a cost effective, low maintenance drive alternative that is well suited for linear movement, positioning and conveying applications.

Features/Advantages

- **Fiberglass tensile cord** provides high strength, excellent flex life, and high resistance to elongation.
- **Neoprene body** provides protection against grease, grime, oil, and moisture.
- **Nylon tooth facing** provides a durable wear surface for long service life.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor required on drives.



Recommended Sprockets

PowerGrip Timing Pulleys

Notes

Minimum order lengths for fiberglass tensile cord belting is 50 feet, ordered in 50 foot increments thereafter.

Minimum order lengths for steel tensile cord belting is 98 feet, ordered in 98 foot increments thereafter.

Continuous lengths, if needed, must be specified when ordering, and must be ordered in increments of the minimum order quantity (unless ordering the maximum continuous length).

Continuous lengths may require lead time.

Minimum order quantities may vary for non-standard widths. Check with Customer Service.

Product No. Series 9314

Long-Length PowerGrip Timing Belting

MXL (.080" Pitch)

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL025MXL	\$2.42	9314-2020	1/4	.01	50 ft.	300 ft.
LL037MXL	3.34	9314-2014	3/8	.01	50 ft.	300 ft.
LL050MXL	4.85	9314-2038	1/2	.02	50 ft.	300 ft.

XL (.200" Pitch)

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL025XL	\$2.43	9314-0001	1/4	.01	50 ft.	300 ft.
LL037XL	3.34	9314-0002	3/8	.02	50 ft.	225 ft.
LL050XL	4.61	9314-2012	1/2	.03	50 ft.	150 ft.

Long-Length PowerGrip Timing Belting—Steel Tensile

H (.500 Pitch) Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL075HST	\$25.59	9314-10011	3/4	.22	98 ft.	492 ft.
LL100HST	31.71	9314-10037	1	.25	98 ft.	492 ft.

L (.375" Pitch)

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL037L	\$4.04	9314-2089	3/8	.02	50 ft.	300 ft.
LL050L	5.25	9314-0004	1/2	.02	50 ft.	300 ft.
LL075L	7.07	9314-0007	3/4	.04	50 ft.	300 ft.
LL100L	10.59	9314-0015	1	.05	50 ft.	300 ft.

H (.500" Pitch)

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Net Wt./Ft. (Lbs.)	Minimum Order Qty.	Max. Cont. Length
LL050H	\$5.60	9314-0003	1/2	.04	50 ft.	500 ft.
LL075H	8.28	9314-0006	3/4	.06	50 ft.	500 ft.
LL100H	10.89	9314-0008	1	.12	50 ft.	500 ft.
LL150H	16.19	9314-0017	1 1/2	.12	50 ft.	500 ft.
LL200H	21.59	9314-0021	2	.13	50 ft.	500 ft.
LL300H	32.13	9314-0025	3	.27	50 ft.	500 ft.

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Urethane belting can be modified in a variety of ways to suit users needs.

Markets/Applications

Synchro-Power belting is ideal for various applications such as vacuum conveyors, linear positioning, assembly conveyors, robotics, packaging conveying, glass conveyors, incline conveyors, paper transfer, wafer conveying, food and beverage and indexing.

Features/Advantages

- Modifications include molded profiles, tensile cords, lamination with various backings, and FDA and USDA constructions.
- Can be welded endless.
- Wide range of widths up to 18 inches.
- **Steel tensile cord** for length stability.
- **Polyurethane body** is abrasion, chemical and wear resistant for extended life.



Notes

Synchro-Power LL belting is a non-stocked product. Contact Customer Service for availability. Cut lengths and intermediate widths available on a made-to-order basis.

Product No. Series 7787

T5 Pitch-LL Urethane/Steel

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-100M-LLUS	\$18.55	7787-3000	10	100
T5-10-50M-LLUS	20.92	7787-3001	10	50
T5-15-100M-LLUS	27.85	7787-3002	15	100
T5-15-50M-LLUS	31.42	7787-3003	15	50
T5-20-100M-LLUS	35.59	7787-3004	20	100
T5-20-50M-LLUS	40.15	7787-3016	20	50
T5-25-100M-LLUS	40.56	7787-3006	25	100
T5-25-50M-LLUS	45.76	7787-3007	25	50
T5-32-100M-LLUS	52.00	7787-3008	32	100
T5-32-50M-LLUS	58.67	7787-3009	32	50
T5-50-100M-LLUS	77.31	7787-3010	50	100
T5-50-50M-LLUS	87.22	7787-3011	50	50
T5-75-100M-LLUS	115.96	7787-3012	75	100
T5-75-50M-LLUS	130.83	7787-3013	75	50
T5-100-100M-LLUS	154.67	7787-3014	100	100
T5-100-50M-LLUS	174.50	7787-3015	100	50

T5 Pitch-LL Urethane/Steel-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUSNT	\$21.32	7787-3018	10	60
T5-10-30M-LLUSNT	24.05	7787-3019	10	30
T5-15-60M-LLUSNT	32.01	7787-3020	15	60
T5-15-30M-LLUSNT	36.11	7787-3021	15	30
T5-20-60M-LLUSNT	40.91	7787-3022	20	60
T5-20-30M-LLUSNT	46.15	7787-3023	20	30
T5-25-60M-LLUSNT	46.68	7787-3024	25	60
T5-25-30M-LLUSNT	52.67	7787-3025	25	30
T5-32-60M-LLUSNT	59.74	7787-3026	32	60
T5-32-30M-LLUSNT	67.40	7787-3027	32	30
T5-50-60M-LLUSNT	88.92	7787-3028	50	60
T5-50-30M-LLUSNT	100.32	7787-3029	50	30
T5-75-60M-LLUSNT	133.41	7787-3030	75	60
T5-75-30M-LLUSNT	150.51	7787-3031	75	30
T5-100-60M-LLUSNT	177.84	7787-3032	100	60
T5-100-30M-LLUSNT	200.64	7787-3033	100	30

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T5 Pitch-LL Urethane/Steel-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUSNB	\$20.40	7787-3035	10	60
T5-10-30M-LLUSNB	23.01	7787-3036	10	30
T5-15-60M-LLUSNB	30.62	7787-3037	15	60
T5-15-30M-LLUSNB	34.55	7787-3038	15	30
T5-20-60M-LLUSNB	39.12	7787-3039	20	60
T5-20-30M-LLUSNB	44.13	7787-3040	20	30
T5-25-60M-LLUSNB	44.66	7787-3041	25	60
T5-25-30M-LLUSNB	50.39	7787-3042	25	30
T5-32-60M-LLUSNB	57.14	7787-3043	32	60
T5-32-30M-LLUSNB	64.47	7787-3044	32	30
T5-50-60M-LLUSNB	85.05	7787-3045	50	60
T5-50-30M-LLUSNB	95.95	7787-3046	50	30
T5-75-60M-LLUSNB	127.57	7787-3047	75	60
T5-75-30M-LLUSNB	143.93	7787-3048	75	30
T5-100-60M-LLUSNB	170.10	7787-3049	100	60
T5-100-30M-LLUSNB	191.91	7787-3050	100	30

T5 Pitch-LL Urethane/Steel-Heavy Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-100M-LLUSHB	\$23.32	7787-3087	10	100
T5-10-50M-LLUSHB	26.34	7787-3088	10	50
T5-15-100M-LLUSHB	35.01	7787-3089	15	100
T5-15-50M-LLUSHB	39.54	7787-3090	15	50
T5-20-100M-LLUSHB	44.77	7787-3091	20	100
T5-20-50M-LLUSHB	50.57	7787-3092	20	50
T5-25-100M-LLUSHB	51.05	7787-3093	25	100
T5-25-50M-LLUSHB	57.66	7787-3094	25	50
T5-32-100M-LLUSHB	65.36	7787-3095	32	100
T5-32-50M-LLUSHB	73.82	7787-3096	32	50
T5-50-100M-LLUSHB	97.28	7787-3097	50	100
T5-50-50M-LLUSHB	109.87	7787-3098	50	50
T5-75-100M-LLUSHB	145.89	7787-3099	75	100
T5-75-50M-LLUSHB	164.78	7787-3100	75	50
T5-100-100M-LLUSHB	194.56	7787-3101	100	100
T5-100-50M-LLUSHB	219.75	7787-3102	100	50

T5 Pitch-LL Urethane/Steel-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUSNTB	\$23.17	7787-3053	10	60
T5-10-30M-LLUSNTB	26.14	7787-3054	10	30
T5-15-60M-LLUSNTB	34.78	7787-3055	15	60
T5-15-30M-LLUSNTB	39.24	7787-3056	15	30
T5-20-60M-LLUSNTB	44.49	7787-3057	20	60
T5-20-30M-LLUSNTB	50.19	7787-3058	20	30
T5-25-60M-LLUSNTB	50.73	7787-3059	25	60
T5-25-30M-LLUSNTB	57.23	7787-3060	25	30
T5-32-60M-LLUSNTB	64.94	7787-3061	32	60
T5-32-30M-LLUSNTB	73.27	7787-3062	32	30
T5-50-60M-LLUSNTB	96.66	7787-3063	50	60
T5-50-30M-LLUSNTB	109.05	7787-3064	50	30
T5-75-60M-LLUSNTB	144.96	7787-3065	75	60
T5-75-30M-LLUSNTB	163.55	7787-3066	75	30
T5-100-60M-LLUSNTB	193.32	7787-3067	100	60
T5-100-30M-LLUSNTB	218.11	7787-3068	100	30

T5 Pitch-LL Urethane/Steel-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUSHBNT	\$26.17	7787-3105	10	60
T5-10-30M-LLUSHBNT	29.55	7787-3106	10	30
T5-15-60M-LLUSHBNT	39.25	7787-3107	15	60
T5-15-30M-LLUSHBNT	44.33	7787-3108	15	30
T5-20-60M-LLUSHBNT	50.12	7787-3109	20	60
T5-20-30M-LLUSHBNT	56.61	7787-3110	20	30
T5-25-60M-LLUSHBNT	57.22	7787-3111	25	60
T5-25-30M-LLUSHBNT	64.62	7787-3112	25	30
T5-32-60M-LLUSHBNT	73.21	7787-3113	32	60
T5-32-30M-LLUSHBNT	82.68	7787-3114	32	30
T5-50-60M-LLUSHBNT	108.97	7787-3115	50	60
T5-50-30M-LLUSHBNT	123.07	7787-3116	50	30
T5-75-60M-LLUSHBNT	163.40	7787-3117	75	60
T5-75-30M-LLUSHBNT	184.54	7787-3118	75	30
T5-100-60M-LLUSHBNT	217.88	7787-3119	100	60
T5-100-30M-LLUSHBNT	246.08	7787-3120	100	30

T5 Pitch-LL Urethane/Steel-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-100M-LLUSFDA	\$23.17	7787-3070	10	100
T5-10-50M-LLUSFDA	26.14	7787-3071	10	50
T5-15-100M-LLUSFDA	34.78	7787-3072	15	100
T5-15-50M-LLUSFDA	39.24	7787-3073	15	50
T5-20-100M-LLUSFDA	44.49	7787-3074	20	100
T5-20-50M-LLUSFDA	50.19	7787-3075	20	50
T5-25-100M-LLUSFDA	50.73	7787-3076	25	100
T5-25-50M-LLUSFDA	57.23	7787-3077	25	50
T5-32-100M-LLUSFDA	64.94	7787-3078	32	100
T5-32-50M-LLUSFDA	73.27	7787-3079	32	50
T5-50-100M-LLUSFDA	96.66	7787-3080	50	100
T5-50-50M-LLUSFDA	109.05	7787-3081	50	50
T5-75-100M-LLUSFDA	144.96	7787-3082	75	100
T5-75-50M-LLUSFDA	163.55	7787-3083	75	50
T5-100-100M-LLUSFDA	193.32	7787-3084	100	100
T5-100-50M-LLUSFDA	218.11	7787-3085	100	50

T5 Pitch-LL Urethane/Steel-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUSHBNB	\$25.24	7787-3123	10	60
T5-10-30M-LLUSHBNB	28.50	7787-3124	10	30
T5-15-60M-LLUSHBNB	37.80	7787-3125	15	60
T5-15-30M-LLUSHBNB	42.69	7787-3126	15	30
T5-20-60M-LLUSHBNB	48.32	7787-3127	20	60
T5-20-30M-LLUSHBNB	54.58	7787-3128	20	30
T5-25-60M-LLUSHBNB	55.18	7787-3129	25	60
T5-25-30M-LLUSHBNB	62.32	7787-3130	25	30
T5-32-60M-LLUSHBNB	70.59	7787-3131	32	60
T5-32-30M-LLUSHBNB	79.73	7787-3132	32	30
T5-50-60M-LLUSHBNB	105.07	7787-3133	50	60
T5-50-30M-LLUSHBNB	118.67	7787-3134	50	30
T5-75-60M-LLUSHBNB	157.58	7787-3135	75	60
T5-75-30M-LLUSHBNB	177.98	7787-3136	75	30
T5-100-60M-LLUSHBNB	210.15	7787-3137	100	60
T5-100-30M-LLUSHBNB	237.35	7787-3138	100	30

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T5 Pitch-LL Urethane/Steel-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUSHBNTB	\$28.03	7787-3140	10	60
T5-10-30M-LLUSHBNTB	31.65	7787-3141	10	30
T5-15-60M-LLUSHBNTB	42.04	7787-3142	15	60
T5-15-30M-LLUSHBNTB	47.48	7787-3143	15	30
T5-20-60M-LLUSHBNTB	53.67	7787-3144	20	60
T5-20-30M-LLUSHBNTB	60.62	7787-3145	20	30
T5-25-60M-LLUSHBNTB	61.29	7787-3146	25	60
T5-25-30M-LLUSHBNTB	69.22	7787-3147	25	30
T5-32-60M-LLUSHBNTB	78.44	7787-3148	32	60
T5-32-30M-LLUSHBNTB	88.59	7787-3149	32	30
T5-50-60M-LLUSHBNTB	116.70	7787-3150	50	60
T5-50-30M-LLUSHBNTB	131.81	7787-3151	50	30
T5-75-60M-LLUSHBNTB	175.08	7787-3152	75	60
T5-75-30M-LLUSHBNTB	197.74	7787-3153	75	30
T5-100-60M-LLUSHBNTB	233.46	7787-3154	100	60
T5-100-30M-LLUSHBNTB	263.68	7787-3155	100	30

T5 Pitch-LL Urethane/KEVLAR®-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUKNT	\$23.17	7787-3192	10	60
T5-10-30M-LLUKNT	25.49	7787-3193	10	30
T5-15-60M-LLUKNT	34.78	7787-3194	15	60
T5-15-30M-LLUKNT	38.26	7787-3195	15	30
T5-20-60M-LLUKNT	44.49	7787-3196	20	60
T5-20-30M-LLUKNT	48.94	7787-3197	20	30
T5-25-60M-LLUKNT	50.73	7787-3198	25	60
T5-25-30M-LLUKNT	55.80	7787-3199	25	30
T5-32-60M-LLUKNT	64.94	7787-3200	32	60
T5-32-30M-LLUKNT	71.44	7787-3201	32	30
T5-50-60M-LLUKNT	96.66	7787-3202	50	60
T5-50-30M-LLUKNT	106.33	7787-3203	50	30
T5-75-60M-LLUKNT	144.96	7787-3204	75	60
T5-75-30M-LLUKNT	159.46	7787-3205	75	30
T5-100-60M-LLUKNT	193.32	7787-3206	100	60
T5-100-30M-LLUKNT	212.66	7787-3207	100	30

T5 Pitch-LL Urethane/Steel-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-100M-LLUSHBFDA	\$27.85	7787-3158	10	100
T5-10-50M-LLUSHBFDA	31.42	7787-3159	10	50
T5-15-100M-LLUSHBFDA	41.77	7787-3160	15	100
T5-15-50M-LLUSHBFDA	47.13	7787-3161	15	50
T5-20-100M-LLUSHBFDA	53.33	7787-3162	20	100
T5-20-50M-LLUSHBFDA	60.17	7787-3163	20	50
T5-25-100M-LLUSHBFDA	60.90	7787-3164	25	100
T5-25-50M-LLUSHBFDA	68.71	7787-3165	25	50
T5-32-100M-LLUSHBFDA	77.94	7787-3166	32	100
T5-32-50M-LLUSHBFDA	87.93	7787-3167	32	50
T5-50-100M-LLUSHBFDA	115.96	7787-3168	50	100
T5-50-50M-LLUSHBFDA	130.83	7787-3169	50	50
T5-75-100M-LLUSHBFDA	173.97	7787-3170	75	100
T5-75-50M-LLUSHBFDA	196.27	7787-3171	75	50
T5-100-100M-LLUSHBFDA	231.98	7787-3172	100	100
T5-100-50M-LLUSHBFDA	261.72	7787-3173	100	50

T5 Pitch-LL Urethane/KEVLAR-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUKNB	\$22.30	7787-3210	10	60
T5-10-30M-LLUKNB	24.53	7787-3211	10	30
T5-15-60M-LLUKNB	33.40	7787-3212	15	60
T5-15-30M-LLUKNB	36.74	7787-3213	15	30
T5-20-60M-LLUKNB	42.70	7787-3214	20	60
T5-20-30M-LLUKNB	46.97	7787-3215	20	30
T5-25-60M-LLUKNB	48.71	7787-3216	25	60
T5-25-30M-LLUKNB	53.58	7787-3217	25	30
T5-32-60M-LLUKNB	62.34	7787-3218	32	60
T5-32-30M-LLUKNB	68.58	7787-3219	32	30
T5-50-60M-LLUKNB	92.79	7787-3220	50	60
T5-50-30M-LLUKNB	102.07	7787-3221	50	30
T5-75-60M-LLUKNB	139.19	7787-3222	75	60
T5-75-30M-LLUKNB	153.11	7787-3223	75	30
T5-100-60M-LLUKNB	185.58	7787-3224	100	60
T5-100-30M-LLUKNB	204.14	7787-3225	100	30

T5 Pitch-LL Urethane/KEVLAR

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-100M-LLUK	\$20.40	7787-3175	10	100
T5-10-50M-LLUK	22.44	7787-3176	10	50
T5-15-100M-LLUK	30.62	7787-3177	15	100
T5-15-50M-LLUK	33.68	7787-3178	15	50
T5-20-100M-LLUK	39.12	7787-3179	20	100
T5-20-50M-LLUK	43.03	7787-3180	20	50
T5-25-100M-LLUK	44.66	7787-3181	25	100
T5-25-50M-LLUK	49.13	7787-3182	25	50
T5-32-100M-LLUK	57.14	7787-3183	32	100
T5-32-50M-LLUK	62.86	7787-3184	32	50
T5-50-100M-LLUK	85.05	7787-3185	50	100
T5-50-50M-LLUK	93.55	7787-3186	50	50
T5-75-100M-LLUK	127.57	7787-3187	75	100
T5-75-50M-LLUK	140.33	7787-3188	75	50
T5-100-100M-LLUK	170.10	7787-3189	100	100
T5-100-50M-LLUK	187.11	7787-3190	100	50

T5 Pitch-LL Urethane/KEVLAR-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUKNTB	\$25.08	7787-3227	10	60
T5-10-30M-LLUKNTB	27.58	7787-3228	10	30
T5-15-60M-LLUKNTB	37.56	7787-3229	15	60
T5-15-30M-LLUKNTB	41.31	7787-3230	15	30
T5-20-60M-LLUKNTB	48.01	7787-3231	20	60
T5-20-30M-LLUKNTB	52.81	7787-3232	20	30
T5-25-60M-LLUKNTB	54.83	7787-3233	25	60
T5-25-30M-LLUKNTB	60.31	7787-3234	25	30
T5-32-60M-LLUKNTB	70.14	7787-3235	32	60
T5-32-30M-LLUKNTB	77.16	7787-3236	32	30
T5-50-60M-LLUKNTB	104.40	7787-3237	50	60
T5-50-30M-LLUKNTB	114.84	7787-3238	50	30
T5-75-60M-LLUKNTB	156.58	7787-3239	75	60
T5-75-30M-LLUKNTB	172.24	7787-3240	75	30
T5-100-60M-LLUKNTB	208.81	7787-3241	100	60
T5-100-30M-LLUKNTB	229.69	7787-3242	100	30

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T5 Pitch-LL Urethane/KEVLAR®-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-100M-LLUKFDA	\$25.08	7787-3245	10	100
T5-10-50M-LLUKFDA	27.58	7787-3246	10	50
T5-15-100M-LLUKFDA	37.56	7787-3247	15	100
T5-15-50M-LLUKFDA	41.31	7787-3248	15	50
T5-20-100M-LLUKFDA	48.01	7787-3249	20	100
T5-20-50M-LLUKFDA	52.81	7787-3250	20	50
T5-25-100M-LLUKFDA	54.83	7787-3251	25	100
T5-25-50M-LLUKFDA	60.31	7787-3252	25	50
T5-32-100M-LLUKFDA	70.14	7787-3253	32	100
T5-32-50M-LLUKFDA	77.16	7787-3254	32	50
T5-50-100M-LLUKFDA	104.40	7787-3255	50	100
T5-50-50M-LLUKFDA	114.84	7787-3256	50	50
T5-75-100M-LLUKFDA	156.58	7787-3257	75	100
T5-75-50M-LLUKFDA	172.24	7787-3258	75	50
T5-100-100M-LLUKFDA	208.81	7787-3259	100	100
T5-100-50M-LLUKFDA	229.69	7787-3260	100	50

T5 Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUKHBNTB	\$27.10	7787-3297	10	60
T5-10-30M-LLUKHBNTB	30.60	7787-3298	10	30
T5-15-60M-LLUKHBNTB	40.59	7787-3299	15	60
T5-15-30M-LLUKHBNTB	45.84	7787-3300	15	30
T5-20-60M-LLUKHBNTB	51.93	7787-3301	20	60
T5-20-30M-LLUKHBNTB	58.65	7787-3302	20	30
T5-25-60M-LLUKHBNTB	59.25	7787-3303	25	60
T5-25-30M-LLUKHBNTB	66.92	7787-3304	25	30
T5-32-60M-LLUKHBNTB	75.83	7787-3305	32	60
T5-32-30M-LLUKHBNTB	85.64	7787-3306	32	30
T5-50-60M-LLUKHBNTB	112.81	7787-3307	50	60
T5-50-30M-LLUKHBNTB	127.41	7787-3308	50	30
T5-75-60M-LLUKHBNTB	169.27	7787-3309	75	60
T5-75-30M-LLUKHBNTB	191.18	7787-3310	75	30
T5-100-60M-LLUKHBNTB	225.67	7787-3311	100	60
T5-100-30M-LLUKHBNTB	254.88	7787-3312	100	30

T5 Pitch-LL Urethane/KEVLAR-Heavy Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-100M-LLUKHNB	\$25.24	7787-3262	10	100
T5-10-50M-LLUKHNB	28.50	7787-3263	10	50
T5-15-100M-LLUKHNB	37.80	7787-3264	15	100
T5-15-50M-LLUKHNB	42.69	7787-3265	15	50
T5-20-100M-LLUKHNB	48.32	7787-3266	20	100
T5-20-50M-LLUKHNB	54.58	7787-3267	20	50
T5-25-100M-LLUKHNB	55.18	7787-3268	25	100
T5-25-50M-LLUKHNB	62.32	7787-3269	25	50
T5-32-100M-LLUKHNB	70.59	7787-3270	32	100
T5-32-50M-LLUKHNB	79.73	7787-3271	32	50
T5-50-100M-LLUKHNB	105.07	7787-3272	50	100
T5-50-50M-LLUKHNB	118.67	7787-3273	50	50
T5-75-100M-LLUKHNB	157.58	7787-3274	75	100
T5-75-50M-LLUKHNB	177.98	7787-3275	75	50
T5-100-100M-LLUKHNB	210.15	7787-3276	100	100
T5-100-50M-LLUKHNB	237.35	7787-3277	100	50

T5 Pitch-LL Urethane/KEVLAR-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUKHNTB	\$29.89	7787-3315	10	60
T5-10-30M-LLUKHNTB	33.76	7787-3316	10	30
T5-15-60M-LLUKHNTB	44.83	7787-3317	15	60
T5-15-30M-LLUKHNTB	50.63	7787-3318	15	30
T5-20-60M-LLUKHNTB	57.28	7787-3319	20	60
T5-20-30M-LLUKHNTB	64.69	7787-3320	20	30
T5-25-60M-LLUKHNTB	65.36	7787-3321	25	60
T5-25-30M-LLUKHNTB	73.82	7787-3322	25	30
T5-32-60M-LLUKHNTB	83.68	7787-3323	32	60
T5-32-30M-LLUKHNTB	94.50	7787-3324	32	30
T5-50-60M-LLUKHNTB	124.50	7787-3325	50	60
T5-50-30M-LLUKHNTB	140.61	7787-3326	50	30
T5-75-60M-LLUKHNTB	186.77	7787-3327	75	60
T5-75-30M-LLUKHNTB	210.95	7787-3328	75	30
T5-100-60M-LLUKHNTB	249.05	7787-3329	100	60
T5-100-30M-LLUKHNTB	281.28	7787-3330	100	30

T5 Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-60M-LLUKHBNT	\$28.03	7787-3280	10	60
T5-10-30M-LLUKHBNT	31.65	7787-3281	10	30
T5-15-60M-LLUKHBNT	42.04	7787-3282	15	60
T5-15-30M-LLUKHBNT	47.48	7787-3283	15	30
T5-20-60M-LLUKHBNT	53.67	7787-3284	20	60
T5-20-30M-LLUKHBNT	60.62	7787-3285	20	30
T5-25-60M-LLUKHBNT	61.29	7787-3286	25	60
T5-25-30M-LLUKHBNT	69.22	7787-3287	25	30
T5-32-60M-LLUKHBNT	78.44	7787-3288	32	60
T5-32-30M-LLUKHBNT	88.59	7787-3289	32	30
T5-50-60M-LLUKHBNT	116.70	7787-3290	50	60
T5-50-30M-LLUKHBNT	131.81	7787-3291	50	30
T5-75-60M-LLUKHBNT	175.08	7787-3292	75	60
T5-75-30M-LLUKHBNT	197.74	7787-3293	75	30
T5-100-60M-LLUKHBNT	233.46	7787-3294	100	60
T5-100-30M-LLUKHBNT	263.68	7787-3295	100	30

T5 Pitch-LL Urethane/KEVLAR-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T5-10-100M-LLUKHBFDA	\$29.89	7787-3333	10	100
T5-10-50M-LLUKHBFDA	33.76	7787-3334	10	50
T5-15-100M-LLUKHBFDA	44.83	7787-3335	15	100
T5-15-50M-LLUKHBFDA	50.63	7787-3336	15	50
T5-20-100M-LLUKHBFDA	57.28	7787-3337	20	100
T5-20-50M-LLUKHBFDA	64.69	7787-3338	20	50
T5-25-100M-LLUKHBFDA	65.36	7787-3339	25	100
T5-25-50M-LLUKHBFDA	73.82	7787-3340	25	50
T5-32-100M-LLUKHBFDA	83.68	7787-3341	32	100
T5-32-50M-LLUKHBFDA	94.50	7787-3342	32	50
T5-50-100M-LLUKHBFDA	124.50	7787-3343	50	100
T5-50-50M-LLUKHBFDA	140.61	7787-3344	50	50
T5-75-100M-LLUKHBFDA	186.77	7787-3345	75	100
T5-75-50M-LLUKHBFDA	210.95	7787-3346	75	50
T5-100-100M-LLUKHBFDA	249.05	7787-3347	100	100
T5-100-50M-LLUKHBFDA	281.28	7787-3348	100	50

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T10 Pitch-LL Urethane/Steel

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUS	\$33.77	7787-3350	20	100
T10-20-50M-LLUS	37.15	7787-3351	20	50
T10-25-100M-LLUS	40.51	7787-3352	25	100
T10-25-50M-LLUS	44.56	7787-3353	25	50
T10-32-100M-LLUS	49.54	7787-3354	32	100
T10-32-50M-LLUS	54.50	7787-3355	32	50
T10-50-100M-LLUS	73.97	7787-3356	50	100
T10-50-50M-LLUS	81.37	7787-3357	50	50
T10-75-100M-LLUS	110.90	7787-3358	75	100
T10-75-50M-LLUS	121.99	7787-3359	75	50
T10-100-100M-LLUS	140.84	7787-3360	100	100
T10-100-50M-LLUS	154.92	7787-3361	100	50
T10-150-100M-LLUS	211.29	7787-3362	150	100
T10-150-50M-LLUS	232.41	7787-3363	150	50

T10 Pitch-LL Urethane/Steel-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUSNTB	\$42.24	7787-3395	20	60
T10-20-30M-LLUSNTB	46.47	7787-3396	20	30
T10-25-60M-LLUSNTB	50.59	7787-3397	25	60
T10-25-30M-LLUSNTB	55.65	7787-3398	25	30
T10-32-60M-LLUSNTB	61.98	7787-3399	32	60
T10-32-30M-LLUSNTB	68.17	7787-3400	32	30
T10-50-60M-LLUSNTB	92.41	7787-3401	50	60
T10-50-30M-LLUSNTB	101.65	7787-3402	50	30
T10-75-60M-LLUSNTB	138.61	7787-3403	75	60
T10-75-30M-LLUSNTB	152.47	7787-3404	75	30
T10-100-60M-LLUSNTB	176.03	7787-3405	100	60
T10-100-30M-LLUSNTB	193.63	7787-3406	100	30
T10-150-60M-LLUSNTB	264.11	7787-3407	150	60
T10-150-30M-LLUSNTB	290.52	7787-3408	150	30

T10 Pitch-LL Urethane/Steel-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUSNT	\$38.90	7787-3365	20	60
T10-20-30M-LLUSNT	42.80	7787-3366	20	30
T10-25-60M-LLUSNT	46.57	7787-3367	25	60
T10-25-30M-LLUSNT	51.23	7787-3368	25	30
T10-32-60M-LLUSNT	57.03	7787-3369	32	60
T10-32-30M-LLUSNT	62.73	7787-3370	32	30
T10-50-60M-LLUSNT	85.05	7787-3371	50	60
T10-50-30M-LLUSNT	93.55	7787-3372	50	30
T10-75-60M-LLUSNT	127.54	7787-3373	75	60
T10-75-30M-LLUSNT	140.29	7787-3374	75	30
T10-100-60M-LLUSNT	161.99	7787-3375	100	60
T10-100-30M-LLUSNT	178.19	7787-3376	100	30
T10-150-60M-LLUSNT	242.95	7787-3377	150	60
T10-150-30M-LLUSNT	267.25	7787-3378	150	30

T10 Pitch-LL Urethane/Steel-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUSFDA	\$42.50	7787-3410	20	100
T10-20-50M-LLUSFDA	46.75	7787-3411	20	50
T10-25-100M-LLUSFDA	50.90	7787-3412	25	100
T10-25-50M-LLUSFDA	55.99	7787-3413	25	50
T10-32-100M-LLUSFDA	62.35	7787-3414	32	100
T10-32-50M-LLUSFDA	68.58	7787-3415	32	50
T10-50-100M-LLUSFDA	92.96	7787-3416	50	100
T10-50-50M-LLUSFDA	102.26	7787-3417	50	50
T10-75-100M-LLUSFDA	139.44	7787-3418	75	100
T10-75-50M-LLUSFDA	153.38	7787-3419	75	50
T10-100-100M-LLUSFDA	177.08	7787-3420	100	100
T10-100-50M-LLUSFDA	194.79	7787-3421	100	50
T10-150-100M-LLUSFDA	265.69	7787-3422	150	100
T10-150-50M-LLUSFDA	292.26	7787-3423	150	50

T10 Pitch-LL Urethane/Steel-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUSNB	\$37.17	7787-3380	20	60
T10-20-30M-LLUSNB	40.89	7787-3381	20	30
T10-25-60M-LLUSNB	44.53	7787-3382	25	60
T10-25-30M-LLUSNB	48.99	7787-3383	25	30
T10-32-60M-LLUSNB	54.55	7787-3384	32	60
T10-32-30M-LLUSNB	60.01	7787-3385	32	30
T10-50-60M-LLUSNB	81.34	7787-3386	50	60
T10-50-30M-LLUSNB	89.47	7787-3387	50	30
T10-75-60M-LLUSNB	121.97	7787-3388	75	60
T10-75-30M-LLUSNB	134.17	7787-3389	75	30
T10-100-60M-LLUSNB	154.94	7787-3390	100	60
T10-100-30M-LLUSNB	170.43	7787-3391	100	30
T10-150-60M-LLUSNB	232.38	7787-3392	150	60
T10-150-30M-LLUSNB	255.62	7787-3393	150	30

T10 Pitch-LL Urethane/Steel-Heavy Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUSHB	\$42.50	7787-3435	20	100
T10-20-50M-LLUSHB	46.75	7787-3436	20	50
T10-25-100M-LLUSHB	50.90	7787-3437	25	100
T10-25-50M-LLUSHB	55.99	7787-3438	25	50
T10-32-100M-LLUSHB	62.35	7787-3439	32	100
T10-32-50M-LLUSHB	68.58	7787-3440	32	50
T10-50-100M-LLUSHB	92.96	7787-3441	50	100
T10-50-50M-LLUSHB	102.26	7787-3442	50	50
T10-75-100M-LLUSHB	139.44	7787-3443	75	100
T10-75-50M-LLUSHB	153.38	7787-3444	75	50
T10-100-100M-LLUSHB	177.08	7787-3445	100	100
T10-100-50M-LLUSHB	194.79	7787-3446	100	50
T10-150-100M-LLUSHB	265.69	7787-3447	150	100
T10-150-50M-LLUSHB	292.26	7787-3448	150	50

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T10 Pitch-LL Urethane/Steel-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUSHBNT	\$47.60	7787-3450	20	60
T10-20-30M-LLUSHBNT	52.36	7787-3451	20	30
T10-25-60M-LLUSHBNT	57.06	7787-3452	25	60
T10-25-30M-LLUSHBNT	62.76	7787-3453	25	30
T10-32-60M-LLUSHBNT	69.81	7787-3454	32	60
T10-32-30M-LLUSHBNT	76.79	7787-3455	32	30
T10-50-60M-LLUSHBNT	104.16	7787-3456	50	60
T10-50-30M-LLUSHBNT	114.58	7787-3457	50	30
T10-75-60M-LLUSHBNT	156.24	7787-3458	75	60
T10-75-30M-LLUSHBNT	171.86	7787-3459	75	30
T10-100-60M-LLUSHBNT	198.36	7787-3460	100	60
T10-100-30M-LLUSHBNT	218.20	7787-3461	100	30
T10-150-60M-LLUSHBNT	297.55	7787-3462	150	60
T10-150-30M-LLUSHBNT	327.30	7787-3463	150	30

T10 Pitch-LL Urethane/Steel-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUSHBFDA	\$51.02	7787-3495	20	100
T10-20-50M-LLUSHBFDA	56.12	7787-3496	20	50
T10-25-100M-LLUSHBFDA	61.10	7787-3497	25	100
T10-25-50M-LLUSHBFDA	67.21	7787-3498	25	50
T10-32-100M-LLUSHBFDA	74.79	7787-3499	32	100
T10-32-50M-LLUSHBFDA	82.27	7787-3500	32	50
T10-50-100M-LLUSHBFDA	111.56	7787-3501	50	100
T10-50-50M-LLUSHBFDA	122.72	7787-3502	50	50
T10-75-100M-LLUSHBFDA	167.38	7787-3503	75	100
T10-75-50M-LLUSHBFDA	184.12	7787-3504	75	50
T10-100-100M-LLUSHBFDA	212.55	7787-3505	100	100
T10-100-50M-LLUSHBFDA	233.81	7787-3506	100	50
T10-150-100M-LLUSHBFDA	318.76	7787-3507	150	100
T10-150-50M-LLUSHBFDA	350.64	7787-3508	150	50

T10 Pitch-LL Urethane/Steel-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUSHBNB	\$45.92	7787-3465	20	60
T10-20-30M-LLUSHBNB	50.51	7787-3466	20	30
T10-25-60M-LLUSHBNB	55.00	7787-3467	25	60
T10-25-30M-LLUSHBNB	60.50	7787-3468	25	30
T10-32-60M-LLUSHBNB	67.32	7787-3469	32	60
T10-32-30M-LLUSHBNB	74.06	7787-3470	32	30
T10-50-60M-LLUSHBNB	100.43	7787-3471	50	60
T10-50-30M-LLUSHBNB	110.47	7787-3472	50	30
T10-75-60M-LLUSHBNB	150.64	7787-3473	75	60
T10-75-30M-LLUSHBNB	165.70	7787-3474	75	30
T10-100-60M-LLUSHBNB	191.27	7787-3475	100	60
T10-100-30M-LLUSHBNB	210.40	7787-3476	100	30
T10-150-60M-LLUSHBNB	286.91	7787-3477	150	60
T10-150-30M-LLUSHBNB	315.60	7787-3478	150	30

T10 Pitch-LL Urethane/KEVLAR®

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUK	\$37.40	7787-3510	20	100
T10-20-50M-LLUK	41.14	7787-3511	20	50
T10-25-100M-LLUK	44.80	7787-3512	25	100
T10-25-50M-LLUK	49.28	7787-3513	25	50
T10-32-100M-LLUK	54.88	7787-3514	32	100
T10-32-50M-LLUK	60.37	7787-3515	32	50
T10-50-100M-LLUK	81.82	7787-3516	50	100
T10-50-50M-LLUK	90.00	7787-3517	50	50
T10-75-100M-LLUK	122.70	7787-3518	75	100
T10-75-50M-LLUK	134.97	7787-3519	75	50
T10-100-100M-LLUK	155.87	7787-3520	100	100
T10-100-50M-LLUK	171.45	7787-3521	100	50
T10-150-100M-LLUK	233.77	7787-3522	150	100
T10-150-50M-LLUK	257.15	7787-3523	150	50

T10 Pitch-LL Urethane/Steel-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUSHBNTB	\$51.02	7787-3480	20	60
T10-20-30M-LLUSHBNTB	56.12	7787-3481	20	30
T10-25-60M-LLUSHBNTB	61.10	7787-3482	25	60
T10-25-30M-LLUSHBNTB	67.21	7787-3483	25	30
T10-32-60M-LLUSHBNTB	74.79	7787-3484	32	60
T10-32-30M-LLUSHBNTB	82.27	7787-3485	32	30
T10-50-60M-LLUSHBNTB	111.56	7787-3486	50	60
T10-50-30M-LLUSHBNTB	122.72	7787-3487	50	30
T10-75-60M-LLUSHBNTB	167.38	7787-3488	75	60
T10-75-30M-LLUSHBNTB	184.12	7787-3489	75	30
T10-100-60M-LLUSHBNTB	212.55	7787-3490	100	60
T10-100-30M-LLUSHBNTB	233.81	7787-3491	100	30
T10-150-60M-LLUSHBNTB	318.76	7787-3492	150	60
T10-150-30M-LLUSHBNTB	350.64	7787-3493	150	30

T10 Pitch-LL Urethane/KEVLAR-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUKNT	\$42.50	7787-3525	20	60
T10-20-30M-LLUKNT	46.75	7787-3526	20	30
T10-25-60M-LLUKNT	50.90	7787-3527	25	60
T10-25-30M-LLUKNT	55.99	7787-3528	25	30
T10-32-60M-LLUKNT	62.35	7787-3529	32	60
T10-32-30M-LLUKNT	68.58	7787-3530	32	30
T10-50-60M-LLUKNT	92.96	7787-3531	50	60
T10-50-30M-LLUKNT	102.26	7787-3532	50	30
T10-75-60M-LLUKNT	139.44	7787-3533	75	60
T10-75-30M-LLUKNT	153.38	7787-3534	75	30
T10-100-60M-LLUKNT	177.08	7787-3535	100	60
T10-100-30M-LLUKNT	194.79	7787-3536	100	30
T10-150-60M-LLUKNT	265.69	7787-3537	150	60
T10-150-30M-LLUKNT	292.26	7787-3538	150	30

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T10 Pitch-LL Urethane/KEVLAR®-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUKNB	\$40.82	7787-3540	20	60
T10-20-30M-LLUKNB	44.90	7787-3541	20	30
T10-25-60M-LLUKNB	48.91	7787-3542	25	60
T10-25-30M-LLUKNB	53.80	7787-3543	25	30
T10-32-60M-LLUKNB	59.86	7787-3544	32	60
T10-32-30M-LLUKNB	65.84	7787-3545	32	30
T10-50-60M-LLUKNB	89.29	7787-3546	50	60
T10-50-30M-LLUKNB	98.22	7787-3547	50	30
T10-75-60M-LLUKNB	133.90	7787-3548	75	60
T10-75-30M-LLUKNB	147.29	7787-3549	75	30
T10-100-60M-LLUKNB	169.99	7787-3550	100	60
T10-100-30M-LLUKNB	186.99	7787-3551	100	30
T10-150-60M-LLUKNB	255.05	7787-3552	150	60
T10-150-30M-LLUKNB	280.55	7787-3553	150	30

T10 Pitch-LL Urethane/KEVLAR-Heavy Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUKHB	\$45.92	7787-3585	20	100
T10-20-50M-LLUKHB	50.51	7787-3586	20	50
T10-25-100M-LLUKHB	55.00	7787-3587	25	100
T10-25-50M-LLUKHB	60.50	7787-3588	25	50
T10-32-100M-LLUKHB	67.32	7787-3589	32	100
T10-32-50M-LLUKHB	74.06	7787-3590	32	50
T10-50-100M-LLUKHB	100.43	7787-3591	50	100
T10-50-50M-LLUKHB	110.47	7787-3592	50	50
T10-75-100M-LLUKHB	150.64	7787-3593	75	100
T10-75-50M-LLUKHB	165.70	7787-3594	75	50
T10-100-100M-LLUKHB	191.27	7787-3595	100	100
T10-100-50M-LLUKHB	210.40	7787-3596	100	50
T10-150-100M-LLUKHB	286.91	7787-3597	150	100
T10-150-50M-LLUKHB	315.60	7787-3598	150	50

T10 Pitch-LL Urethane/KEVLAR-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUKNTB	\$45.92	7787-3555	20	60
T10-20-30M-LLUKNTB	50.51	7787-3556	20	30
T10-25-60M-LLUKNTB	55.00	7787-3557	25	60
T10-25-30M-LLUKNTB	60.50	7787-3558	25	30
T10-32-60M-LLUKNTB	67.32	7787-3559	32	60
T10-32-30M-LLUKNTB	74.06	7787-3560	32	30
T10-50-60M-LLUKNTB	100.43	7787-3561	50	60
T10-50-30M-LLUKNTB	110.47	7787-3562	50	30
T10-75-60M-LLUKNTB	150.64	7787-3563	75	60
T10-75-30M-LLUKNTB	165.70	7787-3564	75	30
T10-100-60M-LLUKNTB	191.27	7787-3565	100	60
T10-100-30M-LLUKNTB	210.40	7787-3566	100	30
T10-150-60M-LLUKNTB	286.91	7787-3567	150	60
T10-150-30M-LLUKNTB	315.60	7787-3568	150	30

T10 Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUKHBNT	\$51.02	7787-3600	20	60
T10-20-30M-LLUKHBNT	56.12	7787-3601	20	30
T10-25-60M-LLUKHBNT	61.10	7787-3602	25	60
T10-25-30M-LLUKHBNT	67.21	7787-3603	25	30
T10-32-60M-LLUKHBNT	74.79	7787-3604	32	60
T10-32-30M-LLUKHBNT	82.27	7787-3605	32	30
T10-50-60M-LLUKHBNT	111.56	7787-3606	50	60
T10-50-30M-LLUKHBNT	122.72	7787-3607	50	30
T10-75-60M-LLUKHBNT	167.38	7787-3608	75	60
T10-75-30M-LLUKHBNT	184.12	7787-3609	75	30
T10-100-60M-LLUKHBNT	212.55	7787-3610	100	60
T10-100-30M-LLUKHBNT	233.81	7787-3611	100	30
T10-150-60M-LLUKHBNT	318.76	7787-3612	150	60
T10-150-30M-LLUKHBNT	350.64	7787-3613	150	30

T10 Pitch-LL Urethane/KEVLAR-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUKFDA	\$45.92	7787-3570	20	100
T10-20-50M-LLUKFDA	50.51	7787-3571	20	50
T10-25-100M-LLUKFDA	55.00	7787-3572	25	100
T10-25-50M-LLUKFDA	60.50	7787-3573	25	50
T10-32-100M-LLUKFDA	67.32	7787-3574	32	100
T10-32-50M-LLUKFDA	74.06	7787-3575	32	50
T10-50-100M-LLUKFDA	100.43	7787-3576	50	100
T10-50-50M-LLUKFDA	110.47	7787-3577	50	50
T10-75-100M-LLUKFDA	150.64	7787-3578	75	100
T10-75-50M-LLUKFDA	165.70	7787-3579	75	50
T10-100-100M-LLUKFDA	191.27	7787-3580	100	100
T10-100-50M-LLUKFDA	210.40	7787-3581	100	50
T10-150-100M-LLUKFDA	286.91	7787-3582	150	100
T10-150-50M-LLUKFDA	315.60	7787-3583	150	50

T10 Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUKHBNTB	\$49.28	7787-3615	20	60
T10-20-30M-LLUKHBNTB	54.21	7787-3616	20	30
T10-25-60M-LLUKHBNTB	59.05	7787-3617	25	60
T10-25-30M-LLUKHBNTB	64.95	7787-3618	25	30
T10-32-60M-LLUKHBNTB	72.30	7787-3619	32	60
T10-32-30M-LLUKHBNTB	79.53	7787-3620	32	30
T10-50-60M-LLUKHBNTB	107.83	7787-3621	50	60
T10-50-30M-LLUKHBNTB	118.61	7787-3622	50	30
T10-75-60M-LLUKHBNTB	161.78	7787-3623	75	60
T10-75-30M-LLUKHBNTB	177.96	7787-3624	75	30
T10-100-60M-LLUKHBNTB	205.46	7787-3625	100	60
T10-100-30M-LLUKHBNTB	226.00	7787-3626	100	30
T10-150-60M-LLUKHBNTB	308.19	7787-3627	150	60
T10-150-30M-LLUKHBNTB	339.01	7787-3628	150	30

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T10 Pitch-LL Urethane/KEVLAR®-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUKHBNTB	\$54.38	7787-3630	20	60
T10-20-30M-LLUKHBNTB	59.82	7787-3631	20	30
T10-25-60M-LLUKHBNTB	65.21	7787-3632	25	60
T10-25-30M-LLUKHBNTB	71.73	7787-3633	25	30
T10-32-60M-LLUKHBNTB	79.83	7787-3634	32	60
T10-32-30M-LLUKHBNTB	87.81	7787-3635	32	30
T10-50-60M-LLUKHBNTB	119.03	7787-3636	50	60
T10-50-30M-LLUKHBNTB	130.93	7787-3637	50	30
T10-75-60M-LLUKHBNTB	178.52	7787-3638	75	60
T10-75-30M-LLUKHBNTB	196.37	7787-3639	75	30
T10-100-60M-LLUKHBNTB	226.68	7787-3640	100	60
T10-100-30M-LLUKHBNTB	249.34	7787-3641	100	30
T10-150-60M-LLUKHBNTB	340.04	7787-3642	150	60
T10-150-30M-LLUKHBNTB	374.05	7787-3643	150	30

T10 Pitch-LL Urethane-Flex Cord-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUFCNT	\$47.60	7787-3675	20	60
T10-20-30M-LLUFCNT	52.36	7787-3676	20	30
T10-25-60M-LLUFCNT	57.06	7787-3677	25	60
T10-25-30M-LLUFCNT	62.76	7787-3678	25	30
T10-32-60M-LLUFCNT	69.81	7787-3679	32	60
T10-32-30M-LLUFCNT	76.79	7787-3680	32	30
T10-50-60M-LLUFCNT	104.16	7787-3681	50	60
T10-50-30M-LLUFCNT	114.58	7787-3682	50	30
T10-75-60M-LLUFCNT	156.24	7787-3683	75	60
T10-75-30M-LLUFCNT	171.86	7787-3684	75	30
T10-100-60M-LLUFCNT	198.36	7787-3685	100	60
T10-100-30M-LLUFCNT	218.20	7787-3686	100	30
T10-150-60M-LLUFCNT	297.55	7787-3687	150	60
T10-150-30M-LLUFCNT	327.30	7787-3688	150	30

T10 Pitch-LL Urethane/KEVLAR-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUKHBFDA	\$54.38	7787-3645	20	100
T10-20-50M-LLUKHBFDA	59.82	7787-3646	20	50
T10-25-100M-LLUKHBFDA	65.21	7787-3647	25	100
T10-25-50M-LLUKHBFDA	71.73	7787-3648	25	50
T10-32-100M-LLUKHBFDA	79.83	7787-3649	32	100
T10-32-50M-LLUKHBFDA	87.81	7787-3650	32	50
T10-50-100M-LLUKHBFDA	119.03	7787-3651	50	100
T10-50-50M-LLUKHBFDA	130.93	7787-3652	50	50
T10-75-100M-LLUKHBFDA	178.52	7787-3653	75	100
T10-75-50M-LLUKHBFDA	196.37	7787-3654	75	50
T10-100-100M-LLUKHBFDA	226.68	7787-3655	100	100
T10-100-50M-LLUKHBFDA	249.34	7787-3656	100	50
T10-150-100M-LLUKHBFDA	340.04	7787-3657	150	100
T10-150-50M-LLUKHBFDA	374.05	7787-3658	150	50

T10 Pitch-LL Urethane-Flex Cord-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUFCNB	\$45.92	7787-3690	20	60
T10-20-30M-LLUFCNB	50.51	7787-3691	20	30
T10-25-60M-LLUFCNB	55.00	7787-3692	25	60
T10-25-30M-LLUFCNB	60.50	7787-3693	25	30
T10-32-60M-LLUFCNB	67.32	7787-3694	32	60
T10-32-30M-LLUFCNB	74.06	7787-3695	32	30
T10-50-60M-LLUFCNB	100.43	7787-3696	50	60
T10-50-30M-LLUFCNB	110.47	7787-3697	50	30
T10-75-60M-LLUFCNB	150.64	7787-3698	75	60
T10-75-30M-LLUFCNB	165.70	7787-3699	75	30
T10-100-60M-LLUFCNB	191.27	7787-3700	100	60
T10-100-30M-LLUFCNB	210.40	7787-3701	100	30
T10-150-60M-LLUFCNB	286.91	7787-3702	150	60
T10-150-30M-LLUFCNB	315.60	7787-3703	150	30

T10 Pitch-LL Urethane-Flex Cord

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUFC	\$42.50	7787-3360	20	100
T10-20-50M-LLUFC	46.75	7787-3661	20	50
T10-25-100M-LLUFC	50.90	7787-3662	25	100
T10-25-50M-LLUFC	55.99	7787-3663	25	50
T10-32-100M-LLUFC	62.35	7787-3664	32	100
T10-32-50M-LLUFC	68.58	7787-3665	32	50
T10-50-100M-LLUFC	92.96	7787-3666	50	100
T10-50-50M-LLUFC	102.26	7787-3667	50	50
T10-75-100M-LLUFC	139.44	7787-3668	75	100
T10-75-50M-LLUFC	153.38	7787-3669	75	50
T10-100-100M-LLUFC	177.08	7787-3670	100	100
T10-100-50M-LLUFC	194.79	7787-3671	100	50
T10-150-100M-LLUFC	265.69	7787-3672	150	100
T10-150-50M-LLUFC	292.26	7787-3673	150	50

T10 Pitch-LL Urethane-Flex Cord-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-60M-LLUFCNTB	\$51.02	7787-3705	20	60
T10-20-30M-LLUFCNTB	56.12	7787-3706	20	30
T10-25-60M-LLUFCNTB	61.10	7787-3707	25	60
T10-25-30M-LLUFCNTB	67.21	7787-3708	25	30
T10-32-60M-LLUFCNTB	74.79	7787-3709	32	60
T10-32-30M-LLUFCNTB	82.27	7787-3710	32	30
T10-50-60M-LLUFCNTB	111.56	7787-3711	50	60
T10-50-30M-LLUFCNTB	122.72	7787-3712	50	30
T10-75-60M-LLUFCNTB	167.38	7787-3713	75	60
T10-75-30M-LLUFCNTB	184.12	7787-3714	75	30
T10-100-60M-LLUFCNTB	212.55	7787-3715	100	60
T10-100-30M-LLUFCNTB	233.81	7787-3716	100	30
T10-150-60M-LLUFCNTB	318.76	7787-3717	150	60
T10-150-30M-LLUFCNTB	350.64	7787-3718	150	30

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T10 Pitch-LL Urethane-Flex Cord-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T10-20-100M-LLUFCFDA	\$51.02	7787-3720	20	100
T10-20-50M-LLUFCFDA	56.12	7787-3721	20	50
T10-25-100M-LLUFCFDA	61.10	7787-3722	25	100
T10-25-50M-LLUFCFDA	67.21	7787-3723	25	50
T10-32-100M-LLUFCFDA	74.79	7787-3724	32	100
T10-32-50M-LLUFCFDA	82.27	7787-3725	32	50
T10-50-100M-LLUFCFDA	111.56	7787-3726	50	100
T10-50-50M-LLUFCFDA	122.72	7787-3727	50	50
T10-75-100M-LLUFCFDA	167.38	7787-3728	75	100
T10-75-50M-LLUFCFDA	184.12	7787-3729	75	50
T10-100-100M-LLUFCFDA	212.55	7787-3730	100	100
T10-100-50M-LLUFCFDA	233.81	7787-3731	100	50
T10-150-100M-LLUFCFDA	318.76	7787-3732	150	100
T10-150-50M-LLUFCFDA	350.64	7787-3733	150	50

T20 Pitch-LL Urethane/Steel-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSNB	\$84.95	7787-3764	25	50
T20-25-25M-LLUSNB	93.45	7787-3765	25	25
T20-32-50M-LLUSNB	108.75	7787-3766	32	50
T20-32-25M-LLUSNB	119.63	7787-3767	32	25
T20-50-50M-LLUSNB	160.04	7787-3768	50	50
T20-50-25M-LLUSNB	176.05	7787-3769	50	25
T20-75-50M-LLUSNB	232.68	7787-3770	75	50
T20-75-25M-LLUSNB	255.95	7787-3771	75	25
T20-100-50M-LLUSNB	304.84	7787-3772	100	50
T20-100-25M-LLUSNB	335.32	7787-3773	100	25
T20-150-50M-LLUSNB	457.25	7787-3774	150	50
T20-150-25M-LLUSNB	502.98	7787-3775	150	25

T20 Pitch-LL Urethane/Steel

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUS	\$77.22	7787-3735	25	50
T20-25-25M-LLUS	84.95	7787-3736	25	25
T20-32-50M-LLUS	98.84	7787-3737	32	50
T20-32-25M-LLUS	108.72	7787-3738	32	25
T20-50-50M-LLUS	145.48	7787-3739	50	50
T20-50-25M-LLUS	160.03	7787-3740	50	25
T20-75-50M-LLUS	211.51	7787-3741	75	50
T20-75-25M-LLUS	232.66	7787-3742	75	25
T20-100-50M-LLUS	277.16	7787-3743	100	50
T20-100-25M-LLUS	304.88	7787-3744	100	25
T20-150-50M-LLUS	415.71	7787-3745	150	50
T20-150-25M-LLUS	457.28	7787-3746	150	25

T20 Pitch-LL Urethane/Steel-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSNTB	\$96.54	7787-3777	25	50
T20-25-25M-LLUSNTB	106.20	7787-3778	25	25
T20-32-50M-LLUSNTB	123.54	7787-3779	32	50
T20-32-25M-LLUSNTB	135.89	7787-3780	32	25
T20-50-50M-LLUSNTB	181.88	7787-3781	50	50
T20-50-25M-LLUSNTB	200.07	7787-3782	50	25
T20-75-50M-LLUSNTB	264.38	7787-3783	75	50
T20-75-25M-LLUSNTB	290.81	7787-3784	75	25
T20-100-50M-LLUSNTB	346.44	7787-3785	100	50
T20-100-25M-LLUSNTB	381.08	7787-3786	100	25
T20-150-50M-LLUSNTB	519.65	7787-3787	150	50
T20-150-25M-LLUSNTB	571.62	7787-3788	150	25

T20 Pitch-LL Urethane/Steel-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSNT	\$88.82	7787-3750	25	50
T20-25-25M-LLUSNT	97.70	7787-3751	25	25
T20-32-50M-LLUSNT	113.68	7787-3752	32	50
T20-32-25M-LLUSNT	125.05	7787-3753	32	25
T20-50-50M-LLUSNT	167.32	7787-3754	50	50
T20-50-25M-LLUSNT	184.06	7787-3755	50	25
T20-75-50M-LLUSNT	243.26	7787-3756	75	50
T20-75-25M-LLUSNT	267.59	7787-3757	75	25
T20-100-50M-LLUSNT	318.70	7787-3758	100	50
T20-100-25M-LLUSNT	350.57	7787-3759	100	25
T20-150-50M-LLUSNT	478.05	7787-3760	150	50
T20-150-25M-LLUSNT	525.86	7787-3761	150	25

T20 Pitch-LL Urethane/Steel-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSFDA	\$96.54	7787-3790	25	50
T20-25-25M-LLUSFDA	106.20	7787-3791	25	25
T20-32-50M-LLUSFDA	123.54	7787-3792	32	50
T20-32-25M-LLUSFDA	135.89	7787-3793	32	25
T20-50-50M-LLUSFDA	181.88	7787-3794	50	50
T20-50-25M-LLUSFDA	200.07	7787-3795	50	25
T20-75-50M-LLUSFDA	264.38	7787-3796	75	50
T20-75-25M-LLUSFDA	290.81	7787-3797	75	25
T20-100-50M-LLUSFDA	346.44	7787-3798	100	50
T20-100-25M-LLUSFDA	381.08	7787-3799	100	25
T20-150-50M-LLUSFDA	519.65	7787-3800	150	50
T20-150-25M-LLUSFDA	571.62	7787-3801	150	25

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T20 Pitch-LL Urethane/Steel-Heavy Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSHB	\$96.54	7787-3803	25	50
T20-25-25M-LLUSHB	106.20	7787-3804	25	25
T20-32-50M-LLUSHB	123.54	7787-3805	32	50
T20-32-25M-LLUSHB	135.89	7787-3806	32	25
T20-50-50M-LLUSHB	181.88	7787-3807	50	50
T20-50-25M-LLUSHB	200.07	7787-3808	50	25
T20-75-50M-LLUSHB	264.38	7787-3809	75	50
T20-75-25M-LLUSHB	290.81	7787-3810	75	25
T20-100-50M-LLUSHB	346.44	7787-3811	100	50
T20-100-25M-LLUSHB	381.08	7787-3812	100	25
T20-150-50M-LLUSHB	519.65	7787-3813	150	50
T20-150-25M-LLUSHB	571.62	7787-3814	150	25

T20 Pitch-LL Urethane/Steel-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSHBNTB	\$115.86	7787-3843	25	50
T20-25-25M-LLUSHBNTB	127.45	7787-3844	25	25
T20-32-50M-LLUSHBNTB	148.29	7787-3845	32	50
T20-32-25M-LLUSHBNTB	163.12	7787-3846	32	25
T20-50-50M-LLUSHBNTB	218.23	7787-3847	50	50
T20-50-25M-LLUSHBNTB	240.05	7787-3848	50	25
T20-75-50M-LLUSHBNTB	317.30	7787-3849	75	50
T20-75-25M-LLUSHBNTB	349.03	7787-3850	75	25
T20-100-50M-LLUSHBNTB	415.71	7787-3851	100	50
T20-100-25M-LLUSHBNTB	457.28	7787-3852	100	25
T20-150-50M-LLUSHBNTB	623.54	7787-3853	150	50
T20-150-25M-LLUSHBNTB	685.89	7787-3854	150	25

T20 Pitch-LL Urethane/Steel-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSHBNT	\$108.14	7787-3817	25	50
T20-25-25M-LLUSHBNT	118.95	7787-3818	25	25
T20-32-50M-LLUSHBNT	138.38	7787-3819	32	50
T20-32-25M-LLUSHBNT	152.21	7787-3820	32	25
T20-50-50M-LLUSHBNT	203.67	7787-3821	50	50
T20-50-25M-LLUSHBNT	224.03	7787-3822	50	25
T20-75-50M-LLUSHBNT	296.13	7787-3823	75	50
T20-75-25M-LLUSHBNT	325.74	7787-3824	75	25
T20-100-50M-LLUSHBNT	387.98	7787-3825	100	50
T20-100-25M-LLUSHBNT	426.78	7787-3826	100	25
T20-150-50M-LLUSHBNT	582.00	7787-3827	150	50
T20-150-25M-LLUSHBNT	640.20	7787-3828	150	25

T20 Pitch-LL Urethane/Steel-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSHBFDA	\$115.86	7787-3857	25	50
T20-25-25M-LLUSHBFDA	127.45	7787-3858	25	25
T20-32-50M-LLUSHBFDA	148.29	7787-3859	32	50
T20-32-25M-LLUSHBFDA	163.12	7787-3860	32	25
T20-50-50M-LLUSHBFDA	218.23	7787-3861	50	50
T20-50-25M-LLUSHBFDA	240.05	7787-3862	50	25
T20-75-50M-LLUSHBFDA	317.30	7787-3863	75	50
T20-75-25M-LLUSHBFDA	349.03	7787-3864	75	25
T20-100-50M-LLUSHBFDA	415.71	7787-3865	100	50
T20-100-25M-LLUSHBFDA	457.28	7787-3866	100	25
T20-150-50M-LLUSHBFDA	623.54	7787-3867	150	50
T20-150-25M-LLUSHBFDA	685.89	7787-3868	150	25

T20 Pitch-LL Urethane/Steel-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUSHBNB	\$104.27	7787-3830	25	50
T20-25-25M-LLUSHBNB	114.70	7787-3831	25	25
T20-32-50M-LLUSHBNB	133.45	7787-3832	32	50
T20-32-25M-LLUSHBNB	146.79	7787-3833	32	25
T20-50-50M-LLUSHBNB	196.44	7787-3834	50	50
T20-50-25M-LLUSHBNB	216.09	7787-3835	50	25
T20-75-50M-LLUSHBNB	285.54	7787-3836	75	50
T20-75-25M-LLUSHBNB	314.10	7787-3837	75	25
T20-100-50M-LLUSHBNB	374.17	7787-3838	100	50
T20-100-25M-LLUSHBNB	411.59	7787-3839	100	25
T20-150-50M-LLUSHBNB	561.20	7787-3840	150	50
T20-150-25M-LLUSHBNB	617.32	7787-3841	150	25

T20 Pitch-LL Urethane/KEVLAR®

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUK	\$84.95	7787-3870	25	50
T20-25-25M-LLUK	93.45	7787-3871	25	25
T20-32-50M-LLUK	108.75	7787-3872	32	50
T20-32-25M-LLUK	119.63	7787-3873	32	25
T20-50-50M-LLUK	160.04	7787-3874	50	50
T20-50-25M-LLUK	176.05	7787-3875	50	25
T20-75-50M-LLUK	232.68	7787-3876	75	50
T20-75-25M-LLUK	255.95	7787-3877	75	25
T20-100-50M-LLUK	304.84	7787-3878	100	50
T20-100-25M-LLUK	335.32	7787-3879	100	25
T20-150-50M-LLUK	457.25	7787-3880	150	50
T20-150-25M-LLUK	502.98	7787-3881	150	25

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T20 Pitch-LL Urethane/KEVLAR®-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKNT	\$96.54	7787-3883	25	50
T20-25-25M-LLUKNT	106.20	7787-3884	25	25
T20-32-50M-LLUKNT	123.54	7787-3885	32	50
T20-32-25M-LLUKNT	135.89	7787-3886	32	25
T20-50-50M-LLUKNT	181.88	7787-3887	50	50
T20-50-25M-LLUKNT	200.07	7787-3888	50	25
T20-75-50M-LLUKNT	264.38	7787-3889	75	50
T20-75-25M-LLUKNT	290.81	7787-3890	75	25
T20-100-50M-LLUKNT	346.44	7787-3891	100	50
T20-100-25M-LLUKNT	381.08	7787-3892	100	25
T20-150-50M-LLUKNT	519.65	7787-3893	150	50
T20-150-25M-LLUKNT	571.62	7787-3894	150	25

T20 Pitch-LL Urethane/KEVLAR-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKFDA	\$104.27	7787-3924	25	50
T20-25-25M-LLUKFDA	114.70	7787-3925	25	25
T20-32-50M-LLUKFDA	133.45	7787-3926	32	50
T20-32-25M-LLUKFDA	146.79	7787-3927	32	25
T20-50-50M-LLUKFDA	196.44	7787-3928	50	50
T20-50-25M-LLUKFDA	216.09	7787-3929	50	25
T20-75-50M-LLUKFDA	285.54	7787-3930	75	50
T20-75-25M-LLUKFDA	314.10	7787-3931	75	25
T20-100-50M-LLUKFDA	374.17	7787-3932	100	50
T20-100-25M-LLUKFDA	411.59	7787-3933	100	25
T20-150-50M-LLUKFDA	561.20	7787-3934	150	50
T20-150-25M-LLUKFDA	617.32	7787-3935	150	25

T20 Pitch-LL Urethane/KEVLAR-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKNB	\$92.68	7787-3896	25	50
T20-25-25M-LLUKNB	101.95	7787-3897	25	25
T20-32-50M-LLUKNB	118.61	7787-3898	32	50
T20-32-25M-LLUKNB	130.47	7787-3899	32	25
T20-50-50M-LLUKNB	174.60	7787-3900	50	50
T20-50-25M-LLUKNB	192.06	7787-3901	50	25
T20-75-50M-LLUKNB	253.85	7787-3902	75	50
T20-75-25M-LLUKNB	279.23	7787-3903	75	25
T20-100-50M-LLUKNB	332.57	7787-3904	100	50
T20-100-25M-LLUKNB	365.83	7787-3905	100	25
T20-150-50M-LLUKNB	498.85	7787-3906	150	50
T20-150-25M-LLUKNB	548.74	7787-3907	150	25

T20 Pitch-LL Urethane/KEVLAR-Heavy Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKHB	\$104.27	7787-3937	25	50
T20-25-25M-LLUKHB	114.70	7787-3938	25	25
T20-32-50M-LLUKHB	133.45	7787-3939	32	50
T20-32-25M-LLUKHB	146.79	7787-3940	32	25
T20-50-50M-LLUKHB	196.44	7787-3941	50	50
T20-50-25M-LLUKHB	216.09	7787-3942	50	25
T20-75-50M-LLUKHB	285.54	7787-3943	75	50
T20-75-25M-LLUKHB	314.10	7787-3944	75	25
T20-100-50M-LLUKHB	374.17	7787-3945	100	50
T20-100-25M-LLUKHB	411.59	7787-3946	100	25
T20-150-50M-LLUKHB	561.20	7787-3947	150	50
T20-150-25M-LLUKHB	617.32	7787-3948	150	25

T20 Pitch-LL Urethane/KEVLAR-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKNTB	\$104.27	7787-3910	25	50
T20-25-25M-LLUKNTB	114.70	7787-3911	25	25
T20-32-50M-LLUKNTB	133.45	7787-3912	32	50
T20-32-25M-LLUKNTB	146.79	7787-3913	32	25
T20-50-50M-LLUKNTB	196.44	7787-3914	50	50
T20-50-25M-LLUKNTB	216.09	7787-3915	50	25
T20-75-50M-LLUKNTB	285.54	7787-3916	75	50
T20-75-25M-LLUKNTB	314.10	7787-3917	75	25
T20-100-50M-LLUKNTB	374.17	7787-3918	100	50
T20-100-25M-LLUKNTB	411.59	7787-3919	100	25
T20-150-50M-LLUKNTB	561.20	7787-3920	150	50
T20-150-25M-LLUKNTB	617.32	7787-3921	150	25

T20 Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKHBNT	\$115.86	7787-3950	25	50
T20-25-25M-LLUKHBNT	127.45	7787-3951	25	25
T20-32-50M-LLUKHBNT	148.29	7787-3952	32	50
T20-32-25M-LLUKHBNT	163.12	7787-3953	32	25
T20-50-50M-LLUKHBNT	218.23	7787-3954	50	50
T20-50-25M-LLUKHBNT	240.05	7787-3955	50	25
T20-75-50M-LLUKHBNT	317.30	7787-3956	75	50
T20-75-25M-LLUKHBNT	349.03	7787-3957	75	25
T20-100-50M-LLUKHBNT	415.71	7787-3958	100	50
T20-100-25M-LLUKHBNT	457.28	7787-3959	100	25
T20-150-50M-LLUKHBNT	623.54	7787-3960	150	50
T20-150-25M-LLUKHBNT	685.89	7787-3961	150	25

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

T20 Pitch—LL Urethane/KEVLAR®—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKHBNB	\$111.94	7787-3965	25	50
T20-25-25M-LLUKHBNB	123.14	7787-3966	25	25
T20-32-50M-LLUKHBNB	143.36	7787-3967	32	50
T20-32-25M-LLUKHBNB	157.70	7787-3968	32	25
T20-50-50M-LLUKHBNB	210.95	7787-3969	50	50
T20-50-25M-LLUKHBNB	232.04	7787-3970	50	25
T20-75-50M-LLUKHBNB	306.71	7787-3971	75	50
T20-75-25M-LLUKHBNB	337.38	7787-3972	75	25
T20-100-50M-LLUKHBNB	401.84	7787-3973	100	50
T20-100-25M-LLUKHBNB	442.03	7787-3974	100	25
T20-150-50M-LLUKHBNB	602.74	7787-3975	150	50
T20-150-25M-LLUKHBNB	663.01	7787-3976	150	25

T20 Pitch—LL Urethane/KEVLAR—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKHBNTB	\$123.54	7787-3980	25	50
T20-25-25M-LLUKHBNTB	135.89	7787-3981	25	25
T20-32-50M-LLUKHBNTB	158.14	7787-3982	32	50
T20-32-25M-LLUKHBNTB	173.96	7787-3983	32	25
T20-50-50M-LLUKHBNTB	232.79	7787-3984	50	50
T20-50-25M-LLUKHBNTB	256.07	7787-3985	50	25
T20-75-50M-LLUKHBNTB	338.46	7787-3986	75	50
T20-75-25M-LLUKHBNTB	372.31	7787-3987	75	25
T20-100-50M-LLUKHBNTB	443.39	7787-3988	100	50
T20-100-25M-LLUKHBNTB	487.73	7787-3989	100	25
T20-150-50M-LLUKHBNTB	665.14	7787-3990	150	50
T20-150-25M-LLUKHBNTB	731.65	7787-3991	150	25

T20 Pitch—LL Urethane/KEVLAR—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
T20-25-50M-LLUKHBFDA	\$123.54	7787-3993	25	50
T20-25-25M-LLUKHBFDA	135.89	7787-3994	25	25
T20-32-50M-LLUKHBFDA	158.14	7787-3995	32	50
T20-32-25M-LLUKHBFDA	173.96	7787-3996	32	25
T20-50-50M-LLUKHBFDA	232.79	7787-3997	50	50
T20-50-25M-LLUKHBFDA	256.07	7787-3998	50	25
T20-75-50M-LLUKHBFDA	338.46	7787-3999	75	50
T20-75-25M-LLUKHBFDA	372.31	7787-4000	75	25
T20-100-50M-LLUKHBFDA	443.39	7787-4001	100	50
T20-100-25M-LLUKHBFDA	487.73	7787-4002	100	25
T20-150-50M-LLUKHBFDA	665.14	7787-4003	150	50
T20-150-25M-LLUKHBFDA	731.65	7787-4004	150	25

AT5 Pitch—LL Urethane/Steel

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUS	\$22.20	7787-4010	10	100
AT5-10-50M-LLUS	23.26	7787-4011	10	50
AT5-15-100M-LLUS	33.34	7787-4012	15	100
AT5-15-50M-LLUS	34.92	7787-4013	15	50
AT5-20-100M-LLUS	44.41	7787-4014	20	100
AT5-20-50M-LLUS	46.51	7787-4015	20	50
AT5-25-100M-LLUS	50.72	7787-4016	25	100
AT5-25-50M-LLUS	53.12	7787-4017	25	50
AT5-32-100M-LLUS	67.98	7787-4018	32	100
AT5-32-50M-LLUS	71.19	7787-4019	32	50
AT5-50-100M-LLUS	96.61	7787-4020	50	100
AT5-50-50M-LLUS	101.18	7787-4021	50	50
AT5-75-100M-LLUS	193.16	7787-4022	75	100
AT5-75-50M-LLUS	202.30	7787-4023	75	50
AT5-100-100M-LLUS	193.16	7787-4024	100	100
AT5-100-50M-LLUS	202.30	7787-4025	100	50

AT5 Pitch—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUSNT	\$25.54	7787-4027	10	60
AT5-10-30M-LLUSNT	26.75	7787-4028	10	30
AT5-15-60M-LLUSNT	38.35	7787-4029	15	60
AT5-15-30M-LLUSNT	40.16	7787-4030	15	30
AT5-20-60M-LLUSNT	51.09	7787-4031	20	60
AT5-20-30M-LLUSNT	53.51	7787-4032	20	30
AT5-25-60M-LLUSNT	58.33	7787-4033	25	60
AT5-25-30M-LLUSNT	61.09	7787-4034	25	30
AT5-32-60M-LLUSNT	78.18	7787-4035	32	60
AT5-32-30M-LLUSNT	81.88	7787-4036	32	30
AT5-50-60M-LLUSNT	111.09	7787-4037	50	60
AT5-50-30M-LLUSNT	116.34	7787-4038	50	30
AT5-75-60M-LLUSNT	222.11	7787-4039	75	60
AT5-75-30M-LLUSNT	232.62	7787-4040	75	30
AT5-100-60M-LLUSNT	222.11	7787-4041	100	60
AT5-100-30M-LLUSNT	232.62	7787-4042	100	30

AT5 Pitch—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUSNB	\$24.43	7787-4045	10	60
AT5-10-30M-LLUSNB	25.59	7787-4046	10	30
AT5-15-60M-LLUSNB	36.68	7787-4047	15	60
AT5-15-30M-LLUSNB	38.41	7787-4048	15	30
AT5-20-60M-LLUSNB	48.86	7787-4049	20	60
AT5-20-30M-LLUSNB	51.17	7787-4050	20	30
AT5-25-60M-LLUSNB	55.79	7787-4051	25	60
AT5-25-30M-LLUSNB	58.43	7787-4052	25	30
AT5-32-60M-LLUSNB	74.78	7787-4053	32	60
AT5-32-30M-LLUSNB	78.32	7787-4054	32	30
AT5-50-60M-LLUSNB	106.26	7787-4055	50	60
AT5-50-30M-LLUSNB	111.29	7787-4056	50	30
AT5-75-60M-LLUSNB	212.46	7787-4057	75	60
AT5-75-30M-LLUSNB	222.51	7787-4058	75	30
AT5-100-60M-LLUSNB	212.46	7787-4059	100	60
AT5-100-30M-LLUSNB	222.51	7787-4060	100	30

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT5 Pitch-LL Urethane/Steel-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUSNTB	\$27.77	7787-4063	10	60
AT5-10-30M-LLUSNTB	29.09	7787-4064	10	30
AT5-15-60M-LLUSNTB	41.63	7787-4065	15	60
AT5-15-30M-LLUSNTB	39.63	7787-4066	15	30
AT5-20-60M-LLUSNTB	55.54	7787-4067	20	60
AT5-20-30M-LLUSNTB	58.17	7787-4068	20	30
AT5-25-60M-LLUSNTB	63.40	7787-4069	25	60
AT5-25-30M-LLUSNTB	66.40	7787-4070	25	30
AT5-32-60M-LLUSNTB	84.98	7787-4071	32	60
AT5-32-30M-LLUSNTB	89.00	7787-4072	32	30
AT5-50-60M-LLUSNTB	120.73	7787-4073	50	60
AT5-50-30M-LLUSNTB	126.45	7787-4074	50	30
AT5-75-60M-LLUSNTB	241.47	7787-4075	75	60
AT5-75-30M-LLUSNTB	252.89	7787-4076	75	30
AT5-100-60M-LLUSNTB	241.47	7787-4077	100	60
AT5-100-30M-LLUSNTB	252.89	7787-4078	100	30

AT5 Pitch-LL Urethane/Steel-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUSHBNT	\$31.11	7787-4115	10	60
AT5-10-30M-LLUSHBNT	32.58	7787-4116	10	30
AT5-15-60M-LLUSHBNT	46.64	7787-4117	15	60
AT5-15-30M-LLUSHBNT	48.84	7787-4118	15	30
AT5-20-60M-LLUSHBNT	62.22	7787-4119	20	60
AT5-20-30M-LLUSHBNT	65.17	7787-4120	20	30
AT5-25-60M-LLUSHBNT	71.01	7787-4121	25	60
AT5-25-30M-LLUSHBNT	74.36	7787-4122	25	30
AT5-32-60M-LLUSHBNT	95.19	7787-4123	32	60
AT5-32-30M-LLUSHBNT	99.69	7787-4124	32	30
AT5-50-60M-LLUSHBNT	135.21	7787-4125	50	60
AT5-50-30M-LLUSHBNT	141.60	7787-4126	50	30
AT5-75-60M-LLUSHBNT	270.42	7787-4127	75	60
AT5-75-30M-LLUSHBNT	283.21	7787-4128	75	30
AT5-100-60M-LLUSHBNT	270.42	7787-4129	100	60
AT5-100-30M-LLUSHBNT	283.21	7787-4130	100	30

AT5 Pitch-LL Urethane/Steel-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUSFDA	\$27.77	7787-4080	10	100
AT5-10-50M-LLUSFDA	29.09	7787-4081	10	50
AT5-15-100M-LLUSFDA	41.63	7787-4082	15	100
AT5-15-50M-LLUSFDA	39.63	7787-4083	15	50
AT5-20-100M-LLUSFDA	55.54	7787-4084	20	100
AT5-20-50M-LLUSFDA	58.17	7787-4085	20	50
AT5-25-100M-LLUSFDA	63.40	7787-4086	25	100
AT5-25-50M-LLUSFDA	66.40	7787-4087	25	50
AT5-32-100M-LLUSFDA	84.98	7787-4088	32	100
AT5-32-50M-LLUSFDA	89.00	7787-4089	32	50
AT5-50-100M-LLUSFDA	120.73	7787-4090	50	100
AT5-50-50M-LLUSFDA	126.45	7787-4091	50	50
AT5-75-100M-LLUSFDA	241.47	7787-4092	75	100
AT5-75-50M-LLUSFDA	252.89	7787-4093	75	50
AT5-100-100M-LLUSFDA	241.47	7787-4094	100	100
AT5-100-50M-LLUSFDA	252.89	7787-4095	100	50

AT5 Pitch-LL Urethane/Steel-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUSHBNB	\$30.00	7787-4133	10	60
AT5-10-30M-LLUSHBNB	31.42	7787-4134	10	30
AT5-15-60M-LLUSHBNB	44.97	7787-4135	15	60
AT5-15-30M-LLUSHBNB	47.09	7787-4136	15	30
AT5-20-60M-LLUSHBNB	60.00	7787-4137	20	60
AT5-20-30M-LLUSHBNB	62.83	7787-4138	20	30
AT5-25-60M-LLUSHBNB	68.47	7787-4139	25	60
AT5-25-30M-LLUSHBNB	71.71	7787-4140	25	30
AT5-32-60M-LLUSHBNB	91.79	7787-4141	32	60
AT5-32-30M-LLUSHBNB	96.13	7787-4142	32	30
AT5-50-60M-LLUSHBNB	130.38	7787-4143	50	60
AT5-50-30M-LLUSHBNB	136.55	7787-4144	50	30
AT5-75-60M-LLUSHBNB	260.77	7787-4145	75	60
AT5-75-30M-LLUSHBNB	273.10	7787-4146	75	30
AT5-100-60M-LLUSHBNB	260.77	7787-4147	100	60
AT5-100-30M-LLUSHBNB	273.10	7787-4148	100	30

AT5 Pitch-LL Urethane/Steel-Heavy Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUSHB	\$27.77	7787-4097	10	100
AT5-10-50M-LLUSHB	29.09	7787-4098	10	50
AT5-15-100M-LLUSHB	41.69	7787-4099	15	100
AT5-15-50M-LLUSHB	43.66	7787-4100	15	50
AT5-20-100M-LLUSHB	55.54	7787-4101	20	100
AT5-20-50M-LLUSHB	58.17	7787-4102	20	50
AT5-25-100M-LLUSHB	63.40	7787-4103	25	100
AT5-25-50M-LLUSHB	66.40	7787-4104	25	50
AT5-32-100M-LLUSHB	84.98	7787-4105	32	100
AT5-32-50M-LLUSHB	89.00	7787-4106	32	50
AT5-50-100M-LLUSHB	120.73	7787-4107	50	100
AT5-50-50M-LLUSHB	126.45	7787-4108	50	50
AT5-75-100M-LLUSHB	241.47	7787-4109	75	100
AT5-75-50M-LLUSHB	252.89	7787-4110	75	50
AT5-100-100M-LLUSHB	241.47	7787-4111	100	100
AT5-100-50M-LLUSHB	252.89	7787-4112	100	50

AT5 Pitch-LL Urethane/Steel-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUSHBNTB	\$33.34	7787-4150	10	60
AT5-10-30M-LLUSHBNTB	34.92	7787-4151	10	30
AT5-15-60M-LLUSHBNTB	49.98	7787-4152	15	60
AT5-15-30M-LLUSHBNTB	52.34	7787-4153	15	30
AT5-20-60M-LLUSHBNTB	66.61	7787-4154	20	60
AT5-20-30M-LLUSHBNTB	69.77	7787-4155	20	30
AT5-25-60M-LLUSHBNTB	76.08	7787-4156	25	60
AT5-25-30M-LLUSHBNTB	79.68	7787-4157	25	30
AT5-32-60M-LLUSHBNTB	101.99	7787-4158	32	60
AT5-32-30M-LLUSHBNTB	106.82	7787-4159	32	30
AT5-50-60M-LLUSHBNTB	144.86	7787-4160	50	60
AT5-50-30M-LLUSHBNTB	151.71	7787-4161	50	30
AT5-75-60M-LLUSHBNTB	289.78	7787-4162	75	60
AT5-75-30M-LLUSHBNTB	303.48	7787-4163	75	30
AT5-100-60M-LLUSHBNTB	289.78	7787-4164	100	60
AT5-100-30M-LLUSHBNTB	303.48	7787-4165	100	30

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT5 Pitch-LL Urethane/Steel-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUSHBFDA	\$33.34	7787-4167	10	100
AT5-10-50M-LLUSHBFDA	34.92	7787-4168	10	50
AT5-15-100M-LLUSHBFDA	49.98	7787-4169	15	100
AT5-15-50M-LLUSHBFDA	52.34	7787-4170	15	50
AT5-20-100M-LLUSHBFDA	66.61	7787-4171	20	100
AT5-20-50M-LLUSHBFDA	69.77	7787-4172	20	50
AT5-25-100M-LLUSHBFDA	76.08	7787-4173	25	100
AT5-25-50M-LLUSHBFDA	79.68	7787-4174	25	50
AT5-32-100M-LLUSHBFDA	101.99	7787-4175	32	100
AT5-32-50M-LLUSHBFDA	106.82	7787-4176	32	50
AT5-50-100M-LLUSHBFDA	144.86	7787-4177	50	100
AT5-50-50M-LLUSHBFDA	151.71	7787-4178	50	50
AT5-75-100M-LLUSHBFDA	289.78	7787-4179	75	100
AT5-75-50M-LLUSHBFDA	303.48	7787-4180	75	50
AT5-100-100M-LLUSHBFDA	289.78	7787-4181	100	100
AT5-100-50M-LLUSHBFDA	303.48	7787-4182	100	50

AT5 Pitch-LL Urethane/KEVLAR

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUK	\$25.54	7787-4185	10	100
A5-10-50M-LLUK	26.75	7787-4186	10	50
AT5-15-100M-LLUK	51.09	7787-4187	15	100
AT5-15-50M-LLUK	53.51	7787-4188	15	50
AT5-20-100M-LLUK	51.09	7787-4189	20	100
AT5-20-50M-LLUK	53.51	7787-4190	20	50
AT5-25-100M-LLUK	58.33	7787-4191	25	100
AT5-25-50M-LLUK	61.09	7787-4192	25	50
AT5-32-100M-LLUK	78.18	7787-4193	32	100
AT5-32-50M-LLUK	81.88	7787-4194	32	50
AT5-50-100M-LLUK	111.09	7787-4195	50	100
AT5-50-50M-LLUK	116.34	7787-4196	50	50
AT5-75-100M-LLUK	222.11	7787-4197	75	100
AT5-75-50M-LLUK	232.62	7787-4198	75	50
AT5-100-100M-LLUK	222.11	7787-4199	100	100
AT5-100-50M-LLUK	232.62	7787-4200	100	50

AT5 Pitch-LL Urethane/KEVLAR-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUKNT	\$29.38	7787-4203	10	60
AT5-10-30M-LLUKNT	30.77	7787-4204	10	30
AT5-15-60M-LLUKNT	58.76	7787-4205	15	60
AT5-15-30M-LLUKNT	61.54	7787-4206	15	30
AT5-20-60M-LLUKNT	58.76	7787-4207	20	60
AT5-20-30M-LLUKNT	61.54	7787-4208	20	30
AT5-25-60M-LLUKNT	67.05	7787-4209	25	60
AT5-25-30M-LLUKNT	70.22	7787-4210	25	30
AT5-32-60M-LLUKNT	89.93	7787-4211	32	60
AT5-32-30M-LLUKNT	94.19	7787-4212	32	30
AT5-50-60M-LLUKNT	127.72	7787-4213	50	60
AT5-50-30M-LLUKNT	133.77	7787-4214	50	30
AT5-75-60M-LLUKNT	255.45	7787-4215	75	60
AT5-75-30M-LLUKNT	267.53	7787-4216	75	30
AT5-100-60M-LLUKNT	255.45	7787-4217	100	60
AT5-100-30M-LLUKNT	267.53	7787-4218	100	30

AT5 Pitch-LL Urethane/KEVLAR®-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUKNB	\$28.08	7787-4220	10	60
AT5-10-30M-LLUKNB	29.41	7787-4221	10	30
AT5-15-60M-LLUKNB	56.22	7787-4222	15	60
AT5-15-30M-LLUKNB	58.88	7787-4223	15	30
AT5-20-60M-LLUKNB	56.22	7787-4224	20	60
AT5-20-30M-LLUKNB	58.88	7787-4225	20	30
AT5-25-60M-LLUKNB	64.14	7787-4226	25	60
AT5-25-30M-LLUKNB	67.17	7787-4227	25	30
AT5-32-60M-LLUKNB	86.04	7787-4228	32	60
AT5-32-30M-LLUKNB	90.11	7787-4229	32	30
AT5-50-60M-LLUKNB	122.16	7787-4230	50	60
AT5-50-30M-LLUKNB	127.94	7787-4231	50	30
AT5-75-60M-LLUKNB	244.38	7787-4232	75	60
AT5-75-30M-LLUKNB	255.94	7787-4233	75	30
AT5-100-60M-LLUKNB	244.38	7787-4234	100	60
AT5-100-30M-LLUKNB	255.94	7787-4235	100	30

AT5 Pitch-LL Urethane/KEVLAR-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUKNTB	\$31.92	7787-4237	10	60
AT5-10-30M-LLUKNTB	33.43	7787-4238	10	30
AT5-15-60M-LLUKNTB	63.83	7787-4239	15	60
AT5-15-30M-LLUKNTB	66.85	7787-4240	15	30
AT5-20-60M-LLUKNTB	63.83	7787-4241	20	60
AT5-20-30M-LLUKNTB	66.85	7787-4242	20	30
AT5-25-60M-LLUKNTB	72.86	7787-4243	25	60
AT5-25-30M-LLUKNTB	76.31	7787-4244	25	30
AT5-32-60M-LLUKNTB	97.73	7787-4245	32	60
AT5-32-30M-LLUKNTB	102.35	7787-4246	32	30
AT5-50-60M-LLUKNTB	138.86	7787-4247	50	60
AT5-50-30M-LLUKNTB	145.43	7787-4248	50	30
AT5-75-60M-LLUKNTB	277.65	7787-4249	75	60
AT5-75-30M-LLUKNTB	290.79	7787-4250	75	30
AT5-100-60M-LLUKNTB	277.65	7787-4251	100	60
AT5-100-30M-LLUKNTB	290.79	7787-4252	100	30

AT5 Pitch-LL Urethane/KEVLAR-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUKFDA	\$31.92	7787-4255	10	100
AT5-10-50M-LLUKFDA	33.43	7787-4256	10	50
AT5-15-100M-LLUKFDA	63.83	7787-4257	15	100
AT5-15-50M-LLUKFDA	66.85	7787-4258	15	50
AT5-20-100M-LLUKFDA	63.83	7787-4259	20	100
AT5-20-50M-LLUKFDA	66.85	7787-4260	20	50
AT5-25-100M-LLUKFDA	72.86	7787-4261	25	100
AT5-25-50M-LLUKFDA	76.31	7787-4262	25	50
AT5-32-100M-LLUKFDA	97.73	7787-4263	32	100
AT5-32-50M-LLUKFDA	102.35	7787-4264	32	50
AT5-50-100M-LLUKFDA	138.86	7787-4265	50	100
AT5-50-50M-LLUKFDA	145.43	7787-4266	50	50
AT5-75-100M-LLUKFDA	277.65	7787-4267	75	100
AT5-75-50M-LLUKFDA	290.79	7787-4268	75	50
AT5-100-100M-LLUKFDA	277.65	7787-4269	100	100
AT5-100-50M-LLUKFDA	290.79	7787-4270	100	50

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT5 Pitch-LL Urethane/KEVLAR®-Heavy Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUKHNB	\$31.92	7787-4272	10	100
AT5-10-50M-LLUKHNB	33.43	7787-4273	10	50
AT5-15-100M-LLUKHNB	63.83	7787-4274	15	100
AT5-15-50M-LLUKHNB	66.85	7787-4275	15	50
AT5-20-100M-LLUKHNB	63.83	7787-4276	20	100
AT5-20-50M-LLUKHNB	66.85	7787-4277	20	50
AT5-25-100M-LLUKHNB	72.86	7787-4278	25	100
AT5-25-50M-LLUKHNB	76.31	7787-4279	25	50
AT5-32-100M-LLUKHNB	97.73	7787-4280	32	100
AT5-32-50M-LLUKHNB	102.35	7787-4281	32	50
AT5-50-100M-LLUKHNB	138.86	7787-4282	50	100
AT5-50-50M-LLUKHNB	145.43	7787-4283	50	50
AT5-75-100M-LLUKHNB	277.65	7787-4284	75	100
AT5-75-50M-LLUKHNB	290.79	7787-4285	75	50
AT5-100-100M-LLUKHNB	277.65	7787-4286	100	100
AT5-100-50M-LLUKHNB	290.79	7787-4287	100	50

AT5 Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUKHBFDA	\$35.75	7787-4290	10	60
AT5-10-30M-LLUKHBFDA	37.44	7787-4291	10	30
AT5-15-60M-LLUKHBFDA	71.56	7787-4292	15	60
AT5-15-30M-LLUKHBFDA	74.95	7787-4293	15	30
AT5-20-60M-LLUKHBFDA	71.56	7787-4294	20	60
AT5-20-30M-LLUKHBFDA	74.95	7787-4295	20	30
AT5-25-60M-LLUKHBFDA	81.64	7787-4296	25	60
AT5-25-30M-LLUKHBFDA	85.51	7787-4297	25	30
AT5-32-60M-LLUKHBFDA	109.48	7787-4298	32	60
AT5-32-30M-LLUKHBFDA	114.66	7787-4299	32	30
AT5-50-60M-LLUKHBFDA	155.50	7787-4300	50	60
AT5-50-30M-LLUKHBFDA	162.85	7787-4301	50	30
AT5-75-60M-LLUKHBFDA	310.99	7787-4302	75	60
AT5-75-30M-LLUKHBFDA	325.70	7787-4303	75	30
AT5-100-60M-LLUKHBFDA	310.99	7787-4304	100	60
AT5-100-30M-LLUKHBFDA	325.70	7787-4305	100	30

AT5 Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUKHBNB	\$34.45	7787-4307	10	60
AT5-10-30M-LLUKHBNB	36.08	7787-4308	10	30
AT5-15-60M-LLUKHBNB	68.96	7787-4309	15	60
AT5-15-30M-LLUKHBNB	72.23	7787-4310	15	30
AT5-20-60M-LLUKHBNB	68.96	7787-4311	20	60
AT5-20-30M-LLUKHBNB	72.23	7787-4312	20	30
AT5-25-60M-LLUKHBNB	78.74	7787-4313	25	60
AT5-25-30M-LLUKHBNB	82.46	7787-4314	25	30
AT5-32-60M-LLUKHBNB	105.58	7787-4315	32	60
AT5-32-30M-LLUKHBNB	110.58	7787-4316	32	30
AT5-50-60M-LLUKHBNB	149.93	7787-4317	50	60
AT5-50-30M-LLUKHBNB	157.02	7787-4318	50	30
AT5-75-60M-LLUKHBNB	299.86	7787-4319	75	60
AT5-75-30M-LLUKHBNB	314.04	7787-4320	75	30
AT5-100-60M-LLUKHBNB	299.86	7787-4321	100	60
AT5-100-30M-LLUKHBNB	314.04	7787-4322	100	30

AT5 Pitch-LL Urethane/KEVLAR-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-60M-LLUKHBNB	\$38.29	7787-4325	10	60
AT5-10-30M-LLUKHBNB	40.10	7787-4326	10	30
AT5-15-60M-LLUKHBNB	76.63	7787-4327	15	60
AT5-15-30M-LLUKHBNB	80.26	7787-4328	15	30
AT5-20-60M-LLUKHBNB	76.63	7787-4329	20	60
AT5-20-30M-LLUKHBNB	80.26	7787-4330	20	30
AT5-25-60M-LLUKHBNB	87.46	7787-4331	25	60
AT5-25-30M-LLUKHBNB	91.60	7787-4332	25	30
AT5-32-60M-LLUKHBNB	117.27	7787-4333	32	60
AT5-32-30M-LLUKHBNB	122.82	7787-4334	32	30
AT5-50-60M-LLUKHBNB	166.63	7787-4335	50	60
AT5-50-30M-LLUKHBNB	174.51	7787-4336	50	30
AT5-75-60M-LLUKHBNB	333.20	7787-4337	75	60
AT5-75-30M-LLUKHBNB	348.96	7787-4338	75	30
AT5-100-60M-LLUKHBNB	333.20	7787-4339	100	60
AT5-100-30M-LLUKHBNB	348.96	7787-4340	100	30

AT5 Pitch-LL Urethane/KEVLAR-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT5-10-100M-LLUKHBFDA	\$38.29	7787-4342	10	100
AT5-10-50M-LLUKHBFDA	40.10	7787-4343	10	50
AT5-15-100M-LLUKHBFDA	76.63	7787-4344	15	100
AT5-15-50M-LLUKHBFDA	80.26	7787-4345	15	50
AT5-20-100M-LLUKHBFDA	76.63	7787-4346	20	100
AT5-20-50M-LLUKHBFDA	80.26	7787-4347	20	50
AT5-25-100M-LLUKHBFDA	87.46	7787-4348	25	100
AT5-25-50M-LLUKHBFDA	91.60	7787-4349	25	50
AT5-32-100M-LLUKHBFDA	117.27	7787-4350	32	100
AT5-32-50M-LLUKHBFDA	122.82	7787-4351	32	50
AT5-50-100M-LLUKHBFDA	166.63	7787-4352	50	100
AT5-50-50M-LLUKHBFDA	174.51	7787-4353	50	50
AT5-75-100M-LLUKHBFDA	333.20	7787-4354	75	100
AT5-75-50M-LLUKHBFDA	348.96	7787-4355	75	50
AT5-100-100M-LLUKHBFDA	333.20	7787-4356	100	100
AT5-100-50M-LLUKHBFDA	348.96	7787-4357	100	50

AT10 Pitch-LL Urethane/Steel

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUS	\$56.59	7787-4360	20	100
AT10-20-50M-LLUS	65.73	7787-4361	20	50
AT10-25-100M-LLUS	59.83	7787-4362	25	100
AT10-25-50M-LLUS	70.37	7787-4363	25	50
AT10-32-100M-LLUS	77.58	7787-4364	32	100
AT10-32-50M-LLUS	90.11	7787-4365	32	50
AT10-40-100M-LLUS	86.15	7787-4366	40	100
AT10-40-50M-LLUS	101.33	7787-4367	40	50
AT10-50-100M-LLUS	88.85	7787-4368	50	100
AT10-50-50M-LLUS	103.20	7787-4369	50	50
AT10-75-100M-LLUS	131.68	7787-4370	75	100
AT10-75-50M-LLUS	154.86	7787-4371	75	50
AT10-100-100M-LLUS	161.60	7787-4372	100	100
AT10-100-50M-LLUS	187.69	7787-4373	100	50
AT10-150-100M-LLUS	239.38	7787-4374	150	100
AT10-150-50M-LLUS	281.54	7787-4375	150	50

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT10 Pitch-LL Urethane/Steel-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUSNT	\$65.06	7787-4377	20	60
AT10-20-30M-LLUSNT	75.56	7787-4378	20	30
AT10-25-60M-LLUSNT	68.84	7787-4379	25	60
AT10-25-30M-LLUSNT	80.96	7787-4380	25	30
AT10-32-60M-LLUSNT	89.21	7787-4381	32	60
AT10-32-30M-LLUSNT	103.61	7787-4382	32	30
AT10-40-60M-LLUSNT	99.11	7787-4383	40	60
AT10-40-30M-LLUSNT	116.56	7787-4384	40	30
AT10-50-60M-LLUSNT	102.21	7787-4385	50	60
AT10-50-30M-LLUSNT	118.71	7787-4386	50	30
AT10-75-60M-LLUSNT	151.40	7787-4387	75	60
AT10-75-30M-LLUSNT	178.07	7787-4388	75	30
AT10-100-60M-LLUSNT	185.81	7787-4389	100	60
AT10-100-30M-LLUSNT	215.81	7787-4390	100	30
AT10-150-60M-LLUSNT	275.31	7787-4391	150	60
AT10-150-30M-LLUSNT	323.79	7787-4392	150	30

AT10 Pitch-LL Urethane/Steel-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUSFDA	\$70.72	7787-4430	20	100
AT10-20-50M-LLUSFDA	82.14	7787-4431	20	50
AT10-25-100M-LLUSFDA	74.79	7787-4432	25	100
AT10-25-50M-LLUSFDA	87.96	7787-4433	25	50
AT10-32-100M-LLUSFDA	96.96	7787-4434	32	100
AT10-32-50M-LLUSFDA	112.62	7787-4435	32	50
AT10-40-100M-LLUSFDA	107.71	7787-4436	40	100
AT10-40-50M-LLUSFDA	126.68	7787-4437	40	50
AT10-50-100M-LLUSFDA	111.09	7787-4438	50	100
AT10-50-50M-LLUSFDA	129.03	7787-4439	50	50
AT10-75-100M-LLUSFDA	164.59	7787-4440	75	100
AT10-75-50M-LLUSFDA	193.58	7787-4441	75	50
AT10-100-100M-LLUSFDA	202.03	7787-4442	100	100
AT10-100-50M-LLUSFDA	234.65	7787-4443	100	50
AT10-150-100M-LLUSFDA	299.21	7787-4444	150	100
AT10-150-50M-LLUSFDA	351.91	7787-4445	150	50

AT10 Pitch-LL Urethane/Steel-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUSNB	\$62.19	7787-4395	20	60
AT10-20-30M-LLUSNB	72.24	7787-4396	20	30
AT10-25-60M-LLUSNB	65.84	7787-4397	25	60
AT10-25-30M-LLUSNB	77.43	7787-4398	25	30
AT10-32-60M-LLUSNB	85.33	7787-4399	32	60
AT10-32-30M-LLUSNB	99.11	7787-4400	32	30
AT10-40-60M-LLUSNB	94.81	7787-4401	40	60
AT10-40-30M-LLUSNB	111.51	7787-4402	40	30
AT10-50-60M-LLUSNB	97.73	7787-4403	50	60
AT10-50-30M-LLUSNB	113.52	7787-4404	50	30
AT10-75-60M-LLUSNB	144.81	7787-4405	75	60
AT10-75-30M-LLUSNB	170.31	7787-4406	75	30
AT10-100-60M-LLUSNB	177.76	7787-4407	100	60
AT10-100-30M-LLUSNB	206.46	7787-4408	100	30
AT10-150-60M-LLUSNB	263.29	7787-4409	150	60
AT10-150-30M-LLUSNB	309.66	7787-4410	150	30

AT10 Pitch-LL Urethane/Steel-Heavy Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUSHB	\$70.72	7787-4447	20	100
AT10-20-50M-LLUSHB	82.14	7787-4448	20	50
AT10-25-100M-LLUSHB	74.79	7787-4449	25	100
AT10-25-50M-LLUSHB	87.96	7787-4450	25	50
AT10-32-100M-LLUSHB	96.96	7787-4451	32	100
AT10-32-50M-LLUSHB	112.62	7787-4452	32	50
AT10-40-100M-LLUSHB	107.71	7787-4453	40	100
AT10-40-50M-LLUSHB	126.68	7787-4454	40	50
AT10-50-100M-LLUSHB	111.09	7787-4455	50	100
AT10-50-50M-LLUSHB	129.03	7787-4456	50	50
AT10-75-100M-LLUSHB	164.59	7787-4457	75	100
AT10-75-50M-LLUSHB	193.58	7787-4458	75	50
AT10-100-100M-LLUSHB	202.03	7787-4459	100	100
AT10-100-50M-LLUSHB	234.65	7787-4460	100	50
AT10-150-100M-LLUSHB	299.21	7787-4461	150	100
AT10-150-50M-LLUSHB	351.91	7787-4462	150	50

AT10 Pitch-LL Urethane/Steel-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUSNTB	\$70.72	7787-4412	20	60
AT10-20-30M-LLUSNTB	82.14	7787-4413	20	30
AT10-25-60M-LLUSNTB	74.79	7787-4414	25	60
AT10-25-30M-LLUSNTB	87.96	7787-4415	25	30
AT10-32-60M-LLUSNTB	96.96	7787-4416	32	60
AT10-32-30M-LLUSNTB	112.62	7787-4417	32	30
AT10-40-60M-LLUSNTB	107.71	7787-4418	40	60
AT10-40-30M-LLUSNTB	126.68	7787-4419	40	30
AT10-50-60M-LLUSNTB	111.09	7787-4420	50	60
AT10-50-30M-LLUSNTB	129.03	7787-4421	50	30
AT10-75-60M-LLUSNTB	164.59	7787-4422	75	60
AT10-75-30M-LLUSNTB	193.58	7787-4423	75	30
AT10-100-60M-LLUSNTB	202.03	7787-4424	100	60
AT10-100-30M-LLUSNTB	234.65	7787-4425	100	30
AT10-150-60M-LLUSNTB	299.21	7787-4426	150	60
AT10-150-30M-LLUSNTB	351.91	7787-4427	150	30

AT10 Pitch-LL Urethane/Steel-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUSHBNT	\$79.19	7787-4465	20	60
AT10-20-30M-LLUSHBNT	91.98	7787-4466	20	30
AT10-25-60M-LLUSHBNT	83.80	7787-4467	25	60
AT10-25-30M-LLUSHBNT	98.56	7787-4468	25	30
AT10-32-60M-LLUSHBNT	108.59	7787-4469	32	60
AT10-32-30M-LLUSHBNT	126.12	7787-4470	32	30
AT10-40-60M-LLUSHBNT	120.66	7787-4471	40	60
AT10-40-30M-LLUSHBNT	141.91	7787-4472	40	30
AT10-50-60M-LLUSHBNT	124.45	7787-4473	50	60
AT10-50-30M-LLUSHBNT	144.54	7787-4474	50	30
AT10-75-60M-LLUSHBNT	184.32	7787-4475	75	60
AT10-75-30M-LLUSHBNT	216.78	7787-4476	75	30
AT10-100-60M-LLUSHBNT	226.23	7787-4477	100	60
AT10-100-30M-LLUSHBNT	262.77	7787-4478	100	30
AT10-150-60M-LLUSHBNT	335.14	7787-4479	150	60
AT10-150-30M-LLUSHBNT	394.15	7787-4480	150	30

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT10 Pitch-LL Urethane/Steel-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUSHBNB	\$76.33	7787-4483	20	60
AT10-20-30M-LLUSHBNB	88.65	7787-4484	20	30
AT10-25-60M-LLUSHBNB	80.80	7787-4485	25	60
AT10-25-30M-LLUSHBNB	95.02	7787-4486	25	30
AT10-32-60M-LLUSHBNB	104.71	7787-4487	32	60
AT10-32-30M-LLUSHBNB	121.62	7787-4488	32	30
AT10-40-60M-LLUSHBNB	116.36	7787-4489	40	60
AT10-40-30M-LLUSHBNB	136.86	7787-4490	40	30
AT10-50-60M-LLUSHBNB	119.97	7787-4491	50	60
AT10-50-30M-LLUSHBNB	139.35	7787-4492	50	30
AT10-75-60M-LLUSHBNB	177.73	7787-4493	75	60
AT10-75-30M-LLUSHBNB	209.02	7787-4494	75	30
AT10-100-60M-LLUSHBNB	218.18	7787-4495	100	60
AT10-100-30M-LLUSHBNB	253.42	7787-4496	100	30
AT10-150-60M-LLUSHBNB	323.18	7787-4497	150	60
AT10-150-30M-LLUSHBNB	380.09	7787-4498	150	30

AT10 Pitch-LL Urethane/Steel-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUSHBFDA	\$84.85	7787-4518	20	100
AT10-20-50M-LLUSHBFDA	98.56	7787-4519	20	50
AT10-25-100M-LLUSHBFDA	89.75	7787-4520	25	100
AT10-25-50M-LLUSHBFDA	105.55	7787-4521	25	50
AT10-32-100M-LLUSHBFDA	116.34	7787-4522	32	100
AT10-32-50M-LLUSHBFDA	135.12	7787-4523	32	50
AT10-40-100M-LLUSHBFDA	129.26	7787-4524	40	100
AT10-40-50M-LLUSHBFDA	152.02	7787-4525	40	50
AT10-50-100M-LLUSHBFDA	133.33	7787-4526	50	100
AT10-50-50M-LLUSHBFDA	154.86	7787-4527	50	50
AT10-75-100M-LLUSHBFDA	197.45	7787-4528	75	100
AT10-75-50M-LLUSHBFDA	232.23	7787-4529	75	50
AT10-100-100M-LLUSHBFDA	242.39	7787-4530	100	100
AT10-100-50M-LLUSHBFDA	281.54	7787-4531	100	50
AT10-150-100M-LLUSHBFDA	359.10	7787-4532	150	100
AT10-150-50M-LLUSHBFDA	422.34	7787-4533	150	50

AT10 Pitch-LL Urethane/Steel-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUSHBNTB	\$84.85	7787-4500	20	60
AT10-20-30M-LLUSHBNTB	98.56	7787-4501	20	30
AT10-25-60M-LLUSHBNTB	89.75	7787-4502	25	60
AT10-25-30M-LLUSHBNTB	105.55	7787-4503	25	30
AT10-32-60M-LLUSHBNTB	116.34	7787-4504	32	60
AT10-32-30M-LLUSHBNTB	135.12	7787-4505	32	30
AT10-40-60M-LLUSHBNTB	129.26	7787-4506	40	60
AT10-40-30M-LLUSHBNTB	152.02	7787-4507	40	30
AT10-50-60M-LLUSHBNTB	133.33	7787-4508	50	60
AT10-50-30M-LLUSHBNTB	154.86	7787-4509	50	30
AT10-75-60M-LLUSHBNTB	197.45	7787-4510	75	60
AT10-75-30M-LLUSHBNTB	232.23	7787-4511	75	30
AT10-100-60M-LLUSHBNTB	242.39	7787-4512	100	60
AT10-100-30M-LLUSHBNTB	281.54	7787-4513	100	30
AT10-150-60M-LLUSHBNTB	359.10	7787-4514	150	60
AT10-150-30M-LLUSHBNTB	422.34	7787-4515	150	30

AT10 Pitch-LL Urethane/KEVLAR®

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUK	\$65.06	7787-4535	20	100
AT10-20-50M-LLUK	75.56	7787-4536	20	50
AT10-25-100M-LLUK	68.84	7787-4537	25	100
AT10-25-50M-LLUK	80.96	7787-4538	25	50
AT10-32-100M-LLUK	89.21	7787-4539	32	100
AT10-32-50M-LLUK	103.61	7787-4540	32	50
AT10-40-100M-LLUK	99.11	7787-4541	40	100
AT10-40-50M-LLUK	116.56	7787-4542	40	50
AT10-50-100M-LLUK	102.21	7787-4543	50	100
AT10-50-50M-LLUK	118.71	7787-4544	50	50
AT10-75-100M-LLUK	151.40	7787-4545	75	100
AT10-75-50M-LLUK	178.07	7787-4546	75	50
AT10-100-100M-LLUK	185.81	7787-4547	100	100
AT10-100-50M-LLUK	215.81	7787-4548	100	50
AT10-150-100M-LLUK	275.31	7787-4549	150	100
AT10-150-50M-LLUK	323.79	7787-4550	150	50

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT10 Pitch-LL Urethane/KEVLAR®-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUKNT	\$74.78	7787-4553	20	60
AT10-20-30M-LLUKNT	86.85	7787-4554	20	30
AT10-25-60M-LLUKNT	79.15	7787-4555	25	60
AT10-25-30M-LLUKNT	93.08	7787-4556	25	30
AT10-32-60M-LLUKNT	102.56	7787-4557	32	60
AT10-32-30M-LLUKNT	119.13	7787-4558	32	30
AT10-40-60M-LLUKNT	113.95	7787-4559	40	60
AT10-40-30M-LLUKNT	134.02	7787-4560	40	30
AT10-50-60M-LLUKNT	117.53	7787-4561	50	60
AT10-50-30M-LLUKNT	136.51	7787-4562	50	30
AT10-75-60M-LLUKNT	174.08	7787-4563	75	60
AT10-75-30M-LLUKNT	204.73	7787-4564	75	30
AT10-100-60M-LLUKNT	213.71	7787-4565	100	60
AT10-100-30M-LLUKNT	248.23	7787-4566	100	30
AT10-150-60M-LLUKNT	316.59	7787-4567	150	60
AT10-150-30M-LLUKNT	372.34	7787-4568	150	30

AT10 Pitch-LL Urethane/KEVLAR-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUKNTB	\$81.33	7787-4588	20	60
AT10-20-30M-LLUKNTB	94.47	7787-4589	20	30
AT10-25-60M-LLUKNTB	86.04	7787-4590	25	60
AT10-25-30M-LLUKNTB	101.19	7787-4591	25	30
AT10-32-60M-LLUKNTB	111.51	7787-4592	32	60
AT10-32-30M-LLUKNTB	129.51	7787-4593	32	30
AT10-40-60M-LLUKNTB	123.90	7787-4594	40	60
AT10-40-30M-LLUKNTB	145.72	7787-4595	40	30
AT10-50-60M-LLUKNTB	127.73	7787-4596	50	60
AT10-50-30M-LLUKNTB	148.35	7787-4597	50	30
AT10-75-60M-LLUKNTB	189.27	7787-4598	75	60
AT10-75-30M-LLUKNTB	222.60	7787-4599	75	30
AT10-100-60M-LLUKNTB	232.32	7787-4600	100	60
AT10-100-30M-LLUKNTB	269.83	7787-4601	100	30
AT10-150-60M-LLUKNTB	344.09	7787-4602	150	60
AT10-150-30M-LLUKNTB	404.68	7787-4603	150	30

AT10 Pitch-LL Urethane/KEVLAR-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUKNB	\$71.56	7787-4570	20	60
AT10-20-30M-LLUKNB	83.11	7787-4571	20	30
AT10-25-60M-LLUKNB	75.67	7787-4572	25	60
AT10-25-30M-LLUKNB	89.00	7787-4573	25	30
AT10-32-60M-LLUKNB	98.15	7787-4574	32	60
AT10-32-30M-LLUKNB	114.00	7787-4575	32	30
AT10-40-60M-LLUKNB	109.00	7787-4576	40	60
AT10-40-30M-LLUKNB	128.20	7787-4577	40	30
AT10-50-60M-LLUKNB	112.40	7787-4578	50	60
AT10-50-30M-LLUKNB	130.55	7787-4579	50	30
AT10-75-60M-LLUKNB	166.54	7787-4580	75	60
AT10-75-30M-LLUKNB	195.87	7787-4581	75	30
AT10-100-60M-LLUKNB	204.41	7787-4582	100	60
AT10-100-30M-LLUKNB	237.42	7787-4583	100	30
AT10-150-60M-LLUKNB	302.81	7787-4584	150	60
AT10-150-30M-LLUKNB	356.13	7787-4585	150	30

AT10 Pitch-LL Urethane/KEVLAR-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUKFDA	\$81.33	7787-4605	20	100
AT10-20-50M-LLUKFDA	94.47	7787-4606	20	50
AT10-25-100M-LLUKFDA	86.04	7787-4607	25	100
AT10-25-50M-LLUKFDA	101.19	7787-4608	25	50
AT10-32-100M-LLUKFDA	111.51	7787-4609	32	100
AT10-32-50M-LLUKFDA	129.51	7787-4610	32	50
AT10-40-100M-LLUKFDA	123.90	7787-4611	40	100
AT10-40-50M-LLUKFDA	145.72	7787-4612	40	50
AT10-50-100M-LLUKFDA	127.73	7787-4613	50	100
AT10-50-50M-LLUKFDA	148.35	7787-4614	50	50
AT10-75-100M-LLUKFDA	189.27	7787-4615	75	100
AT10-75-50M-LLUKFDA	222.60	7787-4616	75	50
AT10-100-100M-LLUKFDA	232.32	7787-4617	100	100
AT10-100-50M-LLUKFDA	269.83	7787-4618	100	50
AT10-150-100M-LLUKFDA	344.09	7787-4619	150	100
AT10-150-50M-LLUKFDA	404.68	7787-4620	150	50

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT10 Pitch—LL Urethane/KEVLAR®—Heavy Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUKHB	\$81.33	7787-4622	20	100
AT10-20-50M-LLUKHB	94.47	7787-4623	20	50
AT10-25-100M-LLUKHB	86.04	7787-4624	25	100
AT10-25-50M-LLUKHB	101.19	7787-4625	25	50
AT10-32-100M-LLUKHB	111.51	7787-4626	32	100
AT10-32-50M-LLUKHB	129.51	7787-4627	32	50
AT10-40-100M-LLUKHB	123.90	7787-4628	40	100
AT10-40-50M-LLUKHB	145.72	7787-4629	40	50
AT10-50-100M-LLUKHB	127.73	7787-4630	50	100
AT10-50-50M-LLUKHB	148.35	7787-4631	50	50
AT10-75-100M-LLUKHB	189.27	7787-4632	75	100
AT10-75-50M-LLUKHB	222.60	7787-4633	75	50
AT10-100-100M-LLUKHB	232.32	7787-4634	100	100
AT10-100-50M-LLUKHB	269.83	7787-4635	100	50
AT10-150-100M-LLUKHB	344.09	7787-4636	150	100
AT10-150-50M-LLUKHB	404.68	7787-4637	150	50

AT10 Pitch—LL Urethane/KEVLAR—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUKHBNT	\$91.05	7787-4640	20	60
AT10-20-30M-LLUKHBNT	105.76	7787-4641	20	30
AT10-25-60M-LLUKHBNT	96.34	7787-4642	25	60
AT10-25-30M-LLUKHBNT	113.31	7787-4643	25	30
AT10-32-60M-LLUKHBNT	124.86	7787-4644	32	60
AT10-32-30M-LLUKHBNT	145.03	7787-4645	32	30
AT10-40-60M-LLUKHBNT	138.74	7787-4646	40	60
AT10-40-30M-LLUKHBNT	163.17	7787-4647	40	30
AT10-50-60M-LLUKHBNT	143.11	7787-4648	50	60
AT10-50-30M-LLUKHBNT	166.22	7787-4649	50	30
AT10-75-60M-LLUKHBNT	211.94	7787-4650	75	60
AT10-75-30M-LLUKHBNT	249.26	7787-4651	75	30
AT10-100-60M-LLUKHBNT	260.16	7787-4652	100	60
AT10-100-30M-LLUKHBNT	302.18	7787-4653	100	30
AT10-150-60M-LLUKHBNT	385.37	7787-4654	150	60
AT10-150-30M-LLUKHBNT	453.23	7787-4655	150	30

AT10 Pitch—LL Urethane/KEVLAR—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUKHBNTB	\$87.77	7787-4657	20	60
AT10-20-30M-LLUKHBNTB	101.95	7787-4658	20	30
AT10-25-60M-LLUKHBNTB	92.93	7787-4659	25	60
AT10-25-30M-LLUKHBNTB	109.29	7787-4660	25	30
AT10-32-60M-LLUKHBNTB	120.39	7787-4661	32	60
AT10-32-30M-LLUKHBNTB	139.83	7787-4662	32	30
AT10-40-60M-LLUKHBNTB	133.80	7787-4663	40	60
AT10-40-30M-LLUKHBNTB	157.36	7787-4664	40	30
AT10-50-60M-LLUKHBNTB	137.98	7787-4665	50	60
AT10-50-30M-LLUKHBNTB	160.27	7787-4666	50	30
AT10-75-60M-LLUKHBNTB	204.40	7787-4667	75	60
AT10-75-30M-LLUKHBNTB	240.40	7787-4668	75	30
AT10-100-60M-LLUKHBNTB	250.86	7787-4669	100	60
AT10-100-30M-LLUKHBNTB	291.37	7787-4670	100	30
AT10-150-60M-LLUKHBNTB	371.65	7787-4671	150	60
AT10-150-30M-LLUKHBNTB	437.10	7787-4672	150	30

AT10 Pitch—LL Urethane/KEVLAR—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-60M-LLUKHBNTB	\$97.55	7787-4675	20	60
AT10-20-30M-LLUKHBNTB	113.31	7787-4676	20	30
AT10-25-60M-LLUKHBNTB	103.23	7787-4677	25	60
AT10-25-30M-LLUKHBNTB	121.41	7787-4678	25	30
AT10-32-60M-LLUKHBNTB	133.81	7787-4679	32	60
AT10-32-30M-LLUKHBNTB	155.42	7787-4680	32	30
AT10-40-60M-LLUKHBNTB	148.64	7787-4681	40	60
AT10-40-30M-LLUKHBNTB	174.81	7787-4682	40	30
AT10-50-60M-LLUKHBNTB	153.31	7787-4683	50	60
AT10-50-30M-LLUKHBNTB	178.07	7787-4684	50	30
AT10-75-60M-LLUKHBNTB	227.08	7787-4685	75	60
AT10-75-30M-LLUKHBNTB	267.06	7787-4686	75	30
AT10-100-60M-LLUKHBNTB	278.77	7787-4687	100	60
AT10-100-30M-LLUKHBNTB	323.79	7787-4688	100	30
AT10-150-60M-LLUKHBNTB	412.93	7787-4689	150	60
AT10-150-30M-LLUKHBNTB	485.65	7787-4690	150	30

AT10 Pitch—LL Urethane/KEVLAR—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT10-20-100M-LLUKHBFDA	\$97.55	7787-4692	20	100
AT10-20-50M-LLUKHBFDA	113.31	7787-4693	20	50
AT10-25-100M-LLUKHBFDA	103.23	7787-4694	25	100
AT10-25-50M-LLUKHBFDA	121.41	7787-4695	25	50
AT10-32-100M-LLUKHBFDA	133.81	7787-4696	32	100
AT10-32-50M-LLUKHBFDA	155.42	7787-4697	32	50
AT10-40-100M-LLUKHBFDA	148.64	7787-4698	40	100
AT10-40-50M-LLUKHBFDA	174.81	7787-4699	40	50
AT10-50-100M-LLUKHBFDA	153.31	7787-4700	50	100
AT10-50-50M-LLUKHBFDA	178.07	7787-4701	50	50
AT10-75-100M-LLUKHBFDA	227.08	7787-4702	75	100
AT10-75-50M-LLUKHBFDA	267.06	7787-4703	75	50
AT10-100-100M-LLUKHBFDA	278.77	7787-4704	100	100
AT10-100-50M-LLUKHBFDA	323.79	7787-4705	100	50
AT10-150-100M-LLUKHBFDA	412.93	7787-4706	150	100
AT10-150-50M-LLUKHBFDA	485.65	7787-4707	150	50

AT20 Pitch—LL Urethane/Steel

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUS	\$88.33	7787-4710	25	50
AT20-25-25M-LLUS	97.17	7787-4711	25	25
AT20-32-50M-LLUS	113.06	7787-4712	32	50
AT20-32-25M-LLUS	124.36	7787-4713	32	25
AT20-50-50M-LLUS	164.17	7787-4714	50	50
AT20-50-25M-LLUS	180.58	7787-4715	50	25
AT20-75-50M-LLUS	246.22	7787-4716	75	50
AT20-75-25M-LLUS	270.84	7787-4717	75	25
AT20-100-50M-LLUS	312.67	7787-4718	100	50
AT20-100-25M-LLUS	343.93	7787-4719	100	25
AT20-150-50M-LLUS	469.00	7787-4720	150	50
AT20-150-25M-LLUS	515.90	7787-4721	150	25

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT20 Pitch-LL Urethane/Steel-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSNT	\$101.56	7787-4723	25	50
AT20-25-25M-LLUSNT	111.71	7787-4724	25	25
AT20-32-50M-LLUSNT	130.00	7787-4725	32	50
AT20-32-25M-LLUSNT	143.00	7787-4726	32	25
AT20-50-50M-LLUSNT	188.78	7787-4727	50	50
AT20-50-25M-LLUSNT	207.66	7787-4728	50	25
AT20-75-50M-LLUSNT	283.17	7787-4729	75	50
AT20-75-25M-LLUSNT	311.48	7787-4730	75	25
AT20-100-50M-LLUSNT	359.56	7787-4731	100	50
AT20-100-25M-LLUSNT	395.51	7787-4732	100	25
AT20-150-50M-LLUSNT	539.33	7787-4733	150	50
AT20-150-25M-LLUSNT	593.27	7787-4734	150	25

AT20 Pitch-LL Urethane/Steel-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSFDA	\$110.39	7787-4763	25	50
AT20-25-25M-LLUSFDA	121.43	7787-4764	25	25
AT20-32-50M-LLUSFDA	141.33	7787-4765	32	50
AT20-32-25M-LLUSFDA	155.47	7787-4766	32	25
AT20-50-50M-LLUSFDA	205.17	7787-4767	50	50
AT20-50-25M-LLUSFDA	225.68	7787-4768	50	25
AT20-75-50M-LLUSFDA	307.78	7787-4769	75	50
AT20-75-25M-LLUSFDA	338.56	7787-4770	75	25
AT20-100-50M-LLUSFDA	390.83	7787-4771	100	50
AT20-100-25M-LLUSFDA	429.92	7787-4772	100	25
AT20-150-50M-LLUSFDA	586.22	7787-4773	150	50
AT20-150-25M-LLUSFDA	644.84	7787-4774	150	25

AT20 Pitch-LL Urethane/Steel-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSNB	\$97.17	7787-4736	25	50
AT20-25-25M-LLUSNB	106.88	7787-4737	25	25
AT20-32-50M-LLUSNB	124.33	7787-4738	32	50
AT20-32-25M-LLUSNB	136.77	7787-4739	32	25
AT20-50-50M-LLUSNB	180.56	7787-4740	50	50
AT20-50-25M-LLUSNB	198.61	7787-4741	50	25
AT20-75-50M-LLUSNB	270.83	7787-4742	75	50
AT20-75-25M-LLUSNB	297.92	7787-4743	75	25
AT20-100-50M-LLUSNB	343.94	7787-4744	100	50
AT20-100-25M-LLUSNB	378.34	7787-4745	100	25
AT20-150-50M-LLUSNB	515.89	7787-4746	150	50
AT20-150-25M-LLUSNB	567.48	7787-4747	150	25

AT20 Pitch-LL Urethane/Steel-Heavy Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSHB	\$110.39	7787-4776	25	50
AT20-25-25M-LLUSHB	121.43	7787-4777	25	25
AT20-32-50M-LLUSHB	141.33	7787-4778	32	50
AT20-32-25M-LLUSHB	155.47	7787-4779	32	25
AT20-50-50M-LLUSHB	205.17	7787-4780	50	50
AT20-50-25M-LLUSHB	225.68	7787-4781	50	25
AT20-75-50M-LLUSHB	307.78	7787-4782	75	50
AT20-75-25M-LLUSHB	338.56	7787-4783	75	25
AT20-100-50M-LLUSHB	390.83	7787-4784	100	50
AT20-100-25M-LLUSHB	429.92	7787-4785	100	25
AT20-150-50M-LLUSHB	586.22	7787-4786	150	50
AT20-150-25M-LLUSHB	644.84	7787-4787	150	25

AT20 Pitch-LL Urethane/Steel-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSNTB	\$110.39	7787-4750	25	50
AT20-25-25M-LLUSNTB	121.43	7787-4751	25	25
AT20-32-50M-LLUSNTB	141.33	7787-4752	32	50
AT20-32-25M-LLUSNTB	155.47	7787-4753	32	25
AT20-50-50M-LLUSNTB	205.17	7787-4754	50	50
AT20-50-25M-LLUSNTB	225.68	7787-4755	50	25
AT20-75-50M-LLUSNTB	307.78	7787-4756	75	50
AT20-75-25M-LLUSNTB	338.56	7787-4757	75	25
AT20-100-50M-LLUSNTB	390.83	7787-4758	100	50
AT20-100-25M-LLUSNTB	429.92	7787-4759	100	25
AT20-150-50M-LLUSNTB	586.22	7787-4760	150	50
AT20-150-25M-LLUSNTB	644.84	7787-4761	150	25

AT20 Pitch-LL Urethane/Steel-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSHBNT	\$123.67	7787-4790	25	50
AT20-25-25M-LLUSHBNT	136.03	7787-4791	25	25
AT20-32-50M-LLUSHBNT	158.28	7787-4792	32	50
AT20-32-25M-LLUSHBNT	174.11	7787-4793	32	25
AT20-50-50M-LLUSHBNT	229.78	7787-4794	50	50
AT20-50-25M-LLUSHBNT	252.76	7787-4795	50	25
AT20-75-50M-LLUSHBNT	344.72	7787-4796	75	50
AT20-75-25M-LLUSHBNT	379.19	7787-4797	75	25
AT20-100-50M-LLUSHBNT	437.72	7787-4798	100	50
AT20-100-25M-LLUSHBNT	481.49	7787-4799	100	25
AT20-150-50M-LLUSHBNT	656.56	7787-4800	150	50
AT20-150-25M-LLUSHBNT	722.21	7787-4801	150	25

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT20 Pitch-LL Urethane/Steel-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSHBNC	\$119.22	7787-4804	25	50
AT20-25-25M-LLUSHBNC	131.14	7787-4805	25	25
AT20-32-50M-LLUSHBNC	152.61	7787-4806	32	50
AT20-32-25M-LLUSHBNC	167.87	7787-4807	32	25
AT20-50-50M-LLUSHBNC	221.61	7787-4808	50	50
AT20-50-25M-LLUSHBNC	243.77	7787-4809	50	25
AT20-75-50M-LLUSHBNC	332.39	7787-4810	75	50
AT20-75-25M-LLUSHBNC	365.63	7787-4811	75	25
AT20-100-50M-LLUSHBNC	422.06	7787-4812	100	50
AT20-100-25M-LLUSHBNC	464.26	7787-4813	100	25
AT20-150-50M-LLUSHBNC	633.11	7787-4814	150	50
AT20-150-25M-LLUSHBNC	696.42	7787-4815	150	25

AT20 Pitch-LL Urethane/KEVLAR®

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUK	\$101.56	7787-4843	25	50
AT20-25-25M-LLUK	111.71	7787-4844	25	25
AT20-32-50M-LLUK	130.00	7787-4845	32	50
AT20-32-25M-LLUK	143.00	7787-4846	32	25
AT20-50-50M-LLUK	188.78	7787-4847	50	50
AT20-50-25M-LLUK	207.66	7787-4848	50	25
AT20-75-50M-LLUK	283.11	7787-4849	75	50
AT20-75-25M-LLUK	311.42	7787-4850	75	25
AT20-100-50M-LLUK	359.56	7787-4851	100	50
AT20-100-25M-LLUK	395.51	7787-4852	100	25
AT20-150-50M-LLUK	539.33	7787-4853	150	50
AT20-150-25M-LLUK	593.27	7787-4854	150	25

AT20 Pitch-LL Urethane/Steel-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSHBNTB	\$132.50	7787-4817	25	50
AT20-25-25M-LLUSHBNTB	145.75	7787-4818	25	25
AT20-32-50M-LLUSHBNTB	169.56	7787-4819	32	50
AT20-32-25M-LLUSHBNTB	186.51	7787-4820	32	25
AT20-50-50M-LLUSHBNTB	246.22	7787-4821	50	50
AT20-50-25M-LLUSHBNTB	270.84	7787-4822	50	25
AT20-75-50M-LLUSHBNTB	369.33	7787-4823	75	50
AT20-75-25M-LLUSHBNTB	406.27	7787-4824	75	25
AT20-100-50M-LLUSHBNTB	469.00	7787-4825	100	50
AT20-100-25M-LLUSHBNTB	515.90	7787-4826	100	25
AT20-150-50M-LLUSHBNTB	703.50	7787-4827	150	50
AT20-150-25M-LLUSHBNTB	773.85	7787-4828	150	25

AT20 Pitch-LL Urethane/KEVLAR-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKNT	\$116.83	7787-4856	25	50
AT20-25-25M-LLUKNT	128.52	7787-4857	25	25
AT20-32-50M-LLUKNT	149.50	7787-4858	32	50
AT20-32-25M-LLUKNT	164.45	7787-4859	32	25
AT20-50-50M-LLUKNT	217.06	7787-4860	50	50
AT20-50-25M-LLUKNT	238.76	7787-4861	50	25
AT20-75-50M-LLUKNT	325.61	7787-4862	75	50
AT20-75-25M-LLUKNT	358.17	7787-4863	75	25
AT20-100-50M-LLUKNT	413.50	7787-4864	100	50
AT20-100-25M-LLUKNT	454.85	7787-4865	100	25
AT20-150-50M-LLUKNT	620.22	7787-4866	150	50
AT20-150-25M-LLUKNT	682.24	7787-4867	150	25

AT20 Pitch-LL Urethane/Steel-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUSHBFDA	\$132.50	7787-4830	25	50
AT20-25-25M-LLUSHBFDA	145.75	7787-4831	25	25
AT20-32-50M-LLUSHBFDA	169.56	7787-4832	32	50
AT20-32-25M-LLUSHBFDA	186.51	7787-4833	32	25
AT20-50-50M-LLUSHBFDA	246.22	7787-4834	50	50
AT20-50-25M-LLUSHBFDA	270.84	7787-4835	50	25
AT20-75-50M-LLUSHBFDA	369.33	7787-4836	75	50
AT20-75-25M-LLUSHBFDA	406.27	7787-4837	75	25
AT20-100-50M-LLUSHBFDA	469.00	7787-4838	100	50
AT20-100-25M-LLUSHBFDA	515.90	7787-4839	100	25
AT20-150-50M-LLUSHBFDA	703.50	7787-4840	150	50
AT20-150-25M-LLUSHBFDA	773.85	7787-4841	150	25

AT20 Pitch-LL Urethane/KEVLAR-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKNB	\$111.72	7787-4870	25	50
AT20-25-25M-LLUKNB	122.89	7787-4871	25	25
AT20-32-50M-LLUKNB	143.00	7787-4872	32	50
AT20-32-25M-LLUKNB	157.30	7787-4873	32	25
AT20-50-50M-LLUKNB	207.61	7787-4874	50	50
AT20-50-25M-LLUKNB	228.37	7787-4875	50	25
AT20-75-50M-LLUKNB	311.44	7787-4876	75	50
AT20-75-25M-LLUKNB	342.59	7787-4877	75	25
AT20-100-50M-LLUKNB	395.50	7787-4878	100	50
AT20-100-25M-LLUKNB	435.05	7787-4879	100	25
AT20-150-50M-LLUKNB	593.28	7787-4880	150	50
AT20-150-25M-LLUKNB	652.61	7787-4881	150	25

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT20 Pitch-LL Urethane/KEVLAR®-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKNTB	\$126.94	7787-4883	25	50
AT20-25-25M-LLUKNTB	139.64	7787-4884	25	25
AT20-32-50M-LLUKNTB	162.50	7787-4885	32	50
AT20-32-25M-LLUKNTB	178.75	7787-4886	32	25
AT20-50-50M-LLUKNTB	235.94	7787-4887	50	50
AT20-50-25M-LLUKNTB	259.54	7787-4888	50	25
AT20-75-50M-LLUKNTB	353.94	7787-4889	75	50
AT20-75-25M-LLUKNTB	389.34	7787-4890	75	25
AT20-100-50M-LLUKNTB	449.44	7787-4891	100	50
AT20-100-25M-LLUKNTB	494.39	7787-4892	100	25
AT20-150-50M-LLUKNTB	674.17	7787-4893	150	50
AT20-150-25M-LLUKNTB	741.58	7787-4894	150	25

AT20 Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKHBNT	\$142.22	7787-4924	25	50
AT20-25-25M-LLUKHBNT	156.44	7787-4925	25	25
AT20-32-50M-LLUKHBNT	182.00	7787-4926	32	50
AT20-32-25M-LLUKHBNT	200.20	7787-4927	32	25
AT20-50-50M-LLUKHBNT	264.28	7787-4928	50	50
AT20-50-25M-LLUKHBNT	290.71	7787-4929	50	25
AT20-75-50M-LLUKHBNT	396.39	7787-4930	75	50
AT20-75-25M-LLUKHBNT	436.03	7787-4931	75	25
AT20-100-50M-LLUKHBNT	503.33	7787-4932	100	50
AT20-100-25M-LLUKHBNT	553.67	7787-4933	100	25
AT20-150-50M-LLUKHBNT	755.06	7787-4934	150	50
AT20-150-25M-LLUKHBNT	830.56	7787-4935	150	25

AT20 Pitch-LL Urethane/KEVLAR-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKFDA	\$126.94	7787-4896	25	50
AT20-25-25M-LLUKFDA	139.64	7787-4897	25	25
AT20-32-50M-LLUKFDA	162.50	7787-4898	32	50
AT20-32-25M-LLUKFDA	178.75	7787-4899	32	25
AT20-50-50M-LLUKFDA	235.94	7787-4900	50	50
AT20-50-25M-LLUKFDA	259.54	7787-4901	50	25
AT20-75-50M-LLUKFDA	353.94	7787-4902	75	50
AT20-75-25M-LLUKFDA	389.34	7787-4903	75	25
AT20-100-50M-LLUKFDA	449.44	7787-4904	100	50
AT20-100-25M-LLUKFDA	494.39	7787-4905	100	25
AT20-150-50M-LLUKFDA	674.17	7787-4906	150	50
AT20-150-25M-LLUKFDA	741.58	7787-4907	150	25

AT20 Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKHBNTB	\$137.11	7787-4937	25	50
AT20-25-25M-LLUKHBNTB	150.82	7787-4938	25	25
AT20-32-50M-LLUKHBNTB	175.50	7787-4939	32	50
AT20-32-25M-LLUKHBNTB	193.05	7787-4940	32	25
AT20-50-50M-LLUKHBNTB	254.83	7787-4941	50	50
AT20-50-25M-LLUKHBNTB	280.32	7787-4942	50	25
AT20-75-50M-LLUKHBNTB	382.22	7787-4943	75	50
AT20-75-25M-LLUKHBNTB	420.44	7787-4944	75	25
AT20-100-50M-LLUKHBNTB	485.39	7787-4945	100	50
AT20-100-25M-LLUKHBNTB	533.93	7787-4946	100	25
AT20-150-50M-LLUKHBNTB	728.11	7787-4947	150	50
AT20-150-25M-LLUKHBNTB	800.92	7787-4948	150	25

AT20 Pitch-LL Urethane/KEVLAR-Heavy Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKHB	\$126.94	7787-4910	25	50
AT20-25-25M-LLUKHB	139.64	7787-4911	25	25
AT20-32-50M-LLUKHB	162.50	7787-4912	32	50
AT20-32-25M-LLUKHB	178.75	7787-4913	32	25
AT20-50-50M-LLUKHB	235.94	7787-4914	50	50
AT20-50-25M-LLUKHB	259.54	7787-4915	50	25
AT20-75-50M-LLUKHB	353.94	7787-4916	75	50
AT20-75-25M-LLUKHB	389.34	7787-4917	75	25
AT20-100-50M-LLUKHB	449.44	7787-4918	100	50
AT20-100-25M-LLUKHB	494.39	7787-4919	100	25
AT20-150-50M-LLUKHB	674.17	7787-4920	150	50
AT20-150-25M-LLUKHB	741.58	7787-4921	150	25

AT20 Pitch-LL Urethane/KEVLAR-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKHBNTB	\$152.33	7787-4950	25	50
AT20-25-25M-LLUKHBNTB	167.57	7787-4951	25	25
AT20-32-50M-LLUKHBNTB	195.00	7787-4952	32	50
AT20-32-25M-LLUKHBNTB	214.50	7787-4953	32	25
AT20-50-50M-LLUKHBNTB	283.11	7787-4954	50	50
AT20-50-25M-LLUKHBNTB	311.42	7787-4955	50	25
AT20-75-50M-LLUKHBNTB	424.72	7787-4956	75	50
AT20-75-25M-LLUKHBNTB	467.19	7787-4957	75	25
AT20-100-50M-LLUKHBNTB	539.33	7787-4958	100	50
AT20-100-25M-LLUKHBNTB	593.27	7787-4959	100	25
AT20-150-50M-LLUKHBNTB	809.00	7787-4960	150	50
AT20-150-25M-LLUKHBNTB	889.90	7787-4961	150	25

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

AT20 Pitch—LL Urethane/KEVLAR®—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
AT20-25-50M-LLUKHBFDA	\$152.33	7787-4964	25	50
AT20-25-25M-LLUKHBFDA	167.57	7787-4965	25	25
AT20-32-50M-LLUKHBFDA	195.00	7787-4966	32	50
AT20-32-25M-LLUKHBFDA	214.50	7787-4967	32	25
AT20-50-50M-LLUKHBFDA	283.11	7787-4968	50	50
AT20-50-25M-LLUKHBFDA	311.42	7787-4969	50	25
AT20-75-50M-LLUKHBFDA	424.72	7787-4970	75	50
AT20-75-25M-LLUKHBFDA	467.19	7787-4971	75	25
AT20-100-50M-LLUKHBFDA	539.33	7787-4972	100	50
AT20-100-25M-LLUKHBFDA	593.27	7787-4973	100	25
AT20-150-50M-LLUKHBFDA	809.00	7787-4974	150	50
AT20-150-25M-LLUKHBFDA	889.90	7787-4975	150	25

WT10 Pitch—LL Urethane/KEVLAR—Nylon Backing

No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKNB	\$515.73	7787-5020	250	60
WT10-250-30-LLUKNB	567.30	7787-5021	250	30
WT10-300-60-LLUKNB	711.73	7787-5022	300	60
WT10-300-30-LLUKNB	782.91	7787-5023	300	30
WT10-350-60-LLUKNB	794.21	7787-5024	350	60
WT10-350-30-LLUKNB	873.64	7787-5025	350	30
WT10-400-60-LLUKNB	907.67	7787-5026	400	60
WT10-400-30-LLUKNB	998.44	7787-5027	400	30
WT10-450-60-LLUKNB	928.33	7787-5028	450	60
WT10-450-30-LLUKNB	1021.16	7787-5029	450	30

WT10 Pitch—LL Urethane/KEVLAR

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUK	\$468.82	7787-5000	250	60
WT10-250-30-LLUK	515.70	7787-5001	250	30
WT10-300-60-LLUK	647.01	7787-5002	300	60
WT10-300-30-LLUK	711.71	7787-5003	300	30
WT10-350-60-LLUK	722.06	7787-5004	350	60
WT10-350-30-LLUK	794.27	7787-5005	350	30
WT10-400-60-LLUK	825.13	7787-5006	400	60
WT10-400-30-LLUK	907.64	7787-5007	400	30
WT10-450-60-LLUK	843.96	7787-5008	450	60
WT10-450-30-LLUK	928.35	7787-5009	450	30

WT10 Pitch—LL Urethane/KEVLAR—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKNTB	\$586.06	7787-5030	250	60
WT10-250-30-LLUKNTB	644.67	7787-5031	250	30
WT10-300-60-LLUKNTB	808.76	7787-5032	300	60
WT10-300-30-LLUKNTB	889.64	7787-5033	300	30
WT10-350-60-LLUKNTB	902.51	7787-5034	350	60
WT10-350-30-LLUKNTB	992.76	7787-5035	350	30
WT10-400-60-LLUKNTB	1031.46	7787-5036	400	60
WT10-400-30-LLUKNTB	1134.61	7787-5037	400	30
WT10-450-60-LLUKNTB	1054.94	7787-5038	450	60
WT10-450-30-LLUKNTB	1160.44	7787-5039	450	30

WT10 Pitch—LL Urethane/KEVLAR—Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKNT	\$539.21	7787-5010	250	60
WT10-250-30-LLUKNT	593.14	7787-5011	250	30
WT10-300-60-LLUKNT	744.03	7787-5012	300	60
WT10-300-30-LLUKNT	818.44	7787-5013	300	30
WT10-350-60-LLUKNT	830.29	7787-5014	350	60
WT10-350-30-LLUKNT	913.32	7787-5015	350	30
WT10-400-60-LLUKNT	948.98	7787-5016	400	60
WT10-400-30-LLUKNT	1043.88	7787-5017	400	30
WT10-450-60-LLUKNT	970.51	7787-5018	450	60
WT10-450-30-LLUKNT	1067.56	7787-5019	450	30

WT10 Pitch—LL Urethane/KEVLAR—FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKFDA	\$586.06	7787-5040	250	60
WT10-250-30-LLUKFDA	644.67	7787-5041	250	30
WT10-300-60-LLUKFDA	808.76	7787-5042	300	60
WT10-300-30-LLUKFDA	889.64	7787-5043	300	30
WT10-350-60-LLUKFDA	902.51	7787-5044	350	60
WT10-350-30-LLUKFDA	992.76	7787-5045	350	30
WT10-400-60-LLUKFDA	1031.46	7787-5046	400	60
WT10-400-30-LLUKFDA	1134.61	7787-5047	400	30
WT10-450-60-LLUKFDA	1054.94	7787-5048	450	60
WT10-450-30-LLUKFDA	1160.44	7787-5049	450	30

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

WT10 Pitch-LL Urethane/KEVLAR®-Heavy Backing

Part No.Part	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKHB	\$586.06	7787-5050	250	60
WT10-250-30-LLUKHB	644.67	7787-5051	250	30
WT10-300-60-LLUKHB	808.76	7787-5052	300	60
WT10-300-30-LLUKHB	889.64	7787-5053	300	30
WT10-350-60-LLUKHB	902.51	7787-5054	350	60
WT10-350-30-LLUKHB	992.76	7787-5055	350	30
WT10-400-60-LLUKHB	1031.46	7787-5056	400	60
WT10-400-30-LLUKHB	1134.61	7787-5057	400	30
WT10-450-60-LLUKHB	1054.94	7787-5058	450	60
WT10-450-30-LLUKHB	1160.44	7787-5059	450	30

WT10 Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKHBNT	\$656.39	7787-5060	250	60
WT10-250-30-LLUKHBNT	722.03	7787-5061	250	30
WT10-300-60-LLUKHBNT	905.79	7787-5062	300	60
WT10-300-30-LLUKHBNT	996.36	7787-5063	300	30
WT10-350-60-LLUKHBNT	1010.87	7787-5064	350	60
WT10-350-30-LLUKHBNT	1111.96	7787-5065	350	30
WT10-400-60-LLUKHBNT	1155.24	7787-5066	400	60
WT10-400-30-LLUKHBNT	1270.77	7787-5067	400	30
WT10-450-60-LLUKHBNT	1181.50	7787-5068	450	60
WT10-450-30-LLUKHBNT	1299.65	7787-5069	450	30

WT10 Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKHBNB	\$632.97	7787-5070	250	60
WT10-250-30-LLUKHBNB	696.26	7787-5071	250	30
WT10-300-60-LLUKHBNB	873.49	7787-5072	300	60
WT10-300-30-LLUKHBNB	960.83	7787-5073	300	30
WT10-350-60-LLUKHBNB	974.73	7787-5074	350	60
WT10-350-30-LLUKHBNB	1072.20	7787-5075	350	30
WT10-400-60-LLUKHBNB	1113.94	7787-5076	400	60
WT10-400-30-LLUKHBNB	1225.33	7787-5077	400	30
WT10-450-60-LLUKHBNB	1139.31	7787-5078	450	60
WT10-450-30-LLUKHBNB	1253.25	7787-5079	450	30

WT10 Pitch-LL Urethane/KEVLAR-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKHBNTB	\$703.23	7787-5080	250	60
WT10-250-30-LLUKHBNTB	773.56	7787-5081	250	30
WT10-300-60-LLUKHBNTB	970.51	7787-5082	300	60
WT10-300-30-LLUKHBNTB	1067.56	7787-5083	300	30
WT10-350-60-LLUKHBNTB	1083.03	7787-5084	350	60
WT10-350-30-LLUKHBNTB	1191.33	7787-5085	350	30
WT10-400-60-LLUKHBNTB	1237.79	7787-5086	400	60
WT10-400-30-LLUKHBNTB	1361.57	7787-5087	400	30
WT10-450-60-LLUKHBNTB	1265.87	7787-5088	450	60
WT10-450-30-LLUKHBNTB	1392.46	7787-5089	450	30

WT10 Pitch-LL Urethane/KEVLAR-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
WT10-250-60-LLUKHBFDA	\$703.23	7787-5090	250	60
WT10-250-30-LLUKHBFDA	773.56	7787-5091	250	30
WT10-300-60-LLUKHBFDA	970.51	7787-5092	300	60
WT10-300-30-LLUKHBFDA	1067.56	7787-5093	300	30
WT10-350-60-LLUKHBFDA	1083.03	7787-5094	350	60
WT10-350-30-LLUKHBFDA	1191.33	7787-5095	350	30
WT10-400-60-LLUKHBFDA	1237.79	7787-5096	400	60
WT10-400-30-LLUKHBFDA	1361.57	7787-5097	400	30
WT10-450-60-LLUKHBFDA	1265.87	7787-5098	450	60
WT10-450-30-LLUKHBFDA	1392.46	7787-5099	450	30

5mm Pitch-HTD®-LL Urethane/Steel

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-100M-LLUS	\$21.11	7787-2000	10	100
5HTD-10-50M-LLUS	24.42	7787-2001	10	50
5HTD-15-100M-LLUS	31.70	7787-2002	15	100
5HTD-15-50M-LLUS	36.66	7787-2003	15	50
5HTD-25-100M-LLUS	50.51	7787-2004	25	100
5HTD-25-50M-LLUS	58.43	7787-2005	25	50
5HTD-50-100M-LLUS	91.84	7787-2006	50	100
5HTD-50-50M-LLUS	106.24	7787-2007	50	50

5mm Pitch-HTD-LL Urethane/Steel-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-60M-LLUSNT	\$24.30	7787-2010	10	60
5HTD-10-30M-LLUSNT	28.11	7787-2011	10	30
5HTD-15-60M-LLUSNT	36.46	7787-2012	15	60
5HTD-15-30M-LLUSNT	42.17	7787-2013	15	30
5HTD-25-60M-LLUSNT	58.07	7787-2014	25	60
5HTD-25-30M-LLUSNT	67.17	7787-2015	25	30
5HTD-50-60M-LLUSNT	105.62	7787-2016	50	60
5HTD-50-30M-LLUSNT	122.17	7787-2017	50	30

5mm Pitch-HTD-Urethane/Steel-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-60M-LLUSNB	\$23.24	7787-2020	10	60
5HTD-10-30M-LLUSNB	26.88	7787-2021	10	30
5HTD-15-60M-LLUSNB	34.83	7787-2022	15	60
5HTD-15-30M-LLUSNB	40.29	7787-2023	15	30
5HTD-25-60M-LLUSNB	55.55	7787-2024	25	60
5HTD-25-30M-LLUSNB	64.26	7787-2025	25	30
5HTD-50-60M-LLUSNB	101.02	7787-2026	50	60
5HTD-50-30M-LLUSNB	116.86	7787-2027	50	30

5mm Pitch-HTD-Urethane/Steel-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-60M-LLUSNTB	\$26.43	7787-2030	10	60
5HTD-10-30M-LLUSNTB	30.58	7787-2031	10	30
5HTD-15-60M-LLUSNTB	39.59	7787-2032	15	60
5HTD-15-30M-LLUSNTB	45.80	7787-2033	15	30
5HTD-25-60M-LLUSNTB	63.11	7787-2034	25	60
5HTD-25-30M-LLUSNTB	73.00	7787-2035	25	30
5HTD-50-60M-LLUSNTB	114.80	7787-2036	50	60
5HTD-50-30M-LLUSNTB	132.79	7787-2037	50	30

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

5mm Pitch-HTD®-LL Urethane/Steel-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-100M-LLUSFDA	\$26.43	7787-2040	10	100
5HTD-10-50M-LLUSFDA	30.58	7787-2041	10	50
5HTD-15-100M-LLUSFDA	39.59	7787-2042	15	100
5HTD-15-50M-LLUSFDA	45.80	7787-2043	15	50
5HTD-25-100M-LLUSFDA	63.11	7787-2044	25	100
5HTD-25-50M-LLUSFDA	73.00	7787-2045	25	50
5HTD-50-100M-LLUSFDA	114.80	7787-2046	50	100
5HTD-50-50M-LLUSFDA	132.79	7787-2047	50	50

5mm Pitch-HTD-LL Urethane/KEVLAR

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-100M-LLUK	\$26.43	7787-2050	10	100
5HTD-10-50M-LLUK	30.58	7787-2051	10	50
5HTD-15-100M-LLUK	39.59	7787-2052	15	100
5HTD-15-50M-LLUK	45.80	7787-2053	15	50
5HTD-25-100M-LLUK	63.11	7787-2054	25	100
5HTD-25-50M-LLUK	73.00	7787-2055	25	50
5HTD-50-100M-LLUK	114.80	7787-2056	50	100
5HTD-50-50M-LLUK	132.79	7787-2057	50	50

5mm Pitch-HTD-LL Urethane/KEVLAR-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-60M-LLUKNT	\$29.57	7787-2060	10	60
5HTD-10-30M-LLUKNT	34.20	7787-2061	10	30
5HTD-15-60M-LLUKNT	44.35	7787-2062	15	60
5HTD-15-30M-LLUKNT	51.30	7787-2063	15	30
5HTD-25-60M-LLUKNT	70.73	7787-2064	25	60
5HTD-25-30M-LLUKNT	81.81	7787-2065	25	30
5HTD-50-60M-LLUKNT	128.58	7787-2066	50	60
5HTD-50-30M-LLUKNT	148.73	7787-2067	50	30

5mm Pitch-HTD-LL Urethane/KEVLAR-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-60M-LLUKNB	\$28.50	7787-2070	10	60
5HTD-10-30M-LLUKNB	32.97	7787-2071	10	30
5HTD-15-60M-LLUKNB	42.78	7787-2072	15	60
5HTD-15-30M-LLUKNB	49.49	7787-2073	15	30
5HTD-25-60M-LLUKNB	68.21	7787-2074	25	60
5HTD-25-30M-LLUKNB	78.90	7787-2075	25	30
5HTD-50-60M-LLUKNB	123.98	7787-2076	50	60
5HTD-50-30M-LLUKNB	143.42	7787-2077	50	30

5mm Pitch-HTD-LL Urethane/KEVLAR®-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-60M-LLUKNTB	\$31.70	7787-2080	10	60
5HTD-10-30M-LLUKNTB	36.66	7787-2081	10	30
5HTD-15-60M-LLUKNTB	47.54	7787-2082	15	60
5HTD-15-30M-LLUKNTB	55.00	7787-2083	15	30
5HTD-25-60M-LLUKNTB	75.77	7787-2084	25	60
5HTD-25-30M-LLUKNTB	87.64	7787-2085	25	30
5HTD-50-60M-LLUKNTB	137.76	7787-2086	50	60
5HTD-50-30M-LLUKNTB	159.35	7787-2087	50	30

5mm Pitch-HTD-LL Urethane/KEVLAR-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
5HTD-10-100M-LLUKFDA	\$31.70	7787-2090	10	100
5HTD-10-50M-LLUKFDA	36.66	7787-2091	10	50
5HTD-15-100M-LLUKFDA	47.54	7787-2092	15	100
5HTD-15-50M-LLUKFDA	55.00	7787-2093	15	50
5HTD-25-100M-LLUKFDA	75.77	7787-2094	25	100
5HTD-25-50M-LLUKFDA	87.64	7787-2095	25	50
5HTD-50-100M-LLUKFDA	137.76	7787-2096	50	100
5HTD-50-50M-LLUKFDA	159.35	7787-2097	50	50

8mm Pitch-HTD-LL Urethane/Steel

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-100M-LLUS	\$36.16	7787-2100	10	100
8HTD-10-50M-LLUS	39.78	7787-2101	10	50
8HTD-15-100M-LLUS	42.66	7787-2102	15	100
8HTD-15-50M-LLUS	46.93	7787-2103	15	50
8HTD-20-100M-LLUS	53.25	7787-2104	20	100
8HTD-20-50M-LLUS	58.58	7787-2105	20	50
8HTD-25-100M-LLUS	66.59	7787-2106	25	100
8HTD-25-50M-LLUS	73.25	7787-2107	25	50
8HTD-32-100M-LLUS	85.26	7787-2108	32	100
8HTD-32-50M-LLUS	93.79	7787-2109	32	50
8HTD-75-100M-LLUS	142.73	7787-2110	75	100
8HTD-100-100M-LLUS	190.30	7787-2111	100	100

8mm Pitch-HTD-LL Urethane/Steel-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-50M-LLUSNT	\$41.61	7787-2115	10	50
8HTD-10-25M-LLUSNT	45.77	7787-2116	10	25
8HTD-15-50M-LLUSNT	48.98	7787-2117	15	50
8HTD-15-25M-LLUSNT	53.88	7787-2118	15	25
8HTD-20-50M-LLUSNT	61.27	7787-2119	20	50
8HTD-20-25M-LLUSNT	67.40	7787-2120	20	25
8HTD-25-50M-LLUSNT	76.60	7787-2121	25	50
8HTD-25-25M-LLUSNT	84.26	7787-2122	25	25
8HTD-32-50M-LLUSNT	98.02	7787-2123	32	50
8HTD-32-25M-LLUSNT	107.82	7787-2124	32	25
8HTD-75-50M-LLUSNT	164.09	7787-2125	75	50
8HTD-100-50M-LLUSNT	218.86	7787-2126	100	50

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

8mm Pitch-HTD®-LL Urethane/Steel-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-50M-LLUSNB	\$39.79	7787-2130	10	50
8HTD-10-25M-LLUSNB	43.77	7787-2131	10	25
8HTD-15-50M-LLUSNB	46.87	7787-2132	15	50
8HTD-15-25M-LLUSNB	51.56	7787-2133	15	25
8HTD-20-50M-LLUSNB	58.64	7787-2134	20	50
8HTD-20-25M-LLUSNB	64.50	7787-2135	20	25
8HTD-25-50M-LLUSNB	73.27	7787-2136	25	50
8HTD-25-25M-LLUSNB	80.59	7787-2137	25	25
8HTD-32-50M-LLUSNB	93.75	7787-2138	32	50
8HTD-32-25M-LLUSNB	103.12	7787-2139	32	25
8HTD-75-50M-LLUSNB	156.95	7787-2140	75	50
8HTD-100-50M-LLUSNB	209.32	7787-2141	100	50

8mm Pitch-HTD-LL Urethane/KEVLAR®

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-100M-LLUK	\$44.89	7787-2175	10	100
8HTD-10-50M-LLUK	49.38	7787-2176	10	50
8HTD-15-100M-LLUK	52.91	7787-2177	15	100
8HTD-15-50M-LLUK	58.21	7787-2178	15	50
8HTD-20-100M-LLUK	66.17	7787-2179	20	100
8HTD-20-50M-LLUK	72.79	7787-2180	20	50
8HTD-25-100M-LLUK	82.69	7787-2181	25	100
8HTD-25-50M-LLUK	90.96	7787-2182	25	50
8HTD-32-100M-LLUK	105.89	7787-2183	32	100
8HTD-32-50M-LLUK	116.48	7787-2184	32	50
8HTD-75-100M-LLUK	177.24	7787-2185	75	100
8HTD-100-100M-LLUK	236.37	7787-2186	100	100

8mm Pitch-HTD-LL Urethane/Steel-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-50M-LLUSNTB	\$45.18	7787-2145	10	50
8HTD-10-25M-LLUSNTB	49.69	7787-2146	10	25
8HTD-15-50M-LLUSNTB	53.25	7787-2147	15	50
8HTD-15-25M-LLUSNTB	58.58	7787-2148	15	25
8HTD-20-50M-LLUSNTB	66.59	7787-2149	20	50
8HTD-20-25M-LLUSNTB	73.25	7787-2150	20	25
8HTD-25-50M-LLUSNTB	83.21	7787-2151	25	50
8HTD-25-25M-LLUSNTB	91.53	7787-2152	25	25
8HTD-32-50M-LLUSNTB	106.56	7787-2153	32	50
8HTD-32-25M-LLUSNTB	117.22	7787-2154	32	25
8HTD-75-50M-LLUSNTB	178.36	7787-2155	75	50
8HTD-100-50M-LLUSNTB	237.88	7787-2156	100	50

8mm Pitch-HTD-LL Urethane/KEVLAR-Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-50M-LLUKNT	\$50.30	7787-2190	10	50
8HTD-10-25M-LLUKNT	55.33	7787-2191	10	25
8HTD-15-50M-LLUKNT	59.31	7787-2192	15	50
8HTD-15-25M-LLUKNT	65.24	7787-2193	15	25
8HTD-20-50M-LLUKNT	74.14	7787-2194	20	50
8HTD-20-25M-LLUKNT	81.55	7787-2195	20	25
8HTD-25-50M-LLUKNT	92.63	7787-2196	25	50
8HTD-25-25M-LLUKNT	101.89	7787-2197	25	25
8HTD-32-50M-LLUKNT	118.56	7787-2198	32	50
8HTD-32-25M-LLUKNT	130.42	7787-2199	32	25
8HTD-75-50M-LLUKNT	198.52	7787-2200	75	50
8HTD-100-50M-LLUKNT	264.69	7787-2201	100	50

8mm Pitch-HTD-LL Urethane/Steel-FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-100M-LLUSFDA	\$45.18	7787-2158	10	100
8HTD-10-50M-LLUSFDA	49.69	7787-2159	10	50
8HTD-15-100M-LLUSFDA	53.25	7787-2160	15	100
8HTD-15-50M-LLUSFDA	58.58	7787-2161	15	50
8HTD-20-100M-LLUSFDA	66.59	7787-2162	20	100
8HTD-20-50M-LLUSFDA	73.25	7787-2163	20	50
8HTD-25-100M-LLUSFDA	83.21	7787-2164	25	100
8HTD-25-50M-LLUSFDA	91.53	7787-2165	25	50
8HTD-32-100M-LLUSFDA	106.56	7787-2166	32	100
8HTD-32-50M-LLUSFDA	117.22	7787-2167	32	50
8HTD-75-100M-LLUSFDA	178.36	7787-2168	75	100
8HTD-100-100M-LLUSFDA	237.88	7787-2169	100	100

8mm Pitch-HTD-LL Urethane/KEVLAR-Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-50M-LLUKNB	\$48.50	7787-2205	10	50
8HTD-10-25M-LLUKNB	53.35	7787-2206	10	25
8HTD-15-50M-LLUKNB	57.16	7787-2207	15	50
8HTD-15-25M-LLUKNB	62.88	7787-2208	15	25
8HTD-20-50M-LLUKNB	71.46	7787-2209	20	50
8HTD-20-25M-LLUKNB	78.61	7787-2210	20	25
8HTD-25-50M-LLUKNB	89.32	7787-2211	25	50
8HTD-25-25M-LLUKNB	98.25	7787-2212	25	25
8HTD-32-50M-LLUKNB	114.38	7787-2213	32	50
8HTD-32-25M-LLUKNB	125.82	7787-2214	32	25
8HTD-75-50M-LLUKNB	191.42	7787-2215	75	50
8HTD-100-50M-LLUKNB	255.27	7787-2216	100	50

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

8mm Pitch—HTD—LL Urethane/KEVLAR®—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-50M-LLUKNTB	\$53.90	7787-2220	10	50
8HTD-10-25M-LLUKNTB	59.29	7787-2221	10	25
8HTD-15-50M-LLUKNTB	63.56	7787-2222	15	50
8HTD-15-25M-LLUKNTB	69.91	7787-2223	15	25
8HTD-20-50M-LLUKNTB	79.43	7787-2224	20	50
8HTD-20-25M-LLUKNTB	87.37	7787-2225	20	25
8HTD-25-50M-LLUKNTB	99.26	7787-2226	25	50
8HTD-25-25M-LLUKNTB	109.18	7787-2227	25	25
8HTD-32-50M-LLUKNTB	127.05	7787-2228	32	50
8HTD-32-25M-LLUKNTB	139.76	7787-2229	32	25
8HTD-75-50M-LLUKNTB	212.71	7787-2230	75	50
8HTD-100-50M-LLUKNTB	283.65	7787-2231	100	50

8mm Pitch—HTD—LL Urethane/KEVLAR—FDA/USDA

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
8HTD-10-100M-LLUKFDA	\$53.90	7787-2235	10	100
8HTD-10-50M-LLUKFDA	59.29	7787-2236	10	50
8HTD-15-100M-LLUKFDA	63.56	7787-2237	15	100
8HTD-15-50M-LLUKFDA	69.91	7787-2238	15	50
8HTD-20-100M-LLUKFDA	79.43	7787-2239	20	100
8HTD-20-50M-LLUKFDA	87.37	7787-2240	20	50
8HTD-25-100M-LLUKFDA	99.26	7787-2241	25	100
8HTD-25-50M-LLUKFDA	109.18	7787-2242	25	50
8HTD-32-100M-LLUKFDA	127.05	7787-2243	32	100
8HTD-32-50M-LLUKFDA	139.76	7787-2244	32	50
8HTD-75-100M-LLUKFDA	212.71	7787-2245	75	100
8HTD-100-100M-LLUKFDA	283.65	7787-2246	100	100

14mm Pitch—HTD LL Urethane/Steel

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUS	\$92.57	7787-2250	25	50
14HTD-32-50M-LLUS	118.48	7787-2251	32	50
14HTD-50-50M-LLUS	172.05	7787-2252	50	50
14HTD-75-50M-LLUS	258.04	7787-2253	75	50
14HTD-100-50M-LLUS	327.67	7787-2254	100	50
14HTD-150-50M-LLUS	491.51	7787-2255	150	50
14HTD-170-50M-LLUS	565.40	7787-2256	170	50

14mm Pitch—HTD LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUSNT	\$106.43	7787-2260	25	50
14HTD-32-50M-LLUSNT	136.24	7787-2261	32	50
14HTD-50-50M-LLUSNT	197.84	7787-2262	50	50
14HTD-75-50M-LLUSNT	296.82	7787-2263	75	50
14HTD-100-50M-LLUSNT	376.81	7787-2264	100	50
14HTD-150-50M-LLUSNT	565.22	7787-2265	150	50
14HTD-170-50M-LLUSNT	650.17	7787-2266	170	50

14mm Pitch—HTD—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUSNB	\$101.83	7787-2270	25	50
14HTD-32-50M-LLUSNB	130.30	7787-2271	32	50
14HTD-50-50M-LLUSNB	189.22	7787-2272	50	50
14HTD-75-50M-LLUSNB	283.83	7787-2273	75	50
14HTD-100-50M-LLUSNB	360.45	7787-2274	100	50
14HTD-150-50M-LLUSNB	540.65	7787-2275	150	50
14HTD-170-50M-LLUSNB	621.87	7787-2276	170	50

14mm Pitch—HTD—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUSNTB	\$115.69	7787-2280	25	50
14HTD-32-50M-LLUSNTB	148.12	7787-2281	32	50
14HTD-50-50M-LLUSNTB	215.01	7787-2282	50	50
14HTD-75-50M-LLUSNTB	322.55	7787-2283	75	50
14HTD-100-50M-LLUSNTB	409.59	7787-2284	100	50
14HTD-150-50M-LLUSNTB	614.36	7787-2285	150	50
14HTD-170-50M-LLUSNTB	706.70	7787-2286	170	50

14mm Pitch—HTD—LL Urethane/KEVLAR

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUK	\$115.69	7787-2290	25	50
14HTD-32-50M-LLUK	130.30	7787-2291	32	50
14HTD-50-50M-LLUK	189.22	7787-2292	50	50
14HTD-75-50M-LLUK	283.83	7787-2293	75	50
14HTD-100-50M-LLUK	360.45	7787-2294	100	50
14HTD-150-50M-LLUK	540.65	7787-2295	150	50
14HTD-170-50M-LLUK	621.87	7787-2296	170	50

14mm Pitch—HTD—LL Urethane/KEVLAR—Nylon Tooth

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUKNT	\$129.60	7787-2300	25	50
14HTD-32-50M-LLUKNT	148.35	7787-2301	32	50
14HTD-50-50M-LLUKNT	215.01	7787-2302	50	50
14HTD-75-50M-LLUKNT	322.55	7787-2303	75	50
14HTD-100-50M-LLUKNT	409.59	7787-2304	100	50
14HTD-150-50M-LLUKNT	614.36	7787-2305	150	50
14HTD-170-50M-LLUKNT	706.70	7787-2306	170	50

14mm Pitch—HTD—LL Urethane/KEVLAR—Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUKNB	\$124.94	7787-2310	25	50
14HTD-32-50M-LLUKNB	142.18	7787-2311	32	50
14HTD-50-50M-LLUKNB	206.46	7787-2312	50	50
14HTD-75-50M-LLUKNB	309.63	7787-2313	75	50
14HTD-100-50M-LLUKNB	393.17	7787-2314	100	50
14HTD-150-50M-LLUKNB	589.79	7787-2315	150	50
14HTD-170-50M-LLUKNB	678.41	7787-2316	170	50

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

14mm Pitch-HTD®-LL Urethane/KEVLAR®-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/M	Product No.	Width (mm)	Roll Length (meters)
14HTD-25-50M-LLUKNTB	\$138.86	7787-2320	25	50
14HTD-32-50M-LLUKNTB	159.94	7787-2321	32	50
14HTD-50-50M-LLUKNTB	232.25	7787-2322	50	50
14HTD-75-50M-LLUKNTB	348.34	7787-2323	75	50
14HTD-100-50M-LLUKNTB	442.31	7787-2324	100	50
14HTD-150-50M-LLUKNTB	663.50	7787-2325	150	50
14HTD-170-50M-LLUKNTB	763.24	7787-2326	170	50

XL Pitch-LL Urethane/Steel-Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUSNB	\$6.49	7787-0034	.25	200
XL-025-100-LLUSNB	7.12	7787-0035	.25	100
XL-031-200-LLUSNB	7.35	7787-0036	.31	200
XL-031-100-LLUSNB	8.09	7787-0037	.31	100
XL-037-200-LLUSNB	7.35	7787-0038	.38	200
XL-037-100-LLUSNB	8.09	7787-0039	.38	100
XL-050-200-LLUSNB	9.93	7787-0040	.50	200
XL-050-100-LLUSNB	10.91	7787-0041	.50	100
XL-075-200-LLUSNB	14.87	7787-0042	.75	200
XL-100-200-LLUSNB	18.20	7787-0043	1.00	200
XL-150-200-LLUSNB	26.06	7787-0044	1.50	200
XL-200-200-LLUSNB	33.07	7787-0045	2.00	200

XL Pitch-LL Urethane/Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUS	\$5.86	7787-0001	.25	200
XL-025-100-LLUS	6.43	7787-0002	.25	100
XL-031-200-LLUS	6.66	7787-0003	.31	200
XL-031-100-LLUS	7.35	7787-0004	.31	100
XL-037-200-LLUS	6.66	7787-0005	.38	200
XL-037-100-LLUS	7.35	7787-0006	.38	100
XL-050-200-LLUS	9.01	7787-0007	.50	200
XL-050-100-LLUS	9.93	7787-0008	.50	100
XL-075-200-LLUS	13.56	7787-0009	.75	200
XL-100-200-LLUS	16.53	7787-0010	1.00	200
XL-150-200-LLUS	23.71	7787-0011	1.50	200
XL-200-200-LLUS	30.08	7787-0012	2.00	200

XL Pitch-LL Urethane/Steel-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUSNTB	\$7.35	7787-0046	.25	200
XL-025-100-LLUSNTB	8.09	7787-0047	.25	100
XL-031-200-LLUSNTB	8.32	7787-0048	.31	200
XL-031-100-LLUSNTB	9.19	7787-0049	.31	100
XL-037-200-LLUSNTB	8.32	7787-0050	.38	200
XL-037-100-LLUSNTB	9.19	7787-0051	.38	100
XL-050-200-LLUSNTB	11.31	7787-0052	.50	200
XL-050-100-LLUSNTB	12.46	7787-0053	.50	100
XL-075-200-LLUSNTB	16.94	7787-0054	.75	200
XL-100-200-LLUSNTB	20.67	7787-0055	1.00	200
XL-150-200-LLUSNTB	29.62	7787-0056	1.50	200
XL-200-200-LLUSNTB	37.60	7787-0057	2.00	200

XL Pitch-LL Urethane/Steel-Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUSNT	\$6.74	7787-0013	.25	200
XL-025-100-LLUSNT	7.41	7787-0014	.25	100
XL-031-200-LLUSNT	7.69	7787-0015	.31	200
XL-031-100-LLUSNT	8.44	7787-0016	.31	100
XL-037-200-LLUSNT	7.69	7787-0017	.38	200
XL-037-100-LLUSNT	8.44	7787-0018	.38	100
XL-050-200-LLUSNT	10.39	7787-0019	.50	200
XL-050-100-LLUSNT	11.42	7787-0020	.50	100
XL-075-200-LLUSNT	15.56	7787-0021	.75	200
XL-100-200-LLUSNT	19.00	7787-0022	1.00	200
XL-150-200-LLUSNT	27.21	7787-0023	1.50	200
XL-200-200-LLUSNT	34.62	7787-0024	2.00	200

XL Pitch-LL Urethane/Steel-FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUSFDA	\$7.35	7787-0067	.25	200
XL-025-100-LLUSFDA	8.09	7787-0068	.25	100
XL-031-200-LLUSFDA	8.32	7787-0069	.31	200
XL-031-100-LLUSFDA	9.19	7787-0070	.31	100
XL-037-200-LLUSFDA	8.32	7787-0071	.38	200
XL-037-100-LLUSFDA	9.19	7787-0072	.38	100
XL-050-200-LLUSFDA	11.31	7787-0073	.50	200
XL-050-100-LLUSFDA	12.46	7787-0074	.50	100
XL-075-200-LLUSFDA	16.94	7787-0075	.75	200
XL-100-200-LLUSFDA	20.67	7787-0076	1.00	200
XL-150-200-LLUSFDA	29.62	7787-0077	1.50	200
XL-200-200-LLUSFDA	37.60	7787-0078	2.00	200

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

XL Pitch-LL Urethane/Steel-Heavy Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUSHB	\$7.35	7787-0079	.25	200
XL-025-100-LLUSHB	8.09	7787-0080	.25	100
XL-031-200-LLUSHB	8.32	7787-0081	.31	200
XL-031-100-LLUSHB	9.19	7787-0082	.31	100
XL-037-200-LLUSHB	8.32	7787-0083	.38	200
XL-037-100-LLUSHB	9.19	7787-0084	.38	100
XL-050-200-LLUSHB	11.31	7787-0085	.50	200
XL-050-100-LLUSHB	12.46	7787-0086	.50	100
XL-075-200-LLUSHB	16.94	7787-0087	.75	200
XL-100-200-LLUSHB	20.67	7787-0088	1.00	200
XL-150-200-LLUSHB	29.62	7787-0089	1.50	200
XL-200-200-LLUSHB	37.60	7787-0090	2.00	200

XL Pitch-LL Urethane/Steel-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUSHBNTB	\$8.78	7787-0124	.25	200
XL-025-100-LLUSHBNTB	9.64	7787-0125	.25	100
XL-031-200-LLUSHBNTB	10.05	7787-0126	.31	200
XL-031-100-LLUSHBNTB	11.08	7787-0127	.31	100
XL-037-200-LLUSHBNTB	10.05	7787-0128	.38	200
XL-037-100-LLUSHBNTB	11.08	7787-0129	.38	100
XL-050-200-LLUSHBNTB	13.55	7787-0130	.50	200
XL-050-100-LLUSHBNTB	14.93	7787-0131	.50	100
XL-075-200-LLUSHBNTB	20.32	7787-0132	.75	200
XL-100-200-LLUSHBNTB	24.80	7787-0133	1.00	200
XL-150-200-LLUSHBNTB	35.54	7787-0134	1.50	200
XL-200-200-LLUSHBNTB	45.12	7787-0135	2.00	200

XL Pitch-LL Urethane/Steel-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUSHBNT	\$8.21	7787-0100	.25	200
XL-025-100-LLUSHBNT	9.01	7787-0101	.25	100
XL-031-200-LLUSHBNT	9.36	7787-0102	.31	200
XL-031-100-LLUSHBNT	10.28	7787-0103	.31	100
XL-037-200-LLUSHBNT	9.36	7787-0104	.38	200
XL-037-100-LLUSHBNT	10.28	7787-0105	.38	100
XL-050-200-LLUSHBNT	12.63	7787-0106	.50	200
XL-050-100-LLUSHBNT	13.89	7787-0107	.50	100
XL-075-200-LLUSHBNT	18.94	7787-0108	.75	200
XL-100-200-LLUSHBNT	23.14	7787-0109	1.00	200
XL-150-200-LLUSHBNT	33.12	7787-0110	1.50	200
XL-200-200-LLUSHBNT	42.14	7787-0111	2.00	200

XL Pitch-LL Urethane/Steel-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUSHBFDA	\$8.78	7787-0145	.25	200
XL-025-100-LLUSHBFDA	9.64	7787-0146	.25	100
XL-031-200-LLUSHBFDA	10.05	7787-0147	.31	200
XL-031-100-LLUSHBFDA	11.08	7787-0148	.31	100
XL-037-200-LLUSHBFDA	10.05	7787-0149	.38	200
XL-037-100-LLUSHBFDA	11.08	7787-0150	.38	100
XL-050-200-LLUSHBFDA	13.55	7787-0151	.50	200
XL-050-100-LLUSHBFDA	14.93	7787-0152	.50	100
XL-075-200-LLUSHBFDA	20.32	7787-0153	.75	200
XL-100-200-LLUSHBFDA	24.80	7787-0154	1.00	200
XL-150-200-LLUSHBFDA	35.54	7787-0155	1.50	200
XL-200-200-LLUSHBFDA	45.12	7787-0156	2.00	200

XL Pitch-LL Urethane/Steel-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUSHBNB	\$7.92	7787-0112	.25	200
XL-025-100-LLUSHBNB	8.73	7787-0113	.25	100
XL-031-200-LLUSHBNB	9.01	7787-0114	.31	200
XL-031-100-LLUSHBNB	9.93	7787-0115	.31	100
XL-037-200-LLUSHBNB	9.01	7787-0116	.38	200
XL-037-100-LLUSHBNB	9.93	7787-0117	.38	100
XL-050-200-LLUSHBNB	12.17	7787-0118	.50	200
XL-050-100-LLUSHBNB	13.38	7787-0119	.50	100
XL-075-200-LLUSHBNB	18.26	7787-0120	.75	200
XL-100-200-LLUSHBNB	22.33	7787-0121	1.00	200
XL-150-200-LLUSHBNB	31.98	7787-0122	1.50	200
XL-200-200-LLUSHBNB	40.59	7787-0123	2.00	200

XL Pitch-LL Urethane/KEVLAR®

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUK	\$6.49	7787-0157	.25	200
XL-025-100-LLUK	7.14	7787-0158	.25	100
XL-031-200-LLUK	7.35	7787-0159	.31	200
XL-031-100-LLUK	8.08	7787-0160	.31	100
XL-037-200-LLUK	7.35	7787-0161	.38	200
XL-037-100-LLUK	8.09	7787-0162	.38	100
XL-050-200-LLUK	9.93	7787-0163	.50	200
XL-050-100-LLUK	10.92	7787-0164	.50	100
XL-075-200-LLUK	14.87	7787-0165	.75	200
XL-100-200-LLUK	18.20	7787-0166	1.00	200
XL-150-200-LLUK	26.06	7787-0167	1.50	200
XL-200-200-LLUK	33.07	7787-0168	2.00	200

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

XL Pitch-LL Urethane/KEVLAR®-Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUKNT	\$7.35	7787-0169	.25	200
XL-025-100-LLUKNT	8.08	7787-0170	.25	100
XL-031-200-LLUKNT	8.32	7787-0171	.31	200
XL-031-100-LLUKNT	9.16	7787-0172	.31	100
XL-037-200-LLUKNT	8.32	7787-0173	.38	200
XL-037-100-LLUKNT	9.19	7787-0174	.38	100
XL-050-200-LLUKNT	11.31	7787-0175	.50	200
XL-050-100-LLUKNT	12.44	7787-0176	.50	100
XL-075-200-LLUKNT	16.94	7787-0177	.75	200
XL-100-200-LLUKNT	20.67	7787-0178	1.00	200
XL-150-200-LLUKNT	29.62	7787-0179	1.50	200
XL-200-200-LLUKNT	37.60	7787-0180	2.00	200

XL Pitch-LL Urethane/KEVLAR-FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUKFDA	\$7.92	7787-0214	.25	200
XL-025-100-LLUKFDA	8.71	7787-0215	.25	100
XL-031-200-LLUKFDA	9.01	7787-0216	.31	200
XL-031-100-LLUKFDA	9.91	7787-0217	.31	100
XL-037-200-LLUKFDA	9.01	7787-0218	.38	200
XL-037-100-LLUKFDA	9.91	7787-0219	.38	100
XL-050-200-LLUKFDA	12.17	7787-0220	.50	200
XL-050-100-LLUKFDA	13.39	7787-0221	.50	100
XL-075-200-LLUKFDA	18.26	7787-0222	.75	200
XL-100-200-LLUKFDA	22.33	7787-0223	1.00	200
XL-150-200-LLUKFDA	31.98	7787-0224	1.50	200
XL-200-200-LLUKFDA	40.59	7787-0225	2.00	200

XL Pitch-LL Urethane/KEVLAR-Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUKNB	\$7.00	7787-0190	.25	200
XL-025-100-LLUKNB	7.70	7787-0191	.25	100
XL-031-200-LLUKNB	8.04	7787-0192	.31	200
XL-031-100-LLUKNB	8.84	7787-0193	.31	100
XL-037-200-LLUKNB	8.04	7787-0194	.38	200
XL-037-100-LLUKNB	8.84	7787-0195	.38	100
XL-050-200-LLUKNB	10.85	7787-0196	.50	200
XL-050-100-LLUKNB	11.94	7787-0197	.50	100
XL-075-200-LLUKNB	16.25	7787-0198	.75	200
XL-100-200-LLUKNB	19.86	7787-0199	1.00	200
XL-150-200-LLUKNB	28.42	7787-0200	1.50	200
XL-200-200-LLUKNB	36.11	7787-0201	2.00	200

XL Pitch-LL Urethane/KEVLAR-Heavy Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUKHB	\$7.92	7787-0235	.25	200
XL-025-100-LLUKHB	8.71	7787-0236	.25	100
XL-031-200-LLUKHB	9.01	7787-0237	.31	200
XL-031-100-LLUKHB	9.91	7787-0238	.31	100
XL-037-200-LLUKHB	9.01	7787-0239	.38	200
XL-037-100-LLUKHB	9.91	7787-0240	.38	100
XL-050-200-LLUKHB	12.17	7787-0241	.50	200
XL-050-100-LLUKHB	13.39	7787-0242	.50	100
XL-075-200-LLUKHB	18.26	7787-0243	.75	200
XL-100-200-LLUKHB	22.33	7787-0244	1.00	200
XL-150-200-LLUKHB	31.98	7787-0245	1.50	200
XL-200-200-LLUKHB	40.59	7787-0246	2.00	200

XL Pitch-LL Urethane/KEVLAR-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUKNTB	\$7.92	7787-0202	.25	200
XL-025-100-LLUKNTB	8.71	7787-0203	.25	100
XL-031-200-LLUKNTB	9.01	7787-0204	.31	200
XL-031-100-LLUKNTB	9.91	7787-0205	.31	100
XL-037-200-LLUKNTB	9.01	7787-0206	.38	200
XL-037-100-LLUKNTB	9.91	7787-0207	.38	100
XL-050-200-LLUKNTB	12.17	7787-0208	.50	200
XL-050-100-LLUKNTB	13.39	7787-0209	.50	100
XL-075-200-LLUKNTB	18.26	7787-0210	.75	200
XL-100-200-LLUKNTB	22.33	7787-0211	1.00	200
XL-150-200-LLUKNTB	31.98	7787-0212	1.50	200
XL-200-200-LLUKNTB	40.59	7787-0213	2.00	200

XL Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUKHBNT	\$8.78	7787-0247	.25	200
XL-025-100-LLUKHBNT	9.66	7787-0248	.25	100
XL-031-200-LLUKHBNT	10.05	7787-0249	.31	200
XL-031-100-LLUKHBNT	11.05	7787-0250	.31	100
XL-037-200-LLUKHBNT	10.05	7787-0251	.38	200
XL-037-100-LLUKHBNT	11.05	7787-0252	.38	100
XL-050-200-LLUKHBNT	13.55	7787-0253	.50	200
XL-050-100-LLUKHBNT	14.90	7787-0254	.50	100
XL-075-200-LLUKHBNT	20.32	7787-0255	.75	200
XL-100-200-LLUKHBNT	24.80	7787-0256	1.00	200
XL-150-200-LLUKHBNT	35.54	7787-0257	1.50	200
XL-200-200-LLUKHBNT	45.12	7787-0258	2.00	200

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

XL Pitch—LL Urethane/KEVLAR®—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUKHBNB	\$8.50	7787-0259	.25	200
XL-025-100-LLUKHBNB	9.35	7787-0260	.25	100
XL-031-200-LLUKHBNB	9.70	7787-0261	.31	200
XL-031-100-LLUKHBNB	10.67	7787-0262	.31	100
XL-037-200-LLUKHBNB	9.70	7787-0263	.38	200
XL-037-100-LLUKHBNB	10.67	7787-0264	.38	100
XL-050-200-LLUKHBNB	13.09	7787-0265	.50	200
XL-050-100-LLUKHBNB	14.40	7787-0266	.50	100
XL-075-200-LLUKHBNB	19.63	7787-0267	.75	200
XL-100-200-LLUKHBNB	24.00	7787-0268	1.00	200
XL-150-200-LLUKHBNB	34.33	7787-0269	1.50	200
XL-200-200-LLUKHBNB	43.63	7787-0270	2.00	200

L Pitch—LL Urethane/Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUS	\$6.54	7787-0320	.38	200
L-037-100-LLUS	7.20	7787-0321	.38	100
L-050-200-LLUS	6.54	7787-0322	.50	200
L-050-100-LLUS	7.20	7787-0323	.50	100
L-075-200-LLUS	9.41	7787-0324	.75	200
L-075-100-LLUS	10.36	7787-0325	.75	100
L-100-200-LLUS	12.00	7787-0326	1.00	200
L-100-100-LLUS	13.20	7787-0327	1.00	100
L-150-200-LLUS	18.03	7787-0328	1.50	200
L-150-100-LLUS	19.83	7787-0329	1.50	100
L-200-200-LLUS	22.91	7787-0330	2.00	200
L-300-200-LLUS	34.39	7787-0331	3.00	200
L-400-200-LLUS	43.69	7787-0332	4.00	200

XL Pitch—LL Urethane/KEVLAR—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUKHBNTB	\$9.36	7787-0280	.25	200
XL-025-100-LLUKHBNTB	10.29	7787-0281	.25	100
XL-031-200-LLUKHBNTB	10.68	7787-0282	.31	200
XL-031-100-LLUKHBNTB	11.75	7787-0283	.31	100
XL-037-200-LLUKHBNTB	10.68	7787-0284	.38	200
XL-037-100-LLUKHBNTB	11.75	7787-0285	.38	100
XL-050-200-LLUKHBNTB	14.47	7787-0286	.50	200
XL-050-100-LLUKHBNTB	15.91	7787-0287	.50	100
XL-075-200-LLUKHBNTB	21.64	7787-0288	.75	200
XL-100-200-LLUKHBNTB	26.46	7787-0289	1.00	200
XL-150-200-LLUKHBNTB	37.89	7787-0290	1.50	200
XL-200-200-LLUKHBNTB	48.11	7787-0291	2.00	200

L Pitch—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUSNT	\$7.52	7787-0335	.38	200
L-037-100-LLUSNT	8.27	7787-0336	.38	100
L-050-200-LLUSNT	7.52	7787-0337	.50	200
L-050-100-LLUSNT	8.27	7787-0338	.50	100
L-075-200-LLUSNT	10.85	7787-0339	.75	200
L-075-100-LLUSNT	11.94	7787-0340	.75	100
L-100-200-LLUSNT	13.78	7787-0341	1.00	200
L-100-100-LLUSNT	15.16	7787-0342	1.00	100
L-150-200-LLUSNT	20.72	7787-0343	1.50	200
L-150-100-LLUSNT	22.80	7787-0344	1.50	100
L-200-200-LLUSNT	26.35	7787-0345	2.00	200
L-300-200-LLUSNT	39.55	7787-0346	3.00	200
L-400-200-LLUSNT	50.23	7787-0347	4.00	200

XL Pitch—LL Urethane/KEVLAR—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XL-025-200-LLUKHBFDA	\$9.36	7787-0292	.25	200
XL-025-100-LLUKHBFDA	10.29	7787-0293	.25	100
XL-031-200-LLUKHBFDA	10.68	7787-0294	.31	200
XL-031-100-LLUKHBFDA	11.75	7787-0295	.31	100
XL-037-200-LLUKHBFDA	10.68	7787-0296	.38	200
XL-037-100-LLUKHBFDA	11.75	7787-0297	.38	100
XL-050-200-LLUKHBFDA	14.47	7787-0298	.50	200
XL-050-100-LLUKHBFDA	15.91	7787-0299	.50	100
XL-075-200-LLUKHBFDA	21.64	7787-0300	.75	200
XL-100-200-LLUKHBFDA	26.46	7787-0301	1.00	200
XL-150-200-LLUKHBFDA	37.89	7787-0302	1.50	200
XL-200-200-LLUKHBFDA	48.11	7787-0303	2.00	200

L Pitch—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUSNB	\$7.23	7787-0350	.38	200
L-037-100-LLUSNB	7.96	7787-0351	.38	100
L-050-200-LLUSNB	7.23	7787-0352	.50	200
L-050-100-LLUSNB	7.96	7787-0353	.50	100
L-075-200-LLUSNB	10.33	7787-0354	.75	200
L-075-100-LLUSNB	11.37	7787-0355	.75	100
L-100-200-LLUSNB	13.20	7787-0356	1.00	200
L-100-100-LLUSNB	14.52	7787-0357	1.00	100
L-150-200-LLUSNB	19.81	7787-0358	1.50	200
L-150-100-LLUSNB	21.79	7787-0359	1.50	100
L-200-200-LLUSNB	25.20	7787-0360	2.00	200
L-300-200-LLUSNB	37.83	7787-0361	3.00	200
L-400-200-LLUSNB	48.05	7787-0362	4.00	200

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

L Pitch-LL Urethane/Steel-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUSNTB	\$8.21	7787-0363	.38	200
L-037-100-LLUSNTB	9.03	7787-0364	.38	100
L-050-200-LLUSNTB	8.21	7787-0365	.50	200
L-050-100-LLUSNTB	9.03	7787-0366	.50	100
L-075-200-LLUSNTB	11.77	7787-0367	.75	200
L-075-100-LLUSNTB	12.95	7787-0368	.75	100
L-100-200-LLUSNTB	14.98	7787-0369	1.00	200
L-100-100-LLUSNTB	16.48	7787-0370	1.00	100
L-150-200-LLUSNTB	22.50	7787-0371	1.50	200
L-150-100-LLUSNTB	24.75	7787-0372	1.50	100
L-200-200-LLUSNTB	28.65	7787-0373	2.00	200
L-300-200-LLUSNTB	43.00	7787-0374	3.00	200
L-400-200-LLUSNTB	54.59	7787-0375	4.00	200

L Pitch-LL Urethane/Steel-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUSHBNT	\$9.19	7787-0411	.38	200
L-037-100-LLUSHBNT	10.10	7787-0412	.38	100
L-050-200-LLUSHBNT	9.19	7787-0413	.50	200
L-050-100-LLUSHBNT	10.10	7787-0414	.50	100
L-075-200-LLUSHBNT	13.20	7787-0415	.75	200
L-075-100-LLUSHBNT	14.52	7787-0416	.75	100
L-100-200-LLUSHBNT	16.82	7787-0417	1.00	200
L-100-100-LLUSHBNT	18.50	7787-0418	1.00	100
L-150-200-LLUSHBNT	25.20	7787-0419	1.50	200
L-150-100-LLUSHBNT	27.72	7787-0420	1.50	100
L-200-200-LLUSHBNT	32.09	7787-0421	2.00	200
L-300-200-LLUSHBNT	48.11	7787-0422	3.00	200
L-400-200-LLUSHBNT	61.14	7787-0423	4.00	200

L Pitch-LL Urethane/Steel-FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUSFDA	\$8.21	7787-0379	.38	200
L-037-100-LLUSFDA	9.03	7787-0380	.38	100
L-050-200-LLUSFDA	8.21	7787-0381	.50	200
L-050-100-LLUSFDA	9.03	7787-0382	.50	100
L-075-200-LLUSFDA	11.77	7787-0383	.75	200
L-075-100-LLUSFDA	12.95	7787-0384	.75	100
L-100-200-LLUSFDA	14.98	7787-0385	1.00	200
L-100-100-LLUSFDA	16.48	7787-0386	1.00	100
L-150-200-LLUSFDA	22.50	7787-0387	1.50	200
L-150-100-LLUSFDA	24.75	7787-0388	1.50	100
L-200-200-LLUSFDA	28.65	7787-0389	2.00	200
L-300-200-LLUSFDA	43.00	7787-0390	3.00	200
L-400-200-LLUSFDA	54.59	7787-0391	4.00	200

L Pitch-LL Urethane/Steel-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUSHBNB	\$8.84	7787-0427	.38	200
L-037-100-LLUSHBNB	9.72	7787-0428	.38	100
L-050-200-LLUSHBNB	8.84	7787-0429	.50	200
L-050-100-LLUSHBNB	9.72	7787-0430	.50	100
L-075-200-LLUSHBNB	12.69	7787-0431	.75	200
L-075-100-LLUSHBNB	13.96	7787-0432	.75	100
L-100-200-LLUSHBNB	16.19	7787-0433	1.00	200
L-100-100-LLUSHBNB	17.81	7787-0434	1.00	100
L-150-200-LLUSHBNB	24.28	7787-0435	1.50	200
L-150-100-LLUSHBNB	26.71	7787-0436	1.50	100
L-200-200-LLUSHBNB	30.94	7787-0437	2.00	200
L-300-200-LLUSHBNB	46.44	7787-0438	3.00	200
L-400-200-LLUSHBNB	58.96	7787-0439	4.00	200

L Pitch-LL Urethane/Steel-Heavy Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUSHB	\$8.21	7787-0395	.38	200
L-037-100-LLUSHB	9.03	7787-0396	.38	100
L-050-200-LLUSHB	8.21	7787-0397	.50	200
L-050-100-LLUSHB	9.03	7787-0398	.50	100
L-075-200-LLUSHB	11.77	7787-0399	.75	200
L-075-100-LLUSHB	12.95	7787-0400	.75	100
L-100-200-LLUSHB	14.98	7787-0401	1.00	200
L-100-100-LLUSHB	16.48	7787-0402	1.00	100
L-150-200-LLUSHB	22.50	7787-0403	1.50	200
L-150-100-LLUSHB	24.75	7787-0404	1.50	100
L-200-200-LLUSHB	28.65	7787-0405	2.00	200
L-300-200-LLUSHB	43.00	7787-0406	3.00	200
L-400-200-LLUSHB	54.59	7787-0407	4.00	200

L Pitch-LL Urethane/Steel-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUSHBNTB	\$9.82	7787-0443	.38	200
L-037-100-LLUSHBNTB	10.80	7787-0444	.38	100
L-050-200-LLUSHBNTB	9.82	7787-0445	.50	200
L-050-100-LLUSHBNTB	10.80	7787-0446	.50	100
L-075-200-LLUSHBNTB	14.12	7787-0447	.75	200
L-075-100-LLUSHBNTB	15.53	7787-0448	.75	100
L-100-200-LLUSHBNTB	18.03	7787-0449	1.00	200
L-100-100-LLUSHBNTB	19.83	7787-0450	1.00	100
L-150-200-LLUSHBNTB	27.04	7787-0451	1.50	200
L-150-100-LLUSHBNTB	29.74	7787-0452	1.50	100
L-200-200-LLUSHBNTB	34.39	7787-0453	2.00	200
L-300-200-LLUSHBNTB	51.55	7787-0454	3.00	200
L-400-200-LLUSHBNTB	65.50	7787-0455	4.00	200

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

L Pitch-LL Urethane/Steel-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUSHBFDA	\$9.82	7787-0460	.38	200
L-037-100-LLUSHBFDA	10.80	7787-0461	.38	100
L-050-200-LLUSHBFDA	9.82	7787-0462	.50	200
L-050-100-LLUSHBFDA	10.80	7787-0463	.50	100
L-075-200-LLUSHBFDA	14.12	7787-0464	.75	200
L-075-100-LLUSHBFDA	15.53	7787-0465	.75	100
L-100-200-LLUSHBFDA	18.03	7787-0466	1.00	200
L-100-100-LLUSHBFDA	19.83	7787-0467	1.00	100
L-150-200-LLUSHBFDA	27.04	7787-0468	1.50	200
L-150-100-LLUSHBFDA	29.74	7787-0469	1.50	100
L-200-200-LLUSHBFDA	34.39	7787-0470	2.00	200
L-300-200-LLUSHBFDA	51.55	7787-0471	3.00	200
L-400-200-LLUSHBFDA	65.50	7787-0472	4.00	200

L Pitch-LL Urethane/KEVLAR®-Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUKNB	\$7.86	7787-0505	.38	200
L-037-100-LLUKNB	8.65	7787-0506	.38	100
L-050-200-LLUKNB	7.86	7787-0507	.50	200
L-050-100-LLUKNB	8.65	7787-0508	.50	100
L-075-200-LLUKNB	11.31	7787-0509	.75	200
L-075-100-LLUKNB	12.44	7787-0510	.75	100
L-100-200-LLUKNB	14.41	7787-0511	1.00	200
L-100-100-LLUKNB	15.85	7787-0512	1.00	100
L-150-200-LLUKNB	21.64	7787-0513	1.50	200
L-150-100-LLUKNB	23.81	7787-0514	1.50	100
L-200-200-LLUKNB	27.50	7787-0515	2.00	200
L-300-200-LLUKNB	41.28	7787-0516	3.00	200
L-400-200-LLUKNB	52.41	7787-0517	4.00	200

L Pitch-LL Urethane/KEVLAR

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUK	\$7.23	7787-0475	.38	200
L-037-100-LLUK	7.96	7787-0476	.38	100
L-050-200-LLUK	7.23	7787-0477	.50	200
L-050-100-LLUK	7.96	7787-0478	.50	100
L-075-200-LLUK	10.33	7787-0479	.75	200
L-075-100-LLUK	11.37	7787-0480	.75	100
L-100-200-LLUK	13.20	7787-0481	1.00	200
L-100-100-LLUK	14.52	7787-0482	1.00	100
L-150-200-LLUK	19.81	7787-0483	1.50	200
L-150-100-LLUK	21.79	7787-0484	1.50	100
L-200-200-LLUK	25.20	7787-0485	2.00	200
L-300-200-LLUK	37.83	7787-0486	3.00	200
L-400-200-LLUK	48.05	7787-0487	4.00	200

L Pitch-LL Urethane/KEVLAR-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUKNTB	\$8.84	7787-0520	.38	200
L-037-100-LLUKNTB	9.72	7787-0521	.38	100
L-050-200-LLUKNTB	8.84	7787-0522	.50	200
L-050-100-LLUKNTB	9.72	7787-0523	.50	100
L-075-200-LLUKNTB	12.69	7787-0524	.75	200
L-075-100-LLUKNTB	13.96	7787-0525	.75	100
L-100-200-LLUKNTB	16.19	7787-0526	1.00	200
L-100-100-LLUKNTB	17.81	7787-0527	1.00	100
L-150-200-LLUKNTB	24.28	7787-0528	1.50	200
L-150-100-LLUKNTB	26.71	7787-0529	1.50	100
L-200-200-LLUKNTB	30.94	7787-0530	2.00	200
L-300-200-LLUKNTB	46.44	7787-0531	3.00	200
L-400-200-LLUKNTB	58.96	7787-0532	4.00	200

L Pitch-LL Urethane/KEVLAR-Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUKNT	\$8.21	7787-0490	.38	200
L-037-100-LLUKNT	9.03	7787-0491	.38	100
L-050-200-LLUKNT	8.21	7787-0492	.50	200
L-050-100-LLUKNT	9.03	7787-0493	.50	100
L-075-200-LLUKNT	11.77	7787-0494	.75	200
L-075-100-LLUKNT	12.95	7787-0495	.75	100
L-100-200-LLUKNT	14.98	7787-0496	1.00	200
L-100-100-LLUKNT	16.48	7787-0497	1.00	100
L-150-200-LLUKNT	22.50	7787-0498	1.50	200
L-150-100-LLUKNT	24.75	7787-0499	1.50	100
L-200-200-LLUKNT	28.65	7787-0500	2.00	200
L-300-200-LLUKNT	43.00	7787-0501	3.00	200
L-400-200-LLUKNT	54.59	7787-0502	4.00	200

L Pitch-LL Urethane/KEVLAR-FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUKFDA	\$8.84	7787-0535	.38	200
L-037-100-LLUKFDA	9.72	7787-0536	.38	100
L-050-200-LLUKFDA	8.84	7787-0537	.50	200
L-050-100-LLUKFDA	9.72	7787-0538	.50	100
L-075-200-LLUKFDA	11.31	7787-0539	.75	200
L-075-100-LLUKFDA	12.44	7787-0540	.75	100
L-100-200-LLUKFDA	14.41	7787-0541	1.00	200
L-100-100-LLUKFDA	15.85	7787-0542	1.00	100
L-150-200-LLUKFDA	21.64	7787-0543	1.50	200
L-150-100-LLUKFDA	23.81	7787-0544	1.50	100
L-200-200-LLUKFDA	27.50	7787-0545	2.00	200
L-300-200-LLUKFDA	41.28	7787-0546	3.00	200
L-400-200-LLUKFDA	52.41	7787-0547	4.00	200

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

L Pitch-LL Urethane/KEVLAR®-Heavy Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUKHB	\$8.84	7787-0550	.38	200
L-037-100-LLUKHB	9.72	7787-0551	.38	100
L-050-200-LLUKHB	8.84	7787-0552	.50	200
L-050-100-LLUKHB	9.72	7787-0553	.50	100
L-075-200-LLUKHB	12.69	7787-0554	.75	200
L-075-100-LLUKHB	13.96	7787-0555	.75	100
L-100-200-LLUKHB	16.19	7787-0556	1.00	200
L-100-100-LLUKHB	17.81	7787-0557	1.00	100
L-150-200-LLUKHB	24.28	7787-0558	1.50	200
L-150-100-LLUKHB	26.71	7787-0559	1.50	100
L-200-200-LLUKHB	30.94	7787-0560	2.00	200
L-300-200-LLUKHB	46.44	7787-0561	3.00	200
L-400-200-LLUKHB	58.96	7787-0562	4.00	200

L Pitch-LL Urethane/KEVLAR-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUKHBNTB	\$10.51	7787-0600	.38	200
L-037-100-LLUKHBNTB	11.56	7787-0601	.38	100
L-050-200-LLUKHBNTB	10.51	7787-0602	.50	200
L-050-100-LLUKHBNTB	11.56	7787-0603	.50	100
L-075-200-LLUKHBNTB	15.04	7787-0604	.75	200
L-075-100-LLUKHBNTB	16.54	7787-0605	.75	100
L-100-200-LLUKHBNTB	19.23	7787-0606	1.00	200
L-100-100-LLUKHBNTB	21.15	7787-0607	1.00	100
L-150-200-LLUKHBNTB	28.82	7787-0608	1.50	200
L-150-100-LLUKHBNTB	31.70	7787-0609	1.50	100
L-200-200-LLUKHBNTB	36.68	7787-0610	2.00	200
L-300-200-LLUKHBNTB	55.00	7787-0611	3.00	200
L-400-200-LLUKHBNTB	69.86	7787-0612	4.00	200

L Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUKHBNT	\$9.82	7787-0566	.38	200
L-037-100-LLUKHBNT	10.80	7787-0567	.38	100
L-050-200-LLUKHBNT	9.82	7787-0568	.50	200
L-050-100-LLUKHBNT	10.80	7787-0569	.50	100
L-075-200-LLUKHBNT	14.12	7787-0570	.75	200
L-075-100-LLUKHBNT	15.53	7787-0571	.75	100
L-100-200-LLUKHBNT	18.03	7787-0572	1.00	200
L-100-100-LLUKHBNT	19.83	7787-0573	1.00	100
L-150-200-LLUKHBNT	27.04	7787-0574	1.50	200
L-150-100-LLUKHBNT	29.74	7787-0575	1.50	100
L-200-200-LLUKHBNT	34.39	7787-0576	2.00	200
L-300-200-LLUKHBNT	51.55	7787-0577	3.00	200
L-400-200-LLUKHBNT	65.50	7787-0578	4.00	200

L Pitch-LL Urethane/KEVLAR-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUKHBFDA	\$10.51	7787-0616	.38	200
L-037-100-LLUKHBFDA	11.56	7787-0617	.38	100
L-050-200-LLUKHBFDA	10.51	7787-0618	.50	200
L-050-100-LLUKHBFDA	11.56	7787-0619	.50	100
L-075-200-LLUKHBFDA	15.04	7787-0620	.75	200
L-075-100-LLUKHBFDA	16.54	7787-0621	.75	100
L-100-200-LLUKHBFDA	19.23	7787-0622	1.00	200
L-100-100-LLUKHBFDA	21.15	7787-0623	1.00	100
L-150-200-LLUKHBFDA	28.82	7787-0624	1.50	200
L-150-100-LLUKHBFDA	31.70	7787-0625	1.50	100
L-200-200-LLUKHBFDA	36.68	7787-0626	2.00	200
L-300-200-LLUKHBFDA	55.00	7787-0627	3.00	200
L-400-200-LLUKHBFDA	69.86	7787-0628	4.00	200

L Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
L-037-200-LLUKHBNB	\$9.53	7787-0582	.38	200
L-037-100-LLUKHBNB	10.48	7787-0583	.38	100
L-050-200-LLUKHBNB	9.53	7787-0584	.50	200
L-050-100-LLUKHBNB	10.48	7787-0585	.50	100
L-075-200-LLUKHBNB	13.66	7787-0586	.75	200
L-075-100-LLUKHBNB	15.03	7787-0587	.75	100
L-100-200-LLUKHBNB	17.39	7787-0588	1.00	200
L-100-100-LLUKHBNB	19.13	7787-0589	1.00	100
L-150-200-LLUKHBNB	26.12	7787-0590	1.50	200
L-150-100-LLUKHBNB	28.73	7787-0591	1.50	100
L-200-200-LLUKHBNB	33.24	7787-0592	2.00	200
L-300-200-LLUKHBNB	49.89	7787-0593	3.00	200
L-400-200-LLUKHBNB	63.32	7787-0594	4.00	200

H Pitch-LL Urethane/Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUS	\$8.96	7787-0635	.50	200
H-050-100-LLUS	9.85	7787-0636	.50	100
H-075-200-LLUS	8.96	7787-0637	.75	200
H-075-100-LLUS	9.85	7787-0638	.75	100
H-100-200-LLUS	11.37	7787-0639	1.00	200
H-100-100-LLUS	12.50	7787-0640	1.00	100
H-150-200-LLUS	17.05	7787-0641	1.50	200
H-150-100-LLUS	18.76	7787-0642	1.50	100
H-200-200-LLUS	22.27	7787-0643	2.00	200
H-200-100-LLUS	24.50	7787-0644	2.00	100
H-300-200-LLUS	33.41	7787-0645	3.00	200
H-300-100-LLUS	36.75	7787-0646	3.00	100
H-400-200-LLUS	43.29	7787-0647	4.00	200
H-400-100-LLUS	47.61	7787-0649	4.00	100
H-500-200-LLUS	54.08	7787-0650	5.00	200
H-600-200-LLUS	64.93	7787-0651	6.00	200

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

H Pitch-LL Urethane/Steel-Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUSNT	\$10.28	7787-0655	.50	200
H-050-100-LLUSNT	11.30	7787-0656	.50	100
H-075-200-LLUSNT	10.28	7787-0657	.75	200
H-075-100-LLUSNT	11.30	7787-0658	.75	100
H-100-200-LLUSNT	13.09	7787-0659	1.00	200
H-100-100-LLUSNT	14.40	7787-0660	1.00	100
H-150-200-LLUSNT	19.63	7787-0661	1.50	200
H-150-100-LLUSNT	21.60	7787-0663	1.50	100
H-200-200-LLUSNT	25.60	7787-0664	2.00	200
H-200-100-LLUSNT	28.16	7787-0665	2.00	100
H-300-200-LLUSNT	38.46	7787-0666	3.00	200
H-400-200-LLUSNT	49.77	7787-0667	4.00	200
H-500-200-LLUSNT	62.23	7787-0668	5.00	200
H-600-200-LLUSNT	74.69	7787-0669	6.00	200

H Pitch-LL Urethane/Steel-FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUSFDA	\$11.14	7787-0708	.50	200
H-050-100-LLUSFDA	12.25	7787-0709	.50	100
H-075-200-LLUSFDA	11.14	7787-0710	.75	200
H-075-100-LLUSFDA	12.25	7787-0711	.75	100
H-100-200-LLUSFDA	14.24	7787-0712	1.00	200
H-100-100-LLUSFDA	15.66	7787-0713	1.00	100
H-150-200-LLUSFDA	21.30	7787-0714	1.50	200
H-150-100-LLUSFDA	23.43	7787-0715	1.50	100
H-200-200-LLUSFDA	27.84	7787-0716	2.00	200
H-300-200-LLUSFDA	41.79	7787-0717	3.00	200
H-400-200-LLUSFDA	54.08	7787-0719	4.00	200
H-500-200-LLUSFDA	67.63	7787-0720	5.00	200
H-600-200-LLUSFDA	81.12	7787-0721	6.00	200

H Pitch-LL Urethane/Steel-Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUSNB	\$9.82	7787-0673	.50	200
H-050-100-LLUSNB	10.80	7787-0674	.50	100
H-075-200-LLUSNB	9.82	7787-0675	.75	200
H-075-100-LLUSNB	10.80	7787-0677	.75	100
H-100-200-LLUSNB	12.51	7787-0678	1.00	200
H-100-100-LLUSNB	13.77	7787-0679	1.00	100
H-150-200-LLUSNB	18.77	7787-0680	1.50	200
H-150-100-LLUSNB	20.65	7787-0681	1.50	100
H-200-200-LLUSNB	24.51	7787-0682	2.00	200
H-300-200-LLUSNB	36.80	7787-0683	3.00	200
H-400-200-LLUSNB	47.59	7787-0684	4.00	200
H-500-200-LLUSNB	59.53	7787-0685	5.00	200
H-600-200-LLUSNB	71.41	7787-0686	6.00	200

H Pitch-LL Urethane/Steel-Heavy Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUSHB	\$11.14	7787-0725	.50	200
H-050-100-LLUSHB	12.25	7787-0726	.50	100
H-075-200-LLUSHB	11.14	7787-0727	.75	200
H-075-100-LLUSHB	12.25	7787-0728	.75	100
H-100-200-LLUSHB	14.24	7787-0729	1.00	200
H-100-100-LLUSHB	15.66	7787-0730	1.00	100
H-150-200-LLUSHB	21.30	7787-0731	1.50	200
H-150-100-LLUSHB	23.43	7787-0733	1.50	100
H-200-200-LLUSHB	27.84	7787-0734	2.00	200
H-300-200-LLUSHB	41.79	7787-0735	3.00	200
H-400-200-LLUSHB	54.08	7787-0736	4.00	200
H-500-200-LLUSHB	67.63	7787-0737	5.00	200
H-600-200-LLUSHB	81.12	7787-0738	6.00	200

H Pitch-LL Urethane/Steel-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUSNTB	\$11.14	7787-0691	.50	200
H-050-100-LLUSNTB	12.25	7787-0692	.50	100
H-075-200-LLUSNTB	11.14	7787-0693	.75	200
H-075-100-LLUSNTB	12.25	7787-0694	.75	100
H-100-200-LLUSNTB	14.24	7787-0695	1.00	200
H-100-100-LLUSNTB	15.66	7787-0696	1.00	100
H-150-200-LLUSNTB	21.30	7787-0697	1.50	200
H-150-100-LLUSNTB	23.43	7787-0698	1.50	100
H-200-200-LLUSNTB	27.84	7787-0699	2.00	200
H-300-200-LLUSNTB	41.79	7787-0700	3.00	200
H-400-200-LLUSNTB	54.08	7787-0701	4.00	200
H-500-200-LLUSNTB	67.63	7787-0702	5.00	200
H-600-200-LLUSNTB	81.12	7787-0703	6.00	200

H Pitch-LL Urethane/Steel-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUSHBNT	\$12.51	7787-0742	.50	200
H-050-100-LLUSHBNT	13.77	7787-0743	.50	100
H-075-200-LLUSHBNT	12.51	7787-0744	.75	200
H-075-100-LLUSHBNT	13.77	7787-0745	.75	100
H-100-200-LLUSHBNT	15.90	7787-0747	1.00	200
H-100-100-LLUSHBNT	17.49	7787-0748	1.00	100
H-150-200-LLUSHBNT	23.88	7787-0749	1.50	200
H-150-100-LLUSHBNT	26.27	7787-0750	1.50	100
H-200-200-LLUSHBNT	31.23	7787-0751	2.00	200
H-300-200-LLUSHBNT	46.79	7787-0752	3.00	200
H-400-200-LLUSHBNT	60.56	7787-0753	4.00	200
H-500-200-LLUSHBNT	75.72	7787-0754	5.00	200
H-600-200-LLUSHBNT	90.88	7787-0755	6.00	200

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

H Pitch-LL Urethane/Steel-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUSHBNB	\$12.06	7787-0759	.50	200
H-050-100-LLUSHBNB	13.26	7787-0761	.50	100
H-075-200-LLUSHBNB	12.06	7787-0762	.75	200
H-075-100-LLUSHBNB	13.26	7787-0763	.75	100
H-100-200-LLUSHBNB	15.33	7787-0764	1.00	200
H-100-100-LLUSHBNB	16.86	7787-0765	1.00	100
H-150-200-LLUSHBNB	23.02	7787-0766	1.50	200
H-150-100-LLUSHBNB	25.32	7787-0767	1.50	100
H-200-200-LLUSHBNB	30.08	7787-0768	2.00	200
H-300-200-LLUSHBNB	45.12	7787-0769	3.00	200
H-400-200-LLUSHBNB	58.44	7787-0770	4.00	200
H-500-200-LLUSHBNB	73.02	7787-0771	5.00	200
H-600-200-LLUSHBNB	87.66	7787-0772	6.00	200

H Pitch-LL Urethane/KEVLAR®

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUK	\$9.82	7787-0811	.50	200
H-050-100-LLUK	10.80	7787-0812	.50	100
H-075-200-LLUK	9.82	7787-0813	.75	200
H-075-100-LLUK	10.80	7787-0814	.75	100
H-100-200-LLUK	12.51	7787-0815	1.00	200
H-100-100-LLUK	13.77	7787-0817	1.00	100
H-150-200-LLUK	18.77	7787-0818	1.50	200
H-150-100-LLUK	20.65	7787-0819	1.50	100
H-200-200-LLUK	24.51	7787-0820	2.00	200
H-200-100-LLUK	26.96	7787-0821	2.00	100
H-300-200-LLUK	36.80	7787-0822	3.00	200
H-400-200-LLUK	47.59	7787-0823	4.00	200
H-500-200-LLUK	59.53	7787-0824	5.00	200
H-600-200-LLUK	71.41	7787-0825	6.00	200

H Pitch-LL Urethane/Steel-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUSHBNTB	\$13.38	7787-0777	.50	200
H-050-100-LLUSHBNTB	14.71	7787-0778	.50	100
H-075-200-LLUSHBNTB	13.38	7787-0779	.75	200
H-075-100-LLUSHBNTB	14.71	7787-0780	.75	100
H-100-200-LLUSHBNTB	17.05	7787-0781	1.00	200
H-100-100-LLUSHBNTB	18.76	7787-0782	1.00	100
H-150-200-LLUSHBNTB	25.55	7787-0783	1.50	200
H-150-100-LLUSHBNTB	28.10	7787-0784	1.50	100
H-200-200-LLUSHBNTB	33.41	7787-0785	2.00	200
H-300-200-LLUSHBNTB	50.12	7787-0786	3.00	200
H-400-200-LLUSHBNTB	64.93	7787-0787	4.00	200
H-500-200-LLUSHBNTB	81.12	7787-0789	5.00	200
H-600-200-LLUSHBNTB	97.42	7787-0790	6.00	200

H Pitch-LL Urethane/KEVLAR-Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUKNT	\$11.14	7787-0829	.50	200
H-050-100-LLUKNT	12.25	7787-0831	.50	100
H-075-200-LLUKNT	11.14	7787-0832	.75	200
H-075-100-LLUKNT	12.25	7787-0833	.75	100
H-100-200-LLUKNT	14.24	7787-0834	1.00	200
H-100-100-LLUKNT	15.66	7787-0835	1.00	100
H-150-200-LLUKNT	21.30	7787-0836	1.50	200
H-150-100-LLUKNT	23.43	7787-0837	1.50	100
H-200-200-LLUKNT	27.84	7787-0838	2.00	200
H-300-200-LLUKNT	41.79	7787-0839	3.00	200
H-400-200-LLUKNT	54.08	7787-0840	4.00	200
H-500-200-LLUKNT	67.63	7787-0841	5.00	200
H-600-200-LLUKNT	81.12	7787-0842	6.00	200

H Pitch-LL Urethane/Steel-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUSHBFDA	\$13.38	7787-0794	.50	200
H-050-100-LLUSHBFDA	14.71	7787-0795	.50	100
H-075-200-LLUSHBFDA	13.38	7787-0796	.75	200
H-075-100-LLUSHBFDA	14.71	7787-0797	.75	100
H-100-200-LLUSHBFDA	17.05	7787-0798	1.00	200
H-100-100-LLUSHBFDA	18.76	7787-0799	1.00	100
H-150-200-LLUSHBFDA	25.55	7787-0800	1.50	200
H-150-100-LLUSHBFDA	28.10	7787-0801	1.50	100
H-200-200-LLUSHBFDA	33.41	7787-0803	2.00	200
H-300-200-LLUSHBFDA	50.12	7787-0804	3.00	200
H-400-200-LLUSHBFDA	64.93	7787-0805	4.00	200
H-500-200-LLUSHBFDA	81.12	7787-0806	5.00	200
H-600-200-LLUSHBFDA	97.42	7787-0807	6.00	200

H Pitch-LL Urethane/KEVLAR-Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUKNB	\$10.74	7787-0847	.50	200
H-050-100-LLUKNB	11.81	7787-0848	.50	100
H-075-200-LLUKNB	10.74	7787-0849	.75	200
H-075-100-LLUKNB	11.81	7787-0850	.75	100
H-100-200-LLUKNB	13.66	7787-0851	1.00	200
H-100-100-LLUKNB	15.03	7787-0852	1.00	100
H-150-200-LLUKNB	20.44	7787-0853	1.50	200
H-150-100-LLUKNB	22.48	7787-0854	1.50	100
H-200-200-LLUKNB	26.75	7787-0855	2.00	200
H-300-200-LLUKNB	39.32	7787-0856	3.00	200
H-400-200-LLUKNB	51.95	7787-0857	4.00	200
H-500-200-LLUKNB	64.93	7787-0859	5.00	200
H-600-200-LLUKNB	77.90	7787-0860	6.00	200

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

H Pitch-LL Urethane/KEVLAR®-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUKNTB	\$12.06	7787-0864	.50	200
H-050-100-LLUKNTB	13.26	7787-0865	.50	100
H-075-200-LLUKNTB	12.06	7787-0866	.75	200
H-075-100-LLUKNTB	13.26	7787-0867	.75	100
H-100-200-LLUKNTB	15.33	7787-0868	1.00	200
H-100-100-LLUKNTB	16.86	7787-0869	1.00	100
H-150-200-LLUKNTB	23.02	7787-0870	1.50	200
H-150-100-LLUKNTB	25.32	7787-0871	1.50	100
H-200-200-LLUKNTB	30.08	7787-0873	2.00	200
H-300-200-LLUKNTB	45.12	7787-0874	3.00	200
H-400-200-LLUKNTB	58.44	7787-0875	4.00	200
H-500-200-LLUKNTB	73.02	7787-0876	5.00	200
H-600-200-LLUKNTB	87.66	7787-0877	6.00	200

H Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUKHBNT	\$13.38	7787-0915	.50	200
H-050-100-LLUKHBNT	14.71	7787-0916	.50	100
H-075-200-LLUKHBNT	13.38	7787-0917	.75	200
H-075-100-LLUKHBNT	14.71	7787-0918	.75	100
H-100-200-LLUKHBNT	17.05	7787-0919	1.00	200
H-100-100-LLUKHBNT	18.76	7787-0920	1.00	100
H-150-200-LLUKHBNT	25.55	7787-0921	1.50	200
H-150-100-LLUKHBNT	28.10	7787-0922	1.50	100
H-200-200-LLUKHBNT	33.41	7787-0923	2.00	200
H-300-200-LLUKHBNT	50.12	7787-0924	3.00	200
H-400-200-LLUKHBNT	64.93	7787-0925	4.00	200
H-500-200-LLUKHBNT	81.12	7787-0926	5.00	200
H-600-200-LLUKHBNT	97.42	7787-0927	6.00	200

H Pitch-LL Urethane/KEVLAR-FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUKFDA	\$12.06	7787-0881	.50	200
H-050-100-LLUKFDA	13.26	7787-0882	.50	100
H-075-200-LLUKFDA	12.06	7787-0883	.75	200
H-075-100-LLUKFDA	13.26	7787-0884	.75	100
H-100-200-LLUKFDA	15.33	7787-0885	1.00	200
H-100-100-LLUKFDA	16.86	7787-0887	1.00	100
H-150-200-LLUKFDA	23.02	7787-0888	1.50	200
H-150-100-LLUKFDA	25.32	7787-0889	1.50	100
H-200-200-LLUKFDA	30.08	7787-0890	2.00	200
H-300-200-LLUKFDA	45.12	7787-0891	3.00	200
H-400-200-LLUKFDA	58.44	7787-0892	4.00	200
H-500-200-LLUKFDA	73.02	7787-0893	5.00	200
H-600-200-LLUKFDA	87.66	7787-0894	6.00	200

H Pitch-LL Urethane/KEVLAR-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUKHBNTB	\$12.92	7787-0931	.50	200
H-050-100-LLUKHBNTB	14.21	7787-0932	.50	100
H-075-200-LLUKHBNTB	12.92	7787-0933	.75	200
H-075-100-LLUKHBNTB	14.21	7787-0934	.75	100
H-100-200-LLUKHBNTB	16.48	7787-0935	1.00	200
H-100-100-LLUKHBNTB	18.12	7787-0936	1.00	100
H-150-200-LLUKHBNTB	24.74	7787-0937	1.50	200
H-150-100-LLUKHBNTB	27.22	7787-0938	1.50	100
H-200-200-LLUKHBNTB	32.32	7787-0939	2.00	200
H-300-200-LLUKHBNTB	48.51	7787-0940	3.00	200
H-400-200-LLUKHBNTB	62.75	7787-0941	4.00	200
H-500-200-LLUKHBNTB	78.48	7787-0942	5.00	200
H-600-200-LLUKHBNTB	94.15	7787-0943	6.00	200

H Pitch-LL Urethane/KEVLAR-Heavy Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUKHNB	\$12.06	7787-0898	.50	200
H-050-100-LLUKHNB	13.26	7787-0899	.50	100
H-075-200-LLUKHNB	12.06	7787-0901	.75	200
H-075-100-LLUKHNB	13.26	7787-0902	.75	100
H-100-200-LLUKHNB	15.33	7787-0903	1.00	200
H-100-100-LLUKHNB	16.86	7787-0904	1.00	100
H-150-200-LLUKHNB	23.02	7787-0905	1.50	200
H-150-100-LLUKHNB	25.32	7787-0906	1.50	100
H-200-200-LLUKHNB	30.08	7787-0907	2.00	200
H-300-200-LLUKHNB	45.12	7787-0908	3.00	200
H-400-200-LLUKHNB	58.44	7787-0909	4.00	200
H-500-200-LLUKHNB	73.02	7787-0910	5.00	200
H-600-200-LLUKHNB	87.66	7787-0911	6.00	200

H Pitch-LL Urethane/KEVLAR-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUKHBNTB	\$14.29	7787-0946	.50	200
H-050-100-LLUKHBNTB	15.72	7787-0947	.50	100
H-075-200-LLUKHBNTB	14.29	7787-0948	.75	200
H-075-100-LLUKHBNTB	15.72	7787-0949	.75	100
H-100-200-LLUKHBNTB	18.20	7787-0950	1.00	200
H-100-100-LLUKHBNTB	20.02	7787-0951	1.00	100
H-150-200-LLUKHBNTB	27.27	7787-0952	1.50	200
H-150-100-LLUKHBNTB	30.00	7787-0953	1.50	100
H-200-200-LLUKHBNTB	35.65	7787-0954	2.00	200
H-300-200-LLUKHBNTB	53.50	7787-0955	3.00	200
H-400-200-LLUKHBNTB	69.23	7787-0956	4.00	200
H-500-200-LLUKHBNTB	86.57	7787-0957	5.00	200
H-600-200-LLUKHBNTB	103.85	7787-0958	6.00	200

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

H Pitch-LL Urethane/KEVLAR®-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUKHBFDA	\$14.29	7787-0962	.50	200
H-050-100-LLUKHBFDA	15.72	7787-0963	.50	100
H-075-200-LLUKHBFDA	14.29	7787-0964	.75	200
H-075-100-LLUKHBFDA	15.72	7787-0965	.75	100
H-100-200-LLUKHBFDA	18.20	7787-0966	1.00	200
H-100-100-LLUKHBFDA	20.02	7787-0967	1.00	100
H-150-200-LLUKHBFDA	27.27	7787-0968	1.50	200
H-150-100-LLUKHBFDA	30.00	7787-0969	1.50	100
H-200-200-LLUKHBFDA	35.65	7787-0970	2.00	200
H-300-200-LLUKHBFDA	53.50	7787-0971	3.00	200
H-400-200-LLUKHBFDA	69.23	7787-0972	4.00	200
H-500-200-LLUKHBFDA	86.57	7787-0973	5.00	200
H-600-200-LLUKHBFDA	103.85	7787-0974	6.00	200

H Pitch-LL Urethane/Steel-High Flex Steel-Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUSHFNB	\$12.06	7787-1010	.50	200
H-050-100-LLUSHFNB	13.26	7787-1011	.50	100
H-075-200-LLUSHFNB	12.06	7787-1012	.75	200
H-075-100-LLUSHFNB	13.26	7787-1013	.75	100
H-100-200-LLUSHFNB	15.33	7787-1014	1.00	200
H-100-100-LLUSHFNB	16.86	7787-1015	1.00	100
H-150-200-LLUSHFNB	23.02	7787-1016	1.50	200
H-150-100-LLUSHFNB	25.32	7787-1017	1.50	100
H-200-200-LLUSHFNB	30.08	7787-1018	2.00	200
H-300-200-LLUSHFNB	45.12	7787-1019	3.00	200
H-400-200-LLUSHFNB	58.44	7787-1020	4.00	200
H-500-200-LLUSHFNB	73.02	7787-1021	5.00	200
H-600-200-LLUSHFNB	87.66	7787-1022	6.00	200

H Pitch-LL Urethane/Steel-High Flex Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUSHF	\$11.14	7787-0978	.50	200
H-050-100-LLUSHF	12.25	7787-0979	.50	100
H-075-200-LLUSHF	11.14	7787-0980	.75	200
H-075-100-LLUSHF	12.25	7787-0981	.75	100
H-100-200-LLUSHF	14.24	7787-0982	1.00	200
H-100-100-LLUSHF	15.66	7787-0983	1.00	100
H-150-200-LLUSHF	21.30	7787-0984	1.50	200
H-150-100-LLUSHF	23.43	7787-0985	1.50	100
H-200-200-LLUSHF	27.84	7787-0986	2.00	200
H-300-200-LLUSHF	41.79	7787-0987	3.00	200
H-400-200-LLUSHF	54.08	7787-0988	4.00	200
H-500-200-LLUSHF	67.63	7787-0989	5.00	200
H-600-200-LLUSHF	81.12	7787-0990	6.00	200

H Pitch-LL Urethane/Steel-High Flex Steel-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUSHFNTB	\$13.38	7787-1026	.50	200
H-050-100-LLUSHFNTB	14.71	7787-1027	.50	100
H-075-200-LLUSHFNTB	13.38	7787-1028	.75	200
H-075-100-LLUSHFNTB	14.71	7787-1029	.75	100
H-100-200-LLUSHFNTB	17.05	7787-1030	1.00	200
H-100-100-LLUSHFNTB	18.76	7787-1031	1.00	100
H-150-200-LLUSHFNTB	25.55	7787-1032	1.50	200
H-150-100-LLUSHFNTB	28.10	7787-1033	1.50	100
H-200-200-LLUSHFNTB	33.41	7787-1034	2.00	200
H-300-200-LLUSHFNTB	50.12	7787-1035	3.00	200
H-400-200-LLUSHFNTB	64.93	7787-1036	4.00	200
H-500-200-LLUSHFNTB	81.12	7787-1037	5.00	200
H-600-200-LLUSHFNTB	97.42	7787-1038	6.00	200

H Pitch-LL Urethane/Steel-High Flex Steel-Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUSHFNT	\$12.51	7787-0994	.50	200
H-050-100-LLUSHFNT	13.77	7787-0995	.50	100
H-075-200-LLUSHFNT	12.51	7787-0996	.75	200
H-075-100-LLUSHFNT	13.77	7787-0997	.75	100
H-100-200-LLUSHFNT	15.90	7787-0998	1.00	200
H-100-100-LLUSHFNT	17.49	7787-0999	1.00	100
H-150-200-LLUSHFNT	23.88	7787-1000	1.50	200
H-150-100-LLUSHFNT	26.27	7787-1001	1.50	100
H-200-200-LLUSHFNT	31.23	7787-1002	2.00	200
H-300-200-LLUSHFNT	46.79	7787-1003	3.00	200
H-400-200-LLUSHFNT	60.56	7787-1004	4.00	200
H-500-200-LLUSHFNT	75.72	7787-1005	5.00	200
H-600-200-LLUSHFNT	90.88	7787-1006	6.00	200

H Pitch-LL Urethane/Steel-High Flex Steel-FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
H-050-200-LLUSHFFDA	\$13.38	7787-1045	.50	200
H-050-100-LLUSHFFDA	14.71	7787-1046	.50	100
H-075-200-LLUSHFFDA	13.38	7787-1047	.75	200
H-075-100-LLUSHFFDA	14.71	7787-1048	.75	100
H-100-200-LLUSHFFDA	17.05	7787-1049	1.00	200
H-100-100-LLUSHFFDA	18.76	7787-1050	1.00	100
H-150-200-LLUSHFFDA	25.55	7787-1051	1.50	200
H-150-100-LLUSHFFDA	28.10	7787-1052	1.50	100
H-200-200-LLUSHFFDA	33.41	7787-1053	2.00	200
H-300-200-LLUSHFFDA	50.12	7787-1054	3.00	200
H-400-200-LLUSHFFDA	64.93	7787-1055	4.00	200
H-500-200-LLUSHFFDA	81.12	7787-1056	5.00	200
H-600-200-LLUSHFFDA	97.42	7787-1057	6.00	200

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

XH Pitch—LL Urethane/Steel

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUS	\$21.76	7787-1060	1.00	200
XH-100-100-LLUS	23.93	7787-1061	1.00	100
XH-150-200-LLUS	32.66	7787-1062	1.50	200
XH-150-100-LLUS	35.93	7787-1063	1.50	100
XH-200-200-LLUS	41.56	7787-1064	2.00	200
XH-200-100-LLUS	45.72	7787-1065	2.00	100
XH-300-200-LLUS	62.34	7787-1066	3.00	200
XH-300-100-LLUS	68.58	7787-1067	3.00	100
XH-400-200-LLUS	79.16	7787-1068	4.00	200
XH-500-200-LLUS	118.72	7787-1069	5.00	200
XH-600-200-LLUS	118.72	7787-1070	6.00	200

XH Pitch—LL Urethane/Steel—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUSNTB	\$27.21	7787-1104	1.00	200
XH-100-100-LLUSNTB	29.93	7787-1105	1.00	100
XH-150-200-LLUSNTB	40.82	7787-1106	1.50	200
XH-150-100-LLUSNTB	44.90	7787-1107	1.50	100
XH-200-200-LLUSNTB	51.95	7787-1108	2.00	200
XH-200-100-LLUSNTB	57.15	7787-1109	2.00	100
XH-300-200-LLUSNTB	77.90	7787-1110	3.00	200
XH-300-100-LLUSNTB	85.69	7787-1111	3.00	100
XH-400-200-LLUSNTB	98.97	7787-1112	4.00	200
XH-500-200-LLUSNTB	148.40	7787-1113	5.00	200
XH-600-200-LLUSNTB	148.40	7787-1114	6.00	200

XH Pitch—LL Urethane/Steel—Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUSNT	\$25.03	7787-1075	1.00	200
XH-100-100-LLUSNT	27.53	7787-1076	1.00	100
XH-150-200-LLUSNT	37.54	7787-1077	1.50	200
XH-150-100-LLUSNT	41.30	7787-1078	1.50	100
XH-200-200-LLUSNT	47.82	7787-1079	2.00	200
XH-200-100-LLUSNT	52.60	7787-1080	2.00	100
XH-300-200-LLUSNT	71.70	7787-1081	3.00	200
XH-300-100-LLUSNT	78.87	7787-1082	3.00	100
XH-400-200-LLUSNT	91.05	7787-1083	4.00	200
XH-500-200-LLUSNT	136.51	7787-1084	5.00	200
XH-600-200-LLUSNT	136.51	7787-1085	6.00	200

XH Pitch—LL Urethane/Steel—FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUSFDA	\$27.21	7787-1117	1.00	200
XH-100-100-LLUSFDA	29.93	7787-1118	1.00	100
XH-150-200-LLUSFDA	40.82	7787-1119	1.50	200
XH-150-100-LLUSFDA	44.90	7787-1120	1.50	100
XH-200-200-LLUSFDA	51.95	7787-1121	2.00	200
XH-200-100-LLUSFDA	57.15	7787-1122	2.00	100
XH-300-200-LLUSFDA	77.90	7787-1123	3.00	200
XH-300-100-LLUSFDA	85.69	7787-1124	3.00	100
XH-400-200-LLUSFDA	98.97	7787-1125	4.00	200
XH-500-200-LLUSFDA	148.40	7787-1126	5.00	200
XH-600-200-LLUSFDA	148.40	7787-1127	6.00	200

XH Pitch—LL Urethane/Steel—Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUSNB	\$23.94	7787-1090	1.00	200
XH-100-100-LLUSNB	26.33	7787-1091	1.00	100
XH-150-200-LLUSNB	35.94	7787-1092	1.50	200
XH-150-100-LLUSNB	39.53	7787-1093	1.50	100
XH-200-200-LLUSNB	45.70	7787-1094	2.00	200
XH-200-100-LLUSNB	50.27	7787-1095	2.00	100
XH-300-200-LLUSNB	68.54	7787-1096	3.00	200
XH-300-100-LLUSNB	75.40	7787-1097	3.00	100
XH-400-200-LLUSNB	87.09	7787-1098	4.00	200
XH-500-200-LLUSNB	130.60	7787-1099	5.00	200
XH-600-200-LLUSNB	130.60	7787-1100	6.00	200

XH Pitch—LL Urethane/Steel—Heavy Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUSHB	\$27.21	7787-1131	1.00	200
XH-100-100-LLUSHB	29.93	7787-1132	1.00	100
XH-150-200-LLUSHB	40.82	7787-1133	1.50	200
XH-150-100-LLUSHB	44.90	7787-1134	1.50	100
XH-200-200-LLUSHB	51.95	7787-1135	2.00	200
XH-200-100-LLUSHB	57.15	7787-1136	2.00	100
XH-300-200-LLUSHB	77.90	7787-1137	3.00	200
XH-300-100-LLUSHB	85.69	7787-1138	3.00	100
XH-400-200-LLUSHB	98.97	7787-1139	4.00	200
XH-500-200-LLUSHB	148.40	7787-1140	5.00	200
XH-600-200-LLUSHB	148.40	7787-1141	6.00	200

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

XH Pitch-LL Urethane/Steel-Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUSHBNT	\$30.48	7787-1145	1.00	200
XH-100-100-LLUSHBNT	33.53	7787-1146	1.00	100
XH-150-200-LLUSHBNT	45.70	7787-1147	1.50	200
XH-150-100-LLUSHBNT	50.27	7787-1148	1.50	100
XH-200-200-LLUSHBNT	58.15	7787-1149	2.00	200
XH-200-100-LLUSHBNT	63.97	7787-1150	2.00	100
XH-300-200-LLUSHBNT	87.26	7787-1151	3.00	200
XH-300-100-LLUSHBNT	95.99	7787-1152	3.00	100
XH-400-200-LLUSHBNT	110.85	7787-1153	4.00	200
XH-500-200-LLUSHBNT	166.19	7787-1154	5.00	200
XH-600-200-LLUSHBNT	166.19	7787-1155	6.00	200

XH Pitch-LL Urethane/Steel-Heavy Backing-FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUSHBFDA	\$32.66	7787-1186	1.00	200
XH-100-100-LLUSHBFDA	35.93	7787-1187	1.00	100
XH-150-200-LLUSHBFDA	48.97	7787-1188	1.50	200
XH-150-100-LLUSHBFDA	53.87	7787-1189	1.50	100
XH-200-200-LLUSHBFDA	62.34	7787-1190	2.00	200
XH-200-100-LLUSHBFDA	68.58	7787-1191	2.00	100
XH-300-200-LLUSHBFDA	93.52	7787-1192	3.00	200
XH-300-100-LLUSHBFDA	102.87	7787-1193	3.00	100
XH-400-200-LLUSHBFDA	118.72	7787-1194	4.00	200
XH-500-200-LLUSHBFDA	178.08	7787-1195	5.00	200
XH-600-200-LLUSHBFDA	178.08	7787-1196	6.00	200

XH Pitch-LL Urethane/Steel-Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUSHBNB	\$29.39	7787-1160	1.00	200
XH-100-100-LLUSHBNB	32.33	7787-1161	1.00	100
XH-150-200-LLUSHBNB	44.09	7787-1162	1.50	200
XH-150-100-LLUSHBNB	48.50	7787-1163	1.50	100
XH-200-200-LLUSHBNB	56.09	7787-1164	2.00	200
XH-200-100-LLUSHBNB	61.70	7787-1165	2.00	100
XH-300-200-LLUSHBNB	84.16	7787-1166	3.00	200
XH-300-100-LLUSHBNB	92.58	7787-1167	3.00	100
XH-400-200-LLUSHBNB	106.84	7787-1168	4.00	200
XH-500-200-LLUSHBNB	160.28	7787-1169	5.00	200
XH-600-200-LLUSHBNB	160.28	7787-1170	6.00	200

XH Pitch-LL Urethane/KEVLAR®

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUK	\$25.03	7787-1200	1.00	200
XH-100-100-LLUK	27.53	7787-1201	1.00	100
XH-150-200-LLUK	37.54	7787-1202	1.50	200
XH-150-100-LLUK	41.30	7787-1203	1.50	100
XH-200-200-LLUK	47.82	7787-1204	2.00	200
XH-200-100-LLUK	52.60	7787-1205	2.00	100
XH-300-200-LLUK	71.70	7787-1206	3.00	200
XH-300-100-LLUK	78.87	7787-1207	3.00	100
XH-400-200-LLUK	91.05	7787-1208	4.00	200
XH-500-200-LLUK	136.51	7787-1209	5.00	200
XH-600-200-LLUK	136.51	7787-1210	6.00	200

XH Pitch-LL Urethane/Steel-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUSHBNTB	\$32.66	7787-1173	1.00	200
XH-100-100-LLUSHBNTB	35.93	7787-1174	1.00	100
XH-150-200-LLUSHBNTB	48.97	7787-1175	1.50	200
XH-150-100-LLUSHBNTB	53.87	7787-1176	1.50	100
XH-200-200-LLUSHBNTB	62.34	7787-1177	2.00	200
XH-200-100-LLUSHBNTB	68.58	7787-1178	2.00	100
XH-300-200-LLUSHBNTB	93.52	7787-1179	3.00	200
XH-300-100-LLUSHBNTB	102.87	7787-1180	3.00	100
XH-400-200-LLUSHBNTB	118.72	7787-1181	4.00	200
XH-500-200-LLUSHBNTB	178.08	7787-1182	5.00	200
XH-600-200-LLUSHBNTB	178.08	7787-1183	6.00	200

XH Pitch-LL Urethane/KEVLAR-Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUKNT	\$28.76	7787-1214	1.00	200
XH-100-100-LLUKNT	31.64	7787-1215	1.00	100
XH-150-200-LLUKNT	43.17	7787-1216	1.50	200
XH-150-100-LLUKNT	47.49	7787-1217	1.50	100
XH-200-200-LLUKNT	54.94	7787-1218	2.00	200
XH-200-100-LLUKNT	60.43	7787-1219	2.00	100
XH-300-200-LLUKNT	82.44	7787-1220	3.00	200
XH-300-100-LLUKNT	90.68	7787-1221	3.00	100
XH-400-200-LLUKNT	104.71	7787-1222	4.00	200
XH-500-200-LLUKNT	157.01	7787-1223	5.00	200
XH-600-200-LLUKNT	157.01	7787-1224	6.00	200

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

XH Pitch—LL Urethane/KEVLAR®—Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUKNB	\$27.56	7787-1228	1.00	200
XH-100-100-LLUKNB	30.31	7787-1229	1.00	100
XH-150-200-LLUKNB	41.28	7787-1230	1.50	200
XH-150-100-LLUKNB	45.40	7787-1231	1.50	100
XH-200-200-LLUKNB	52.53	7787-1232	2.00	200
XH-200-100-LLUKNB	57.78	7787-1233	2.00	100
XH-300-200-LLUKNB	78.82	7787-1234	3.00	200
XH-300-100-LLUKNB	86.70	7787-1235	3.00	100
XH-400-200-LLUKNB	100.12	7787-1236	4.00	200
XH-500-200-LLUKNB	150.18	7787-1237	5.00	200
XH-600-200-LLUKNB	150.18	7787-1238	6.00	200

XH Pitch—LL Urethane/KEVLAR—Heavy Backing

Part No.	Sugg. List Price/In.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUKHB	\$31.29	7787-1270	1.00	200
XH-100-100-LLUKHB	34.42	7787-1271	1.00	100
XH-150-200-LLUKHB	46.96	7787-1272	1.50	200
XH-150-100-LLUKHB	51.66	7787-1273	1.50	100
XH-200-200-LLUKHB	59.76	7787-1274	2.00	200
XH-200-100-LLUKHB	65.74	7787-1275	2.00	100
XH-300-200-LLUKHB	89.61	7787-1276	3.00	200
XH-300-100-LLUKHB	98.57	7787-1277	3.00	100
XH-400-200-LLUKHB	113.78	7787-1278	4.00	200
XH-500-200-LLUKHB	170.67	7787-1279	5.00	200
XH-600-200-LLUKHB	170.67	7787-1280	6.00	200

XH Pitch—LL Urethane/KEVLAR—Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUKNTB	\$31.29	7787-1242	1.00	200
XH-100-100-LLUKNTB	34.42	7787-1243	1.00	100
XH-150-200-LLUKNTB	46.96	7787-1244	1.50	200
XH-150-100-LLUKNTB	51.66	7787-1245	1.50	100
XH-200-200-LLUKNTB	59.76	7787-1246	2.00	200
XH-200-100-LLUKNTB	65.74	7787-1247	2.00	100
XH-300-200-LLUKNTB	89.61	7787-1248	3.00	200
XH-300-100-LLUKNTB	98.57	7787-1249	3.00	100
XH-400-200-LLUKNTB	113.78	7787-1250	4.00	200
XH-500-200-LLUKNTB	170.67	7787-1251	5.00	200
XH-600-200-LLUKNTB	170.67	7787-1252	6.00	200

XH Pitch—LL Urethane/KEVLAR—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUKHBNT	\$35.08	7787-1284	1.00	200
XH-100-100-LLUKHBNT	38.58	7787-1285	1.00	100
XH-150-200-LLUKHBNT	52.53	7787-1286	1.50	200
XH-150-100-LLUKHBNT	57.78	7787-1287	1.50	100
XH-200-200-LLUKHBNT	66.88	7787-1288	2.00	200
XH-200-100-LLUKHBNT	73.57	7787-1289	2.00	100
XH-300-200-LLUKHBNT	100.35	7787-1290	3.00	200
XH-300-100-LLUKHBNT	110.38	7787-1291	3.00	100
XH-400-200-LLUKHBNT	127.44	7787-1292	4.00	200
XH-500-200-LLUKHBNT	191.17	7787-1293	5.00	200
XH-600-200-LLUKHBNT	191.17	7787-1294	6.00	200

XH Pitch—LL Urethane/KEVLAR—FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUKFDA	\$31.29	7787-1256	1.00	200
XH-100-100-LLUKFDA	34.42	7787-1257	1.00	100
XH-150-200-LLUKFDA	46.96	7787-1258	1.50	200
XH-150-100-LLUKFDA	51.66	7787-1259	1.50	100
XH-200-200-LLUKFDA	59.76	7787-1260	2.00	200
XH-200-100-LLUKFDA	65.74	7787-1261	2.00	100
XH-300-200-LLUKFDA	89.61	7787-1262	3.00	200
XH-300-100-LLUKFDA	98.57	7787-1263	3.00	100
XH-400-200-LLUKFDA	113.78	7787-1264	4.00	200
XH-500-200-LLUKFDA	170.67	7787-1265	5.00	200
XH-600-200-LLUKFDA	170.67	7787-1266	6.00	200

XH Pitch—LL Urethane/KEVLAR—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUKHBNB	\$33.81	7787-1298	1.00	200
XH-100-100-LLUKHBNB	37.19	7787-1299	1.00	100
XH-150-200-LLUKHBNB	50.69	7787-1300	1.50	200
XH-150-100-LLUKHBNB	55.76	7787-1301	1.50	100
XH-200-200-LLUKHBNB	64.53	7787-1302	2.00	200
XH-200-100-LLUKHBNB	70.98	7787-1303	2.00	100
XH-300-200-LLUKHBNB	96.73	7787-1304	3.00	200
XH-300-100-LLUKHBNB	106.40	7787-1305	3.00	100
XH-400-200-LLUKHBNB	122.85	7787-1306	4.00	200
XH-500-200-LLUKHBNB	184.34	7787-1307	5.00	200
XH-600-200-LLUKHBNB	184.34	7787-1308	6.00	200

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

XH Pitch-LL Urethane/KEVLAR®-Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUKHBNTB	\$37.54	7787-1312	1.00	200
XH-100-100-LLUKHBNTB	41.30	7787-1313	1.00	100
XH-150-200-LLUKHBNTB	56.32	7787-1314	1.50	200
XH-150-100-LLUKHBNTB	61.95	7787-1315	1.50	100
XH-200-200-LLUKHBNTB	71.70	7787-1316	2.00	200
XH-200-100-LLUKHBNTB	78.87	7787-1317	2.00	100
XH-300-200-LLUKHBNTB	107.52	7787-1318	3.00	200
XH-300-100-LLUKHBNTB	118.28	7787-1319	3.00	100
XH-400-200-LLUKHBNTB	136.51	7787-1320	4.00	200
XH-500-200-LLUKHBNTB	204.83	7787-1321	5.00	200
XH-600-200-LLUKHBNTB	204.83	7787-1322	6.00	200

WH Pitch-LL Urethane/KEVLAR-Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
WH-800-200-LLUKNT	\$117.74	7787-1355	8.00	200
WH-800-100-LLUKNT	129.52	7787-1356	8.00	100
WH-1000-200-LLUKNT	159.42	7787-1357	10.00	200
WH-1000-100-LLUKNT	175.36	7787-1358	10.00	100
WH-1200-200-LLUKNT	198.69	7787-1359	12.00	200
WH-1200-100-LLUKNT	218.56	7787-1360	12.00	100
WH-1400-200-LLUKNT	214.59	7787-1361	14.00	200
WH-1400-100-LLUKNT	236.05	7787-1362	14.00	100
WH-1600-200-LLUKNT	220.73	7787-1363	16.00	200
WH-1600-100-LLUKNT	242.80	7787-1364	16.00	100
WH-1800-200-LLUKNT	220.73	7787-1365	18.00	200
WH-1800-100-LLUKNT	242.80	7787-1366	18.00	100

XH Pitch-LL Urethane/KEVLAR-Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
XH-100-200-LLUKHBFDA	\$37.54	7787-1326	1.00	200
XH-100-100-LLUKHBFDA	41.30	7787-1327	1.00	100
XH-150-200-LLUKHBFDA	56.32	7787-1328	1.50	200
XH-150-100-LLUKHBFDA	61.95	7787-1329	1.50	100
XH-200-200-LLUKHBFDA	71.70	7787-1330	2.00	200
XH-200-100-LLUKHBFDA	78.87	7787-1331	2.00	100
XH-300-200-LLUKHBFDA	107.52	7787-1332	3.00	200
XH-300-100-LLUKHBFDA	118.28	7787-1333	3.00	100
XH-400-200-LLUKHBFDA	136.51	7787-1334	4.00	200
XH-500-200-LLUKHBFDA	204.83	7787-1335	5.00	200
XH-600-200-LLUKHBFDA	204.83	7787-1336	6.00	200

WH Pitch-LL Urethane/KEVLAR-Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
WH-800-200-LLUKNB	\$112.63	7787-1370	8.00	200
WH-800-100-LLUKNB	123.90	7787-1371	8.00	100
WH-1000-200-LLUKNB	152.47	7787-1372	10.00	200
WH-1000-100-LLUKNB	167.72	7787-1373	10.00	100
WH-1200-200-LLUKNB	190.02	7787-1374	12.00	200
WH-1200-100-LLUKNB	209.02	7787-1375	12.00	100
WH-1400-200-LLUKNB	205.29	7787-1376	14.00	200
WH-1400-100-LLUKNB	225.82	7787-1377	14.00	100
WH-1600-200-LLUKNB	211.14	7787-1378	16.00	200
WH-1600-100-LLUKNB	232.26	7787-1379	16.00	100
WH-1800-200-LLUKNB	211.14	7787-1380	18.00	200
WH-1800-100-LLUKNB	232.26	7787-1381	18.00	100

WH Pitch-LL Urethane/KEVLAR

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
WH-800-200-LLUK	\$102.36	7787-1340	8.00	200
WH-800-100-LLUK	112.59	7787-1341	8.00	100
WH-1000-200-LLUK	138.64	7787-1342	10.00	200
WH-1000-100-LLUK	152.50	7787-1343	10.00	100
WH-1200-200-LLUK	172.74	7787-1344	12.00	200
WH-1200-100-LLUK	190.01	7787-1345	12.00	100
WH-1400-200-LLUK	186.63	7787-1346	14.00	200
WH-1400-100-LLUK	205.29	7787-1347	14.00	100
WH-1600-200-LLUK	191.97	7787-1348	16.00	200
WH-1600-100-LLUK	211.17	7787-1349	16.00	100
WH-1800-200-LLUK	191.97	7787-1350	18.00	200
WH-1800-100-LLUK	211.17	7787-1351	18.00	100

WH Pitch-LL Urethane/KEVLAR-Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
WH-800-200-LLUKNTB	\$127.96	7787-1385	8.00	200
WH-800-100-LLUKNTB	140.76	7787-1386	8.00	100
WH-1000-200-LLUKNTB	173.31	7787-1387	10.00	200
WH-1000-100-LLUKNTB	190.64	7787-1388	10.00	100
WH-1200-200-LLUKNTB	215.97	7787-1389	12.00	200
WH-1200-100-LLUKNTB	237.56	7787-1390	12.00	100
WH-1400-200-LLUKNTB	233.30	7787-1391	14.00	200
WH-1400-100-LLUKNTB	256.63	7787-1392	14.00	100
WH-1600-200-LLUKNTB	239.96	7787-1393	16.00	200
WH-1600-100-LLUKNTB	263.96	7787-1394	16.00	100
WH-1800-200-LLUKNTB	239.96	7787-1395	18.00	200
WH-1800-100-LLUKNTB	263.96	7787-1396	18.00	100

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belting

Product No. Series 7787 (continued)

WH Pitch—LL Urethane/KEVLAR®—FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
WH-800-200-LLUKFDA	\$127.96	7787-1400	8.00	200
WH-800-100-LLUKFDA	140.76	7787-1401	8.00	100
WH-1000-200-LLUKFDA	173.31	7787-1402	10.00	200
WH-1000-100-LLUKFDA	190.64	7787-1403	10.00	100
WH-1200-200-LLUKFDA	215.97	7787-1404	12.00	200
WH-1200-100-LLUKFDA	237.56	7787-1405	12.00	100
WH-1400-200-LLUKFDA	233.30	7787-1406	14.00	200
WH-1400-100-LLUKFDA	256.63	7787-1407	14.00	100
WH-1600-200-LLUKFDA	239.96	7787-1408	16.00	200
WH-1600-100-LLUKFDA	263.96	7787-1409	16.00	100
WH-1800-200-LLUKFDA	239.96	7787-1410	18.00	200
WH-1800-100-LLUKFDA	263.96	7787-1411	18.00	100

WH Pitch—LL Urethane/KEVLAR—Heavy Backing & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
WH-800-200-LLUKHBNB	\$138.24	7787-1445	8.00	200
WH-800-100-LLUKHBNB	152.06	7787-1446	8.00	100
WH-1000-200-LLUKHBNB	187.15	7787-1447	10.00	200
WH-1000-100-LLUKHBNB	205.86	7787-1448	10.00	100
WH-1200-200-LLUKHBNB	233.19	7787-1449	12.00	200
WH-1200-100-LLUKHBNB	256.51	7787-1450	12.00	100
WH-1400-200-LLUKHBNB	251.90	7787-1451	14.00	200
WH-1400-100-LLUKHBNB	277.09	7787-1452	14.00	100
WH-1600-200-LLUKHBNB	259.14	7787-1453	16.00	200
WH-1600-100-LLUKHBNB	285.05	7787-1454	16.00	100
WH-1800-200-LLUKHBNB	259.14	7787-1455	18.00	200
WH-1800-100-LLUKHBNB	285.05	7787-1456	18.00	100

WH Pitch—LL Urethane/KEVLAR—Heavy Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
WH-800-200-LLUKHB	\$127.96	7787-1415	8.00	200
WH-800-100-LLUKHB	140.76	7787-1416	8.00	100
WH-1000-200-LLUKHB	173.31	7787-1417	10.00	200
WH-1000-100-LLUKHB	190.64	7787-1418	10.00	100
WH-1200-200-LLUKHB	215.97	7787-1419	12.00	200
WH-1200-100-LLUKHB	237.56	7787-1420	12.00	100
WH-1400-200-LLUKHB	233.30	7787-1421	14.00	200
WH-1400-100-LLUKHB	256.63	7787-1422	14.00	100
WH-1600-200-LLUKHB	239.96	7787-1423	16.00	200
WH-1600-100-LLUKHB	263.96	7787-1424	16.00	100
WH-1800-200-LLUKHB	239.96	7787-1425	18.00	200
WH-1800-100-LLUKHB	263.96	7787-1426	18.00	100

WH Pitch—LL Urethane/KEVLAR—Heavy Backing, Nylon Tooth & Nylon Backing

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
WH-800-200-LLUKHBNTB	\$153.56	7787-1460	8.00	200
WH-800-100-LLUKHBNTB	168.92	7787-1461	8.00	100
WH-1000-200-LLUKHBNTB	207.93	7787-1462	10.00	200
WH-1000-100-LLUKHBNTB	228.72	7787-1463	10.00	100
WH-1200-200-LLUKHBNTB	259.14	7787-1464	12.00	200
WH-1200-100-LLUKHBNTB	285.05	7787-1465	12.00	100
WH-1400-200-LLUKHBNTB	279.92	7787-1466	14.00	200
WH-1400-100-LLUKHBNTB	307.91	7787-1467	14.00	100
WH-1600-200-LLUKHBNTB	287.90	7787-1468	16.00	200
WH-1600-100-LLUKHBNTB	316.69	7787-1469	16.00	100
WH-1800-200-LLUKHBNTB	287.90	7787-1470	18.00	200
WH-1800-100-LLUKHBNTB	316.69	7787-1471	18.00	100

WH Pitch—LL Urethane/KEVLAR—Heavy Backing & Nylon Tooth

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
WH-800-200-LLUKHBNT	\$143.35	7787-1430	8.00	200
WH-800-100-LLUKHBNT	157.68	7787-1431	8.00	100
WH-1000-200-LLUKHBNT	194.09	7787-1432	10.00	200
WH-1000-100-LLUKHBNT	213.50	7787-1433	10.00	100
WH-1200-200-LLUKHBNT	241.86	7787-1434	12.00	200
WH-1200-100-LLUKHBNT	266.04	7787-1435	12.00	100
WH-1400-200-LLUKHBNT	261.26	7787-1436	14.00	200
WH-1400-100-LLUKHBNT	287.39	7787-1437	14.00	100
WH-1600-200-LLUKHBNT	268.72	7787-1438	16.00	200
WH-1600-100-LLUKHBNT	295.60	7787-1439	16.00	100
WH-1800-200-LLUKHBNT	268.72	7787-1440	18.00	200
WH-1800-100-LLUKHBNT	295.60	7787-1441	18.00	100

WH Pitch—LL Urethane/KEVLAR—Heavy Backing & FDA/USDA

Part No.	Sugg. List Price/Ft.	Product No.	Width (In.)	Roll Length (Ft.)
WH-800-200-LLUKHBFDA	\$153.56	7787-1475	8.00	200
WH-800-100-LLUKHBFDA	168.92	7787-1476	8.00	100
WH-1000-200-LLUKHBFDA	207.93	7787-1477	10.00	200
WH-1000-100-LLUKHBFDA	228.72	7787-1478	10.00	100
WH-1200-200-LLUKHBFDA	259.14	7787-1479	12.00	200
WH-1200-100-LLUKHBFDA	285.05	7787-1480	12.00	100
WH-1400-200-LLUKHBFDA	279.92	7787-1481	14.00	200
WH-1400-100-LLUKHBFDA	307.91	7787-1482	14.00	100
WH-1600-200-LLUKHBFDA	287.90	7787-1483	16.00	200
WH-1600-100-LLUKHBFDA	316.69	7787-1484	16.00	100
WH-1800-200-LLUKHBFDA	287.90	7787-1485	18.00	200
WH-1800-100-LLUKHBFDA	316.69	7787-1486	18.00	100

Prices Subject To Change Without Notice



Synchro-Power® Polyurethane Belts


Endless urethane construction provides higher strength as compared to welded urethane belts, making them well suited for use in power transmission applications.

Markets/Applications

Synchro-Power metric pitch timing belts are ideal for use in office machines, machine tools, postage equipment, sewing machines, vending machines, agriculture, outdoor power equipment, wood and paper, sand/gravel operations, oil fields, food processing and HVAC.

Features/Advantages

- **Steel tensile cord** for length stability.
- Eliminates lubrication and re-tensioning to reduce maintenance and labor as compared to roller chain drives.
- Abrasion, chemical, and wear resistant for extended life.
- Temperature Range: -22° F to +176° F (-30° C to +80° C).



Notes

Synchro-Power belts are available in pitches T2.5, T5, T10, DT5, DT10, AT5 and AT10. Minimum order quantities may apply. See charts below for availability.

Belt Width (mm)	Belts per Sleeve	Belt Section						
		T2.5	T5	T10	DT5	DT10	AT5	AT10
3	66	N/A	N/A	N/A	N/A	N/A	N/A	N/A
4	50	SNS	SNS	N/A	N/A	N/A	SNS	N/A
6	33	X	X	MTO	SNS	MTO	SNS	MTO
8	25	SNS	X	MTO	SNS	MTO	SNS	MTO
10	20	X	X	X	X	SNS	X	MTO
12	16	SNS	X	SNS	SNS	SNS	SNS	SNS
14	14	MTO	MTO	X	MTO	SNS	MTO	MTO
16	12	SNS	X	X	X	X	X	X

Belt Width (mm)	Belts per Sleeve	Belt Section						
		T2.5	T5	T10	DT5	DT10	AT5	AT10
20	10	SNS	X	X	X	SNS	X	SNS
25	8	SNS	X	X	X	X	X	X
32	6	SNS	SNS	X	SNS	X	SNS	X
50	4	SNS	SNS	X	SNS	X	SNS	X
75	2	MTO	SNS	SNS	SNS	SNS	SNS	SNS
100	2	MTO	MTO	SNS	SNS	SNS	SNS	SNS
200	1	SNS	SNS	SNS	SNS	SNS	SNS	SNS

Available Belt Widths		T 2.5	T 5	T 10	DT 5	DT 10	AT5	AT10
		Minimum	4mm	4mm	6mm	6mm	6mm	4mm
Maximum		200mm	200mm	200mm	200mm	200mm	200mm	200mm

All Belts are available in increments of 1mm from Minimum Width
1mm Width Increments are Made-To-Order

Symbol	Gates Minimum Order Quantity—Steel
X	Stock Line Product—No Minimum Order Quantity
SNS	Standard Non-Stock—Minimum Order Quantity is 1/2 of sleeve yield
MTO	Made-To-Order—Minimum Order Quantity is full sleeve yield +/-10%

Prices Subject To Change Without Notice



Synchro-Power® Polyurethane Belts

Product No. Series 7762

T2.5 Pitch — 4mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-4	\$4.07	7762-0001	48	120.00	.01
T2.5-145-4	4.19	7762-0002	59	145.00	.01
T2.5-160-4	4.27	7762-0003	64	160.00	.01
T2.5-177.5-4	4.36	7762-0004	71	177.50	.01
T2.5-180-4	4.37	7762-0005	72	180.00	.01
T2.5-182.5-4	4.39	7762-0006	73	182.50	.01
T2.5-185-4	4.40	7762-0007	74	185.00	.01
T2.5-200-4	4.49	7762-0008	80	200.00	.01
T2.5-230-4	4.67	7762-0009	92	230.00	.01
T2.5-245-4	4.77	7762-0010	98	245.00	.01
T2.5-265-4	4.91	7762-0011	106	265.00	.01
T2.5-285-4	5.05	7762-0012	114	285.00	.01
T2.5-290-4	5.09	7762-0013	116	290.00	.01
T2.5-305-4	5.21	7762-0014	122	305.00	.01
T2.5-317.5-4	5.30	7762-0015	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-4	\$5.41	7762-0016	132	330.00	.01
T2.5-380-4	5.84	7762-0017	152	380.00	.01
T2.5-395-4	5.98	7762-0018	158	395.00	.01
T2.5-420-4	6.22	7762-0019	168	420.00	.01
T2.5-480-4	6.84	7762-0020	192	480.00	.01
T2.5-500-4	7.07	7762-0021	200	500.00	.01
T2.5-540-4	7.53	7762-0022	216	540.00	.01
T2.5-600-4	8.28	7762-0023	240	600.00	.01
T2.5-620-4	8.55	7762-0024	248	620.00	.01
T2.5-650-4	8.96	7762-0025	260	650.00	.01
T2.5-700-4	9.68	7762-0026	280	700.00	.01
T2.5-780-4	10.93	7762-0027	312	780.00	.01
T2.5-915-4	13.31	7762-0028	366	915.00	.01
T2.5-950-4	13.97	7762-0029	380	950.00	.01

*Standard/Non-Stock

T2.5 Pitch — 6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-6	\$5.70	7762-0030	48	120.00	.01
T2.5-145-6	5.86	7762-0031	59	145.00	.01
T2.5-160-6	5.96	7762-0032	64	160.00	.01
T2.5-177.5-6	6.09	7762-0033	71	177.50	.01
T2.5-180-6	6.11	7762-0034	72	180.00	.01
T2.5-182.5-6	6.12	7762-0035	73	182.50	.01
T2.5-185-6	6.14	7762-0036	74	185.00	.01
T2.5-200-6	6.26	7762-0037	80	200.00	.01
T2.5-230-6	6.52	7762-0038	92	230.00	.01
T2.5-245-6	6.65	7762-0039	98	245.00	.01
T2.5-265-6	6.84	7762-0040	106	265.00	.01
T2.5-285-6	7.04	7762-0041	114	285.00	.01
T2.5-290-6	7.09	7762-0042	116	290.00	.01
T2.5-305-6	7.25	7762-0043	122	305.00	.01
T2.5-317.5-6	7.39	7762-0044	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-6	\$7.53	7762-0045	132	330.00	.01
T2.5-380-6	8.13	7762-0046	152	380.00	.01
T2.5-395-6	8.33	7762-0047	158	395.00	.01
T2.5-420-6	8.66	7762-0048	168	420.00	.01
T2.5-480-6	9.53	7762-0049	192	480.00	.01
T2.5-500-6	9.84	7762-0050	200	500.00	.01
T2.5-540-6	10.49	7762-0051	216	540.00	.01
T2.5-600-6	11.55	7762-0052	240	600.00	.01
T2.5-620-6	11.92	7762-0053	248	620.00	.01
T2.5-650-6	12.49	7762-0054	260	650.00	.01
T2.5-700-6	13.50	7762-0055	280	700.00	.01
T2.5-780-6	15.26	7762-0056	312	780.00	.01
T2.5-915-6	18.58	7762-0057	366	915.00	.01
T2.5-950-6	19.52	7762-0058	380	950.00	.01

T2.5 Pitch — 8mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-8	\$7.32	7762-0059	48	120.00	.01
T2.5-145-8	7.52	7762-0060	59	145.00	.01
T2.5-160-8	7.66	7762-0061	64	160.00	.01
T2.5-177.5-8	7.82	7762-0062	71	177.50	.01
T2.5-180-8	7.85	7762-0063	72	180.00	.01
T2.5-182.5-8	7.87	7762-0064	73	182.50	.01
T2.5-185-8	7.89	7762-0065	74	185.00	.01
T2.5-200-8	8.05	7762-0066	80	200.00	.01
T2.5-230-8	8.37	7762-0067	92	230.00	.01
T2.5-245-8	8.55	7762-0068	98	245.00	.01
T2.5-265-8	8.79	7762-0069	106	265.00	.01
T2.5-285-8	9.05	7762-0070	114	285.00	.01
T2.5-290-8	9.12	7762-0071	116	290.00	.01
T2.5-305-8	9.32	7762-0072	122	305.00	.01
T2.5-317.5-8	9.50	7762-0073	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-8	\$9.68	7762-0074	132	330.00	.01
T2.5-380-8	10.45	7762-0075	152	380.00	.01
T2.5-395-8	10.70	7762-0076	158	395.00	.01
T2.5-420-8	11.13	7762-0077	168	420.00	.01
T2.5-480-8	12.25	7762-0078	192	480.00	.01
T2.5-500-8	12.65	7762-0079	200	500.00	.01
T2.5-540-8	13.48	7762-0080	216	540.00	.01
T2.5-600-8	14.84	7762-0081	240	600.00	.01
T2.5-620-8	15.31	7762-0082	248	620.00	.01
T2.5-650-8	16.05	7762-0083	260	650.00	.01
T2.5-700-8	17.35	7762-0084	280	700.00	.01
T2.5-780-8	19.60	7762-0085	312	780.00	.01
T2.5-915-8	23.86	7762-0086	366	915.00	.01
T2.5-950-8	25.07	7762-0087	380	950.00	.01

*Standard/Non-Stock

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T2.5 Pitch — 10mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-10	\$8.45	7762-0088	48	120.00	.01
T2.5-145-10	8.68	7762-0089	59	145.00	.01
T2.5-160-10	8.84	7762-0090	64	160.00	.01
T2.5-177.5-10	9.03	7762-0091	71	177.50	.01
T2.5-180-10	9.05	7762-0092	72	180.00	.01
T2.5-182.5-10	9.08	7762-0093	73	182.50	.01
T2.5-185-10	9.11	7762-0094	74	185.00	.01
T2.5-200-10	9.29	7762-0095	80	200.00	.01
T2.5-230-10	9.66	7762-0096	92	230.00	.01
T2.5-245-10	9.86	7762-0097	98	245.00	.01
T2.5-265-10	10.14	7762-0098	106	265.00	.01
T2.5-285-10	10.44	7762-0099	114	285.00	.01
T2.5-290-10	10.52	7762-0100	116	290.00	.01
T2.5-305-10	10.75	7762-0101	122	305.00	.01
T2.5-317.5-10	10.95	7762-0102	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-10	\$11.16	7762-0103	132	330.00	.01
T2.5-380-10	12.06	7762-0104	152	380.00	.01
T2.5-395-10	12.34	7762-0105	158	395.00	.01
T2.5-420-10	12.84	7762-0106	168	420.00	.01
T2.5-480-10	14.13	7762-0107	192	480.00	.01
T2.5-500-10	14.58	7762-0108	200	500.00	.01
T2.5-540-10	15.55	7762-0109	216	540.00	.01
T2.5-600-10	17.11	7762-0110	240	600.00	.01
T2.5-620-10	17.66	7762-0111	248	620.00	.01
T2.5-650-10	18.51	7762-0112	260	650.00	.01
T2.5-700-10	20.01	7762-0113	280	700.00	.01
T2.5-780-10	22.61	7762-0114	312	780.00	.01
T2.5-915-10	27.54	7762-0115	366	915.00	.01
T2.5-950-10	28.93	7762-0116	380	950.00	.01

T2.5 Pitch — 12mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-12	\$9.71	7762-0117	48	120.00	.01
T2.5-145-12	9.98	7762-0118	59	145.00	.01
T2.5-160-12	10.16	7762-0119	64	160.00	.01
T2.5-177.5-12	10.38	7762-0120	71	177.50	.01
T2.5-180-12	10.41	7762-0121	72	180.00	.01
T2.5-182.5-12	10.44	7762-0122	73	182.50	.01
T2.5-185-12	10.47	7762-0123	74	185.00	.01
T2.5-200-12	10.68	7762-0124	80	200.00	.01
T2.5-230-12	11.11	7762-0125	92	230.00	.01
T2.5-245-12	11.35	7762-0126	98	245.00	.01
T2.5-265-12	11.67	7762-0127	106	265.00	.01
T2.5-285-12	12.01	7762-0128	114	285.00	.01
T2.5-290-12	12.10	7762-0129	116	290.00	.01
T2.5-305-12	12.37	7762-0130	122	305.00	.01
T2.5-317.5-12	12.61	7762-0131	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-12	\$12.85	7762-0132	132	330.00	.01
T2.5-380-12	13.88	7762-0133	152	380.00	.01
T2.5-395-12	14.21	7762-0134	158	395.00	.01
T2.5-420-12	14.78	7762-0135	168	420.00	.01
T2.5-480-12	16.26	7762-0136	192	480.00	.01
T2.5-500-12	16.79	7762-0137	200	500.00	.01
T2.5-540-12	17.90	7762-0138	216	540.00	.01
T2.5-600-12	19.69	7762-0139	240	600.00	.01
T2.5-620-12	20.32	7762-0140	248	620.00	.01
T2.5-650-12	21.30	7762-0141	260	650.00	.01
T2.5-700-12	23.03	7762-0142	280	700.00	.01
T2.5-780-12	26.01	7762-0143	312	780.00	.01
T2.5-915-12	31.66	7762-0144	366	915.00	.01
T2.5-950-12	33.26	7762-0145	380	950.00	.01

*Standard/Non-Stock

T2.5 Pitch — 16mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-16	\$12.39	7762-0146	48	120.00	.01
T2.5-145-16	12.74	7762-0147	59	145.00	.01
T2.5-160-16	12.96	7762-0148	64	160.00	.01
T2.5-177.5-16	13.24	7762-0149	71	177.50	.01
T2.5-180-16	13.28	7762-0150	72	180.00	.01
T2.5-182.5-16	13.32	7762-0151	73	182.50	.01
T2.5-185-16	13.36	7762-0152	74	185.00	.01
T2.5-200-16	13.62	7762-0153	80	200.00	.01
T2.5-230-16	14.17	7762-0154	92	230.00	.01
T2.5-245-16	14.46	7762-0155	98	245.00	.01
T2.5-265-16	14.87	7762-0156	106	265.00	.01
T2.5-285-16	15.31	7762-0157	114	285.00	.01
T2.5-290-16	15.42	7762-0158	116	290.00	.01
T2.5-305-16	15.77	7762-0159	122	305.00	.01
T2.5-317.5-16	16.06	7762-0160	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-16	\$16.37	7762-0161	132	330.00	.01
T2.5-380-16	17.68	7762-0162	152	380.00	.01
T2.5-395-16	18.09	7762-0163	158	395.00	.01
T2.5-420-16	18.82	7762-0164	168	420.00	.01
T2.5-480-16	20.71	7762-0165	192	480.00	.01
T2.5-500-16	21.38	7762-0166	200	500.00	.01
T2.5-540-16	22.80	7762-0167	216	540.00	.01
T2.5-600-16	25.09	7762-0168	240	600.00	.01
T2.5-620-16	25.89	7762-0169	248	620.00	.01
T2.5-650-16	27.15	7762-0170	260	650.00	.01
T2.5-700-16	29.34	7762-0171	280	700.00	.01
T2.5-780-16	33.15	7762-0172	312	780.00	.01
T2.5-915-16	40.39	7762-0173	366	915.00	.01
T2.5-950-16	42.43	7762-0174	380	950.00	.01

*Standard/Non-Stock

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T2.5 Pitch — 20mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-20	\$15.49	7762-0175	48	120.00	.01
T2.5-145-20	15.92	7762-0176	59	145.00	.01
T2.5-160-20	16.20	7762-0177	64	160.00	.01
T2.5-177.5-20	16.55	7762-0178	71	177.50	.01
T2.5-180-20	16.60	7762-0179	72	180.00	.01
T2.5-182.5-20	16.65	7762-0180	73	182.50	.01
T2.5-185-20	16.70	7762-0181	74	185.00	.01
T2.5-200-20	17.02	7762-0182	80	200.00	.01
T2.5-230-20	17.71	7762-0183	92	230.00	.01
T2.5-245-20	18.08	7762-0184	98	245.00	.01
T2.5-265-20	18.60	7762-0185	106	265.00	.01
T2.5-285-20	19.14	7762-0186	114	285.00	.01
T2.5-290-20	19.28	7762-0187	116	290.00	.01
T2.5-305-20	19.71	7762-0188	122	305.00	.01
T2.5-317.5-20	20.08	7762-0189	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-20	\$20.47	7762-0190	132	330.00	.01
T2.5-380-20	22.10	7762-0191	152	380.00	.01
T2.5-395-20	22.63	7762-0192	158	395.00	.01
T2.5-420-20	23.54	7762-0193	168	420.00	.01
T2.5-480-20	25.90	7762-0194	192	480.00	.01
T2.5-500-20	26.74	7762-0195	200	500.00	.01
T2.5-540-20	28.51	7762-0196	216	540.00	.01
T2.5-600-20	31.37	7762-0197	240	600.00	.01
T2.5-620-20	32.38	7762-0198	248	620.00	.01
T2.5-650-20	33.94	7762-0199	260	650.00	.01
T2.5-700-20	36.69	7762-0200	280	700.00	.01
T2.5-780-20	41.45	7762-0201	312	780.00	.01
T2.5-915-20	50.48	7762-0202	366	915.00	.01
T2.5-950-20	53.03	7762-0203	380	950.00	.01

*Standard/Non-Stock

T2.5 Pitch — 25mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-25	\$19.37	7762-0204	48	120.00	.01
T2.5-145-25	19.91	7762-0205	59	145.00	.01
T2.5-160-25	20.26	7762-0206	64	160.00	.01
T2.5-177.5-25	20.69	7762-0207	71	177.50	.01
T2.5-180-25	20.75	7762-0208	72	180.00	.01
T2.5-182.5-25	20.82	7762-0209	73	182.50	.01
T2.5-185-25	20.88	7762-0210	74	185.00	.01
T2.5-200-25	21.28	7762-0211	80	200.00	.01
T2.5-230-25	22.14	7762-0212	92	230.00	.01
T2.5-245-25	22.60	7762-0213	98	245.00	.01
T2.5-265-25	23.25	7762-0214	106	265.00	.01
T2.5-285-25	23.93	7762-0215	114	285.00	.01
T2.5-290-25	24.10	7762-0216	116	290.00	.01
T2.5-305-25	24.64	7762-0217	122	305.00	.01
T2.5-317.5-25	25.10	7762-0218	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-25	\$25.58	7762-0219	132	330.00	.01
T2.5-380-25	27.62	7762-0220	152	380.00	.01
T2.5-395-25	28.28	7762-0221	158	395.00	.01
T2.5-420-25	29.42	7762-0222	168	420.00	.01
T2.5-480-25	32.37	7762-0223	192	480.00	.01
T2.5-500-25	33.42	7762-0224	200	500.00	.01
T2.5-540-25	35.63	7762-0225	216	540.00	.01
T2.5-600-25	39.20	7762-0226	240	600.00	.01
T2.5-620-25	40.46	7762-0227	248	620.00	.01
T2.5-650-25	42.42	7762-0228	260	650.00	.01
T2.5-700-25	45.86	7762-0229	280	700.00	.01
T2.5-780-25	51.81	7762-0230	312	780.00	.01
T2.5-915-25	63.11	7762-0231	366	915.00	.01
T2.5-950-25	66.30	7762-0232	380	950.00	.01

*Standard/Non-Stock

T2.5 Pitch — 32mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-32	\$24.79	7762-0233	48	120.00	.01
T2.5-145-32	25.48	7762-0234	59	145.00	.01
T2.5-160-32	25.92	7762-0235	64	160.00	.01
T2.5-177.5-32	26.48	7762-0236	71	177.50	.01
T2.5-180-32	26.56	7762-0237	72	180.00	.01
T2.5-182.5-32	26.64	7762-0238	73	182.50	.01
T2.5-185-32	26.72	7762-0239	74	185.00	.01
T2.5-200-32	27.24	7762-0240	80	200.00	.01
T2.5-230-32	28.34	7762-0241	92	230.00	.01
T2.5-245-32	28.93	7762-0242	98	245.00	.01
T2.5-265-32	29.75	7762-0243	106	265.00	.01
T2.5-285-32	30.62	7762-0244	114	285.00	.01
T2.5-290-32	30.84	7762-0245	116	290.00	.01
T2.5-305-32	31.53	7762-0246	122	305.00	.01
T2.5-317.5-32	32.12	7762-0247	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-32	\$32.73	7762-0248	132	330.00	.01
T2.5-380-32	35.35	7762-0249	152	380.00	.01
T2.5-395-32	36.19	7762-0250	158	395.00	.01
T2.5-420-32	37.64	7762-0251	168	420.00	.01
T2.5-480-32	41.42	7762-0252	192	480.00	.01
T2.5-500-32	42.77	7762-0253	200	500.00	.01
T2.5-540-32	45.59	7762-0254	216	540.00	.01
T2.5-600-32	50.17	7762-0255	240	600.00	.01
T2.5-620-32	51.79	7762-0256	248	620.00	.01
T2.5-650-32	54.29	7762-0257	260	650.00	.01
T2.5-700-32	58.69	7762-0258	280	700.00	.01
T2.5-780-32	66.31	7762-0259	312	780.00	.01
T2.5-915-32	80.78	7762-0260	366	915.00	.01
T2.5-950-32	84.86	7762-0261	380	950.00	.01

*Standard/Non-Stock

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T2.5 Pitch — 50mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-50	\$38.72	7762-0262	48	120.00	.01
T2.5-145-50	39.80	7762-0263	59	145.00	.01
T2.5-160-50	40.50	7762-0264	64	160.00	.01
T2.5-177.5-50	41.37	7762-0265	71	177.50	.01
T2.5-180-50	41.49	7762-0266	72	180.00	.01
T2.5-182.5-50	41.62	7762-0267	73	182.50	.01
T2.5-185-50	41.75	7762-0268	74	185.00	.01
T2.5-200-50	42.56	7762-0269	80	200.00	.01
T2.5-230-50	44.28	7762-0270	92	230.00	.01
T2.5-245-50	45.20	7762-0271	98	245.00	.01
T2.5-265-50	46.49	7762-0272	106	265.00	.01
T2.5-285-50	47.85	7762-0273	114	285.00	.01
T2.5-290-50	48.20	7762-0274	116	290.00	.01
T2.5-305-50	49.28	7762-0275	122	305.00	.01
T2.5-317.5-50	50.21	7762-0276	127	317.50	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-50	\$51.16	7762-0277	132	330.00	.01
T2.5-380-50	55.25	7762-0278	152	380.00	.01
T2.5-395-50	56.57	7762-0279	158	395.00	.01
T2.5-420-50	58.84	7762-0280	168	420.00	.01
T2.5-480-50	64.74	7762-0281	192	480.00	.01
T2.5-500-50	66.85	7762-0282	200	500.00	.01
T2.5-540-50	71.27	7762-0283	216	540.00	.01
T2.5-600-50	78.42	7762-0284	240	600.00	.01
T2.5-620-50	80.94	7762-0285	248	620.00	.01
T2.5-650-50	84.85	7762-0286	260	650.00	.01
T2.5-700-50	91.72	7762-0287	280	700.00	.01
T2.5-780-50	103.62	7762-0288	312	780.00	.01
T2.5-915-50	126.21	7762-0289	366	915.00	.01
T2.5-950-50	132.53	7762-0290	380	950.00	.01

*Standard/Non-Stock

T2.5 Pitch — 200 Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-120-200	\$140.80	7762-0291	48	120.00	.01
T2.5-145-200	144.73	7762-0292	59	145.00	.01
T2.5-160-200	147.27	7762-0293	64	160.00	.01
T2.5-177.5-200	150.42	7762-0294	71	177.50	.01
T2.5-180-200	150.89	7762-0295	72	180.00	.01
T2.5-182.5-200	151.36	7762-0296	73	182.50	.01
T2.5-185-200	151.83	7762-0297	74	185.00	.01
T2.5-200-200	154.75	7762-0298	80	200.00	.01
T2.5-230-200	161.03	7762-0299	92	230.00	.01
T2.5-245-200	164.38	7762-0300	98	245.00	.01
T2.5-265-200	169.07	7762-0301	106	265.00	.02
T2.5-285-200	174.01	7762-0302	114	285.00	.02
T2.5-290-200	175.28	7762-0303	116	290.00	.02
T2.5-305-200	179.20	7762-0304	122	305.00	.02
T2.5-317.5-200	182.57	7762-0305	127	317.50	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T2.5-330-200	\$186.05	7762-0306	132	330.00	.02
T2.5-380-200	200.93	7762-0307	152	380.00	.02
T2.5-395-200	205.70	7762-0308	158	395.00	.02
T2.5-420-200	213.96	7762-0309	168	420.00	.03
T2.5-480-200	235.42	7762-0310	192	480.00	.03
T2.5-500-200	243.07	7762-0311	200	500.00	.03
T2.5-540-200	259.15	7762-0312	216	540.00	.03
T2.5-600-200	285.15	7762-0313	240	600.00	.04
T2.5-620-200	294.32	7762-0314	248	620.00	.04
T2.5-650-200	308.55	7762-0315	260	650.00	.04
T2.5-700-200	333.53	7762-0316	280	700.00	.04
T2.5-780-200	376.79	7762-0317	312	780.00	.05
T2.5-915-200	458.95	7762-0318	366	915.00	.06
T2.5-950-200	482.13	7762-0319	380	950.00	.06

*Standard/Non-Stock

T5 Pitch — 4mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-4	\$3.52	7762-1000	30	150.00	.01
T5-165-4	3.58	7762-1001	33	165.00	.01
T5-180-4	3.65	7762-1002	36	180.00	.01
T5-185-4	3.67	7762-1003	37	185.00	.01
T5-200-4	3.73	7762-1004	40	200.00	.01
T5-215-4	3.80	7762-1005	43	215.00	.01
T5-220-4	3.82	7762-1006	44	220.00	.01
T5-225-4	3.84	7762-1007	45	225.00	.01
T5-245-4	3.93	7762-1008	49	245.00	.01
T5-250-4	3.95	7762-1009	50	250.00	.01
T5-255-4	3.97	7762-1010	51	255.00	.01
T5-260-4	4.00	7762-1011	52	260.00	.01
T5-270-4	4.04	7762-1012	54	270.00	.01
T5-275-4	4.06	7762-1013	55	275.00	.01
T5-280-4	4.08	7762-1014	56	280.00	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-295-4	\$4.15	7762-1015	59	295.00	.01
T5-305-4	4.19	7762-1016	61	305.00	.01
T5-315-4	4.24	7762-1017	63	315.00	.01
T5-330-4	4.31	7762-1018	66	330.00	.01
T5-340-4	4.35	7762-1019	68	340.00	.01
T5-350-4	4.40	7762-1020	70	350.00	.01
T5-355-4	4.42	7762-1021	71	355.00	.01
T5-365-4	4.46	7762-1022	73	365.00	.01
T5-390-4	4.58	7762-1023	78	390.00	.01
T5-400-4	4.62	7762-1024	80	400.00	.01
T5-410-4	4.67	7762-1025	82	410.00	.01
T5-420-4	4.72	7762-1026	84	420.00	.01
T5-445-4	4.83	7762-1027	89	445.00	.01
T5-450-4	4.86	7762-1028	90	450.00	.01
T5-455-4	4.88	7762-1029	91	455.00	.01

*Standard/Non-Stock

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch — 4mm Wide* (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-475-4	\$4.97	7762-1030	95	475.00	.01
T5-480-4	5.01	7762-1031	96	480.00	.01
T5-500-4	5.07	7762-1032	100	500.00	.01
T5-510-4	5.12	7762-1033	102	510.00	.01
T5-525-4	5.23	7762-1034	105	525.00	.01
T5-545-4	5.28	7762-1035	109	545.00	.01
T5-550-4	5.33	7762-1036	110	550.00	.01
T5-560-4	5.39	7762-1037	112	560.00	.01
T5-575-4	5.44	7762-1038	115	575.00	.01
T5-610-4	5.60	7762-1039	122	610.00	.01
T5-620-4	5.65	7762-1040	124	620.00	.01
T5-630-4	5.71	7762-1041	126	630.00	.01
T5-640-4	5.76	7762-1042	128	640.00	.01
T5-650-4	5.81	7762-1043	130	650.00	.01
T5-660-4	5.87	7762-1044	132	660.00	.01
T5-675-4	5.92	7762-1045	135	675.00	.01
T5-690-4	6.03	7762-1046	138	690.00	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-700-4	\$6.08	7762-1047	140	700.00	.01
T5-720-4	6.19	7762-1048	144	720.00	.01
T5-725-4	6.21	7762-0454	145	725.00	.01
T5-750-4	6.29	7762-1049	150	750.00	.01
T5-780-4	6.45	7762-1050	156	780.00	.02
T5-800-4	6.58	7762-0363	160	800.00	.02
T5-815-4	6.67	7762-1051	163	815.00	.02
T5-840-4	6.77	7762-1052	168	840.00	.02
T5-850-4	6.83	7762-0377	170	850.00	.02
T5-900-4	7.09	7762-1053	180	900.00	.02
T5-940-4	7.31	7762-1054	188	940.00	.02
T5-990-4	7.57	7762-1055	198	990.00	.02
T5-1075-4	8.05	7762-1056	215	1075.00	.02
T5-1100-4	8.16	7762-1057	220	1100.00	.02
T5-1215-4	8.80	7762-1058	243	1215.00	.02
T5-1315-4	9.39	7762-1059	263	1315.00	.03
T5-1380-4	9.76	7762-1060	276	1380.00	.03

*Standard/Non-Stock

T5 Pitch — 6mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-6	\$4.91	7762-1070	30	150.00	.01
T5-165-6	5.00	7762-1071	33	165.00	.01
T5-180-6	5.09	7762-1072	36	180.00	.01
T5-185-6	5.12	7762-1073	37	185.00	.01
T5-200-6	5.21	7762-1074	40	200.00	.01
T5-215-6	5.30	7762-1075	43	215.00	.01
T5-220-6	5.33	7762-1076	44	220.00	.01
T5-225-6	5.36	7762-1077	45	225.00	.01
T5-245-6	5.48	7762-1078	49	245.00	.01
T5-250-6	5.51	7762-1079	50	250.00	.01
T5-255-6	5.54	7762-1080	51	255.00	.01
T5-260-6	5.57	7762-1081	52	260.00	.01
T5-270-6	5.64	7762-1082	54	270.00	.01
T5-275-6	5.67	7762-1083	55	275.00	.01
T5-280-6	5.70	7762-1084	56	280.00	.01
T5-295-6	5.79	7762-1085	59	295.00	.01
T5-305-6	5.85	7762-1086	61	305.00	.01
T5-315-6	5.92	7762-1087	63	315.00	.01
T5-330-6	6.01	7762-1088	66	330.00	.01
T5-340-6	6.07	7762-1089	68	340.00	.01
T5-350-6	6.14	7762-1090	70	350.00	.01
T5-355-6	6.17	7762-1091	71	355.00	.01
T5-365-6	6.23	7762-1092	73	365.00	.01
T5-390-6	6.39	7762-1093	78	390.00	.01
T5-400-6	6.46	7762-1094	80	400.00	.01
T5-410-6	6.52	7762-1095	82	410.00	.01
T5-420-6	6.59	7762-1096	84	420.00	.01
T5-445-6	6.75	7762-1097	89	445.00	.01
T5-450-6	6.78	7762-1098	90	450.00	.01
T5-455-6	6.81	7762-1099	91	455.00	.01
T5-475-6	6.94	7762-1100	95	475.00	.01
T5-480-6	6.99	7762-1101	96	480.00	.01

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-500-6	\$7.09	7762-1102	100	500.00	.01
T5-510-6	7.20	7762-1103	102	510.00	.01
T5-525-6	7.25	7762-1104	105	525.00	.02
T5-545-6	7.41	7762-1105	109	545.00	.02
T5-550-6	7.47	7762-1106	110	550.00	.02
T5-560-6	7.52	7762-1107	112	560.00	.02
T5-575-6	7.63	7762-1108	115	575.00	.02
T5-610-6	7.84	7762-1109	122	610.00	.02
T5-620-6	7.89	7762-1110	124	620.00	.02
T5-630-6	8.00	7762-1111	126	630.00	.02
T5-640-6	8.05	7762-1112	128	640.00	.02
T5-650-6	8.11	7762-1113	130	650.00	.02
T5-660-6	8.21	7762-1114	132	660.00	.02
T5-675-6	8.32	7762-1115	135	675.00	.02
T5-690-6	8.37	7762-1116	138	690.00	.02
T5-700-6	8.48	7762-1117	140	700.00	.02
T5-720-6	8.59	7762-1118	144	720.00	.02
T5-725-6	8.63	7762-0455	145	725.00	.02
T5-750-6	8.80	7762-1119	150	750.00	.02
T5-780-6	9.01	7762-1120	156	780.00	.02
T5-800-6	9.16	7762-0364	160	800.00	.02
T5-815-6	9.28	7762-1121	163	815.00	.02
T5-840-6	9.44	7762-1122	168	840.00	.02
T5-850-6	9.52	7762-0378	170	850.00	.02
T5-900-6	9.92	7762-1123	180	900.00	.03
T5-940-6	10.19	7762-1124	188	940.00	.03
T5-990-6	10.56	7762-1125	198	990.00	.03
T5-1075-6	11.20	7762-1126	215	1075.00	.03
T5-1100-6	11.41	7762-1127	220	1100.00	.03
T5-1215-6	12.32	7762-1128	243	1215.00	.04
T5-1315-6	13.12	7762-1129	263	1315.00	.04
T5-1380-6	13.65	7762-1130	276	1380.00	.04

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch — 8mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-8	\$6.29	7762-1140	30	150.00	.01
T5-165-8	6.41	7762-1141	33	165.00	.01
T5-180-8	6.52	7762-1142	36	180.00	.01
T5-185-8	6.56	7762-1143	37	185.00	.01
T5-200-8	6.68	7762-1144	40	200.00	.01
T5-215-8	6.80	7762-1145	43	215.00	.01
T5-220-8	6.84	7762-1146	44	220.00	.01
T5-225-8	6.88	7762-1147	45	225.00	.01
T5-245-8	7.03	7762-1148	49	245.00	.01
T5-250-8	7.07	7762-1149	50	250.00	.01
T5-255-8	7.11	7762-1150	51	255.00	.01
T5-260-8	7.15	7762-1151	52	260.00	.01
T5-270-8	7.23	7762-1152	54	270.00	.01
T5-275-8	7.27	7762-1153	55	275.00	.01
T5-280-8	7.31	7762-1154	56	280.00	.01
T5-295-8	7.43	7762-1155	59	295.00	.01
T5-305-8	7.51	7762-1156	61	305.00	.01
T5-315-8	7.59	7762-1157	63	315.00	.01
T5-330-8	7.71	7762-1158	66	330.00	.01
T5-340-8	7.80	7762-1159	68	340.00	.01
T5-350-8	7.88	7762-1160	70	350.00	.01
T5-355-8	7.92	7762-1161	71	355.00	.01
T5-365-8	8.00	7762-1162	73	365.00	.01
T5-390-8	8.21	7762-1163	78	390.00	.02
T5-400-8	8.29	7762-1164	80	400.00	.02
T5-410-8	8.37	7762-1165	82	410.00	.02
T5-420-8	8.45	7762-1166	84	420.00	.02
T5-445-8	8.66	7762-1167	89	445.00	.02
T5-450-8	8.70	7762-1168	90	450.00	.02
T5-455-8	8.75	7762-1169	91	455.00	.02
T5-475-8	8.92	7762-1170	95	475.00	.02
T5-480-8	8.96	7762-1171	96	480.00	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-500-8	\$9.12	7762-1172	100	500.00	.02
T5-510-8	9.23	7762-1173	102	510.00	.02
T5-525-8	9.33	7762-1174	105	525.00	.02
T5-545-8	9.49	7762-1175	109	545.00	.02
T5-550-8	9.55	7762-1176	110	550.00	.02
T5-560-8	9.65	7762-1177	112	560.00	.02
T5-575-8	9.76	7762-1178	115	575.00	.02
T5-610-8	10.08	7762-1179	122	610.00	.02
T5-620-8	10.19	7762-1180	124	620.00	.02
T5-630-8	10.24	7762-1181	126	630.00	.02
T5-640-8	10.35	7762-1182	128	640.00	.02
T5-650-8	10.45	7762-1183	130	650.00	.03
T5-660-8	10.51	7762-1184	132	660.00	.03
T5-675-8	10.67	7762-1185	135	675.00	.03
T5-690-8	10.77	7762-1186	138	690.00	.03
T5-700-8	10.88	7762-1187	140	700.00	.03
T5-720-8	11.04	7762-1188	144	720.00	.03
T5-725-8	11.09	7762-0456	145	725.00	.03
T5-750-8	11.31	7762-1189	150	750.00	.03
T5-780-8	11.63	7762-1190	156	780.00	.03
T5-800-8	11.81	7762-0365	160	800.00	.03
T5-815-8	11.95	7762-1191	163	815.00	.03
T5-840-8	12.16	7762-1192	168	840.00	.03
T5-850-8	12.26	7762-0379	170	850.00	.03
T5-900-8	12.75	7762-1193	180	900.00	.03
T5-940-8	13.12	7762-1194	188	940.00	.04
T5-990-8	13.60	7762-1195	198	990.00	.04
T5-1075-8	14.40	7762-1196	215	1075.00	.04
T5-1100-8	14.67	7762-1197	220	1100.00	.04
T5-1215-8	15.84	7762-1198	243	1215.00	.05
T5-1315-8	16.85	7762-1199	263	1315.00	.05
T5-1380-8	17.55	7762-1200	276	1380.00	.05

T5 Pitch — 10mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-10	\$7.27	7762-1210	30	150.00	.01
T5-165-10	7.41	7762-1211	33	165.00	.01
T5-180-10	7.54	7762-1212	36	180.00	.01
T5-185-10	7.59	7762-1213	37	185.00	.01
T5-200-10	7.72	7762-1214	40	200.00	.01
T5-215-10	7.86	7762-1215	43	215.00	.01
T5-220-10	7.90	7762-1216	44	220.00	.01
T5-225-10	7.95	7762-1217	45	225.00	.01
T5-245-10	8.13	7762-1218	49	245.00	.01
T5-250-10	8.17	7762-1219	50	250.00	.01
T5-255-10	8.22	7762-1220	51	255.00	.01
T5-260-10	8.27	7762-1221	52	260.00	.01
T5-270-10	8.36	7762-1222	54	270.00	.01
T5-275-10	8.40	7762-1223	55	275.00	.01
T5-280-10	8.45	7762-1224	56	280.00	.01
T5-295-10	8.59	7762-1225	59	295.00	.01
T5-305-10	8.68	7762-1226	61	305.00	.01
T5-315-10	8.77	7762-1227	63	315.00	.02
T5-330-10	8.91	7762-1228	66	330.00	.02
T5-340-10	9.01	7762-1229	68	340.00	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-350-10	\$9.10	7762-1230	70	350.00	.02
T5-355-10	9.15	7762-1231	71	355.00	.02
T5-365-10	9.24	7762-1232	73	365.00	.02
T5-390-10	9.48	7762-1233	78	390.00	.02
T5-400-10	9.57	7762-1234	80	400.00	.02
T5-410-10	9.67	7762-1235	82	410.00	.02
T5-420-10	9.77	7762-1236	84	420.00	.02
T5-445-10	10.01	7762-1237	89	445.00	.02
T5-450-10	10.06	7762-1238	90	450.00	.02
T5-455-10	10.10	7762-1239	91	455.00	.02
T5-475-10	10.30	7762-1240	95	475.00	.02
T5-480-10	10.35	7762-1241	96	480.00	.02
T5-500-10	10.56	7762-1242	100	500.00	.02
T5-510-10	10.67	7762-1243	102	510.00	.02
T5-525-10	10.77	7762-1244	105	525.00	.03
T5-545-10	10.99	7762-1245	109	545.00	.03
T5-550-10	11.04	7762-1246	110	550.00	.03
T5-560-10	11.15	7762-1247	112	560.00	.03
T5-575-10	11.31	7762-1248	115	575.00	.03
T5-610-10	11.63	7762-1249	122	610.00	.03

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch — 10mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-620-10	\$11.73	7762-1250	124	620.00	.03
T5-630-10	11.84	7762-1251	126	630.00	.03
T5-640-10	11.95	7762-1252	128	640.00	.03
T5-650-10	12.05	7762-1253	130	650.00	.03
T5-660-10	12.16	7762-1254	132	660.00	.03
T5-675-10	12.32	7762-1255	135	675.00	.03
T5-690-10	12.48	7762-1256	138	690.00	.03
T5-700-10	12.53	7762-1257	140	700.00	.03
T5-720-10	12.75	7762-1258	144	720.00	.03
T5-725-10	12.80	7762-0457	145	725.00	.03
T5-750-10	13.07	7762-1259	150	750.00	.04
T5-780-10	13.39	7762-1260	156	780.00	.04
T5-800-10	13.60	7762-0366	160	800.00	.04

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-815-10	\$13.76	7762-1261	163	815.00	.04
T5-840-10	14.03	7762-1262	168	840.00	.04
T5-850-10	14.14	7762-0380	170	850.00	.04
T5-900-10	14.67	7762-1263	180	900.00	.04
T5-940-10	15.15	7762-1264	188	940.00	.05
T5-990-10	15.68	7762-1265	198	990.00	.05
T5-1075-10	16.64	7762-1266	215	1075.00	.05
T5-1100-10	16.91	7762-1267	220	1100.00	.05
T5-1215-10	18.24	7762-1268	243	1215.00	.06
T5-1315-10	19.41	7762-1269	263	1315.00	.06
T5-1380-10	20.21	7762-1270	276	1380.00	.07

T5 Pitch — 12mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-12	\$8.36	7762-1280	30	150.00	.01
T5-165-12	8.52	7762-1281	33	165.00	.01
T5-180-12	8.67	7762-1282	36	180.00	.01
T5-185-12	8.72	7762-1283	37	185.00	.01
T5-200-12	8.88	7762-1284	40	200.00	.01
T5-215-12	9.03	7762-1285	43	215.00	.01
T5-220-12	9.08	7762-1286	44	220.00	.01
T5-225-12	9.14	7762-1287	45	225.00	.01
T5-245-12	9.34	7762-1288	49	245.00	.01
T5-250-12	9.40	7762-1289	50	250.00	.01
T5-255-12	9.45	7762-1290	51	255.00	.01
T5-260-12	9.50	7762-1291	52	260.00	.02
T5-270-12	9.61	7762-1292	54	270.00	.02
T5-275-12	9.66	7762-1293	55	275.00	.02
T5-280-12	9.71	7762-1294	56	280.00	.02
T5-295-12	9.87	7762-1295	59	295.00	.02
T5-305-12	9.98	7762-1296	61	305.00	.02
T5-315-12	10.09	7762-1297	63	315.00	.02
T5-330-12	10.25	7762-1298	66	330.00	.02
T5-340-12	10.35	7762-1299	68	340.00	.02
T5-350-12	10.46	7762-1300	70	350.00	.02
T5-355-12	10.52	7762-1301	71	355.00	.02
T5-365-12	10.62	7762-1302	73	365.00	.02
T5-390-12	10.90	7762-1303	78	390.00	.02
T5-400-12	11.01	7762-1304	80	400.00	.02
T5-410-12	11.12	7762-1305	82	410.00	.02
T5-420-12	11.23	7762-1306	84	420.00	.02
T5-445-12	11.50	7762-1307	89	445.00	.03
T5-450-12	11.56	7762-1308	90	450.00	.03
T5-455-12	11.61	7762-1309	91	455.00	.03
T5-475-12	11.84	7762-1310	95	475.00	.03
T5-480-12	11.89	7762-1311	96	480.00	.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-500-12	\$12.11	7762-1312	100	500.00	.03
T5-510-12	12.21	7762-1313	102	510.00	.03
T5-525-12	12.43	7762-1314	105	525.00	.03
T5-545-12	12.64	7762-1315	109	545.00	.03
T5-550-12	12.69	7762-1316	110	550.00	.03
T5-560-12	12.80	7762-1317	112	560.00	.03
T5-575-12	12.96	7762-1318	115	575.00	.03
T5-610-12	13.39	7762-1319	122	610.00	.04
T5-620-12	13.49	7762-1320	124	620.00	.04
T5-630-12	13.60	7762-1321	126	630.00	.04
T5-640-12	13.71	7762-1322	128	640.00	.04
T5-650-12	13.87	7762-1323	130	650.00	.04
T5-660-12	13.97	7762-1324	132	660.00	.04
T5-675-12	14.13	7762-1325	135	675.00	.04
T5-690-12	14.29	7762-1326	138	690.00	.04
T5-700-12	14.45	7762-1327	140	700.00	.04
T5-720-12	14.67	7762-1328	144	720.00	.04
T5-725-12	14.73	7762-0458	145	725.00	.04
T5-750-12	15.04	7762-1329	150	750.00	.04
T5-780-12	15.41	7762-1330	156	780.00	.05
T5-800-12	15.66	7762-0367	160	800.00	.05
T5-815-12	15.84	7762-1331	163	815.00	.05
T5-840-12	16.11	7762-1332	168	840.00	.05
T5-850-12	16.23	7762-0381	170	850.00	.05
T5-900-12	16.85	7762-1333	180	900.00	.05
T5-940-12	17.39	7762-1334	188	940.00	.05
T5-990-12	18.03	7762-1335	198	990.00	.06
T5-1075-12	19.09	7762-1336	215	1075.00	.06
T5-1100-12	19.47	7762-1337	220	1100.00	.06
T5-1215-12	20.96	7762-1338	243	1215.00	.07
T5-1315-12	22.35	7762-1339	263	1315.00	.08
T5-1380-12	23.25	7762-1340	276	1380.00	.08

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch — 16mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-16	\$10.67	7762-1350	30	150.00	.01
T5-165-16	10.86	7762-1351	33	165.00	.01
T5-180-16	11.06	7762-1352	36	180.00	.01
T5-185-16	11.13	7762-1353	37	185.00	.01
T5-200-16	11.32	7762-1354	40	200.00	.02
T5-215-16	11.52	7762-1355	43	215.00	.02
T5-220-16	11.59	7762-1356	44	220.00	.02
T5-225-16	11.66	7762-1357	45	225.00	.02
T5-245-16	11.92	7762-1358	49	245.00	.02
T5-250-16	11.99	7762-1359	50	250.00	.02
T5-255-16	12.06	7762-1360	51	255.00	.02
T5-260-16	12.12	7762-1361	52	260.00	.02
T5-270-16	12.26	7762-1362	54	270.00	.02
T5-275-16	12.33	7762-1363	55	275.00	.02
T5-280-16	12.40	7762-1364	56	280.00	.02
T5-295-16	12.60	7762-1365	59	295.00	.02
T5-305-16	12.74	7762-1366	61	305.00	.02
T5-315-16	12.87	7762-1367	63	315.00	.02
T5-330-16	13.08	7762-1368	66	330.00	.03
T5-340-16	13.22	7762-1369	68	340.00	.03
T5-350-16	13.35	7762-1370	70	350.00	.03
T5-355-16	13.42	7762-1371	71	355.00	.03
T5-365-16	13.56	7762-1372	73	365.00	.03
T5-390-16	13.91	7762-1373	78	390.00	.03
T5-400-16	14.05	7762-1374	80	400.00	.03
T5-410-16	14.19	7762-1375	82	410.00	.03
T5-420-16	14.33	7762-1376	84	420.00	.03
T5-445-16	14.68	7762-1377	89	445.00	.03
T5-450-16	14.75	7762-1378	90	450.00	.03
T5-455-16	14.83	7762-1379	91	455.00	.04
T5-475-16	15.11	7762-1380	95	475.00	.04
T5-480-16	15.20	7762-1381	96	480.00	.04

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-500-16	\$15.47	7762-1382	100	500.00	.04
T5-510-16	15.63	7762-1383	102	510.00	.04
T5-525-16	15.84	7762-1384	105	525.00	.04
T5-545-16	16.11	7762-1385	109	545.00	.04
T5-550-16	16.21	7762-1386	110	550.00	.04
T5-560-16	16.32	7762-1387	112	560.00	.04
T5-575-16	16.59	7762-1388	115	575.00	.04
T5-610-16	17.07	7762-1389	122	610.00	.05
T5-620-16	17.23	7762-1390	124	620.00	.05
T5-630-16	17.39	7762-1391	126	630.00	.05
T5-640-16	17.55	7762-1392	128	640.00	.05
T5-650-16	17.65	7762-1393	130	650.00	.05
T5-660-16	17.81	7762-1394	132	660.00	.05
T5-675-16	18.03	7762-1395	135	675.00	.05
T5-690-16	18.29	7762-1396	138	690.00	.05
T5-700-16	18.45	7762-1397	140	700.00	.05
T5-720-16	18.72	7762-1398	144	720.00	.06
T5-725-16	18.80	7762-0459	145	725.00	.06
T5-750-16	19.20	7762-1399	150	750.00	.06
T5-780-16	19.68	7762-1400	156	780.00	.06
T5-800-16	19.98	7762-0369	160	800.00	.06
T5-815-16	20.21	7762-1401	163	815.00	.06
T5-840-16	20.59	7762-1402	168	840.00	.06
T5-850-16	20.75	7762-0383	170	850.00	.06
T5-900-16	21.55	7762-1403	180	900.00	.07
T5-940-16	22.19	7762-1404	188	940.00	.07
T5-990-16	22.99	7762-1405	198	990.00	.08
T5-1075-16	24.37	7762-1406	215	1075.00	.08
T5-1100-16	24.80	7762-1407	220	1100.00	.08
T5-1215-16	26.77	7762-1408	243	1215.00	.09
T5-1315-16	28.48	7762-1409	263	1315.00	.10
T5-1380-16	29.65	7762-1410	276	1380.00	.11

T5 Pitch — 20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-20	\$13.33	7762-1420	30	150.00	.01
T5-165-20	13.58	7762-1421	33	165.00	.02
T5-180-20	13.82	7762-1422	36	180.00	.02
T5-185-20	13.91	7762-1423	37	185.00	.02
T5-200-20	14.15	7762-1424	40	200.00	.02
T5-215-20	14.40	7762-1425	43	215.00	.02
T5-220-20	14.48	7762-1426	44	220.00	.02
T5-225-20	14.57	7762-1427	45	225.00	.02
T5-245-20	14.90	7762-1428	49	245.00	.02
T5-250-20	14.98	7762-1429	50	250.00	.02
T5-255-20	15.07	7762-1430	51	255.00	.02
T5-260-20	15.15	7762-1431	52	260.00	.03
T5-270-20	15.32	7762-1432	54	270.00	.03
T5-275-20	15.40	7762-1433	55	275.00	.03
T5-280-20	15.49	7762-1434	56	280.00	.03
T5-295-20	15.74	7762-1435	59	295.00	.03
T5-305-20	15.91	7762-1436	61	305.00	.03
T5-315-20	16.08	7762-1437	63	315.00	.03
T5-330-20	16.34	7762-1438	66	330.00	.03
T5-340-20	16.51	7762-1439	68	340.00	.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-350-20	\$16.68	7762-1440	70	350.00	.03
T5-355-20	16.77	7762-1441	71	355.00	.03
T5-365-20	16.94	7762-1442	73	365.00	.04
T5-390-20	17.38	7762-1443	78	390.00	.04
T5-400-20	17.55	7762-1444	80	400.00	.04
T5-410-20	17.73	7762-1445	82	410.00	.04
T5-420-20	17.90	7762-1446	84	420.00	.04
T5-445-20	18.35	7762-1447	89	445.00	.04
T5-450-20	18.43	7762-1448	90	450.00	.04
T5-455-20	18.52	7762-1449	91	455.00	.04
T5-475-20	18.88	7762-1450	95	475.00	.05
T5-480-20	18.99	7762-1451	96	480.00	.05
T5-500-20	19.31	7762-1452	100	500.00	.05
T5-510-20	19.52	7762-1453	102	510.00	.05
T5-525-20	19.79	7762-1454	105	525.00	.05
T5-545-20	20.16	7762-1455	109	545.00	.05
T5-550-20	20.21	7762-1456	110	550.00	.05
T5-560-20	20.43	7762-1457	112	560.00	.05
T5-575-20	20.69	7762-1458	115	575.00	.06
T5-610-20	21.33	7762-1459	122	610.00	.06

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch — 20mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-620-20	\$21.55	7762-1460	124	620.00	.06
T5-630-20	21.71	7762-1461	126	630.00	.06
T5-640-20	21.92	7762-1462	128	640.00	.06
T5-650-20	22.08	7762-1463	130	650.00	.06
T5-660-20	22.29	7762-1464	132	660.00	.06
T5-675-20	22.56	7762-1465	135	675.00	.06
T5-690-20	22.83	7762-1466	138	690.00	.07
T5-700-20	23.04	7762-1467	140	700.00	.07
T5-720-20	23.41	7762-1468	144	720.00	.07
T5-725-20	23.51	7762-0460	145	725.00	.07
T5-750-20	24.00	7762-1469	150	750.00	.07
T5-780-20	24.53	7762-1470	156	780.00	.08

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-800-20	\$24.93	7762-0370	160	800.00	.08
T5-815-20	25.23	7762-1471	163	815.00	.08
T5-840-20	25.71	7762-1472	168	840.00	.08
T5-850-20	25.91	7762-0384	170	850.00	.08
T5-900-20	26.93	7762-1473	180	900.00	.09
T5-940-20	27.73	7762-1474	188	940.00	.09
T5-990-20	28.75	7762-1475	198	990.00	.10
T5-1075-20	30.51	7762-1476	215	1075.00	.10
T5-1100-20	31.04	7762-1477	220	1100.00	.11
T5-1215-20	33.44	7762-1478	243	1215.00	.12
T5-1315-20	35.63	7762-1479	263	1315.00	.13
T5-1380-20	37.07	7762-1480	276	1380.00	.13

T5 Pitch — 25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-25	\$16.66	7762-1490	30	150.00	.02
T5-165-25	16.97	7762-1491	33	165.00	.02
T5-180-25	17.27	7762-1492	36	180.00	.02
T5-185-25	17.38	7762-1493	37	185.00	.02
T5-200-25	17.69	7762-1494	40	200.00	.02
T5-215-25	18.00	7762-1495	43	215.00	.03
T5-220-25	18.10	7762-1496	44	220.00	.03
T5-225-25	18.20	7762-1497	45	225.00	.03
T5-245-25	18.62	7762-1498	49	245.00	.03
T5-250-25	18.72	7762-1499	50	250.00	.03
T5-255-25	18.83	7762-1500	51	255.00	.03
T5-260-25	18.93	7762-1501	52	260.00	.03
T5-270-25	19.14	7762-1502	54	270.00	.03
T5-275-25	19.25	7762-1503	55	275.00	.03
T5-280-25	19.36	7762-1504	56	280.00	.03
T5-295-25	19.67	7762-1505	59	295.00	.04
T5-305-25	19.89	7762-1506	61	305.00	.04
T5-315-25	20.10	7762-1507	63	315.00	.04
T5-330-25	20.42	7762-1508	66	330.00	.04
T5-340-25	20.63	7762-1509	68	340.00	.04
T5-350-25	20.85	7762-1510	70	350.00	.04
T5-355-25	20.96	7762-1511	71	355.00	.04
T5-365-25	21.17	7762-1512	73	365.00	.04
T5-390-25	21.72	7762-1513	78	390.00	.05
T5-400-25	21.94	7762-1514	80	400.00	.05
T5-410-25	22.15	7762-1515	82	410.00	.05
T5-420-25	22.37	7762-1516	84	420.00	.05
T5-445-25	22.93	7762-1517	89	445.00	.05
T5-450-25	23.04	7762-1518	90	450.00	.05
T5-455-25	23.15	7762-1519	91	455.00	.05
T5-475-25	23.59	7762-1520	95	475.00	.06
T5-480-25	23.68	7762-1521	96	480.00	.06

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-500-25	\$24.16	7762-1522	100	500.00	.06
T5-510-25	24.37	7762-1523	102	510.00	.06
T5-525-25	24.69	7762-1524	105	525.00	.06
T5-545-25	25.17	7762-1525	109	545.00	.07
T5-550-25	25.28	7762-1526	110	550.00	.07
T5-560-25	25.49	7762-1527	112	560.00	.07
T5-575-25	25.87	7762-1528	115	575.00	.07
T5-610-25	26.67	7762-1529	122	610.00	.07
T5-620-25	26.88	7762-1530	124	620.00	.07
T5-630-25	27.15	7762-1531	126	630.00	.08
T5-640-25	27.36	7762-1532	128	640.00	.08
T5-650-25	27.57	7762-1533	130	650.00	.08
T5-660-25	27.84	7762-1534	132	660.00	.08
T5-675-25	28.16	7762-1535	135	675.00	.08
T5-690-25	28.53	7762-1536	138	690.00	.08
T5-700-25	28.80	7762-1537	140	700.00	.08
T5-720-25	29.23	7762-1538	144	720.00	.09
T5-725-25	29.35	7762-0461	145	725.00	.09
T5-750-25	29.97	7762-1539	150	750.00	.09
T5-780-25	30.72	7762-1540	156	780.00	.09
T5-800-25	31.21	7762-0371	160	800.00	.10
T5-815-25	31.57	7762-1541	163	815.00	.10
T5-840-25	32.16	7762-1542	168	840.00	.10
T5-850-25	32.41	7762-0385	170	850.00	.10
T5-900-25	33.65	7762-1543	180	900.00	.11
T5-940-25	34.67	7762-1544	188	940.00	.11
T5-990-25	35.95	7762-1545	198	990.00	.12
T5-1075-25	38.13	7762-1546	215	1075.00	.13
T5-1100-25	38.77	7762-1547	220	1100.00	.13
T5-1215-25	41.81	7762-1548	243	1215.00	.15
T5-1315-25	44.53	7762-1549	263	1315.00	.16
T5-1380-25	46.35	7762-1550	276	1380.00	.17

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch — 32mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-32	\$21.33	7762-1560	30	150.00	.02
T5-165-32	21.72	7762-1561	33	165.00	.03
T5-180-32	22.12	7762-1562	36	180.00	.03
T5-185-32	22.25	7762-1563	37	185.00	.03
T5-200-32	22.64	7762-1564	40	200.00	.03
T5-215-32	23.04	7762-1565	43	215.00	.03
T5-220-32	23.17	7762-1566	44	220.00	.03
T5-225-32	23.31	7762-1567	45	225.00	.03
T5-245-32	23.84	7762-1568	49	245.00	.04
T5-250-32	23.97	7762-1569	50	250.00	.04
T5-255-32	24.11	7762-1570	51	255.00	.04
T5-260-32	24.24	7762-1571	52	260.00	.04
T5-270-32	24.51	7762-1572	54	270.00	.04
T5-275-32	24.65	7762-1573	55	275.00	.04
T5-280-32	24.78	7762-1574	56	280.00	.04
T5-295-32	25.19	7762-1575	59	295.00	.05
T5-305-32	25.46	7762-1576	61	305.00	.05
T5-315-32	25.73	7762-1577	63	315.00	.05
T5-330-32	26.14	7762-1578	66	330.00	.05
T5-340-32	26.42	7762-1579	68	340.00	.05
T5-350-32	26.69	7762-1580	70	350.00	.05
T5-355-32	26.83	7762-1581	71	355.00	.05
T5-365-32	27.11	7762-1582	73	365.00	.06
T5-390-32	27.80	7762-1583	78	390.00	.06
T5-400-32	28.08	7762-1584	80	400.00	.06
T5-410-32	28.36	7762-1585	82	410.00	.06
T5-420-32	28.64	7762-1586	84	420.00	.06
T5-445-32	29.35	7762-1587	89	445.00	.07
T5-450-32	29.49	7762-1588	90	450.00	.07
T5-455-32	29.63	7762-1589	91	455.00	.07
T5-475-32	30.20	7762-1590	95	475.00	.07
T5-480-32	\$30.35	7762-1591	96	480.00	.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-500-32	\$30.93	7762-1592	100	500.00	.08
T5-510-32	31.20	7762-1593	102	510.00	.08
T5-525-32	31.63	7762-1594	105	525.00	.08
T5-545-32	32.21	7762-1595	109	545.00	.08
T5-550-32	32.37	7762-1596	110	550.00	.08
T5-560-32	32.64	7762-1597	112	560.00	.09
T5-575-32	33.12	7762-1598	115	575.00	.09
T5-610-32	34.13	7762-1599	122	610.00	.09
T5-620-32	34.45	7762-1600	124	620.00	.10
T5-630-32	34.72	7762-1601	126	630.00	.10
T5-640-32	35.04	7762-1602	128	640.00	.10
T5-650-32	35.31	7762-1603	130	650.00	.10
T5-660-32	35.63	7762-1604	132	660.00	.10
T5-675-32	36.05	7762-1605	135	675.00	.10
T5-690-32	36.53	7762-1606	138	690.00	.11
T5-700-32	36.85	7762-1607	140	700.00	.11
T5-720-32	37.44	7762-1608	144	720.00	.11
T5-725-32	37.59	7762-0462	145	725.00	.11
T5-750-32	38.35	7762-1609	150	750.00	.12
T5-780-32	39.31	7762-1610	156	780.00	.12
T5-800-32	39.92	7762-0372	160	800.00	.13
T5-815-32	40.37	7762-1611	163	815.00	.13
T5-840-32	41.17	7762-1612	168	840.00	.13
T5-850-32	41.49	7762-0386	170	850.00	.13
T5-900-32	43.09	7762-1613	180	900.00	.14
T5-940-32	44.37	7762-1614	188	940.00	.14
T5-990-32	45.97	7762-1615	198	990.00	.15
T5-1075-32	48.80	7762-1616	215	1075.00	.17
T5-1100-32	49.60	7762-1617	220	1100.00	.17
T5-1215-32	53.55	7762-1618	243	1215.00	.19
T5-1315-32	57.01	7762-1619	263	1315.00	.20
T5-1380-32	59.31	7762-1620	276	1380.00	.21

*Standard/Non-Stock

T5 Pitch — 50mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-50	\$33.32	7762-1630	30	150.00	.04
T5-165-50	33.93	7762-1631	33	165.00	.04
T5-180-50	34.55	7762-1632	36	180.00	.04
T5-185-50	34.76	7762-1633	37	185.00	.04
T5-200-50	35.37	7762-1634	40	200.00	.05
T5-215-50	36.00	7762-1635	43	215.00	.05
T5-220-50	36.20	7762-1636	44	220.00	.05
T5-225-50	36.41	7762-1637	45	225.00	.05
T5-245-50	37.25	7762-1638	49	245.00	.06
T5-250-50	37.46	7762-1639	50	250.00	.06
T5-255-50	37.67	7762-1640	51	255.00	.06
T5-260-50	37.88	7762-1641	52	260.00	.06
T5-270-50	38.30	7762-1642	54	270.00	.06
T5-275-50	38.51	7762-1643	55	275.00	.07
T5-280-50	38.72	7762-1644	56	280.00	.07
T5-295-50	39.36	7762-1645	59	295.00	.07
T5-305-50	39.78	7762-1646	61	305.00	.07
T5-315-50	40.21	7762-1647	63	315.00	.08
T5-330-50	40.85	7762-1648	66	330.00	.08
T5-340-50	41.28	7762-1649	68	340.00	.08

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-350-50	\$41.71	7762-1650	70	350.00	.08
T5-355-50	41.93	7762-1651	71	355.00	.09
T5-365-50	42.36	7762-1652	73	365.00	.09
T5-390-50	43.45	7762-1653	78	390.00	.09
T5-400-50	43.89	7762-1654	80	400.00	.10
T5-410-50	44.33	7762-1655	82	410.00	.10
T5-420-50	44.77	7762-1656	84	420.00	.10
T5-445-50	45.87	7762-1657	89	445.00	.11
T5-450-50	46.09	7762-1658	90	450.00	.11
T5-455-50	46.31	7762-1659	91	455.00	.11
T5-475-50	47.21	7762-1660	95	475.00	.11
T5-480-50	47.41	7762-1661	96	480.00	.12
T5-500-50	48.32	7762-1662	100	500.00	.12
T5-510-50	48.80	7762-1663	102	510.00	.12
T5-525-50	49.44	7762-1664	105	525.00	.13
T5-545-50	50.35	7762-1665	109	545.00	.13
T5-550-50	50.61	7762-1666	110	550.00	.13
T5-560-50	51.04	7762-1667	112	560.00	.13
T5-575-50	51.73	7762-1668	115	575.00	.14
T5-610-50	53.33	7762-1669	122	610.00	.15

*Standard/Non-Stock

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch — 50mm Wide* (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-620-50	\$53.81	7762-1670	124	620.00	.15
T5-630-50	54.29	7762-1671	126	630.00	.15
T5-640-50	54.77	7762-1672	128	640.00	.15
T5-650-50	55.20	7762-1673	130	650.00	.16
T5-660-50	55.68	7762-1674	132	660.00	.16
T5-675-50	56.37	7762-1675	135	675.00	.16
T5-690-50	57.12	7762-1676	138	690.00	.17
T5-700-50	57.60	7762-1677	140	700.00	.17
T5-720-50	58.51	7762-1678	144	720.00	.17
T5-725-50	58.75	7762-0463	145	725.00	.17
T5-750-50	59.95	7762-1679	150	750.00	.18
T5-780-50	61.44	7762-1680	156	780.00	.19

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-800-50	\$62.38	7762-0373	160	800.00	.20
T5-815-50	63.09	7762-1681	163	815.00	.20
T5-840-50	64.32	7762-1682	168	840.00	.20
T5-850-50	64.82	7762-0387	170	850.00	.20
T5-900-50	67.31	7762-1683	180	900.00	.22
T5-940-50	69.33	7762-1684	188	940.00	.23
T5-990-50	71.84	7762-1685	198	990.00	.24
T5-1075-50	76.27	7762-1686	215	1075.00	.26
T5-1100-50	77.55	7762-1687	220	1100.00	.26
T5-1215-50	83.63	7762-1688	243	1215.00	.29
T5-1315-50	89.07	7762-1689	263	1315.00	.32
T5-1380-50	92.69	7762-1690	276	1380.00	.33

*Standard/Non-Stock

T5 Pitch — 75mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-75	\$49.98	7762-1700	30	150.00	.05
T5-165-75	50.90	7762-1701	33	165.00	.06
T5-180-75	51.82	7762-1702	36	180.00	.06
T5-185-75	52.13	7762-1703	37	185.00	.07
T5-200-75	53.06	7762-1704	40	200.00	.07
T5-215-75	53.99	7762-1705	43	215.00	.08
T5-220-75	54.30	7762-1706	44	220.00	.08
T5-225-75	54.61	7762-1707	45	225.00	.08
T5-245-75	55.87	7762-1708	49	245.00	.09
T5-250-75	56.18	7762-1709	50	250.00	.09
T5-255-75	56.50	7762-1710	51	255.00	.09
T5-260-75	56.81	7762-1711	52	260.00	.09
T5-270-75	57.44	7762-1712	54	270.00	.10
T5-275-75	57.76	7762-1713	55	275.00	.10
T5-280-75	58.08	7762-1714	56	280.00	.10
T5-295-75	59.03	7762-1715	59	295.00	.11
T5-305-75	59.67	7762-1716	61	305.00	.11
T5-315-75	60.31	7762-1717	63	315.00	.11
T5-330-75	61.27	7762-1718	66	330.00	.12
T5-340-75	61.92	7762-1719	68	340.00	.12
T5-350-75	62.56	7762-1720	70	350.00	.13
T5-355-75	62.89	7762-1721	71	355.00	.13
T5-365-75	63.54	7762-1722	73	365.00	.13
T5-390-75	65.17	7762-1723	78	390.00	.14
T5-400-75	65.82	7762-1724	80	400.00	.14
T5-410-75	66.48	7762-1725	82	410.00	.15
T5-420-75	67.14	7762-1726	84	420.00	.15
T5-445-75	68.80	7762-1727	89	445.00	.16
T5-450-75	69.13	7762-1728	90	450.00	.16
T5-455-75	69.46	7762-1729	91	455.00	.16
T5-475-75	70.80	7762-1730	95	475.00	.17
T5-480-75	71.15	7762-1731	96	480.00	.17

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-500-75	\$72.48	7762-1732	100	500.00	.18
T5-510-75	73.17	7762-1733	102	510.00	.18
T5-525-75	74.19	7762-1734	105	525.00	.19
T5-545-75	75.52	7762-1735	109	545.00	.20
T5-550-75	75.89	7762-1736	110	550.00	.20
T5-560-75	76.59	7762-1737	112	560.00	.20
T5-575-75	77.60	7762-1738	115	575.00	.21
T5-610-75	80.00	7762-1739	122	610.00	.22
T5-620-75	80.69	7762-1740	124	620.00	.22
T5-630-75	81.44	7762-1741	126	630.00	.23
T5-640-75	82.13	7762-1742	128	640.00	.23
T5-650-75	82.83	7762-1743	130	650.00	.23
T5-660-75	83.52	7762-1744	132	660.00	.24
T5-675-75	84.59	7762-1745	135	675.00	.24
T5-690-75	85.65	7762-1746	138	690.00	.25
T5-700-75	86.35	7762-1747	140	700.00	.25
T5-720-75	87.79	7762-1748	144	720.00	.26
T5-725-75	88.15	7762-0464	145	725.00	.26
T5-750-75	89.92	7762-1749	150	750.00	.27
T5-780-75	92.11	7762-1750	156	780.00	.28
T5-800-75	93.57	7762-0374	160	800.00	.29
T5-815-75	94.67	7762-1751	163	815.00	.29
T5-840-75	96.48	7762-1752	168	840.00	.30
T5-850-75	97.23	7762-0388	170	850.00	.30
T5-900-75	100.96	7762-1753	180	900.00	.32
T5-940-75	104.00	7762-1754	188	940.00	.34
T5-990-75	107.79	7762-1755	198	990.00	.36
T5-1075-75	114.35	7762-1756	215	1075.00	.39
T5-1100-75	116.32	7762-1757	220	1100.00	.40
T5-1215-75	125.49	7762-1758	243	1215.00	.44
T5-1315-75	133.65	7762-1759	263	1315.00	.47
T5-1380-75	139.04	7762-1760	276	1380.00	.50

*Standard/Non-Stock

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T5 Pitch — 200mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-150-200	\$121.17	7762-1770	30	150.00	.14
T5-165-200	123.40	7762-1771	33	165.00	.16
T5-180-200	125.63	7762-1772	36	180.00	.17
T5-185-200	126.38	7762-1773	37	185.00	.18
T5-200-200	128.63	7762-1774	40	200.00	.19
T5-215-200	130.88	7762-1775	43	215.00	.21
T5-220-200	131.64	7762-1776	44	220.00	.21
T5-225-200	132.40	7762-1777	45	225.00	.22
T5-245-200	135.43	7762-1778	49	245.00	.24
T5-250-200	136.19	7762-1779	50	250.00	.24
T5-255-200	136.95	7762-1780	51	255.00	.25
T5-260-200	137.72	7762-1781	52	260.00	.25
T5-270-200	139.25	7762-1782	54	270.00	.26
T5-275-200	140.02	7762-1783	55	275.00	.26
T5-280-200	140.79	7762-1784	56	280.00	.27
T5-295-200	143.10	7762-1785	59	295.00	.28
T5-305-200	144.64	7762-1786	61	305.00	.29
T5-315-200	146.19	7762-1787	63	315.00	.30
T5-330-200	148.53	7762-1788	66	330.00	.32
T5-340-200	150.09	7762-1789	68	340.00	.33
T5-350-200	151.66	7762-1790	70	350.00	.34
T5-355-200	152.44	7762-1791	71	355.00	.34
T5-365-200	154.02	7762-1792	73	365.00	.35
T5-390-200	157.97	7762-1793	78	390.00	.38
T5-400-200	159.56	7762-1794	80	400.00	.38
T5-410-200	161.15	7762-1795	82	410.00	.39
T5-420-200	162.75	7762-1796	84	420.00	.40
T5-445-200	166.77	7762-1797	89	445.00	.43
T5-450-200	167.57	7762-1798	90	450.00	.43
T5-455-200	168.38	7762-1799	91	455.00	.44
T5-475-200	171.62	7762-1800	95	475.00	.46
T5-480-200	172.43	7762-1801	96	480.00	.46

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T5-500-200	\$175.68	7762-1802	100	500.00	.48
T5-510-200	177.33	7762-1803	102	510.00	.49
T5-525-200	179.79	7762-1804	105	525.00	.51
T5-545-200	183.09	7762-1805	109	545.00	.52
T5-550-200	183.95	7762-1806	110	550.00	.53
T5-560-200	185.60	7762-1807	112	560.00	.54
T5-575-200	188.11	7762-1808	115	575.00	.55
T5-610-200	193.97	7762-1809	122	610.00	.59
T5-620-200	195.68	7762-1810	124	620.00	.60
T5-630-200	197.33	7762-1811	126	630.00	.61
T5-640-200	199.04	7762-1812	128	640.00	.62
T5-650-200	200.75	7762-1813	130	650.00	.63
T5-660-200	202.45	7762-1814	132	660.00	.63
T5-675-200	205.01	7762-1815	135	675.00	.65
T5-690-200	207.63	7762-1816	138	690.00	.66
T5-700-200	209.33	7762-1817	140	700.00	.67
T5-720-200	212.80	7762-1818	144	720.00	.69
T5-725-200	213.67	7762-0465	145	725.00	.69
T5-750-200	218.03	7762-1819	150	750.00	.72
T5-780-200	223.25	7762-1820	156	780.00	.75
T5-800-200	226.82	7762-0376	160	800.00	.77
T5-815-200	229.49	7762-1821	163	815.00	.78
T5-840-200	233.92	7762-1822	168	840.00	.81
T5-850-200	235.73	7762-0390	170	850.00	.82
T5-900-200	244.75	7762-1823	180	900.00	.87
T5-940-200	252.05	7762-1824	188	940.00	.90
T5-990-200	261.28	7762-1825	198	990.00	.95
T5-1075-200	277.23	7762-1826	215	1075.00	1.03
T5-1100-200	281.97	7762-1827	220	1100.00	1.06
T5-1215-200	304.16	7762-1828	243	1215.00	1.17
T5-1315-200	323.95	7762-1829	263	1315.00	1.26
T5-1380-200	337.07	7762-1830	276	1380.00	1.33

*Standard/Non-Stock

T10 Pitch — 10mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-10	\$8.41	7762-2000	26	260.00	.03
T10-370-10	9.53	7762-2001	37	370.00	.04
T10-400-10	9.85	7762-2002	40	400.00	.04
T10-410-10	9.96	7762-2003	41	410.00	.04
T10-440-10	10.29	7762-2004	44	440.00	.04
T10-450-10	10.40	7762-2005	45	450.00	.05
T10-500-10	10.97	7762-2006	50	500.00	.05
T10-530-10	11.33	7762-2007	53	530.00	.05
T10-560-10	11.68	7762-2008	56	560.00	.06
T10-600-10	12.17	7762-2009	60	600.00	.06
T10-610-10	12.30	7762-2010	61	610.00	.06
T10-630-10	12.55	7762-2011	63	630.00	.06
T10-660-10	12.93	7762-2012	66	660.00	.07
T10-690-10	13.32	7762-2013	69	690.00	.07
T10-700-10	13.45	7762-2014	70	700.00	.07
T10-720-10	13.71	7762-2015	72	720.00	.07
T10-730-10	13.85	7762-2016	73	730.00	.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-750-10	\$14.12	7762-2017	75	750.00	.08
T10-780-10	14.53	7762-2018	78	780.00	.08
T10-800-10	14.80	7762-0326	80	800.00	.08
T10-810-10	14.94	7762-2019	81	810.00	.08
T10-840-10	15.37	7762-2020	84	840.00	.08
T10-880-10	15.94	7762-2021	88	880.00	.09
T10-890-10	16.09	7762-2022	89	890.00	.09
T10-900-10	16.24	7762-2023	90	900.00	.09
T10-910-10	16.38	7762-2024	91	910.00	.09
T10-920-10	16.53	7762-2025	92	920.00	.09
T10-950-10	16.98	7762-0339	95	950.00	.10
T10-960-10	17.13	7762-2026	96	960.00	.10
T10-970-10	17.29	7762-2027	97	970.00	.10
T10-980-10	17.44	7762-2028	98	980.00	.10
T10-1000-10	17.75	7762-0352	100	1000.00	.10
T10-1010-10	17.90	7762-2029	101	1010.00	.10
T10-1080-10	19.01	7762-2030	108	1080.00	.11

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch — 10mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-1100-10	\$19.34	7762-2031	110	1100.00	.11
T10-1110-10	19.50	7762-2032	111	1110.00	.11
T10-1140-10	19.99	7762-2033	114	1140.00	.11
T10-1150-10	20.16	7762-2034	115	1150.00	.12
T10-1210-10	21.17	7762-2035	121	1210.00	.12
T10-1240-10	21.71	7762-2036	124	1240.00	.12
T10-1250-10	21.87	7762-2037	125	1250.00	.13
T10-1300-10	22.72	7762-2038	130	1300.00	.13
T10-1320-10	23.09	7762-2039	132	1320.00	.13
T10-1350-10	23.63	7762-2040	135	1350.00	.14
T10-1390-10	24.37	7762-2041	139	1390.00	.14
T10-1400-10	24.59	7762-2042	140	1400.00	.14

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-1420-10	\$24.96	7762-2043	142	1420.00	.14
T10-1450-10	25.49	7762-2044	145	1450.00	.15
T10-1460-10	25.71	7762-2045	146	1460.00	.15
T10-1500-10	26.45	7762-2046	150	1500.00	.15
T10-1560-10	27.63	7762-2047	156	1560.00	.16
T10-1610-10	28.64	7762-2048	161	1610.00	.16
T10-1750-10	31.57	7762-2049	175	1750.00	.18
T10-1780-10	32.21	7762-2050	178	1780.00	.18
T10-1880-10	34.40	7762-2051	188	1880.00	.19
T10-1960-10	36.21	7762-2052	196	1960.00	.20
T10-2250-10	43.20	7762-2053	225	2250.00	.23

T10 Pitch — 12mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-12	\$10.09	7762-2054	26	260.00	.03
T10-370-12	11.43	7762-2055	37	370.00	.04
T10-400-12	11.82	7762-2056	40	400.00	.05
T10-410-12	11.95	7762-2057	41	410.00	.05
T10-440-12	12.34	7762-2058	44	440.00	.05
T10-450-12	12.48	7762-2059	45	450.00	.05
T10-500-12	13.16	7762-2060	50	500.00	.06
T10-530-12	13.59	7762-2061	53	530.00	.06
T10-560-12	14.02	7762-2062	56	560.00	.07
T10-600-12	14.60	7762-2063	60	600.00	.07
T10-610-12	14.75	7762-2064	61	610.00	.07
T10-630-12	15.05	7762-2065	63	630.00	.08
T10-660-12	15.51	7762-2066	66	660.00	.08
T10-690-12	15.98	7762-2067	69	690.00	.08
T10-700-12	16.14	7762-2068	70	700.00	.08
T10-720-12	16.46	7762-2069	72	720.00	.09
T10-730-12	16.62	7762-2070	73	730.00	.09
T10-750-12	16.94	7762-2071	75	750.00	.09
T10-780-12	17.43	7762-2072	78	780.00	.09
T10-800-12	17.76	7762-0327	80	800.00	.10
T10-810-12	17.93	7762-2073	81	810.00	.10
T10-840-12	18.44	7762-2074	84	840.00	.10
T10-880-12	19.13	7762-2075	88	880.00	.11
T10-890-12	19.31	7762-2076	89	890.00	.11
T10-900-12	19.49	7762-2077	90	900.00	.11
T10-910-12	19.66	7762-2078	91	910.00	.11
T10-920-12	19.84	7762-2079	92	920.00	.11
T10-950-12	20.38	7762-0340	95	950.00	.12
T10-960-12	20.56	7762-2080	96	960.00	.12

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-12	\$20.75	7762-2081	97	970.00	.12
T10-980-12	20.93	7762-2082	98	980.00	.12
T10-1000-12	21.30	7762-0353	100	1000.00	.12
T10-1010-12	21.49	7762-2083	101	1010.00	.12
T10-1080-12	22.82	7762-2084	108	1080.00	.13
T10-1100-12	23.21	7762-2085	110	1100.00	.13
T10-1110-12	23.40	7762-2086	111	1110.00	.13
T10-1140-12	24.00	7762-2087	114	1140.00	.14
T10-1150-12	24.20	7762-2088	115	1150.00	.14
T10-1210-12	25.41	7762-2089	121	1210.00	.15
T10-1240-12	26.03	7762-2090	124	1240.00	.15
T10-1250-12	26.24	7762-2091	125	1250.00	.15
T10-1300-12	27.31	7762-2092	130	1300.00	.16
T10-1320-12	27.73	7762-2093	132	1320.00	.16
T10-1350-12	28.37	7762-2094	135	1350.00	.16
T10-1390-12	29.28	7762-2095	139	1390.00	.17
T10-1400-12	29.49	7762-2096	140	1400.00	.17
T10-1420-12	29.92	7762-2097	142	1420.00	.17
T10-1450-12	30.61	7762-2098	145	1450.00	.17
T10-1460-12	30.83	7762-2099	146	1460.00	.18
T10-1500-12	31.79	7762-2100	150	1500.00	.18
T10-1560-12	33.17	7762-2101	156	1560.00	.19
T10-1610-12	34.40	7762-2102	161	1610.00	.19
T10-1750-12	37.87	7762-2103	175	1750.00	.21
T10-1780-12	38.67	7762-2104	178	1780.00	.21
T10-1880-12	41.28	7762-2105	188	1880.00	.23
T10-1960-12	43.47	7762-2106	196	1960.00	.24
T10-2250-12	51.84	7762-2107	225	2250.00	.27

*Standard/Non-Stock

T10 Pitch — 14mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-14	\$11.36	7762-2108	26	260.00	.04
T10-370-14	12.85	7762-2109	37	370.00	.05
T10-400-14	13.28	7762-2110	40	400.00	.06
T10-410-14	13.44	7762-2111	41	410.00	.06
T10-440-14	13.87	7762-2112	44	440.00	.06

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-450-14	\$14.03	7762-2113	45	450.00	.06
T10-500-14	14.77	7762-2114	50	500.00	.07
T10-530-14	15.25	7762-2115	53	530.00	.07
T10-560-14	15.73	7762-2116	56	560.00	.08
T10-600-14	16.43	7762-2117	60	600.00	.08

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch — 14mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-610-14	\$16.59	7762-2118	61	610.00	.09
T10-630-14	16.91	7762-2119	63	630.00	.09
T10-660-14	17.44	7762-2120	66	660.00	.09
T10-690-14	17.97	7762-2121	69	690.00	.10
T10-700-14	18.13	7762-2122	70	700.00	.10
T10-720-14	18.51	7762-2123	72	720.00	.10
T10-730-14	18.67	7762-2124	73	730.00	.10
T10-750-14	19.04	7762-2125	75	750.00	.11
T10-780-14	19.57	7762-2126	78	780.00	.11
T10-800-14	19.96	7762-0328	80	800.00	.11
T10-810-14	20.16	7762-2127	81	810.00	.11
T10-840-14	20.69	7762-2128	84	840.00	.12
T10-880-14	21.49	7762-2129	88	880.00	.12
T10-890-14	21.71	7762-2130	89	890.00	.13
T10-900-14	21.87	7762-2131	90	900.00	.13
T10-910-14	22.08	7762-2132	91	910.00	.13
T10-920-14	22.29	7762-2133	92	920.00	.13
T10-950-14	22.89	7762-0341	95	950.00	.13
T10-960-14	23.09	7762-2134	96	960.00	.13
T10-970-14	23.31	7762-2135	97	970.00	.14
T10-980-14	23.52	7762-2136	98	980.00	.14
T10-1000-14	23.91	7762-0354	100	1000.00	.14
T10-1010-14	24.11	7762-2137	101	1010.00	.14
T10-1080-14	25.60	7762-2138	108	1080.00	.15

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-1100-14	\$26.08	7762-2139	110	1100.00	.15
T10-1110-14	26.29	7762-2140	111	1110.00	.16
T10-1140-14	26.93	7762-2141	114	1140.00	.16
T10-1150-14	27.15	7762-2142	115	1150.00	.16
T10-1210-14	28.53	7762-2143	121	1210.00	.17
T10-1240-14	29.23	7762-2144	124	1240.00	.17
T10-1250-14	29.49	7762-2145	125	1250.00	.18
T10-1300-14	30.67	7762-2146	130	1300.00	.18
T10-1320-14	31.15	7762-2147	132	1320.00	.19
T10-1350-14	31.89	7762-2148	135	1350.00	.19
T10-1390-14	32.85	7762-2149	139	1390.00	.20
T10-1400-14	33.12	7762-2150	140	1400.00	.20
T10-1420-14	33.60	7762-2151	142	1420.00	.20
T10-1450-14	34.40	7762-2152	145	1450.00	.20
T10-1460-14	34.67	7762-2153	146	1460.00	.21
T10-1500-14	35.68	7762-2154	150	1500.00	.21
T10-1560-14	37.28	7762-2155	156	1560.00	.22
T10-1610-14	38.61	7762-2156	161	1610.00	.23
T10-1750-14	42.56	7762-2157	175	1750.00	.25
T10-1780-14	43.41	7762-2158	178	1780.00	.25
T10-1880-14	46.35	7762-2159	188	1880.00	.26
T10-1960-14	48.80	7762-2160	196	1960.00	.28
T10-2250-14	58.24	7762-2161	225	2250.00	.32

T10 Pitch — 16mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-16	\$12.95	7762-2165	26	260.00	.04
T10-370-16	14.68	7762-2166	37	370.00	.06
T10-400-16	15.17	7762-2167	40	400.00	.06
T10-410-16	15.34	7762-2168	41	410.00	.07
T10-440-16	15.85	7762-2169	44	440.00	.07
T10-450-16	16.02	7762-2170	45	450.00	.07
T10-500-16	16.90	7762-2171	50	500.00	.08
T10-530-16	17.44	7762-2172	53	530.00	.09
T10-560-16	17.99	7762-2173	56	560.00	.09
T10-600-16	18.75	7762-2174	60	600.00	.10
T10-610-16	18.94	7762-2175	61	610.00	.10
T10-630-16	19.32	7762-2176	63	630.00	.10
T10-660-16	19.91	7762-2177	66	660.00	.11
T10-690-16	20.51	7762-2178	69	690.00	.11
T10-700-16	20.71	7762-2179	70	700.00	.11
T10-720-16	21.12	7762-2180	72	720.00	.12
T10-730-16	21.33	7762-2181	73	730.00	.12
T10-750-16	21.74	7762-2182	75	750.00	.12
T10-780-16	22.38	7762-2183	78	780.00	.13
T10-800-16	22.81	7762-0329	80	800.00	.13
T10-810-16	23.02	7762-2184	81	810.00	.13
T10-840-16	23.67	7762-2185	84	840.00	.13
T10-880-16	24.56	7762-2186	88	880.00	.14
T10-890-16	24.78	7762-2187	89	890.00	.14
T10-900-16	25.01	7762-2188	90	900.00	.14
T10-910-16	25.24	7762-2189	91	910.00	.15
T10-920-16	25.47	7762-2190	92	920.00	.15
T10-950-16	26.16	7762-0342	95	950.00	.15
T10-960-16	26.39	7762-2191	96	960.00	.15

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-16	\$26.63	7762-2192	97	970.00	.16
T10-980-16	26.86	7762-2193	98	980.00	.16
T10-1000-16	27.34	7762-0355	100	1000.00	.16
T10-1010-16	27.58	7762-2194	101	1010.00	.16
T10-1080-16	29.29	7762-2195	108	1080.00	.17
T10-1100-16	29.79	7762-2196	110	1100.00	.18
T10-1110-16	30.04	7762-2197	111	1110.00	.18
T10-1140-16	30.80	7762-2198	114	1140.00	.18
T10-1150-16	31.05	7762-2199	115	1150.00	.18
T10-1210-16	32.62	7762-2200	121	1210.00	.19
T10-1240-16	33.44	7762-2201	124	1240.00	.20
T10-1250-16	33.71	7762-2202	125	1250.00	.20
T10-1300-16	35.04	7762-2203	130	1300.00	.21
T10-1320-16	35.57	7762-2204	132	1320.00	.21
T10-1350-16	36.43	7762-2205	135	1350.00	.22
T10-1390-16	37.55	7762-2206	139	1390.00	.22
T10-1400-16	37.87	7762-2207	140	1400.00	.22
T10-1420-16	38.40	7762-2208	142	1420.00	.23
T10-1450-16	39.31	7762-2209	145	1450.00	.23
T10-1460-16	39.57	7762-2210	146	1460.00	.23
T10-1500-16	40.80	7762-2211	150	1500.00	.24
T10-1560-16	42.61	7762-2212	156	1560.00	.25
T10-1610-16	44.16	7762-2213	161	1610.00	.26
T10-1750-16	48.64	7762-2214	175	1750.00	.28
T10-1780-16	49.60	7762-2215	178	1780.00	.29
T10-1880-16	53.01	7762-2216	188	1880.00	.30
T10-1960-16	55.79	7762-2217	196	1960.00	.31
T10-2250-16	66.56	7762-2218	225	2250.00	.36

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch — 20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-20	\$16.20	7762-2220	26	260.00	.05
T10-370-20	18.35	7762-2221	37	370.00	.07
T10-400-20	18.97	7762-2222	40	400.00	.08
T10-410-20	19.18	7762-2223	41	410.00	.08
T10-440-20	19.81	7762-2224	44	440.00	.09
T10-450-20	20.03	7762-2225	45	450.00	.09
T10-500-20	21.13	7762-2226	50	500.00	.10
T10-530-20	21.80	7762-2227	53	530.00	.11
T10-560-20	22.49	7762-2228	56	560.00	.11
T10-600-20	23.44	7762-2229	60	600.00	.12
T10-610-20	23.67	7762-2230	61	610.00	.12
T10-630-20	24.16	7762-2231	63	630.00	.13
T10-660-20	24.89	7762-2232	66	660.00	.13
T10-690-20	25.64	7762-2233	69	690.00	.14
T10-700-20	25.89	7762-2234	70	700.00	.14
T10-720-20	26.40	7762-2235	72	720.00	.14
T10-730-20	26.66	7762-2236	73	730.00	.15
T10-750-20	27.18	7762-2237	75	750.00	.15
T10-780-20	27.97	7762-2238	78	780.00	.16
T10-800-20	28.50	7762-0030	80	800.00	.16
T10-810-20	28.77	7762-2239	81	810.00	.16
T10-840-20	29.59	7762-2240	84	840.00	.17
T10-880-20	30.70	7762-2241	88	880.00	.18
T10-890-20	30.98	7762-2242	89	890.00	.18
T10-900-20	31.26	7762-2243	90	900.00	.18
T10-910-20	31.55	7762-2244	91	910.00	.18
T10-920-20	31.83	7762-2245	92	920.00	.18
T10-950-20	32.70	7762-0343	95	950.00	.19
T10-960-20	32.99	7762-2246	96	960.00	.19

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-20	\$33.28	7762-2247	97	970.00	.19
T10-980-20	33.58	7762-2248	98	980.00	.20
T10-1000-20	34.17	7762-0356	100	1000.00	.20
T10-1010-20	34.47	7762-2249	101	1010.00	.20
T10-1080-20	36.61	7762-2250	108	1080.00	.22
T10-1100-20	37.23	7762-2251	110	1100.00	.22
T10-1110-20	37.55	7762-2252	111	1110.00	.22
T10-1140-20	38.50	7762-2253	114	1140.00	.23
T10-1150-20	38.82	7762-2254	115	1150.00	.23
T10-1210-20	40.77	7762-2255	121	1210.00	.24
T10-1240-20	41.76	7762-2256	124	1240.00	.25
T10-1250-20	42.08	7762-2257	125	1250.00	.25
T10-1300-20	43.79	7762-2258	130	1300.00	.26
T10-1320-20	44.48	7762-2259	132	1320.00	.27
T10-1350-20	45.55	7762-2260	135	1350.00	.27
T10-1390-20	46.93	7762-2261	139	1390.00	.28
T10-1400-20	47.31	7762-2262	140	1400.00	.28
T10-1420-20	48.05	7762-2263	142	1420.00	.29
T10-1450-20	49.12	7762-2264	145	1450.00	.29
T10-1460-20	49.49	7762-2265	146	1460.00	.29
T10-1500-20	50.99	7762-2266	150	1500.00	.30
T10-1560-20	53.23	7762-2267	156	1560.00	.31
T10-1610-20	55.15	7762-2268	161	1610.00	.32
T10-1750-20	60.80	7762-2269	175	1750.00	.35
T10-1780-20	62.03	7762-2270	178	1780.00	.36
T10-1880-20	66.24	7762-2271	188	1880.00	.38
T10-1960-20	69.76	7762-2272	196	1960.00	.39
T10-2250-20	83.20	7762-2273	225	2250.00	.45

T10 Pitch — 25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-25	\$20.24	7762-2275	26	260.00	.07
T10-370-25	22.93	7762-2276	37	370.00	.09
T10-400-25	23.70	7762-2277	40	400.00	.10
T10-410-25	23.97	7762-2278	41	410.00	.10
T10-440-25	24.76	7762-2279	44	440.00	.11
T10-450-25	25.03	7762-2280	45	450.00	.11
T10-500-25	26.40	7762-2281	50	500.00	.13
T10-530-25	27.25	7762-2282	53	530.00	.13
T10-560-25	28.11	7762-2283	56	560.00	.14
T10-600-25	29.29	7762-2284	60	600.00	.15
T10-610-25	29.59	7762-2285	61	610.00	.15
T10-630-25	30.19	7762-2286	63	630.00	.16
T10-660-25	31.11	7762-2287	66	660.00	.17
T10-690-25	32.05	7762-2288	69	690.00	.17
T10-700-25	32.36	7762-2289	70	700.00	.18
T10-720-25	33.00	7762-2290	72	720.00	.18
T10-730-25	33.32	7762-2291	73	730.00	.18
T10-750-25	33.97	7762-2292	75	750.00	.19
T10-780-25	34.96	7762-2293	78	780.00	.20
T10-800-25	35.63	7762-0331	80	800.00	.20
T10-810-25	35.96	7762-2294	81	810.00	.20
T10-840-25	36.98	7762-2295	84	840.00	.21

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-880-25	\$38.37	7762-2296	88	880.00	.22
T10-890-25	38.72	7762-2297	89	890.00	.22
T10-900-25	39.07	7762-2298	90	900.00	.23
T10-910-25	39.43	7762-2299	91	910.00	.23
T10-920-25	39.79	7762-2300	92	920.00	.23
T10-950-25	40.87	7762-0344	95	950.00	.24
T10-960-25	41.23	7762-2301	96	960.00	.24
T10-970-25	41.60	7762-2302	97	970.00	.24
T10-980-25	41.97	7762-2303	98	980.00	.25
T10-1000-25	42.72	7762-0357	100	1000.00	.25
T10-1010-25	43.09	7762-2304	101	1010.00	.25
T10-1080-25	45.76	7762-2305	108	1080.00	.27
T10-1100-25	46.54	7762-2306	110	1100.00	.28
T10-1110-25	46.93	7762-2307	111	1110.00	.28
T10-1140-25	48.12	7762-2308	114	1140.00	.29
T10-1150-25	48.52	7762-2309	115	1150.00	.29
T10-1210-25	50.96	7762-2310	121	1210.00	.30
T10-1240-25	52.21	7762-2311	124	1240.00	.31
T10-1250-25	52.64	7762-2312	125	1250.00	.31
T10-1300-25	54.77	7762-2313	130	1300.00	.33
T10-1320-25	55.63	7762-2314	132	1320.00	.33
T10-1350-25	56.91	7762-2315	135	1350.00	.34

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch — 25mm Wide (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-1390-25	\$58.67	7762-2316	139	1390.00	.35
T10-1400-25	59.15	7762-2317	140	1400.00	.35
T10-1420-25	60.05	7762-2318	142	1420.00	.36
T10-1450-25	61.39	7762-2319	145	1450.00	.36
T10-1460-25	61.87	7762-2320	146	1460.00	.37
T10-1500-25	63.73	7762-2321	150	1500.00	.38
T10-1560-25	66.56	7762-2322	156	1560.00	.39

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-1610-25	\$68.96	7762-2323	161	1610.00	.40
T10-1750-25	75.95	7762-2324	175	1750.00	.44
T10-1780-25	77.49	7762-2325	178	1780.00	.45
T10-1880-25	82.83	7762-2326	188	1880.00	.47
T10-1960-25	87.15	7762-2327	196	1960.00	.49
T10-2250-25	104.00	7762-2328	225	2250.00	.56

T10 Pitch — 32mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-32	\$25.91	7762-2330	26	260.00	.08
T10-370-32	29.35	7762-2331	37	370.00	.12
T10-400-32	30.34	7762-2332	40	400.00	.13
T10-410-32	30.68	7762-2333	41	410.00	.13
T10-440-32	31.70	7762-2334	44	440.00	.14
T10-450-32	32.04	7762-2335	45	450.00	.14
T10-500-32	33.80	7762-2336	50	500.00	.16
T10-530-32	34.88	7762-2337	53	530.00	.17
T10-560-32	35.99	7762-2338	56	560.00	.18
T10-600-32	37.49	7762-2339	60	600.00	.19
T10-610-32	37.88	7762-2340	61	610.00	.20
T10-630-32	38.65	7762-2341	63	630.00	.20
T10-660-32	39.83	7762-2342	66	660.00	.21
T10-690-32	41.02	7762-2343	69	690.00	.22
T10-700-32	41.43	7762-2344	70	700.00	.22
T10-720-32	42.24	7762-2345	72	720.00	.23
T10-730-32	42.66	7762-2346	73	730.00	.23
T10-750-32	43.49	7762-2347	75	750.00	.24
T10-780-32	44.75	7762-2348	78	780.00	.25
T10-800-32	45.61	7762-0332	80	800.00	.26
T10-810-32	46.04	7762-2349	81	810.00	.26
T10-840-32	47.34	7762-2350	84	840.00	.27
T10-880-32	49.12	7762-2351	88	880.00	.28
T10-890-32	49.57	7762-2352	89	890.00	.29
T10-900-32	50.02	7762-2353	90	900.00	.29
T10-910-32	50.47	7762-2354	91	910.00	.29
T10-920-32	50.93	7762-2355	92	920.00	.30
T10-950-32	52.32	7662-0345	95	950.00	.31
T10-960-32	52.78	7762-2356	96	960.00	.31

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-32	\$53.25	7762-2357	97	970.00	.31
T10-980-32	53.73	7762-2358	98	980.00	.31
T10-1000-32	54.68	7762-0358	100	1000.00	.32
T10-1010-32	55.15	7762-2359	101	1010.00	.32
T10-1080-32	58.57	7762-2360	108	1080.00	.35
T10-1100-32	59.57	7762-2361	110	1100.00	.35
T10-1110-32	60.07	7762-2362	111	1110.00	.36
T10-1140-32	61.60	7762-2363	114	1140.00	.37
T10-1150-32	62.11	7762-2364	115	1150.00	.37
T10-1210-32	65.23	7762-2365	121	1210.00	.39
T10-1240-32	66.83	7762-2366	124	1240.00	.40
T10-1250-32	67.36	7762-2367	125	1250.00	.40
T10-1300-32	70.08	7762-2368	130	1300.00	.42
T10-1320-32	71.20	7762-2369	132	1320.00	.42
T10-1350-32	72.85	7762-2370	135	1350.00	.43
T10-1390-32	75.15	7762-2371	139	1390.00	.45
T10-1400-32	75.68	7762-2372	140	1400.00	.45
T10-1420-32	76.85	7762-2373	142	1420.00	.46
T10-1450-32	78.61	7762-2374	145	1450.00	.47
T10-1460-32	79.20	7762-2375	146	1460.00	.47
T10-1500-32	81.55	7762-2376	150	1500.00	.48
T10-1560-32	85.17	7762-2377	156	1560.00	.50
T10-1610-32	88.27	7762-2378	161	1610.00	.52
T10-1750-32	97.23	7762-2379	175	1750.00	.56
T10-1780-32	99.20	7762-2380	178	1780.00	.57
T10-1880-32	105.97	7762-2381	188	1880.00	.60
T10-1960-32	111.57	7762-2382	196	1960.00	.63
T10-2250-32	133.12	7762-2383	225	2250.00	.72

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch — 50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-50	\$40.50	7762-2385	26	260.00	.13
T10-370-50	45.88	7762-2386	37	370.00	.19
T10-400-50	47.43	7762-2387	40	400.00	.20
T10-410-50	47.95	7762-2388	41	410.00	.21
T10-440-50	49.54	7762-2389	44	440.00	.22
T10-450-50	50.08	7762-2390	45	450.00	.23
T10-500-50	52.82	7762-2391	50	500.00	.25
T10-530-50	54.52	7762-2392	53	530.00	.27
T10-560-50	56.24	7762-2393	56	560.00	.28
T10-600-50	58.60	7762-2394	60	600.00	.30
T10-610-50	59.19	7762-2395	61	610.00	.31
T10-630-50	60.40	7762-2396	63	630.00	.32
T10-660-50	62.24	7762-2397	66	660.00	.33
T10-690-50	64.11	7762-2398	69	690.00	.35
T10-700-50	64.74	7762-2399	70	700.00	.35
T10-720-50	66.02	7762-2400	72	720.00	.36
T10-730-50	66.66	7762-2401	73	730.00	.37
T10-750-50	67.96	7762-2402	75	750.00	.38
T10-780-50	69.93	7762-2403	78	780.00	.39
T10-800-50	71.27	7762-0333	80	800.00	.40
T10-810-50	71.94	7762-2404	81	810.00	.41
T10-840-50	73.98	7762-2405	84	840.00	.42
T10-880-50	76.76	7762-2406	88	880.00	.44
T10-890-50	77.46	7762-2407	89	890.00	.45
T10-900-50	78.17	7762-2408	90	900.00	.45
T10-910-50	78.88	7762-2409	91	910.00	.46
T10-920-50	79.59	7762-2410	92	920.00	.46
T10-950-50	81.77	7762-0346	95	950.00	.48
T10-960-50	82.49	7762-2411	96	960.00	.48

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-50	\$83.22	7762-2412	97	970.00	.49
T10-980-50	83.96	7762-2413	98	980.00	.49
T10-1000-50	85.45	7762-0359	100	1000.00	.50
T10-1010-50	86.19	7762-2414	101	1010.00	.51
T10-1080-50	91.53	7762-2415	108	1080.00	.54
T10-1100-50	93.09	7762-2416	110	1100.00	.55
T10-1110-50	93.87	7762-2417	111	1110.00	.56
T10-1140-50	96.25	7762-2418	114	1140.00	.57
T10-1150-50	97.05	7762-2419	115	1150.00	.58
T10-1210-50	101.93	7762-2420	121	1210.00	.61
T10-1240-50	104.43	7762-2421	124	1240.00	.62
T10-1250-50	105.28	7762-2422	125	1250.00	.63
T10-1300-50	109.49	7762-2423	130	1300.00	.65
T10-1320-50	111.25	7762-2424	132	1320.00	.66
T10-1350-50	113.87	7762-2425	135	1350.00	.68
T10-1390-50	117.39	7762-2426	139	1390.00	.70
T10-1400-50	118.29	7762-2427	140	1400.00	.70
T10-1420-50	120.11	7762-2428	142	1420.00	.71
T10-1450-50	122.83	7762-2429	145	1450.00	.73
T10-1460-50	123.73	7762-2430	146	1460.00	.73
T10-1500-50	127.41	7762-2431	150	1500.00	.75
T10-1560-50	133.12	7762-2432	156	1560.00	.78
T10-1610-50	137.92	7762-2433	161	1610.00	.81
T10-1750-50	151.95	7762-2434	175	1750.00	.88
T10-1780-50	155.04	7762-2435	178	1780.00	.89
T10-1880-50	165.60	7762-2436	188	1880.00	.94
T10-1960-50	174.35	7762-2437	196	1960.00	.98
T10-2250-50	208.00	7762-2438	225	2250.00	1.13

T10 Pitch — 75mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-75	\$60.74	7762-2450	26	260.00	.20
T10-370-75	68.81	7762-2451	37	370.00	.28
T10-400-75	71.13	7762-2452	40	400.00	.30
T10-410-75	71.92	7762-2453	41	410.00	.31
T10-440-75	74.30	7762-2454	44	440.00	.33
T10-450-75	75.11	7762-2455	45	450.00	.34
T10-500-75	79.23	7762-2456	50	500.00	.38
T10-530-75	81.77	7762-2457	53	530.00	.40
T10-560-75	84.36	7762-2458	56	560.00	.42
T10-600-75	87.89	7762-2459	60	600.00	.45
T10-610-75	88.78	7762-2460	61	610.00	.46
T10-630-75	90.59	7762-2461	63	630.00	.47
T10-660-75	93.35	7762-2462	66	660.00	.50
T10-690-75	96.16	7762-2463	69	690.00	.52
T10-700-75	97.11	7762-2464	70	700.00	.53
T10-720-75	99.02	7762-2465	72	720.00	.54
T10-730-75	99.99	7762-2466	73	730.00	.55
T10-750-75	101.93	7762-2467	75	750.00	.56
T10-780-75	104.89	7762-2468	78	780.00	.59
T10-800-75	106.90	7762-0334	80	800.00	.60
T10-810-75	107.90	7762-2469	81	810.00	.61
T10-840-75	110.97	7762-2470	84	840.00	.63

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-880-75	\$115.13	7762-2471	88	880.00	.66
T10-890-75	116.18	7762-2472	89	890.00	.67
T10-900-75	117.24	7762-2473	90	900.00	.68
T10-910-75	118.31	7762-2474	91	910.00	.69
T10-920-75	119.38	7762-2475	92	920.00	.69
T10-950-75	128.15	7762-0360	95	950.00	.71
T10-960-75	123.72	7762-2476	96	960.00	.72
T10-970-75	124.82	7762-2477	97	970.00	.73
T10-980-75	125.92	7762-2478	98	980.00	.74
T10-1000-75	128.15	7762-0360	100	1000.00	.75
T10-1010-75	129.27	7762-2479	101	1010.00	.76
T10-1080-75	137.28	7762-2480	108	1080.00	.81
T10-1100-75	139.62	7762-2481	110	1100.00	.83
T10-1110-75	140.80	7762-2482	111	1110.00	.84
T10-1140-75	144.37	7762-2483	114	1140.00	.86
T10-1150-75	145.57	7762-2484	115	1150.00	.87
T10-1210-75	152.89	7762-2485	121	1210.00	.91
T10-1240-75	156.64	7762-2486	124	1240.00	.93
T10-1250-75	157.87	7762-2487	125	1250.00	.94
T10-1300-75	164.27	7762-2488	130	1300.00	.98
T10-1320-75	166.83	7762-2489	132	1320.00	.99
T10-1350-75	170.77	7762-2490	135	1350.00	1.02

*Standard/Non-Stock

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch — 75mm Wide* (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-1390-75	\$176.05	7762-2491	139	1390.00	1.05
T10-1400-75	177.44	7762-2492	140	1400.00	1.05
T10-1420-75	180.11	7762-2493	142	1420.00	1.07
T10-1450-75	184.21	7762-2494	145	1450.00	1.09
T10-1460-75	185.60	7762-2495	146	1460.00	1.10
T10-1500-75	191.15	7762-2496	150	1500.00	1.13
T10-1560-75	199.63	7762-2497	156	1560.00	1.17

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-1610-75	\$206.88	7762-2498	161	1610.00	1.21
T10-1750-75	227.89	7762-2499	175	1750.00	1.32
T10-1780-75	232.53	7762-2500	178	1780.00	1.34
T10-1880-75	248.43	7762-2501	188	1880.00	1.42
T10-1960-75	261.49	7762-2502	196	1960.00	1.48
T10-2250-75	312.00	7762-2503	225	2250.00	1.69

*Standard/Non-Stock

T10 Pitch — 100mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-100	\$68.52	7762-2505	26	260.00	.52
T10-370-100	77.63	7762-2506	37	370.00	.74
T10-400-100	80.24	7762-2507	40	400.00	.80
T10-410-100	81.13	7762-2508	41	410.00	.82
T10-440-100	83.82	7762-2509	44	440.00	.88
T10-450-100	84.73	7762-2510	45	450.00	.90
T10-500-100	89.38	7762-2511	50	500.00	1.00
T10-530-100	92.24	7762-2512	53	530.00	1.06
T10-560-100	95.17	7762-2513	56	560.00	1.12
T10-600-100	99.15	7762-2514	60	600.00	1.20
T10-610-100	100.16	7762-2515	61	610.00	1.22
T10-630-100	102.20	7762-2516	63	630.00	1.26
T10-660-100	105.32	7762-2517	66	660.00	1.33
T10-690-100	108.48	7762-2518	69	690.00	1.39
T10-700-100	109.55	7762-2519	70	700.00	1.41
T10-720-100	111.71	7762-2520	72	720.00	1.45
T10-730-100	112.80	7762-2521	73	730.00	1.47
T10-750-100	114.99	7762-2522	75	750.00	1.51
T10-780-100	118.33	7762-2523	78	780.00	1.57
T10-800-100	120.60	7762-0335	80	800.00	1.61
T10-810-100	121.73	7762-2524	81	810.00	1.63
T10-840-100	125.19	7762-2525	84	840.00	1.69
T10-880-100	129.88	7762-2526	88	880.00	1.77
T10-890-100	131.07	7762-2527	89	890.00	1.79
T10-900-100	132.27	7762-2528	90	900.00	1.81
T10-910-100	133.47	7762-2529	91	910.00	1.83
T10-920-100	134.68	7762-2530	92	920.00	1.85
T10-950-100	138.36	7762-0348	95	950.00	1.91
T10-960-100	139.58	7762-2531	96	960.00	1.93

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-100	\$140.82	7762-2532	97	970.00	1.95
T10-980-100	142.06	7762-2533	98	980.00	1.97
T10-1000-100	144.58	7762-0361	100	1000.00	2.01
T10-1010-100	145.84	7762-2534	101	1010.00	2.03
T10-1080-100	154.88	7762-2535	108	1080.00	2.17
T10-1100-100	157.52	7762-2536	110	1100.00	2.21
T10-1110-100	158.85	7762-2537	111	1110.00	2.23
T10-1140-100	162.87	7762-2538	114	1140.00	2.29
T10-1150-100	164.23	7762-2539	115	1150.00	2.31
T10-1210-100	172.49	7762-2540	121	1210.00	2.43
T10-1240-100	176.69	7762-2541	124	1240.00	2.44
T10-1250-100	178.13	7762-2542	125	1250.00	2.45
T10-1300-100	185.33	7762-2543	130	1300.00	2.51
T10-1320-100	188.21	7762-2544	132	1320.00	2.53
T10-1350-100	192.64	7762-2545	135	1350.00	2.56
T10-1390-100	198.67	7762-2546	139	1390.00	2.60
T10-1400-100	200.16	7762-2547	140	1400.00	2.61
T10-1420-100	203.20	7762-2548	142	1420.00	2.63
T10-1450-100	207.84	7762-2549	145	1450.00	2.66
T10-1460-100	209.39	7762-2550	146	1460.00	2.67
T10-1500-100	215.63	7762-2551	150	1500.00	2.71
T10-1560-100	225.23	7762-2552	156	1560.00	2.79
T10-1610-100	233.39	7762-2553	161	1610.00	2.83
T10-1750-100	257.12	7762-2554	175	1750.00	3.00
T10-1780-100	262.40	7762-2555	178	1780.00	3.03
T10-1880-100	280.27	7762-2556	188	1880.00	3.19
T10-1960-100	295.04	7762-2557	196	1960.00	3.30
T10-2250-100	352.00	7762-2558	225	2250.00	3.94

*Standard/Non-Stock

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

T10 Pitch — 200mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-260-200	\$124.59	7762-2560	26	260.00	.52
T10-370-200	141.14	7762-2561	37	370.00	.74
T10-400-200	145.90	7762-2562	40	400.00	.80
T10-410-200	147.51	7762-2563	41	410.00	.82
T10-440-200	152.40	7762-2564	44	440.00	.88
T10-450-200	154.06	7762-2565	45	450.00	.90
T10-500-200	162.51	7762-2566	50	500.00	1.00
T10-530-200	167.72	7762-2567	53	530.00	1.06
T10-560-200	173.03	7762-2568	56	560.00	1.12
T10-600-200	180.27	7762-2569	60	600.00	1.20
T10-610-200	182.11	7762-2570	61	610.00	1.22
T10-630-200	185.83	7762-2571	63	630.00	1.26
T10-660-200	191.48	7762-2572	66	660.00	1.33
T10-690-200	197.24	7762-2573	69	690.00	1.39
T10-700-200	199.19	7762-2574	70	700.00	1.41
T10-720-200	203.11	7762-2575	72	720.00	1.45
T10-730-200	205.09	7762-2576	73	730.00	1.47
T10-750-200	209.08	7762-2577	75	750.00	1.51
T10-780-200	215.15	7762-2578	78	780.00	1.57
T10-800-200	219.27	7762-0336	80	800.00	1.61
T10-810-200	221.33	7762-2579	81	810.00	1.63
T10-840-200	227.61	7762-2580	84	840.00	1.69
T10-880-200	236.15	7762-2581	88	880.00	1.77
T10-890-200	238.31	7762-2582	89	890.00	1.79
T10-900-200	240.49	7762-2583	90	900.00	1.81
T10-910-200	242.67	7762-2584	91	910.00	1.83
T10-920-200	244.87	7762-2585	92	920.00	1.85
T10-950-200	251.55	7762-0349	95	950.00	1.91
T10-960-200	253.77	7762-2586	96	960.00	1.93

*Standard/Non-Stock

AT5 Pitch — 4mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-4	\$4.68	7762-3000	45	225.00	.01
AT5-255-4	4.86	7762-3001	51	255.00	.01
AT5-275-4	4.99	7762-3002	55	275.00	.01
AT5-280-4	5.02	7762-3003	56	280.00	.01
AT5-300-4	5.14	7762-3004	60	300.00	.01
AT5-340-4	5.39	7762-3005	68	340.00	.01
AT5-375-4	5.61	7762-3006	75	375.00	.01
AT5-390-4	5.71	7762-3007	78	390.00	.01
AT5-420-4	5.90	7762-3008	84	420.00	.01
AT5-455-4	6.12	7762-3009	91	455.00	.01
AT5-500-4	6.41	7762-3010	100	500.00	.02
AT5-545-4	6.70	7762-3011	109	545.00	.02

*Standard/Non-Stock

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
T10-970-200	\$256.03	7762-2587	97	970.00	1.95
T10-980-200	258.30	7762-2588	98	980.00	1.97
T10-1000-200	262.88	7762-0362	100	1000.00	2.01
T10-1010-200	265.17	7762-2589	101	1010.00	2.03
T10-1080-200	281.60	7762-2590	108	1080.00	2.17
T10-1100-200	286.40	7762-2591	110	1100.00	2.21
T10-1110-200	288.82	7762-2592	111	1110.00	2.23
T10-1140-200	296.14	7762-2593	114	1140.00	2.29
T10-1150-200	298.60	7762-2594	115	1150.00	2.31
T10-1210-200	313.62	7762-2595	121	1210.00	2.43
T10-1240-200	321.28	7762-2596	124	1240.00	2.49
T10-1250-200	323.84	7762-2597	125	1250.00	2.51
T10-1300-200	336.91	7762-2598	130	1300.00	2.61
T10-1320-200	342.24	7762-2599	132	1320.00	2.65
T10-1350-200	350.29	7762-2600	135	1350.00	2.71
T10-1390-200	361.17	7762-2601	139	1390.00	2.79
T10-1400-200	363.95	7762-2602	140	1400.00	2.81
T10-1420-200	369.44	7762-2603	142	1420.00	2.85
T10-1450-200	377.87	7762-2604	145	1450.00	2.91
T10-1460-200	380.69	7762-2605	146	1460.00	2.93
T10-1500-200	392.05	7762-2606	150	1500.00	3.01
T10-1560-200	409.55	7762-2607	156	1560.00	3.13
T10-1610-200	424.37	7762-2608	161	1610.00	3.23
T10-1750-200	467.52	7762-2609	175	1750.00	3.51
T10-1780-200	477.07	7762-2610	178	1780.00	3.57
T10-1880-200	509.60	7762-2611	188	1880.00	3.77
T10-1960-200	536.43	7762-2612	196	1960.00	3.94
T10-2250-200	640.00	7762-2613	225	2250.00	4.52

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT5 Pitch — 6mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-6	\$6.53	7762-3024	45	225.00	.01
AT5-255-6	6.79	7762-3025	51	255.00	.01
AT5-275-6	6.96	7762-3026	55	275.00	.01
AT5-280-6	7.00	7762-3027	56	280.00	.01
AT5-300-6	7.18	7762-3028	60	300.00	.01
AT5-340-6	7.53	7762-3029	68	340.00	.02
AT5-375-6	7.84	7762-3030	75	375.00	.02
AT5-390-6	7.97	7762-3031	78	390.00	.02
AT5-420-6	8.24	7762-3032	84	420.00	.02
AT5-455-6	8.55	7762-3033	91	455.00	.02
AT5-500-6	8.95	7762-3034	100	500.00	.02
AT5-545-6	9.36	7762-3035	109	545.00	.02

*Standard/Non-Stock

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-6	\$9.86	7762-3036	120	600.00	.03
AT5-610-6	9.95	7762-3037	122	610.00	.03
AT5-630-6	10.14	7762-3038	126	630.00	.03
AT5-660-6	10.41	7762-3039	132	660.00	.03
AT5-720-6	10.97	7762-3040	144	720.00	.03
AT5-750-6	11.25	7762-3041	150	750.00	.03
AT5-780-6	11.53	7762-3042	156	780.00	.04
AT5-825-6	11.96	7762-3043	165	825.00	.04
AT5-975-6	13.40	7762-3044	195	975.00	.04
AT5-1050-6	14.13	7762-3045	210	1050.00	.05
AT5-1125-6	14.87	7762-3046	225	1125.00	.05
AT5-1500-6	19.20	7762-3312	300	1500.00	.06

AT5 Pitch — 8mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-8	\$8.40	7762-3048	45	225.00	.01
AT5-255-8	8.73	7762-3049	51	255.00	.02
AT5-275-8	8.95	7762-3050	55	275.00	.02
AT5-280-8	9.01	7762-3051	56	280.00	.02
AT5-300-8	9.23	7762-3052	60	300.00	.02
AT5-340-8	9.68	7762-3053	68	340.00	.02
AT5-375-8	10.07	7762-3054	75	375.00	.02
AT5-390-8	10.24	7762-3055	78	390.00	.02
AT5-420-8	10.58	7762-3056	84	420.00	.03
AT5-455-8	10.98	7762-3057	91	455.00	.03
AT5-500-8	11.50	7762-3058	100	500.00	.03
AT5-545-8	12.02	7762-3059	109	545.00	.03

*Standard/Non-Stock

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-8	\$12.67	7762-3060	120	600.00	.04
AT5-610-8	12.78	7762-3061	122	610.00	.04
AT5-630-8	13.02	7762-3062	126	630.00	.04
AT5-660-8	13.37	7762-3063	132	660.00	.04
AT5-720-8	14.09	7762-3064	144	720.00	.04
AT5-750-8	14.45	7762-3065	150	750.00	.05
AT5-780-8	14.81	7762-3066	156	780.00	.05
AT5-825-8	15.36	7762-3067	165	825.00	.05
AT5-975-8	17.20	7762-3068	195	975.00	.06
AT5-1050-8	18.14	7762-3069	210	1050.00	.06
AT5-1125-8	19.09	7762-3070	225	1125.00	.07
AT5-1500-8	25.60	7762-3313	300	1500.00	.09

AT5 Pitch — 10mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-10	\$9.68	7762-3072	45	225.00	.02
AT5-255-10	10.07	7762-3073	51	255.00	.02
AT5-275-10	10.32	7762-3074	55	275.00	.02
AT5-280-10	10.39	7762-3075	56	280.00	.02
AT5-300-10	10.64	7762-3076	60	300.00	.02
AT5-340-10	11.16	7762-3077	68	340.00	.03
AT5-375-10	11.62	7762-3078	75	375.00	.03
AT5-390-10	11.81	7762-3079	78	390.00	.03
AT5-420-10	12.20	7762-3080	84	420.00	.03
AT5-455-10	12.67	7762-3081	91	455.00	.03
AT5-500-10	13.26	7762-3082	100	500.00	.04
AT5-545-10	13.87	7762-3083	109	545.00	.04

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-10	\$14.61	7762-3084	120	600.00	.05
AT5-610-10	14.74	7762-3085	122	610.00	.05
AT5-630-10	15.01	7762-3086	126	630.00	.05
AT5-660-10	15.42	7762-3087	132	660.00	.05
AT5-720-10	16.25	7762-3088	144	720.00	.05
AT5-750-10	16.66	7762-3089	150	750.00	.06
AT5-780-10	17.08	7762-3090	156	780.00	.06
AT5-825-10	17.71	7762-3091	165	825.00	.06
AT5-975-10	19.84	7762-3092	195	975.00	.07
AT5-1050-10	20.93	7762-3093	210	1050.00	.08
AT5-1125-10	22.02	7762-3094	225	1125.00	.09
AT5-1500-10	28.80	7762-3314	300	1500.00	.11

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT5 Pitch — 12mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-12	\$11.13	7762-3096	45	225.00	.02
AT5-255-12	11.57	7762-3097	51	255.00	.02
AT5-275-12	11.87	7762-3098	55	275.00	.02
AT5-280-12	11.94	7762-3099	56	280.00	.03
AT5-300-12	12.24	7762-3100	60	300.00	.03
AT5-340-12	12.83	7762-3101	68	340.00	.03
AT5-375-12	13.36	7762-3102	75	375.00	.03
AT5-390-12	13.58	7762-3103	78	390.00	.04
AT5-420-12	14.03	7762-3104	84	420.00	.04
AT5-455-12	14.56	7762-3105	91	455.00	.04
AT5-500-12	15.25	7762-3106	100	500.00	.05
AT5-545-12	15.94	7762-3107	109	545.00	.05

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-12	\$16.79	7762-3108	120	600.00	.05
AT5-610-12	16.95	7762-3109	122	610.00	.06
AT5-630-12	17.26	7762-3110	126	630.00	.06
AT5-660-12	17.73	7762-3111	132	660.00	.06
AT5-720-12	18.68	7762-3112	144	720.00	.07
AT5-750-12	19.16	7762-3113	150	750.00	.07
AT5-780-12	19.64	7762-3114	156	780.00	.07
AT5-825-12	20.36	7762-3115	165	825.00	.07
AT5-975-12	22.81	7762-3116	195	975.00	.09
AT5-1050-12	24.06	7762-3117	210	1050.00	.10
AT5-1125-12	25.32	7762-3118	225	1125.00	.10
AT5-1500-12	33.60	7762-3315	300	1500.00	.13

*Standard/Non-Stock

AT5 Pitch — 16mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-16	\$14.20	7762-3120	45	225.00	.03
AT5-255-16	14.76	7762-3121	51	255.00	.03
AT5-275-16	15.13	7762-3122	55	275.00	.03
AT5-280-16	15.23	7762-3123	56	280.00	.03
AT5-300-16	15.61	7762-3124	60	300.00	.04
AT5-340-16	16.36	7762-3125	68	340.00	.04
AT5-375-16	17.03	7762-3126	75	375.00	.05
AT5-390-16	17.32	7762-3127	78	390.00	.05
AT5-420-16	17.89	7762-3128	84	420.00	.05
AT5-455-16	18.57	7762-3129	91	455.00	.06
AT5-500-16	19.45	7762-3130	100	500.00	.06
AT5-545-16	20.33	7762-3131	109	545.00	.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-16	\$21.42	7762-3132	120	600.00	.07
AT5-610-16	21.62	7762-3133	122	610.00	.07
AT5-630-16	22.01	7762-3134	126	630.00	.08
AT5-660-16	22.61	7762-3135	132	660.00	.08
AT5-720-16	23.82	7762-3136	144	720.00	.09
AT5-750-16	24.43	7762-3137	150	750.00	.09
AT5-780-16	25.04	7762-3138	156	780.00	.09
AT5-825-16	25.97	7762-3139	165	825.00	.10
AT5-975-16	29.10	7762-3140	195	975.00	.12
AT5-1050-16	30.69	7762-3141	210	1050.00	.13
AT5-1125-16	32.30	7762-3142	225	1125.00	.14
AT5-1500-16	43.04	7762-3316	300	1500.00	.18

AT5 Pitch — 20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-20	\$17.75	7762-3144	45	225.00	.03
AT5-255-20	18.45	7762-3145	51	255.00	.04
AT5-275-20	18.92	7762-3146	55	275.00	.04
AT5-280-20	19.04	7762-3147	56	280.00	.04
AT5-300-20	19.51	7762-3148	60	300.00	.05
AT5-340-20	20.46	7762-3149	68	340.00	.05
AT5-375-20	21.29	7762-3150	75	375.00	.06
AT5-390-20	21.65	7762-3151	78	390.00	.06
AT5-420-20	22.38	7762-3152	84	420.00	.06
AT5-455-20	23.22	7762-3153	91	455.00	.07
AT5-500-20	24.32	7762-3154	100	500.00	.08
AT5-545-20	25.42	7762-3155	109	545.00	.08

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-20	\$26.78	7762-3156	120	600.00	.09
AT5-610-20	27.03	7762-3157	122	610.00	.09
AT5-630-20	27.53	7762-3158	126	630.00	.10
AT5-660-20	28.28	7762-3159	132	660.00	.10
AT5-720-20	29.79	7762-3160	144	720.00	.11
AT5-750-20	30.55	7762-3161	150	750.00	.11
AT5-780-20	31.32	7762-3162	156	780.00	.12
AT5-825-20	32.47	7762-3163	165	825.00	.12
AT5-975-20	36.38	7762-3164	195	975.00	.15
AT5-1050-20	38.37	7762-3165	210	1050.00	.16
AT5-1125-20	40.38	7762-3166	225	1125.00	.17
AT5-1500-20	53.81	7762-3317	300	1500.00	.22

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT5 Pitch — 25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-25	\$22.20	7762-3168	45	225.00	.04
AT5-255-25	23.07	7762-3169	51	255.00	.05
AT5-275-25	23.66	7762-3170	55	275.00	.05
AT5-280-25	23.81	7762-3171	56	280.00	.05
AT5-300-25	24.40	7762-3172	60	300.00	.06
AT5-340-25	25.58	7762-3173	68	340.00	.06
AT5-375-25	26.63	7762-3174	75	375.00	.07
AT5-390-25	27.08	7762-3175	78	390.00	.07
AT5-420-25	27.98	7762-3176	84	420.00	.08
AT5-455-25	29.04	7762-3177	91	455.00	.09
AT5-500-25	30.40	7762-3178	100	500.00	.09
AT5-545-25	31.78	7762-3179	109	545.00	.10

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-25	\$33.48	7762-3180	120	600.00	.11
AT5-610-25	33.79	7762-3181	122	610.00	.12
AT5-630-25	34.42	7762-3182	126	630.00	.12
AT5-660-25	35.36	7762-3183	132	660.00	.12
AT5-720-25	37.24	7762-3184	144	720.00	.14
AT5-750-25	38.20	7762-3185	150	750.00	.14
AT5-780-25	39.15	7762-3186	156	780.00	.15
AT5-825-25	40.59	7762-3187	165	825.00	.16
AT5-975-25	45.48	7762-3188	195	975.00	.18
AT5-1050-25	47.96	7762-3189	210	1050.00	.20
AT5-1125-25	50.47	7762-3190	225	1125.00	.21
AT5-1500-25	67.25	7762-3318	300	1500.00	.28

AT5 Pitch — 32mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-32	\$28.40	7762-3192	45	225.00	.04
AT5-255-32	29.52	7762-3193	51	255.00	.05
AT5-275-32	30.27	7762-3194	55	275.00	.05
AT5-280-32	30.46	7762-3195	56	280.00	.05
AT5-300-32	31.22	7762-3196	60	300.00	.06
AT5-340-32	32.73	7762-3197	68	340.00	.06
AT5-375-32	34.07	7762-3198	75	375.00	.07
AT5-390-32	34.65	7762-3199	78	390.00	.07
AT5-420-32	35.80	7762-3200	84	420.00	.08
AT5-455-32	37.15	7762-3201	91	455.00	.09
AT5-500-32	38.91	7762-3202	100	500.00	.09
AT5-545-32	40.67	7762-3203	109	545.00	.10

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-32	\$42.85	7762-3204	120	600.00	.11
AT5-610-32	43.25	7762-3205	122	610.00	.12
AT5-630-32	44.05	7762-3206	126	630.00	.12
AT5-660-32	45.25	7762-3207	132	660.00	.12
AT5-720-32	47.67	7762-3208	144	720.00	.14
AT5-750-32	48.88	7762-3209	150	750.00	.14
AT5-780-32	50.11	7762-3210	156	780.00	.15
AT5-825-32	51.96	7762-3211	165	825.00	.16
AT5-975-32	58.21	7762-3212	195	975.00	.18
AT5-1050-32	61.39	7762-3213	210	1050.00	.20
AT5-1125-32	64.60	7762-3214	225	1125.00	.21
AT5-1500-32	86.13	7762-3319	300	1500.00	.28

*Standard/Non-Stock

AT5 Pitch — 50mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-50	\$44.39	7762-3216	45	225.00	.09
AT5-255-50	46.14	7762-3217	51	255.00	.10
AT5-275-50	47.32	7762-3218	55	275.00	.10
AT5-280-50	47.61	7762-3219	56	280.00	.11
AT5-300-50	48.79	7762-3220	60	300.00	.11
AT5-340-50	51.16	7762-3221	68	340.00	.13
AT5-375-50	53.24	7762-3222	75	375.00	.14
AT5-390-50	54.14	7762-3223	78	390.00	.15
AT5-420-50	55.94	7762-3224	84	420.00	.16
AT5-455-50	58.06	7762-3225	91	455.00	.17
AT5-500-50	60.79	7762-3226	100	500.00	.19
AT5-545-50	63.55	7762-3227	109	545.00	.21

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-50	\$66.95	7762-3228	120	600.00	.23
AT5-610-50	67.57	7762-3229	122	610.00	.23
AT5-630-50	68.82	7762-3230	126	630.00	.24
AT5-660-50	70.69	7762-3231	132	660.00	.25
AT5-720-50	74.47	7762-3232	144	720.00	.27
AT5-750-50	76.37	7762-3233	150	750.00	.28
AT5-780-50	78.29	7762-3234	156	780.00	.30
AT5-825-50	81.17	7762-3235	165	825.00	.31
AT5-975-50	90.94	7762-3236	195	975.00	.37
AT5-1050-50	95.90	7762-3237	210	1050.00	.40
AT5-1125-50	100.93	7762-3238	225	1125.00	.43
AT5-1500-50	134.56	7762-3320	300	1500.00	.56

*Standard/Non-Stock

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT5 Pitch — 75mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-75	\$66.57	7762-3240	45	225.00	.13
AT5-255-75	69.20	7762-3241	51	255.00	.14
AT5-275-75	70.96	7762-3242	55	275.00	.16
AT5-280-75	71.40	7762-3243	56	280.00	.16
AT5-300-75	73.17	7762-3244	60	300.00	.17
AT5-340-75	76.73	7762-3245	68	340.00	.19
AT5-375-75	79.86	7762-3246	75	375.00	.21
AT5-390-75	81.21	7762-3247	78	390.00	.22
AT5-420-75	83.91	7762-3248	84	420.00	.24
AT5-455-75	87.09	7762-3249	91	455.00	.26
AT5-500-75	91.19	7762-3250	100	500.00	.28
AT5-545-75	95.33	7762-3251	109	545.00	.31

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-75	\$100.43	7762-3252	120	600.00	.34
AT5-610-75	101.36	7762-3253	122	610.00	.35
AT5-630-75	103.23	7762-3254	126	630.00	.36
AT5-660-75	106.05	7762-3255	132	660.00	.37
AT5-720-75	111.72	7762-3256	144	720.00	.41
AT5-750-75	114.57	7762-3257	150	750.00	.43
AT5-780-75	117.44	7762-3258	156	780.00	.44
AT5-825-75	121.77	7762-3259	165	825.00	.47
AT5-975-75	136.42	7762-3260	195	975.00	.55
AT5-1050-75	143.87	7762-3261	210	1050.00	.60
AT5-1125-75	151.41	7762-3262	225	1125.00	.64
AT5-1500-75	201.87	7762-3321	300	1500.00	.85

*Standard/Non-Stock

AT5 Pitch — 100mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-100	\$88.76	7762-3264	45	225.00	.17
AT5-255-100	92.27	7762-3265	51	255.00	.19
AT5-275-100	94.62	7762-3266	55	275.00	.21
AT5-280-100	95.20	7762-3267	56	280.00	.21
AT5-300-100	97.56	7762-3268	60	300.00	.23
AT5-340-100	102.30	7762-3269	68	340.00	.26
AT5-375-100	106.48	7762-3270	75	375.00	.28
AT5-390-100	108.27	7762-3271	78	390.00	.30
AT5-420-100	111.88	7762-3272	84	420.00	.32
AT5-455-100	116.11	7762-3273	91	455.00	.34
AT5-500-100	121.58	7762-3274	100	500.00	.38
AT5-545-100	127.10	7762-3275	109	545.00	.41

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-100	\$133.90	7762-3276	120	600.00	.45
AT5-610-100	135.14	7762-3277	122	610.00	.46
AT5-630-100	137.63	7762-3278	126	630.00	.48
AT5-660-100	141.38	7762-3279	132	660.00	.50
AT5-720-100	148.94	7762-3280	144	720.00	.55
AT5-750-100	152.75	7762-3281	150	750.00	.57
AT5-780-100	156.57	7762-3282	156	780.00	.59
AT5-825-100	162.34	7762-3283	165	825.00	.62
AT5-975-100	181.88	7762-3284	195	975.00	.74
AT5-1050-100	191.81	7762-3285	210	1050.00	.80
AT5-1125-100	201.86	7762-3286	225	1125.00	.85
AT5-1500-100	269.17	7762-3322	300	1500.00	1.13

*Standard/Non-Stock

AT5 Pitch — 200mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-225-200	\$161.39	7762-3288	45	225.00	.34
AT5-255-200	167.76	7762-3289	51	255.00	.39
AT5-275-200	172.03	7762-3290	55	275.00	.42
AT5-280-200	173.10	7762-3291	56	280.00	.42
AT5-300-200	177.39	7762-3292	60	300.00	.45
AT5-340-200	186.00	7762-3293	68	340.00	.52
AT5-375-200	193.59	7762-3294	75	375.00	.57
AT5-390-200	196.86	7762-3295	78	390.00	.59
AT5-420-200	203.42	7762-3296	84	420.00	.64
AT5-455-200	211.11	7762-3297	91	455.00	.69
AT5-500-200	221.06	7762-3298	100	500.00	.76
AT5-545-200	231.09	7762-3299	109	545.00	.83

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT5-600-200	\$243.45	7762-3300	120	600.00	.91
AT5-610-200	245.71	7762-3301	122	610.00	.92
AT5-630-200	250.24	7762-3302	126	630.00	.95
AT5-660-200	257.06	7762-3303	132	660.00	1.00
AT5-720-200	270.80	7762-3304	144	720.00	1.09
AT5-750-200	277.72	7762-3305	150	750.00	1.14
AT5-780-200	284.68	7762-3306	156	780.00	1.18
AT5-825-200	295.17	7762-3307	165	825.00	1.25
AT5-975-200	330.68	7762-3308	195	975.00	1.48
AT5-1050-200	348.75	7762-3309	210	1050.00	1.59
AT5-1125-200	367.02	7762-3310	225	1125.00	1.70
AT5-1500-200	505.39	7762-3323	300	1500.00	2.27

*Standard/Non-Stock

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT10 Pitch — 12mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-12	\$17.06	7762-4000	50	500.00	.08
AT10-560-12	18.39	7762-4001	56	560.00	.08
AT10-610-12	19.52	7762-4002	61	610.00	.09
AT10-660-12	20.65	7762-4003	66	660.00	.10
AT10-700-12	21.55	7762-4004	70	700.00	.11
AT10-730-12	22.24	7762-4005	73	730.00	.11
AT10-780-12	23.38	7762-4006	78	780.00	.12
AT10-800-12	23.84	7762-4007	80	800.00	.12
AT10-810-12	24.07	7762-4008	81	810.00	.12
AT10-840-12	24.76	7762-4009	84	840.00	.13
AT10-890-12	25.91	7762-4010	89	890.00	.13
AT10-920-12	26.61	7762-4011	92	920.00	.14
AT10-960-12	27.54	7762-4012	96	960.00	.14

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-12	\$28.01	7762-4013	98	980.00	.15
AT10-1010-12	28.71	7762-4014	101	1010.00	.15
AT10-1050-12	29.66	7762-4015	105	1050.00	.16
AT10-1080-12	30.36	7762-4016	108	1080.00	.16
AT10-1150-12	32.03	7762-4017	115	1150.00	.17
AT10-1210-12	33.46	7762-4018	121	1210.00	.18
AT10-1250-12	34.42	7762-4019	125	1250.00	.19
AT10-1320-12	36.11	7762-4020	132	1320.00	.20
AT10-1400-12	38.06	7762-4021	140	1400.00	.21
AT10-1500-12	40.51	7762-4022	150	1500.00	.23
AT10-1600-12	42.99	7762-4023	160	1600.00	.24
AT10-1700-12	45.49	7762-4024	170	1700.00	.26
AT10-1800-12	48.16	7762-4226	180	1800.00	.27

*Standard/Non-Stock

AT10 Pitch — 16mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-16	\$21.90	7762-4025	50	500.00	.10
AT10-560-16	23.62	7762-4026	56	560.00	.11
AT10-610-16	25.06	7762-4027	61	610.00	.12
AT10-660-16	26.51	7762-4028	66	660.00	.13
AT10-700-16	27.67	7762-4029	70	700.00	.14
AT10-730-16	28.55	7762-4030	73	730.00	.15
AT10-780-16	30.02	7762-4031	78	780.00	.16
AT10-800-16	30.61	7762-4032	80	800.00	.16
AT10-810-16	30.90	7762-4033	81	810.00	.16
AT10-840-16	31.79	7762-4034	84	840.00	.17
AT10-890-16	33.27	7762-4035	89	890.00	.18
AT10-920-16	34.17	7762-4036	92	920.00	.18
AT10-960-16	35.36	7762-4037	96	960.00	.19

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-16	\$35.97	7762-4038	98	980.00	.20
AT10-1010-16	36.87	7762-4039	101	1010.00	.20
AT10-1050-16	38.08	7762-4040	105	1050.00	.21
AT10-1080-16	38.99	7762-4041	108	1080.00	.22
AT10-1150-16	41.12	7762-4042	115	1150.00	.23
AT10-1210-16	42.96	7762-4043	121	1210.00	.24
AT10-1250-16	44.19	7762-4044	125	1250.00	.25
AT10-1320-16	46.36	7762-4045	132	1320.00	.26
AT10-1400-16	48.86	7762-4046	140	1400.00	.28
AT10-1500-16	52.01	7762-4047	150	1500.00	.30
AT10-1600-16	55.20	7762-4048	160	1600.00	.32
AT10-1700-16	58.41	7762-4049	170	1700.00	.34
AT10-1800-16	61.81	7762-4228	180	1800.00	.36

AT10 Pitch — 20mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-20	\$27.37	7762-4050	50	500.00	.13
AT10-560-20	29.52	7762-4051	56	560.00	.14
AT10-610-20	31.32	7762-4052	61	610.00	.15
AT10-660-20	33.13	7762-4053	66	660.00	.17
AT10-700-20	34.59	7762-4054	70	700.00	.18
AT10-730-20	35.69	7762-4055	73	730.00	.18
AT10-780-20	37.52	7762-4056	78	780.00	.20
AT10-800-20	38.26	7762-4057	80	800.00	.20
AT10-810-20	38.63	7762-4058	81	810.00	.20
AT10-840-20	39.74	7762-4059	84	840.00	.21
AT10-890-20	41.59	7762-4060	89	890.00	.22
AT10-920-20	42.71	7762-4061	92	920.00	.23
AT10-960-20	44.21	7762-4062	96	960.00	.24

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-20	\$44.96	7762-4063	98	980.00	.25
AT10-1010-20	46.09	7762-4064	101	1010.00	.25
AT10-1050-20	47.60	7762-4065	105	1050.00	.26
AT10-1080-20	48.73	7762-4066	108	1080.00	.27
AT10-1150-20	51.40	7762-4067	115	1150.00	.29
AT10-1210-20	53.70	7762-4068	121	1210.00	.30
AT10-1250-20	55.24	7762-4069	125	1250.00	.31
AT10-1320-20	57.95	7762-4070	132	1320.00	.33
AT10-1400-20	61.08	7762-4071	140	1400.00	.35
AT10-1500-20	65.02	7762-4072	150	1500.00	.38
AT10-1600-20	69.00	7762-4073	160	1600.00	.40
AT10-1700-20	73.01	7762-4074	170	1700.00	.43
AT10-1800-20	77.33	7762-4230	180	1800.00	.45

*Standard/Non-Stock

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT10 Pitch — 25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-25	\$34.22	7762-4075	50	500.00	.16
AT10-560-25	36.90	7762-4076	56	560.00	.18
AT10-610-25	39.15	7762-4077	61	610.00	.19
AT10-660-25	41.42	7762-4078	66	660.00	.21
AT10-700-25	43.24	7762-4079	70	700.00	.22
AT10-730-25	44.61	7762-4080	73	730.00	.23
AT10-780-25	46.90	7762-4081	78	780.00	.24
AT10-800-25	47.82	7762-4082	80	800.00	.25
AT10-810-25	48.28	7762-4083	81	810.00	.25
AT10-840-25	49.67	7762-4084	84	840.00	.26
AT10-890-25	51.99	7762-4085	89	890.00	.28
AT10-920-25	53.39	7762-4086	92	920.00	.29
AT10-960-25	55.26	7762-4087	96	960.00	.30

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-25	\$56.20	7762-4088	98	980.00	.31
AT10-1010-25	57.61	7762-4089	101	1010.00	.32
AT10-1050-25	59.49	7762-4090	105	1050.00	.33
AT10-1080-25	60.92	7762-4091	108	1080.00	.34
AT10-1150-25	64.25	7762-4092	115	1150.00	.36
AT10-1210-25	67.12	7762-4093	121	1210.00	.38
AT10-1250-25	69.05	7762-4094	125	1250.00	.39
AT10-1320-25	72.44	7762-4095	132	1320.00	.41
AT10-1400-25	76.35	7762-4096	140	1400.00	.44
AT10-1500-25	81.27	7762-4097	150	1500.00	.47
AT10-1600-25	86.25	7762-4098	160	1600.00	.50
AT10-1700-25	91.27	7762-4099	170	1700.00	.53
AT10-1800-25	96.64	7762-4242	180	1800.00	.56

AT10 Pitch — 32mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-32	\$43.80	7762-4100	50	500.00	.20
AT10-560-32	47.23	7762-4101	56	560.00	.22
AT10-610-32	50.12	7762-4102	61	610.00	.24
AT10-660-32	53.01	7762-4103	66	660.00	.26
AT10-700-32	55.34	7762-4104	70	700.00	.28
AT10-730-32	57.10	7762-4105	73	730.00	.29
AT10-780-32	60.03	7762-4106	78	780.00	.31
AT10-800-32	61.21	7762-4107	80	800.00	.32
AT10-810-32	61.80	7762-4108	81	810.00	.33
AT10-840-32	63.58	7762-4109	84	840.00	.34
AT10-890-32	66.55	7762-4110	89	890.00	.36
AT10-920-32	68.33	7762-4111	92	920.00	.37
AT10-960-32	70.73	7762-4112	96	960.00	.39

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-32	\$71.93	7762-4113	98	980.00	.39
AT10-1010-32	73.74	7762-4114	101	1010.00	.41
AT10-1050-32	76.15	7762-4115	105	1050.00	.42
AT10-1080-32	77.97	7762-4116	108	1080.00	.43
AT10-1150-32	82.24	7762-4117	115	1150.00	.46
AT10-1210-32	85.92	7762-4118	121	1210.00	.49
AT10-1250-32	88.39	7762-4119	125	1250.00	.50
AT10-1320-32	92.73	7762-4120	132	1320.00	.53
AT10-1400-32	97.72	7762-4121	140	1400.00	.56
AT10-1500-32	104.03	7762-4122	150	1500.00	.60
AT10-1600-32	110.39	7762-4123	160	1600.00	.64
AT10-1700-32	116.82	7762-4124	170	1700.00	.68
AT10-1800-32	123.68	7762-4233	180	1800.00	.72

AT10 Pitch — 50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-50	\$68.43	7762-4125	50	500.00	.31
AT10-560-50	73.80	7762-4126	56	560.00	.35
AT10-610-50	78.31	7762-4127	61	610.00	.38
AT10-660-50	82.84	7762-4128	66	660.00	.41
AT10-700-50	86.48	7762-4129	70	700.00	.44
AT10-730-50	89.22	7762-4130	73	730.00	.46
AT10-780-50	93.80	7762-4131	78	780.00	.49
AT10-800-50	95.64	7762-4132	80	800.00	.50
AT10-810-50	96.57	7762-4133	81	810.00	.51
AT10-840-50	99.34	7762-4134	84	840.00	.53
AT10-890-50	103.98	7762-4135	89	890.00	.56
AT10-920-50	106.77	7762-4136	92	920.00	.58
AT10-960-50	110.51	7762-4137	96	960.00	.60

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-50	\$112.39	7762-4138	98	980.00	.61
AT10-1010-50	115.21	7762-4139	101	1010.00	.63
AT10-1050-50	118.99	7762-4140	105	1050.00	.66
AT10-1080-50	121.83	7762-4141	108	1080.00	.68
AT10-1150-50	128.50	7762-4142	115	1150.00	.72
AT10-1210-50	134.25	7762-4143	121	1210.00	.76
AT10-1250-50	138.10	7762-4144	125	1250.00	.78
AT10-1320-50	144.89	7762-4145	132	1320.00	.83
AT10-1400-50	152.70	7762-4146	140	1400.00	.88
AT10-1500-50	162.54	7762-4147	150	1500.00	.94
AT10-1600-50	172.49	7762-4148	160	1600.00	1.00
AT10-1700-50	182.54	7762-4149	170	1700.00	1.07
AT10-1800-50	193.28	7762-4235	180	1800.00	1.12

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

AT10 Pitch — 75mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-75	\$102.65	7762-4150	50	500.00	.47
AT10-560-75	110.71	7762-4151	56	560.00	.53
AT10-610-75	117.46	7762-4152	61	610.00	.57
AT10-660-75	124.25	7762-4153	66	660.00	.62
AT10-700-75	129.71	7762-4154	70	700.00	.66
AT10-730-75	133.82	7762-4155	73	730.00	.69
AT10-780-75	140.70	7762-4156	78	780.00	.73
AT10-800-75	143.47	7762-4157	80	800.00	.75
AT10-810-75	144.85	7762-4158	81	810.00	.76
AT10-840-75	149.01	7762-4159	84	840.00	.79
AT10-890-75	155.97	7762-4160	89	890.00	.84
AT10-920-75	160.16	7762-4161	92	920.00	.87
AT10-960-75	165.77	7762-4162	96	960.00	.90

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-75	\$168.59	7762-4163	98	980.00	.92
AT10-1010-75	172.82	7762-4164	101	1010.00	.95
AT10-1050-75	178.48	7762-4165	105	1050.00	.99
AT10-1080-75	182.75	7762-4166	108	1080.00	1.02
AT10-1150-75	192.75	7762-4167	115	1150.00	1.08
AT10-1210-75	201.37	7762-4168	121	1210.00	1.14
AT10-1250-75	207.16	7762-4169	125	1250.00	1.18
AT10-1320-75	217.33	7762-4170	132	1320.00	1.24
AT10-1400-75	229.04	7762-4171	140	1400.00	1.32
AT10-1500-75	243.82	7762-4172	150	1500.00	1.41
AT10-1600-75	258.74	7762-4173	160	1600.00	1.51
AT10-1700-75	273.80	7762-4174	170	1700.00	1.60
AT10-1800-75	289.92	7762-4237	180	1800.00	1.69

*Standard/Non-Stock

AT10 Pitch — 100mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-100	\$115.79	7762-4175	50	500.00	.63
AT10-560-100	124.91	7762-4176	56	560.00	.70
AT10-610-100	132.53	7762-4177	61	610.00	.77
AT10-660-100	140.16	7762-4178	66	660.00	.83
AT10-700-100	146.35	7762-4179	70	700.00	.88
AT10-730-100	150.99	7762-4180	73	730.00	.92
AT10-780-100	158.72	7762-4181	78	780.00	.98
AT10-800-100	161.87	7762-4182	80	800.00	1.00
AT10-810-100	163.41	7762-4183	81	810.00	1.02
AT10-840-100	168.11	7762-4184	84	840.00	1.05
AT10-890-100	175.95	7762-4185	89	890.00	1.12
AT10-920-100	180.69	7762-4186	92	920.00	1.15
AT10-960-100	187.04	7762-4187	96	960.00	1.20

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-100	\$190.19	7762-4188	98	980.00	1.23
AT10-1010-100	194.99	7762-4189	101	1010.00	1.27
AT10-1050-100	201.39	7762-4190	105	1050.00	1.32
AT10-1080-100	206.19	7762-4191	108	1080.00	1.35
AT10-1150-100	217.44	7762-4192	115	1150.00	1.44
AT10-1210-100	227.20	7762-4193	121	1210.00	1.52
AT10-1250-100	233.71	7762-4194	125	1250.00	1.57
AT10-1320-100	245.17	7762-4195	132	1320.00	1.66
AT10-1400-100	258.40	7762-4196	140	1400.00	1.76
AT10-1500-100	275.09	7762-4197	150	1500.00	1.88
AT10-1600-100	291.89	7762-4198	160	1600.00	2.01
AT10-1700-100	308.91	7762-4199	170	1700.00	2.13
AT10-1800-100	327.09	7762-4239	180	1800.00	2.25

*Standard/Non-Stock

AT10 Pitch — 200mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-500-200	\$210.56	7762-4200	50	500.00	1.25
AT10-560-200	227.09	7762-4201	56	560.00	1.41
AT10-610-200	240.95	7762-4202	61	610.00	1.53
AT10-660-200	254.88	7762-4203	66	660.00	1.66
AT10-700-200	266.08	7762-4204	70	700.00	1.76
AT10-730-200	274.51	7762-4205	73	730.00	1.83
AT10-780-200	288.62	7762-4206	78	780.00	1.96
AT10-800-200	294.29	7762-4207	80	800.00	2.01
AT10-810-200	297.12	7762-4208	81	810.00	2.03
AT10-840-200	305.65	7762-4209	84	840.00	2.11
AT10-890-200	319.93	7762-4210	89	890.00	2.23
AT10-920-200	328.53	7762-4211	92	920.00	2.31
AT10-960-200	340.04	7762-4212	96	960.00	2.41

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
AT10-980-200	\$345.82	7762-4213	98	980.00	2.46
AT10-1010-200	354.50	7762-4214	101	1010.00	2.53
AT10-1050-200	366.12	7762-4215	105	1050.00	2.63
AT10-1080-200	374.87	7762-4216	108	1080.00	2.71
AT10-1150-200	395.38	7762-4217	115	1150.00	2.89
AT10-1210-200	413.08	7762-4218	121	1210.00	3.04
AT10-1250-200	424.93	7762-4219	125	1250.00	3.14
AT10-1320-200	445.80	7762-4220	132	1320.00	3.31
AT10-1400-200	469.83	7762-4221	140	1400.00	3.51
AT10-1500-200	500.14	7762-4222	150	1500.00	3.76
AT10-1600-200	530.74	7762-4223	160	1600.00	4.01
AT10-1700-200	561.65	7762-4224	170	1700.00	4.27
AT10-1800-200	594.67	7762-4241	180	1800.00	4.51

*Standard/Non-Stock

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

Twin Power®-DT5 Pitch — 6mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-6	\$7.59	7762-5000	52	260.00	.01
DT5-410-6	9.41	7762-5001	82	410.00	.01
DT5-460-6	10.04	7762-0391	92	144.00	.02
DT5-480-6	10.29	7762-5002	96	480.00	.02
DT5-515-6	10.73	7762-5003	103	515.00	.02
DT5-590-6	11.71	7762-5004	118	590.00	.02

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-6	\$12.11	7762-5005	124	620.00	.02
DT5-750-6	13.88	7762-5006	150	750.00	.03
DT5-815-6	14.80	7762-5007	163	815.00	.03
DT5-860-6	15.44	7762-5008	172	860.00	.03
DT5-940-6	16.61	7762-5009	188	940.00	.03

*Standard/Non-Stock

Twin Power®-DT5 Pitch — 8mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-8	\$9.77	7762-5010	52	260.00	.01
DT5-410-8	12.07	7762-5011	82	410.00	.02
DT5-460-8	12.88	7762-0392	92	144.00	.02
DT5-480-8	13.21	7762-5012	92	460.00	.02
DT5-515-8	13.80	7762-5013	103	515.00	.02
DT5-590-8	15.10	7762-5014	118	590.00	.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-8	\$15.64	7762-5015	124	620.00	.03
DT5-750-8	18.06	7762-5016	150	750.00	.03
DT5-815-8	19.33	7762-5017	163	815.00	.04
DT5-860-8	20.23	7762-5018	172	860.00	.04
DT5-940-8	21.88	7762-5019	188	940.00	.04

*Standard/Non-Stock

Twin Power®-DT5 Pitch — 10mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-10	\$11.80	7762-5020	52	260.00	.01
DT5-410-10	14.56	7762-5021	82	410.00	.02
DT5-460-10	15.55	7762-0393	92	144.00	.03
DT5-480-10	15.94	7762-5022	96	480.00	.03
DT5-515-10	16.65	7762-5023	103	515.00	.03
DT5-590-10	18.22	7762-5024	118	590.00	.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-10	\$18.86	7762-5025	124	620.00	.04
DT5-750-10	21.78	7762-5026	150	750.00	.04
DT5-815-10	23.32	7762-5027	163	815.00	.05
DT5-860-10	24.41	7762-5028	172	860.00	.05
DT5-940-10	26.40	7762-5029	188	940.00	.05

Twin Power®-DT5 Pitch — 12mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-12	\$13.65	7762-5030	52	260.00	.02
DT5-410-12	16.85	7762-5031	82	410.00	.03
DT5-480-12	17.99	7762-0394	92	144.00	.03
DT5-480-12	18.44	7762-5032	96	480.00	.03
DT5-515-12	19.26	7762-5033	103	515.00	.04
DT5-590-12	21.08	7762-5034	118	590.00	.04

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-12	\$21.82	7762-5035	124	620.00	.04
DT5-750-12	25.20	7762-5036	150	750.00	.05
DT5-815-12	26.98	7762-5037	163	815.00	.06
DT5-860-12	28.24	7762-5038	172	860.00	.06
DT5-940-12	30.55	7762-5039	188	940.00	.06

*Standard/Non-Stock

Twin Power®-DT5 Pitch — 16mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-16	\$16.85	7762-5040	52	260.00	.02
DT5-410-16	20.80	7762-5041	82	410.00	.04
DT5-460-16	22.21	7762-0396	92	144.00	.04
DT5-480-16	22.77	7762-5042	96	480.00	.04
DT5-515-16	23.78	7762-5043	103	515.00	.05
DT5-590-16	26.03	7762-5044	118	590.00	.05

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-16	\$26.95	7762-5045	124	620.00	.06
DT5-750-16	31.12	7762-5046	150	750.00	.07
DT5-815-16	33.31	7762-5047	163	815.00	.07
DT5-860-16	34.87	7762-5048	172	860.00	.08
DT5-940-16	37.72	7762-5049	188	940.00	.09

Twin Power®-DT5 Pitch — 20mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-20	\$21.08	7762-5050	52	260.00	.03
DT5-410-20	26.00	7762-5051	82	410.00	.05
DT5-460-20	27.76	7762-0397	92	144.00	.05

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-480-20	\$28.46	7762-5052	96	480.00	.05
DT5-515-20	29.73	7762-5053	103	515.00	.06
DT5-590-20	32.53	7762-5054	118	590.00	.07

*Standard/Non-Stock

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

SYNCHRO-POWER BELTS

Product No. Series 7762 (continued)

Twin Power-DT5 Pitch — 20mm Wide* (continued)

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-20	\$33.69	7762-5055	124	620.00	.07
DT5-750-20	38.90	7762-5056	150	750.00	.09
DT5-815-20	41.64	7762-5057	163	815.00	.09

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-860-20	43.59	7762-5058	172	860.00	.10
DT5-940-20	47.15	7762-5059	188	940.00	.11

*Standard/Non-Stock

Twin Power®-DT5 Pitch — 25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-25	\$25.28	7762-5060	52	260.00	.04
DT5-410-25	31.20	7762-5061	82	410.00	.06
DT5-460-25	33.31	7762-0398	92	145.00	.07
DT5-480-25	34.15	7762-5062	96	480.00	.07
DT5-515-25	35.68	7762-5063	103	515.00	.07
DT5-590-25	39.04	7762-5064	118	590.00	.08

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-25	\$40.42	7762-5065	124	620.00	.09
DT5-750-25	46.68	7762-5066	150	750.00	.11
DT5-815-25	49.97	7762-5067	163	815.00	.12
DT5-860-25	52.30	7762-5068	172	860.00	.12
DT5-940-25	56.58	7762-5069	188	940.00	.13

Twin Power-DT5 Pitch — 32mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-32	\$32.36	7762-5070	52	260.00	.05
DT5-410-32	39.93	7762-5071	82	410.00	.07
DT5-460-32	42.63	7762-0399	92	145.00	.09
DT5-480-32	43.71	7762-5072	96	480.00	.09
DT5-515-32	45.66	7762-5073	103	515.00	.09
DT5-590-32	49.96	7762-5074	118	590.00	.11

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-32	\$51.73	7762-5075	124	620.00	.11
DT5-750-32	59.74	7762-5076	150	750.00	.14
DT5-815-32	63.95	7762-5077	163	815.00	.15
DT5-860-32	66.94	7762-5078	172	860.00	.16
DT5-940-32	72.41	7762-5079	188	940.00	.17

*Standard/Non-Stock

Twin Power-DT5 Pitch — 50mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-50	\$46.36	7762-5080	52	260.00	.07
DT5-410-50	57.21	7762-5081	82	410.00	.12
DT5-460-50	61.07	7762-0400	92	145.00	.13
DT5-480-50	62.62	7762-5082	96	480.00	.14
DT5-515-50	65.41	7762-5083	103	515.00	.15
DT5-590-50	71.57	7762-5084	118	590.00	.17

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-50	\$74.11	7762-5085	124	620.00	.18
DT5-750-50	85.58	7762-5086	150	750.00	.21
DT5-815-50	91.60	7762-5087	163	815.00	.23
DT5-860-50	95.89	7762-5088	172	860.00	.24
DT5-940-50	103.73	7762-5089	188	940.00	.27

*Standard/Non-Stock

Twin Power-DT5 Pitch — 75mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-75	\$69.53	7762-5090	52	260.00	.11
DT5-410-75	85.81	7762-5091	82	410.00	.17
DT5-460-75	91.61	7762-0401	92	145.00	.19
DT5-480-75	93.93	7762-5092	96	480.00	.20
DT5-515-75	98.12	7762-5093	103	515.00	.22
DT5-590-75	107.37	7762-5094	118	590.00	.25

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-75	\$111.18	7762-5095	124	620.00	.26
DT5-750-75	128.38	7762-5096	150	750.00	.32
DT5-815-75	137.41	7762-5097	163	815.00	.35
DT5-860-75	143.83	7762-5098	172	860.00	.37
DT5-940-75	155.59	7762-5099	188	940.00	.40

*Standard/Non-Stock

Twin Power-DT5 Pitch — 100mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-100	\$92.69	7762-5100	52	260.00	.15
DT5-410-100	114.40	7762-5101	82	410.00	.23
DT5-460-100	122.14	7762-0402	92	145.00	.26
DT5-480-100	125.23	7762-5102	96	480.00	.27
DT5-515-100	130.81	7762-5103	103	515.00	.29
DT5-590-100	143.15	7762-5104	118	590.00	.33

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-100	\$148.22	7762-5105	124	620.00	.35
DT5-750-100	171.16	7762-5106	150	750.00	.43
DT5-815-100	183.21	7762-5107	163	815.00	.46
DT5-860-100	191.77	7762-5108	172	860.00	.49
DT5-940-100	207.44	7762-5109	188	940.00	.53

*Standard/Non-Stock

Prices Subject to Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

Twin Power®-DT5 Pitch — 200mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-260-200	\$168.53	7762-5110	52	260.00	.30
DT5-410-200	208.01	7762-5111	82	410.00	.47
DT5-460-200	222.07	7762-0403	92	146.00	.52
DT5-480-200	227.69	7762-5112	96	480.00	.54
DT5-515-200	237.84	7762-5113	103	515.00	.58
DT5-590-200	260.27	7762-5114	118	590.00	.67

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT5-620-200	\$269.50	7762-5115	124	620.00	.70
DT5-750-200	311.20	7762-5116	150	750.00	.85
DT5-815-200	333.10	7762-5117	163	815.00	.93
DT5-860-200	348.67	7762-5118	172	860.00	.98
DT5-940-200	377.17	7762-5119	188	940.00	1.07

*Standard/Non-Stock

Twin Power-DT10 Pitch — 10mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-10	\$18.30	7762-5500	60	600.00	.04
DT10-630-10	18.92	7762-5501	63	630.00	.04
DT10-720-10	20.80	7762-5502	72	720.00	.04
DT10-840-10	23.35	7762-5503	84	840.00	.05

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-10	\$25.08	7762-5504	92	920.00	.06
DT10-980-10	26.39	7762-5505	98	980.00	.06
DT10-1210-10	31.55	7762-5506	121	1210.00	.07

Twin Power-DT10 Pitch — 12mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-12	\$22.75	7762-5507	60	600.00	.04
DT10-630-12	23.54	7762-5508	63	630.00	.05
DT10-720-12	25.92	7762-5509	72	720.00	.05
DT10-840-12	29.10	7762-5510	84	840.00	.06

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-12	\$31.23	7762-5511	92	920.00	.07
DT10-980-12	32.83	7762-5512	98	980.00	.07
DT10-1210-12	39.00	7762-5513	121	1210.00	.09

Twin Power-DT10 Pitch — 14mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-14	\$25.55	7762-5514	60	600.00	.05
DT10-630-14	26.45	7762-5515	63	630.00	.05
DT10-720-14	29.12	7762-5516	72	720.00	.06
DT10-840-14	32.69	7762-5517	84	840.00	.07

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-14	\$35.09	7762-5518	92	920.00	.08
DT10-980-14	36.91	7762-5519	98	980.00	.08
DT10-1210-14	43.84	7762-5520	121	1210.00	.10

Twin Power-DT10 Pitch — 16mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-16	\$29.20	7762-5521	60	600.00	.06
DT10-630-16	30.22	7762-5522	63	630.00	.06
DT10-720-16	33.27	7762-5523	72	720.00	.07
DT10-840-16	37.36	7762-5524	84	840.00	.08

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-16	\$40.09	7762-5525	92	920.00	.09
DT10-980-16	42.15	7762-5526	98	980.00	.10
DT10-1210-16	50.08	7762-5527	121	1210.00	.12

Twin Power-DT10 Pitch — 20mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-20	\$36.52	7762-5528	60	600.00	.07
DT10-630-20	37.79	7762-5529	63	630.00	.08
DT10-720-20	41.60	7762-5530	72	720.00	.09
DT10-840-20	46.71	7762-5531	84	840.00	.10

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-20	\$50.13	7762-5532	92	920.00	.11
DT10-980-20	52.70	7762-5533	98	980.00	.12
DT10-1210-20	62.61	7762-5534	121	1210.00	.15

Prices Subject To Change Without Notice





Synchro-Power® Polyurethane Belts

Product No. Series 7762 (continued)

Twin Power®-DT10 Pitch — 25mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-25	\$45.64	7762-5535	60	600.00	.09
DT10-630-25	47.23	7762-5536	63	630.00	.10
DT10-720-25	52.00	7762-5537	72	720.00	.11
DT10-840-25	58.39	7762-5538	84	840.00	.13

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-25	\$62.66	7762-5539	92	920.00	.14
DT10-980-25	65.87	7762-5540	98	980.00	.15
DT10-1210-25	78.26	7762-5541	121	1210.00	.19

Twin Power-DT10 Pitch — 32mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-32	\$58.41	7762-5542	60	600.00	.12
DT10-630-32	60.44	7762-5543	63	630.00	.12
DT10-720-32	66.54	7762-5544	72	720.00	.14
DT10-840-32	74.72	7762-5545	84	840.00	.17

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-32	\$80.19	7762-5546	92	920.00	.18
DT10-980-32	84.30	7762-5547	98	980.00	.19
DT10-1210-32	100.16	7762-5548	121	1210.00	.24

Twin Power-DT10 Pitch — 50mm Wide

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-50	\$91.27	7762-5549	60	600.00	.18
DT10-630-50	94.45	7762-5550	63	630.00	.19
DT10-720-50	103.98	7762-5551	72	720.00	.22
DT10-840-50	116.75	7762-5552	84	840.00	.26

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-50	\$125.30	7762-5553	92	920.00	.28
DT10-980-50	131.73	7762-5554	98	980.00	.30
DT10-1210-50	156.50	7762-5555	121	1210.00	.37

Twin Power-DT10 Pitch — 75mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-75	\$136.91	7762-5556	60	600.00	.28
DT10-630-75	141.67	7762-5557	63	630.00	.29
DT10-720-75	155.98	7762-5558	72	720.00	.33
DT10-840-75	175.13	7762-5559	84	840.00	.39

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-75	\$187.95	7762-5560	92	920.00	.42
DT10-980-75	197.59	7762-5561	98	980.00	.45
DT10-1210-75	234.75	7762-5562	121	1210.00	.56

*Standard/Non-Stock

Twin Power-DT10 Pitch — 100mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-100	\$154.46	7762-5563	60	600.00	.37
DT10-630-100	159.83	7762-5564	63	630.00	.39
DT10-720-100	175.98	7762-5565	72	720.00	.44
DT10-840-100	197.59	7762-5566	84	840.00	.52

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-100	\$212.05	7762-5567	92	920.00	.57
DT10-980-100	222.93	7762-5568	98	980.00	.60
DT10-1210-100	264.86	7762-5569	121	1210.00	.74

*Standard/Non-Stock

Twin Power-DT10 Pitch — 200mm Wide*

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-600-200	\$280.84	7762-5570	60	600.00	.74
DT10-630-200	290.61	7762-5571	63	630.00	.78
DT10-720-200	319.96	7762-5572	72	720.00	.89
DT10-840-200	359.25	7762-5573	84	840.00	1.03

Part No.	Sugg. List Price	Product No.	No. of Teeth	Pitch Length (mm)	Wt. Ea. (Lbs.)
DT10-920-200	\$385.55	7762-5574	92	920.00	1.13
DT10-980-200	405.33	7762-5575	98	980.00	1.21
DT10-1210-200	481.56	7762-5576	121	1210.00	1.49

*Standard/Non-Stock

Prices Subject To Change Without Notice

